

Index

An *f* following a page number denotes a figure.

- affine transformations, *see* uniform components; uniform transformations
- age, 96, 106
- alcohol, effect of, upon children's faces, 80, 160–1, 285–7, 301–2
- allometry
 and Centroid Size, 171–6
 directionality of, 239–41
 and distance measures, 96–108
 of ellipses, 212–13
 examples
 for distances, 103–8
 for multiple landmarks, 353–7
 for triangles, 239–41, 243–4
 extrapolation of, 388–90
 false, 168–71
 and General Size, 96–102
 and group differences, 25, 115–19
 iteration of, 204, 389
 in landmark-based statistics, 16, 61–2, 121, 353–4
 literature of, 51
 and log transformations, 101–2
 nonlinear, 103–7, 353–7
 in the null model, 168, 244
 and Procrustes analysis, 261
 and shape averaging, 158
 and shape coordinates, 167–78
 static, 231
 testing, 175–6
- anagenesis, evolutionary, 396*f*
- analysis of covariance
 and Centroid Size, 178
 and cross-ratios, 119–20
 in the group discrimination problem, 115–18
 setup for shape coordinate analyses, 231
- analysis of variance, of Procrustes distance, 269
- ANCOVA, *see* analysis of covariance
- angle
 autocorrelations of, 238–9
 constraining, in thin-plane splines, 381–2
 as distance
 for outlines, 46–7
 for triangles (anisotropy), 388
 double, and statistics of ellipses, 212–13
 and homology, for outlines, 45–6
 from lengths, 126–7
 as measurement
 of forms, 57, 62
 of medial axis, 78*f*, 83
 of purely inhomogeneous changes, 290
 and the shape-change tensor, 214–22
 parameter for, 190–1
 between principal axes, as invariant, 217
 in Procrustes analysis, 265–7
 and ratios at 45°, 217–21
 from shape coordinates, 136
 between shape variables, 136–7, 147, 226
- anisotropy
 approximation for, 209–11
 as cross-ratio, 385–7
 as distance measure, 13, 18, 26, 56, 211, 215, 385–91
 of ellipses as data, 212–14
 formula for, 210
 geometry of, 385–91
 as a logarithm, 386–7
 makes shape variables commensurate, 218, 341
 in matched studies
 averaging of, 232–3
 comparisons of, 233*f*, 237
 ruler for, 388
- and shape coordinates, 209–11, 235
 and the standard error of principal axes, 237
 testing of, 230, 233
 of uniform transformations, 284–5
 as a vector, 233*f*
- ANOVA, *see* analysis of variance
- ANS, *see* Anterior nasal spine
- answers, form of, in morphometrics, 3–4, 370–2; *see also* multivariate analysis, reporting
- Anterior nasal spine (landmark), 71, 247–8, 309–10, 335–9
- Apert syndrome (example), 246*f*
 calvarial form in, 161–2, 333–9
 cranial base in, 162–3, 298–9
 data listing, 405–6
 mandible in, 80–5
 maxilla in, 245–8
 uniform component of, 335, 339*f*
- aperture (landmark), 73, 78*f*, 220–1
- Apis* (example), 267–70
- area
 and Centroid Size, 242
 covariance with shape, on null model, 170–1
 formulas for, 93, 170, 198
 and size variables, 93
 in testing for size differences, 177–8
 as a variable, 57
- aspect ratio, 135, 219–21
- asymmetry, analysis of, 167, 267–70
- average image, 366–7, 383–4
- average shape
 algorithm for, 156–8
 and averaged images, 383–4
 from distances between objects, 44–5
 examples, 66–80 *passim*, 160–7; *see also* triangles, examples of, and names of examples, e.g., Apert syndrome; rat

- average shape (*continued*)
 and Procrustes analysis, 268*f*
 role of
 in Kendall's shape space, 183–4, 186
 in multivariate analysis, *see* multivariate analysis, role of mean form in
 testing of, via T^2 or MANOVA, 158–9
 over time, graphics for, 355–6
- axes, principal, *see* principal axes
- baseline
 as Absolute, in hyperbolic geometry, 388
 and the centroid of the landmarks, 279–80, 304
 change of, for a single triangle, 130–4, 161, 204–7, 391–2
 as a Möbius transformation, 131, 391
 and the null model, 142
 and Partial Least Squares, 42, 44
 rotation of, 132–3, 146, 206–7, 314
 choice of, rules for, 6, 141, 157, 280, 361
 and the circle construction, 200–2, 204–7
 and covariances of shape coordinates, 150–3
 for ellipses, 212
 landmarks on, 202, 299
 length of
 covariance with shape of, 168–70
 and size differences, 177
 midpoint of
 and the Mardia–Dryden distribution, 183
 and covariances with baseline length, 170
 along principal axes, 203, 205–7
 and purely inhomogeneous transformations, 289*f*, 291
 and relative warps, 346–7
 and rigid motion, 9–11, 291, 313–14
 and uniform transformations, 271–3, 283–5
 distance from, 272, 278–9
 factor estimate, best for, 279–80
 testing, 287, 314, 355*f*
 uniformity of change along, 202, 312
- Basion (landmark), 67, 71, 163, 228–40, 298–9, 309–10, 312
- basis (algebra)
 for shape variables
 choice of, and T^2 , 159
 from finite-element analysis, 252
 orthogonal, 14–16, 287, 298, 316–18, 328
 principal and partial warps, for purely inhomogeneous transformations, 324–8, 340, 346–7
 for quadratic transformations, 303
 for quadrilateral transformations, 293
 for rigid motions, 313–14
 shape coordinates, for shape variables, 137–41, 271*f*
 for shape-free size, 171–2
 for tetrahedra, 165
 for uniform transformations, 272–3
 for size variables
 interlandmark distances, 90–2, 120–1, 225–7
 see also degrees of freedom
- bending
 of grid lines in thin-plate splines, 377–82
 of linear structures, 301–2
 as a quadratic transformation, 305–6
 of surfaces, 322–4; *see also* bending energy
- bending energy, 15, 29, 33, 316–33
 alternatives to, 367–8
 decomposition of, 326, 329, 336
 dependence on mean form, 323–4, 346
 as distance measure, 15, 56, 316–19
 and homology, for curving form, 377–82
 makes shape variables
 commensurate, 318*f*, 341
 minimizing, 378–9
 and null models for shape variation, 363
 rank of, 319, 353
 and scale, 345–6
 and variance, *see* relative warps
see also thin-plate spline
- biharmonic equation, 27, 368; *see also* thin-plate spline
- bilinear transformation, 253*f*, 306–7
- biometrics
 causation and, 35–6
 fundamental metaphor of, 55, 371
- biorthogonal directions, 187–251
 construction of, 201*f*
 definition of, 192
see also principal axes
- biorthogonal grids, 22, 24, 51, 251–3
- biostereometrics, 65
- blackboard, spherical, 181
- Bookstein, Fred L., address of, 400
- Bookstein shape coordinates, 183; *see* shape coordinates
- boundary point, 61; *see also* landmark points
- brain, landmarks for, 383*f*
- Bregma (landmark), 67, 312
- Brizalina* (example)
 comparisons of, 115–20, 163–4, 219–21
 data listing, 407–8
- error structure in, 156–7
 landmarks for, 73–4
 vertex angle, opening of, 220–1
- canonical correlations analysis, 43, 238–9; *see also* Partial Least Squares
- canonical-variates analysis, 114, 399
- Cartesian coordinates
 coupling
 for relative warps, 344
 for the thin-plate spline, 34
 displacements of, as warps, 28*f*, 293, 294*f*, 325*f*, 330*f*, 333*f*, 335*f*, 352*f*
 errors of, 141–4, 156–7, 241
 means of, *see* multivariate analysis, role of mean form in
 nonlinear transformations and, 324–5, 329–30, 335, 352, 353
 null model for, 141–4
 and shape coordinates, 128, 129
 formula for, 130
 and size variables, 89, 93
 and the thin-plate spline, 32–4
 tensors from, 189–98
 variances of, 149–50, 175
- Cartesian transformations, 20–2, 57–8, 60, 227
- causes, *see* explanation
- centroid
 baselines through, 280, 304
 and homology, 254
 in Procrustes analysis, 263–4, 265–7
 in shape space, 391–3
see also Centroid Size
- Centroid Size
 and allometry, 103–7, 171–6
 and analyzing all of shape space, 353–7
 definitions of, 93–4
 as sum of two size variables, 95
- examples
 for many landmarks, 352–7
 for triangles, 230–1, 239–40, 242–4
- versus General Size, 97–8, 106, 231
- in Kendall's approach, 180, 182, 185, 211
- power of, under null model, 176–8
- in Procrustes analysis, 263, 270
- and relative warps, 347, 352–7
- and shape space, under null model, 171–5
- and size difference, 176–8
- transformations of, 176
- and uniform transformations, 353–7; *see also* allometry
- when variances at landmarks are unequal, 175
- cephalometrics
 examples, 228–41, 245–51
 “growth axis,” 235
 landmarks for, 67–72
 of the mandible, 80–7

- registration at two points, 128–30
 chambers, landmarks for, see *Brizalina*; *Globorotalia*
 character, shape as a single, 269–70;
 see also shape space, subspaces of
 children
 effects on faces of, see alcohol;
 phenytoin
 growth in, see University of
 Michigan University School Study
 landmarks for studies of, 5–6,
 68–72, 78–80
 chin, landmarks at, 6, 69–71, 79–80,
 81*f*, 286–7, 301–2; see also
 Menton; Pogonion
 chocolate, 200
 circle construction, for the principal
 axes, 199–211, 234, 243, 245, 247,
 385–7
 approximation, 208–9
 assumptions underlying, 202
 schematic, 201*f*
 circles, in shape space, 389–90
 circles, inscribed, 207*f*, 213*f*; see also
 medial axis
 circularity
 of noise, see null model
 of shape distributions, 25–6, 141–50
 of shape metrics, 25–6, 182
 coefficients of variation
 of interspecimen distances, 123–4,
 398–400
 of intraspecimen ratios, 359
 of shape, suited to shape coordinate
 approximation, 391–2
 collinearities
 of points, 179, 181–2
 and Procrustes analysis, 264–5
 of shapes, 204, 385–7
 of syndromes, 247–8
 colonial organisms, homology for, 360
 commensurability
 in factor models, 37
 incommensurability of shape
 distances, 185–6, 316–19, 341
 of shape variables, 218, 341
 complex arithmetic
 and anisotropy, 385–7
 and Kendall's shape space, 181
 literature of, 53–4
 and Procrustes analysis, 259, 262–5
 and quadratic transformations,
 307–9
 and shape coordinates, 129–32,
 139–40, 149, 152–3, 391
 components, see principal
 components; quadratic
 transformations; relative warps;
 uniform components
 computers, high-speed, 19, 370–2
 condyle, landmarks on, 72
 Condylion (landmark), 71, 81*f*
 in three dimensions, 166–7, 248–51
 conformal maps, 131, 263
 conjugate directions, 305, 308, 342–3
 constructed landmarks, 88–90, 93,
 205–7, 254; see also landmark
 points
 at distance zero, 90, 223*f*, 254*f*,
 264
 coordinate systems, irrelevance of,
 126, 141
 Coronoidale (landmark), 71–2, 86
 alternatives to, 82–3, 86–7
 correlations
 inutility of, in morphometrics, 102
 Partial Least Squares and, 42
 among ratios, 84–5
 between shape coordinates, 142
 between shape variables of
 triangles, 136–7, 147
 cortex, homology for, 359–60
 couple, of strains, 288, 291–2, 297,
 349
 optimal, 366
 covariance
 accounting for, in path analysis,
 108–12
 between covariant and invariant,
 146
 as deformation, 227
 and explanation in morphometrics,
 1, 16, 38–9, 58
 with latent variables, 42
 in Partial Least Squares, 43
 in Procrustes analysis, 263, 268
 between shape coordinates to the
 same baseline, 150–3
 between size and shape, see
 allometry
 between subspaces of shape space,
 16, 352–7
 see also least squares; regression
 covariance matrix
 factors of, 40–1
 models for, 39–44, 98–101, 154–6
 noninvertibility, for measured
 distances, 115–16
 and Partial Least Squares, 41–3
 of partial warps, 347
 principal components of, 39–40
 and random walk, 398–9
 of shape coordinates, 150–1, 154–5,
 274–8, 283, 263
 strategies for, two, 16
 for transformation modeling,
 282–3, 300–1
 covariant, of a shape change, 134–5,
 214–21
 covariance with invariant, 146
 cranial base (examples)
 in human growth, 235
 in rat growth, 297–8, 312, 347–53,
 355*f*
 in synostosis, 163*f*, 298–9
 craniofacial syndromes, see Apert
 syndrome; Crouzon syndrome
 cross-ratio
 of distances, 118–20
 inefficiency of, 225–7
 of principal axes, 385–7
 shape coordinates as, 131
 Crouzon syndrome (example), 246*f*
 cranial base in, 163
 mandible in, 80–5
 maxilla in, 246–8
 curvature
 landmarks from, 64–6, 360–1
 and medial axis, 65
 for outlines, 46–8, 360
 Riemannian, of shapes spaces, 385
 for surfaces, 47, 360–1
 curving form
 averaging, 366–7, 383–4
 and deficient landmarks, see
 deficient landmarks
 homology for, 48, 58, 376–82
 information from 2, 86–7, 299–301,
 360–1
 and landmarks, 64–6, 86–7
 and the medial axis, 65–6, 82–7
 in space, 66, 360–1
 see also outlines; surfaces
 cylinder, elliptic, of bending energy,
 317–18, 340–1, 343, 346
 D^2 (statistic), 393, 399
 data, kinds of, 44–50; see also
 landmark points; outlines;
 textures
 data sets, 400–14
 obtaining, 400
 deficient coordinates, see deficient
 landmarks
 deficient landmarks, 65, 69, 74, 77,
 361, 377–82
 statistics of, 156–7, 240–1, 299–301
 deformation, see Cartesian
 transformations; interpolation;
 thin-plate spline
 deformity, measuring, as deformation,
 80*f*, 162*f*, 246, 301–2, 333–9
 degrees, see angle
 degrees of freedom, 25, 159
 for anisotropy, 237
 of constructed distances, 91
 for deficient landmarks, 65, 378–9
 for directions of shape variables,
 for a triangle, 133–5, 214–15, 237
 of ellipses, 212–13
 in the factor model, 100
 for finite elements, 252
 of partial warps, 318*f*, 339, 341,
 344
 for a pentahedron, 167
 of polynomial fits, 302
 of the principal warps, 321, 346
 of Procrustes residuals, 261, 265
 of the Procrustes superposition, 263

- degrees of freedom (*continued*)
 for purely inhomogeneous transformations of quadrilaterals, 294, 319–20
 for quadratic transformations, 304–5
 for quadrilaterals, 287, 293, 299
 in random walk, 398
 of relative warps, 318*f*, 341, 344
 of rigid motions, 313–14
 of shape-free size variables, 171–2
 of shape space, 13, 140–1, 159, 167, 222, 318*f*
 of size space, 92, 115–6, 252
 for subspaces of shape space, 25, 341
 for symmetric structures, 7, 167
 for tensors, 252
 for thin-plate splines, 368
 for a tetrahedron, 165
 for a triangle, 8, 129, 235–6
 as direction and anisotropy, 237
 for uniform components and transformations, 272–3, 282, 284
- derivatives
 and distances among outlines, 44–8
 and the finite-element method, 251–5
 of maps, 57; *see also* biorthogonal grids
 along outlines, 44–8
 and the thin-plate spline
 first, 32, 331, 377–82
 second, 29, 33, 319, 322, 323
- descriptive finite elements, *see* finite element method
- descriptors of deformation, 323, 328; *see also* partial warps; principal warps
- developmental biology, *see* allometry; landmark points, and explanation
- developmental timing, *see* timing diagrams, role of, 3–4, 256–7, 370
- diameter
 of the cylinder of bending energy, 318*f*
 and landmark definitions, 65
 of the mandible, 82–3
 of a shape scatter, 132–3, 390–2
- directions in shape space
 coverage of, 23–5
 naming, 214–22
 as variables, 128, 133–7, 215
- discriminant-function analysis, 83–5, 112–8, 220–2
- discriminatory path analysis, 84–5, 108–21; *see also* Group Shape
- distances, two senses of, 55–6
 between points, 17, 55–8, 88–124
 analysis of covariance of, 115–21
 constructed, 89–90, 222–4
 and explanations, 62
 factor analysis of, 103–8
 growth of, 234–5, 248–50
- landmarks and, 58
 in outline analysis, 45–6
 in Procrustes analysis, 265–7
 simple ratios of, insufficient for multivariate statistics, 225–7
 and testing size difference, 177
see also size variables
- between shapes, 16, 21, 48, 58, 178–9, 185–6, 316–9, 353–7
 coefficient of variation of, 123–4, 398–400
 cross-ratios as, 385–6
 and ordination, 48–9, 398–400
 among outlines, 44–8
 for quadratic transformations, 368
 for triangles, geometry of, 385–91
see also anisotropy; D^2 ; Procrustes distance; shape distance
- Earhole, *see* Meatus
- ecophenotypy (example), 242, 244–5, 299–301
- efficiency, statistical, 23–6, 185, 362
 of Centroid Size, 176–8
 of cross-ratio methods, 225–7
 and finite-element methods, 252
 of T^2 , when null model is nearly true, 277
- eigenanalysis
 of bending energy, 319–33
 graphic for, 321*f*
see also cylinder
- of covariance matrices, *see* principal component analysis; relative warps
- and random walk, 394
 relative, 224, 304–5, 340–3
 and tensors, 198
- eigenshapes, 46–7, 62, 75–7
 covariances of, 242
 and landmarks, 75–7, 244
 in multivariate analysis, 15
- ellipses
 and the circle construction, 213*f*
 as data, 212–13
 relative eigenanalysis of a pair of, 342–3
 representing shape change, 207
 of shape predictability, 238–9
 and the single-factor model, 153–6
- elliptic cylinder of bending energy, *see* cylinder
- end points, as landmarks, 65–6; *see also* medial axis
- Endocanthion (landmark), 6, 8–11
 energy, *see* bending energy
- energy-specific variance, *see* relative warps
- equilateral triangle
 as exceptional case, 134–5, 171, 181*f*
 shape variables for, 137*f*
- equivalence classes, shapes as, 180–1, 183
- equivalence, statistical, 93
- errors
 of homology between landmarks, 251–5
 of method, diagnosing, 24, 227
 statistical, *see* null model; residuals
- Ethmoid registration (landmark), 71–2, 163, 298–9
- Euclidean distance matrix analysis, 14, 225–7, 362
- evolutionary rates, 393–400
- examples, *see* Apert syndrome; brain; *Brizalina*; children; Crouzon syndrome; *Globorotalia*; honeybees; rats; University of Michigan University School Study; *Veenia*
- Exocanthion (landmark), 6, 79, 286–7
 explanation, 34–44, 59–63, 256–7
 allometry as, 96–8
 and canonical variates analysis, 114
 and discriminant-function analysis, 114
 forms of, 2, 61, 96
 by General Size, 96–8
 and landmarks, 59–66
 and shape factors, 153–6
see also variance, “explained”
- extrapolation of uniform transformations, 204, 388–9
- extremal points, 65
- eyebrow, landmarks on, 6, 79–80
- F (statistic)
 for allometry, 175–6, 230–1, 239, 243
 noncentral, for Kendall’s shape space, 184
 for other exogenous predictors of shape, 245
 for uniform transformations, 282
see also T^2
- face, human, landmarks for, 5–6, 78–80; *see also* alcohol; growth; phenytoin
- factors/factor analysis, 37–44
 as cause, in morphometrics, 36–7
 and directional noise, at landmarks, 154, 156–7, 240–1, 244
 in discrimination, 84–5, 112–18
 endogenous, 38–41
 and estimating features of transformation, 283, 300–1, 314
 exogenous, 37–8
 as explanations, 36–9, 60, 97
 failure of factor model, 245
 General Size as, 97–100
 example, 103–7
 group factors, 40–1
 Group Shape, 115–17, 121–3
 least squares and, 40–41, 100–1

- and principal components, 39–41, 113–14; *see also* principal component analysis; single-factor model
- and random walk, 394
- of rat calvarial distances, 103–8
 versus a geometric analysis, 312, 353–7
- scores, 39–40, 42–4, 99, 277–9; *see also* latent variables; uniform components
- for shape coordinate pairs, 153–6, 217
- for size variables, 98, 102, 113–14; *see also* General Size
- two-factor models, 108–11
- for uniform components, 354–5
- uniform transformation, factor estimate of, 277–80
- Wright's algorithm for, 100–1
- features of shape comparison, 12–16, 256–357; *see also* shape space, subspaces of
- finite-element method, 14, 23–4, 64, 165–6, 283*f*, 289*f*, 298*f*, 334, 362
- argument against, 251–5
- foraminifera, landmarks for, 72–8
- Fourier analysis
 and distances among outlines, 45–6
 and explanation, 62
 as multivariate statistics, 14, 60
 and principal warps, 328
- fractals, 346
- frontonasal dysplasia (example), 163
- General Size, 96–108
 and Centroid Size, 97–8, 106, 231
 formula for, 99–100
- generalized least squares, *see* least squares, generalized
- geodesics, 182, 186
- geometric components, 302; 316; *see also* quadratic transformations; uniform transformations
- geometry
 in biology, 257–8, 368–9
 and homology, 55–8
 non-Euclidean, 204, 211, 317–18, 341, 385–92
 readings in, 52–4
 of shape space, 23–6, 182–6, 316–19, 340–1
 for triangles, 181–3, 385–91
- Globorotalia* (example)
 allometry in, 243–4
 data listing, 406
 ecophenotypy in, 242, 245, 299–301
 and eigenshapes, 75–7
 landmarks for, 77–8, 244
 spiral form in, 314–15
- Gnathion (landmark), 71, 79
- Gonion (landmark), 71, 81*f*, 309–10
 in three dimensions, 166–7, 248–51
- gradient, of shape variables, 134–5; *see also* covariant; growth gradients
- grids, biorthogonal, *see* biorthogonal grids
- Group Shape, 108–18
 and the “shear,” 122–3
- growth axis, 235, 309–10
- growth, examples of, *see* rat; University of Michigan University School Study
- growth gradients
 cubic, 314
 error of, visualizing, 366
 fitting, 60, 303–4
 as a hierarchy, 287, 302
 history of, 22
 Huxley's model, 60, 102
 and multivariate statistics, 14, 18, 36, 287
 and Procrustes analysis, 261
 as quadratic transformation, 305–6, 309–12
 and relative warps, 15, 347–54
- growth prediction, 238–41
- hemifacial microsomia (example), 163
- “heterology,” 62–3
- Hillel, Rabbi, 194
- homogeneity, of Kendall's shape space, 183–6
- homology, biological, 2, 13, 14, 17, 56–8, 62–3
 and centroids, 263
 and curvature, 360–1
 data lacking in, 44–50, 86–7, 178–86, 212–14
 as deformation, 57–8
 difficult cases, 359–60; *see also* deficient landmarks
 and finite elements, 251–5, 289–91
 and landmarks, 56–8, 63–4, 359
 constructed landmarks, 223–4, 254, 290–1
 for outlines, 45–8, 58, 377–82
 of parts, 56, 368–9
 and Procrustes superpositions, 263, 265–7
 of size variables, 56–8, 254
 and textures, 49
 and the thin-plate spline, 26, 253–4
 and uniform transformations, 188–9
- honeybees (example), wing asymmetry of, 267–70
- Hotelling's T^2 , *see* T^2
- hyperbolic plane, 204, 211, 385–92
- ID, *see* Infradentale
- image analysis, 49–50, 383–4
 thin-plane splines and, 30, 366–7
- Inferior zygoma (landmark), 71, 334–9
- Infradentale (landmark), 71, 81, 83–4, 86
- inhomogeneous transformation, *see* purely inhomogeneous transformations
- Interparietal suture (landmark), 67
- interpolation
 versus modeling, 255
 around outlines, 45–6
 the thin-plate spline as an, 30–4
see also finite element method; homology; thin-plate spline
- Intersphenoidal suture (landmark), 67, 312
- invariance
 of bending energy, 34
 of the circle construction, 205, 207
 of findings, 141, 187, 270–1
 of fitted transformations
 quadratic, 302–4
 uniform, 274, 284–5
 of latent variables, under rotation, 42–3
 of the Mardia–Dryden distribution, 184–6
 of shape-coordinate scatters under change of baseline, 131–4
 accuracy of, 391–2
 of tensors computed from Cartesian coordinates, 199
 of the thin-plate spline procedure, 34
 of the uniform subspace, 273
see also invariants
- invariants
 of the circle construction, 204–7
 correlation with covariant, 146
 regression coefficients as, 35
 of a shape change, 133–4, 214–21
 of tensors, 252
- inversion, and covariances of shape coordinates, 152–3
- IPS, *see* Interparietal suture
- isometry, 23, 25, 102, 184
- ISS, *see* Intersphenoidal suture
- juxtapositions of tissues, 63–4
- Kendall's shape space, 22, 26, 178–86, 364, 369
 geometry of, 181*f*, 211, 318*f*, 385
see also Mardia–Dryden
 distribution; Procrustes distance; shape space
- kite, *see* square, transformations of
- L (landmark), 70–1
- Lambda (landmark), 67
- Lambda (statistic), 159, 162
- landmark points, 2, 17, 55–87, 358–61
 cephalometric, 67–72
 constructed, *see* constructed landmarks
 deficient, *see* deficient landmarks
 definition, 2

- landmark points (*continued*)
 dependence of principal warps on, 323–4, 331–3, 337
 from eigenshapes, 75–7
 examples of, 66–80, 81, 268, 383
 and explanation, 59–63
 and finite elements, 251–5; *see also* triangles
 in Kendall's shape space, 185–6
 and localization, 292, 330–1; *see also* residuals, from Procrustes fits
 from the medial axis, 82
 and outline data, 48, 58, 64–6, 360
 pathologies of, 86–7, 359–60
 from photographs, 5–6, 79–80
 registering, and shape coordinates, 128–30
 residuals “at,” 292; *see also* Procrustes analysis
 roles of, in morphometrics, 34–5, 120–1
 spacing of, 261, 331–3, 341, 382
 subsets of, *see* partial warps; rigid motions
 from surfaces, 360–1
 tensors from, *see* triangles
 types of, 63–6
- latent variables, 38–44, 97; *see also* factor analysis; General Size; Partial Least Squares
- latitude, as predictor of *Globorotalia* shape, 242, 244–5, 299–301
- least squares
 and factor models, 39–41
 generalized, 274, 276, 299–301, 303, 314; *see also* variance, explained, by projection onto shape subspaces
 as measurement, 35–6
see also Partial Least Squares; principal component analysis; regression
- Legendre polynomials, 107
- lengths, as variables, 57–8; *see also* distances, between points
- LIE, *see* Lower incisal edge
- lines
 and landmarks, 63*f*, 65–6, 361
 in shape space, 386–7
see also tangent lines and planes
- Lip commissure (landmark), 6
- loadings
 and cross-ratios, 119
 for discriminant-function analysis, 115
 for Group Shape, 116
 and log size variables, 101–6
 for relative warps, 350
 for the uniform component, 278–9
see also factor analysis; General Size
- localization, of morphometric analyses, 62–3, 64, 261, 292, 316–19, 320, 341, 367
- minimizing, 377–82
 of polynomial fits, 302, 316
 and principal warps, 322–4, 328–33, 337
 of purely inhomogeneous transformations, 292
- logarithms
 of Centroid Size, 106, 176
 of cross-ratios, 119–20
 justification for, 101–2
 and Procrustes distance, 95
 of strain ratios, 386–8; *see also* anisotropy
- longitudinal designs, *see entries under* growth
- Lower incisal edge (landmark), 71, 81*f*, 83
- Mahalanobis distance, 317, 393, 399
- mandible
 growth of, in three dimensions, 166–7, 248–51
 landmarks on, 71–2, 86–7
 and medial axis, 80–7
 in synostosis, 80–5
- MANOVA, *see* multivariate analysis of variance
- Mardia–Dryden distribution, 23, 159, 183–5
 and uniform transformations, 276–7, 283
see also null model
- matched designs, 245–8
 approximation to T^2 , 232–3
see also entries under growth
- maxilla
 effects on, *see* Apert syndrome
 landmarks on, 71, 72
- maximum likelihood, 159, 185, 276–7, 283, 362
- mean form, *see* average shape; multivariate analysis, role of mean form in
- Meatus (landmark), 79, 285–6
- medial axis, 80–7
 definition of, 82
 and landmarks, 17, 65–6, 69–70, 82–3
 of the mandible, 82
 morphometric variables from, 78*f*, 82*f*, 86–7
- median line, 89–91, 172–3
- Menton (landmark), 71, 81*f*, 228–41, 309–10
 noise at, 240–1
 in three dimensions, 166–7, 248–51
- metrics for shape space, *see* anisotropy; bending energy; principal components, metrics for; Procrustes distance
- midline, as baseline for shape coordinates, 6
- missing data, 359
- morphological integration, 369
- morphometrics
 in the curriculum, xiv–xv
 critiques of methods for, 227
 definitions, xiv, 1, 400
 factor analysis in, 101; *see also* factors
 geometrical models for, 257–8; *see also* transformation
 history of, xv–xvi, 21–3, 50–1, 178–9
 landmarks, roles of, 34–5
 learning, xv
 metrics, role of, 13–16, 56, 185, 353–7, 364; *see also* anisotropy; bending energy; Procrustes distance
 the multivariate synthesis in, 22–6; *see also* multivariate analysis
 overviews, 1–19
 prerequisites for, xv
 principles of, 1–4, 358–72
 readings in, 50–1
 routine, 12, 358–9, 361–5, 370
- morphometry, 49–50
- motion, as interpretation of shape change, 10–11, 298; *see also* Procrustes superposition; rigid motion
- multivariate analysis
 of asymmetry, 269–70
 discriminant-function analysis, 112–14
 of distances, 88–124
 distances, senses of, 55–6
 of ellipses, 212–13
 endogenous and exogenous, 16
 of finite elements, 251–5
 first steps in, 8–9, 12, 361–2
 of group differences, 158–9
 morphometrics as a special version of, 3, 12–16, 21, 227–8, 257–8, 362–3, 364
 normal assumption underlying, 277
 of the purely inhomogeneous transformation, 290, 294
 readings in, 52
 reporting, 8–11, 270–357, 370–71
 role of mean form in, 14–15, 120–1, 227–8, 258, 288, 316–7, 324, 362, 364
 of shape coordinates, 131, 158–9
 synthesis of, for morphometrics, 22–6
 of triangles, 227–51
see also distances; efficiency; factors; variables; and *specific analyses and statistics*, e.g., canonical correlations analysis; T^2
- multivariate analysis of variance, 158–9, 162–3
- Mutilus*, landmarks for, 74, 76
- naming directions in shape space, 214–22

- Nasal ala (landmark), 6
 Nasal bridge (landmark), 6, 11, 301–2;
see also Nasion
 Nasion (landmark), 71, 79, 228–41,
 247–8, 298–9, 335–9; *see also*
 Nasal bridge
 net partial predictor, 42
 noise, *see* factors; null model;
 residuals
 non-Euclidean geometry, *see*
 geometry, non-Euclidean
 nonlinear transformations
 of shape, *see* purely
 inhomogeneous transformations;
 quadratic transformations; rigid
 motion; thin-plate spline
 of size variables, 104–7
 null model, 141–53, 277
 allometry and, 168, 244
 and baseline extremes, 161
 bias of mean in, 392–3
 and Centroid Size, 171–8
 plus a factor, 153–6
 relative warps in, 345, 350
 and shape coordinates
 covariances of, 150–1, 274–6,
 282–3, 363
 form of errors in, 146–9
 testing, 149–50, 283, 345
 for triangles, 141–50
 a singular triangle, 184
 and the uniform component, 274–6
see also Mardia–Dryden
 distribution

 Orbitale (landmark), 70–2, 335–9
 ordination, 46, 48–9, 122–3, 208, 369
 orientation, of ellipses, 212–13
 orthocephalization, 297, 312
 orthogonal polynomials, *see*
 polynomial models
Ostracoda, *see* *Mutilus*; *Veenia*
 outlines, 44–8
 with landmarks, 45, 299–301
 averaging, 366–7
 landmarks on, 58, 64–6
 of mandible, 82
see also curving form; medial axis

 p^2 , 144; *see also* Centroid Size;
 variance, of shape coordinates
 parallelogram, area of, 198; *see also*
 square, transformations of
 Partial Least Squares, 41–4, 239, 369
 partial predictor, 42
 partial warps, 15, 296*f*, 326–39, 365
 and relative warps, 344–5
 path analysis, 20, 35–7
 in the factor model, 98
 in the group discrimination
 problem, 108–11, 115–18, 120

 path diagram
 for discriminatory analysis, 108*f*,
 112*f*
 for factor analysis, 37*f*
 for “size adjustment,” 111*f*, 122*f*
 PCA, *see* principal component
 analysis
 perpendicularity
 of covariants and invariants, 133–6
 of hyperbolic circles and hyperbolic
 radii, 389
 of principal axes of strain, 192, 194
 Pfeiffer’s syndrome (example), 163
 phenobarbital, 5
 phenytoin, effect of, upon children’s
 faces, 4–11
 photographs, landmarks from, 5–6,
 78–80
 physics, metaphors from
 bending energy, 29, 318–19
 constants, 35
 distance, 55, 371
 Galilean geometry, 341
 mechanical equilibrium, 327
 scale, 323
 space and time, 341
 sums of squares, 94
 tensor field, 254
 true values, 35
 pictures, 383–4
 pin plot, 229*f*, 247*f*
 plants, homology for, 360
 PLS, *see* Partial Least Squares
 PNS, *see* Posterior nasal spine
 Pogonion (landmark), 71, 81*f*
 Poincaré half-plane, 204, 385–92
 polar coordinates, 212–13
 polynomial models
 for shape coordinates, 22, 287, 302,
 304
 for size variables, 104–7
see also quadratic transformations;
 uniform transformations
 Posterior nasal spine (landmark), 71,
 309–10, 335–9
 power, of tests for size change, 176–8;
see also efficiency
 pre-shape, 180
 principal axes, 187–255
 as baseline, 203, 205–7
 construction of, 200–2, 208–9
 definition of, 192
 of ellipses, 207–8, 212–13
 existence, proof of, 208
 in finite-element analysis, 251–5
 ratio of strains along, *see* anisotropy
 reporting, 218–21, 324, 335, 366;
see also transects
 of a shape scatter, 153–6, 243
 and shape variables, 214–21
 standard error of, 209, 236–7, 254
 for thin-plate splines, 324–5, 334–5
 for a uniform transformation,
 283–5, 366
see also principal strains

 principal components/principal
 component analysis
 and allometry, 101
 analogues in morphometrics, 14–16,
 318, 341, 364
 circle construction for, 242–3
 and discriminant-function analysis,
 113–14
 and factors, 40–1, 107, 113–14
 and General Size, 103–8, 110, 116;
see also General Size
 geometry of, 113, 340, 342
 for *Globorotalia*, 242–3
 and least squares, 39–40
 as mean, for interspecimen distance
 data, 44–5
 metrics for, in shape space, 186,
 340–7
 and Partial Least Squares, 43
 of partial warps, *see* relative warps
 and random walk, 394
 relative warps as, 343–4, 346–7; *see*
also relative warps
 and scatter, 113–14
 and shape factors, 155–6
 and the “shear,” 121–3
 of size variables, 103–8
 subspace of subspace of shape
 space, 341, 353
 of triangles, 242–3
 and the truss, 95
 of uniform factor estimates, 279,
 354*f*
 principal directions, *see* principal axes
 principal strains, 187–255
 and biorthogonal grids, 22, 251–3
 construction of, 200–2, 209–10
 definition of, 196–9
 in finite-element analysis, 251–5
 ratio of, *see* anisotropy
 standard errors of, 234
 testing, 236
 principal warps, 14–15, 25, 316,
 320–39
 and computation of relative warps,
 340, 346–7
 zeroth, *see* uniform components,
 principal components of
see also partial warps
 principles of morphometrics, 1–12, 19,
 358–72; *see also* answers;
 landmark points; questions in
 morphometrics; shape
 coordinates
 Procrustes analysis, 14, 62, 258–70,
 362, 365
 as complex regression, 262–5; *see*
also residuals
 extensions of, 186, 259, 277
 prior knowledge and, 330
 Procrustes distance
 and anisotropy, 211, 385
 in asymmetry studies, 268–70
 and bending energy, 317–18
 characterization of, 15

- Procrustes distance (*continued*)
 diagram of, 269*f*, 318*f*
 distribution of, under null model, 184–5
 formula for, 182, 259
 and Kendall's shape space, 182
 limits of, 185–6, 317–18, 364
 and localization, 264–5, 291–2, 319
 for relative warps, 368
 and the truss, 95
- Procrustes superposition, 14, 258–67
 as display, 268*f*, 350*f*, 351*f*, 365
 formula for, 263
 for purely inhomogeneous transformations, 291–2
 as misspecification, 260–2
 principal and partial warps are at, 324, 326, 344, 347
 relative warps are at, 344, 347
- projection, onto shape subspaces, 271, 282, 284, 303, 312–14
- Proloculus (landmark), 73, 220–1
 protists, homology for, 360
- pseudolandmarks, *see* deficient landmarks
- Pterygomaxillary fissure (landmark), 71, 335–9
- purely inhomogeneous transformations, 92, 276*f*, 279, 287–302, 320
 as quadratic transformations, 307, 368
see also rigid motion; square, transformation of
- quadratic forms, *see* bending energy; covariance matrix; eigenanalysis, relative
- quadratic transformations, 302–12
 basis for, 303
 canonical form for, 304–5
 no metric for, 341, 368
 special cases of, 305–9
 and the triharmonic thin-plate spline, 368
- quadratic variation, *see* bending energy
- quadrilaterals
 components of shape change for, 293, 297–302
 flatness criterion for, 92
 interpolants of, 253–4
 testing uniformity of changes in, 287
 transects of, 222–5
 and the truss, 95
see also rectangle; rhombus; square
- questions in morphometrics, 3, 18, 256–7, 363–9, 372
- radius
 anisotropy as, 212–13, 389–90
 and outline analysis, 45–6, 360
 of shape space, 153
 as variable, 78, 82–3
- Ramal triple point (landmark), 82–3
- random walk, 369, 393–400
- range statistic, 396–400
- rat, calvarial growth in (example), 69*f*, 103–8, 280–1, 283–5, 297–8, 311–12, 347–57
 data listing, 408–14
 landmark definitions, 67
- ratios
 from analysis of covariance of distances, 118–21
 and angles at 45°, 217–21
 and discriminatory factors, 84–5
 of distances
 insufficient for reporting findings, 225–7
 in terms of shape coordinates, 138–41
 extreme, for many landmarks, 222–7
 for purely inhomogeneous change, 289–90
 and the shape-change tensor, 217–21
 shape coordinates as, 7, 135–6, 142, 226
 as shape variables, 126, 137–9
 statistics of, 24, 83–5
see also anisotropy; aspect ratio; cross-ratio; distances; shape coordinates; shape variables
- reading-lists, auxiliary
 geometry, 52–4
 morphometrics, 50–1
 statistics, 51–2
- rectangle, 193–4, 217–18
- registration, two-point, 128–30, 200, 271*f*
 principal axes and, 209
 and Procrustes analysis, 265–7
see also baseline; circle construction
- regression
 in allometry studies, 103–7, 175–6, 231, 239, 243
 in biometrics, 35–6, 59
 of covariances, 39, 42
 in ecophenotypy studies, 242–5
 for factor loadings, 103–7, 111
 on Group Shape, 117
 and the metric for shape space, 186, 365
 multiple, inutility of, for explanation, 37, 113–14, 117, 155–6
 polynomial, upon General Size, 103–7
 Procrustes analysis as, 262–5, 268
 and shape averaging, 158
 of shape coordinates on factors, 102, 156, 240, 243–4
 stepwise, 365
- uniform component as a, 274
see also analysis of covariance; canonical correlations analysis; canonical-variates analysis; discriminant-function analysis; residuals
- relative eigenanalysis, *see* eigenanalysis, relative
- relative warps, 15, 25, 339–57, 365
 defined, 344
 as growth gradient, 347–54
 metrics for, 368
 scores on, 345, 350–4*f*
 zeroth, *see* uniform components, principal components of
- residuals, regression
 from allometry, 25
 in allometry, 96–7
 and averaging of form, 158
 and Centroid Size, 105–7, 178
 of covariances, 41, 97–8
 and factors, 241, 244
 from factors, and uniform transformations, 283
 and finite elements, 255
 from General Size, and timing, 105–7
 the inhomogeneous transformation as a residual, 293, 299, 301
 and localization, 292, 323
 from Procrustes fits, 260–1, 264–5, 267–8, 330
 from rigid motion, 313–14
 shape coordinates for, 240, 244
 from the uniform factor model, 278–80; *see also* purely inhomogeneous transformations; quadratic transformations
 from uniform transformations, 285–92, 297–8
 testing, 255, 282
- rhombus, 193, 198, 217–18
- Riemannian submersion, 26, 182, 225
- rigid motion, as transformation, 11, 13–14
 choice of baseline for, 10–11, 291, 313
 fitting, 313–14
 and Procrustes analysis, 261–2
 and purely inhomogeneous transformations, 288, 291, 297
 as subspaces of shape space, 25
see also purely inhomogeneous transformations
- rigid triangulation, as basis for shape space, 137–8, 141, 271*f*
- routine morphometric procedures, 358–9, 361–5, 370
- RTP, *see* Ramal triple point
- ruler, 127, 141
 for anisotropy, 388

- salience, 42
 sample size
 and covariance matrix for
 estimating geometric components, 283
 and cross-ratio methods, 227
 and finite-element methods, 253
 and random walk, 398
 and T^2 , 236
 scale change, 127, 176–8, 199, 382;
 see also Centroid Size
 scale, geometrical
 of bending energy, 345–6
 of directional derivatives, 331
 of inclusions, 382
 of morphometric information, 346
 of warps, 287, 324–39, 345–6
 see also size, geometric
 Sella (landmark), 71–2, 247–8, 298–9,
 335–9
 SER, *see* Ethmoid registration
 SES, *see* Spheno-ethmoid
 synchrondrosis
 sexual dimorphism, in human
 craniofacial growth, 232–5
 shape
 averaging of, *see* average shape
 as “character,” 269–70
 definitions of
 equivalence classes of landmark
 configurations, 126, 180–1
 ratios of constructed
 interlandmark distances,
 137–40
 vectors of size variables divided
 by geometric scale, 126
 features of, *see* shape space,
 subspaces of
 shape coordinates, 2–3, 6–12, 17–18,
 22, 125–86, 361–3
 autocorrelation of, 238–9
 averaging
 across a midline, 7
 over a sample, *see* average shape
 baseline and, 130–3, 209, 391–3
 changes, small, approximations for,
 208–11
 covariances of, 150–1, 274–6, 283,
 363
 definition of, 2, 129*f*
 first computations, 8–9, 12, 361–2
 formulas for, 129–30
 in terms of perturbations, 146
 and Kendall’s shape space, 179, 181
 mean differences in, *see*
 multivariate analysis of variance;
 T^2
 and Partial Least Squares, 42, 239
 and Procrustes analysis, 264–5
 as ratios, 7–8, 17–18, 130, 135–6
 and the shape-change tensor,
 199–211
 and spiral form, 314–15
 and subspaces of shape space,
 362–3
 sufficiency of, for statistics of shape,
 3, 7, 141
 uncorrelated pairs of, 151–3
 and variables, 133–7, 214–22
 shape distance, 56, 316–19, 340–41;
 see also anisotropy; bending
 energy; Procrustes distance
 shape manifold, *see* Kendall’s shape
 space
 shape space
 bases for, *see* basis; shape
 coordinates
 directions in, naming, 214–22, 318*f*
 geometry of, *see* geometry, of shape
 space; Kendall’s shape space
 lines in, 204, 386–8
 means in, *see* average shape
 metrics for, *see* anisotropy; bending
 energy; Procrustes distance
 principal components in, 242–3,
 279, 340–1; *see also* relative
 warps
 and size, 13; *see also* allometry
 subspaces of, 13–16, 18–19, 24–6,
 159, 185, 270–357, 362, 364
 analyses of, separately by
 subspace, 38, 341, 353–7
 projection onto, as explanation,
 see projection
 see also principal warps; quadratic
 transformations; uniform
 transformations
 uniqueness of, for landmark data,
 13, 22–3, 256, 362
 shape variables, 125–6
 from analysis of covariance of
 distances, 118–19
 angles between, 136–7, 226
 anisotropy as metric for, 215, 218
 autocorrelation of, 238–9
 bending energy as metric for, 340–1
 covariance with size, *see* allometry
 from distances, 126–7, 137–9
 ellipses and, 212
 from finite elements, 252
 generating, 187–8, 214–22
 geometry of, 136–7
 an involution of, 135–7
 from principal axes, 218–21, 366
 from shape coordinates, 214–17
 in the shape-coordinate plane,
 133–5
 see also ratios; shape coordinates,
 shape space
 shear (deformation), *see* uniform
 components; uniform
 transformations
 along baseline, 219–21
 shear (multivariate technique), 49,
 121–4
 significance tests, 159, 175, 282, 396;
 see also F ; t ; T^2
 single-factor model
 in shape space, 153–6
 for allometry, 175, 239–40, 243–4
 for size variables, 96–108
 and uniform component estimation,
 277–9
 singularity, locus of, 253–4
 singular-value decomposition, 43, 55,
 77
 size
 adjustment for, 96, 123–4; *see also*
 analysis of covariance; regression;
 residuals
 and allometry, 96–108
 in asymmetry studies, 270
 differences, testing, 176–8
 geometric, 13, 118, 121, 123, 126
 restoration of, to shape findings,
 234, 353–7
 see also Centroid Size; General
 Size; size variables
 size allometry, *see* allometry
 size loadings, 101–6, 115–16
 size variables, 89–95
 and allometry, 96–108
 basis for space of, 90–1
 covariance with shape, on the null
 model, 167–76
 and General Size, 96–108
 and group differences, 108–18
 and homology, 56–8, 254
 limits of, 120
 logarithms of, 101–2, 176
 orthogonality with shape, 168, 171
 principal axes as, 201*f*; *see also*
 transects
 ratios of, 118–21, 137–41, 222–7
 reduction to sum of two constructed
 distances, 92
 skeleton (image processing), *see*
 medial axis
 skeleton, landmarks on, *see specific*
 names, such as Nasion
 slope, as parameter, 190
 SOS, *see* Spheno-occipital
 synchrondrosis
 space, geometry of, 53
 Spheno-ethmoid registration, *see*
 Ethmoid registration
 Spheno-ethmoid synchrondrosis, 67,
 312, 355*f*
 Spheno-occipital synchrondrosis, 67,
 312, 355*f*
 sphere of directions
 in principal component analysis,
 340
 in Procrustes analysis, 318*f*
 spherical blackboard, 181
 spherical harmonics, 14
 spiral form, 314–15
 spline, *see* thin-plate spline

- square, transformations of
 components of, 274–6, 293, 318f
 to kite, 30–1, 276f, 289–92
 alternative versions of, 253f
 as principal warp, 319–20, 328,
 331, 336, 344, 348
 rotations of, 296f, 318f
 to parallelogram, 188–99, 251,
 274–6
 to trapezoid, 291–2, 296–7; *see also*
 couple
- stasis, evolutionary, 396f
- statistical equivalence, 93
- statistics
 readings in, 51–2
see also multivariate analysis and
 names of quantity or method, *e.g.*,
 regression; *t*
- stereology, 49–50
- STP, *see* Symphyseal triple point
- strain ratio
 definition, 191
 extremes of, 191–2, 222–4
 for quadrilaterals, 224
see also anisotropy
- strain tensor, *see* tensor
- strains, principal, *see* principal strains
- subspaces, *see* shape spaces,
 subspaces of
- superposition, *see* Procrustes
 superposition; registration
- surfaces
 of constant shape distance, 318f
 information from, 87, 360–1
 landmarks from, 65, 66, 360–1
 literature of, 53
 thin-plate splines as, 27–8f, 294f,
 325f, 329–30f, 332–3f, 335–6f,
 348–9f, 352f
- symmetric axis, *see* medial axis
- symmetric tensor, *see* tensor
- symmetry, 166–7, 267–70
 baseline for, 6
 of Kendall's shape space, 25–6, 181,
 183–6
 shape coordinates and, 7
see also asymmetry
- Symphyseal triple point (landmark),
 82–3
- synostosis, *see* Apert syndrome;
 Crouzon syndrome
- systematics, 60
- t* (statistic), 177–8, 251
 superseded by T^2 , 8, 235–36
- T^2 (statistic), 8–9, 22, 24, 116, 150,
 159, 160–1, 162, 164, 166–7, 222,
 229–30, 251, 298–9, 301
 matched, 232–3
 meaning of, 230, 236
 and *t*, 235–6
 for uniform components, 281–7
 formulas, 282
- tangent-angle function, 46–8, 77, 86
- tangent lines and planes
 and landmarks, 63f, 360–1
 and relative eigenanalysis, 342–3
 and the thin-plate spline, 377–82
- tensor field, 22, 49–50
 reporting, 254
 singularity, locus of, 253
- tensor, symmetric, as descriptor of
 shape change, 18, 22, 187–255
 definition, 211
 homogeneity of, over space, 189f,
 253, 283f, 289–90, 298f
 in three dimensions, 165–6
see also triangles; uniform
 transformations
- teratogenesis, *see* alcohol; phenytoin
- tetrahedra, statistical analysis of, 165
 volume of, 92
see also three-dimensional data
- textures, 49, 212–13, 254
- thin-plate spline, 20, 26–34, 316–39
 alternatives to, 367–8
 and centroids, 263
 computer code for, 373–5
 and curves, 376–82
 on deficient landmarks, 377–82
 and directional derivatives, 331,
 380–1
 examples
 graphical, 31f, 69f, 73f, 74f,
 76f, 80f, 162f, 296f, 321f,
 329f, 332f, 334f, 376–82f;
see also surfaces, thin-plate
 splines as
 numerical, 294–5, 320–1
 formulas for, 32–3
 history of, 30, 32
 and image averaging, 366–7, 383–4
 and inclusions, 382
 as an interpolant, 30–4, 253–4
 limits of, 359
 and outline averaging, 366–7
 pleasures of, 320
 properties of, 33
 for the purely inhomogeneous
 transformation, 28f, 293–6
 reliability of, 253
see also bending energy; partial
 warps; principal warps; relative
 warps
- three-dimensional data
 example of analysis of, 248–51
 information in, 87
 landmarks, 65, 66, 360–1
 outlines, 45–8
 shape coordinates for, 164–7
 display of, 363
 surfaces, 360–1, 366–7
 symmetry in, 167
 textures, 213–14
 tissues, 49–50
 visualization, 370–2
- timing, developmental, evidence for,
 104–7, 353–7
- transects
 of triangles, 24, 201–3
 and cross-ratios, 226–7
 and reporting shape-coordinate
 findings, 234–5, 243, 245, 247,
 249–50
 of quadrilaterals, 223–4
 the transect theorem, 222–5
- transformation, geometric
 literature of, 53–4
see also Cartesian transformations;
 interpolation; purely
 inhomogeneous transformations;
 quadratic transformations;
 square, transformations of;
 uniform transformations
- translation, *see* purely
 inhomogeneous transformations;
 rigid motion
- trapezoid, *see* couple; square,
 transformations of, to trapezoid
- Treacher Collins syndrome (example),
 163
- trend surface, *see* polynomial models
- triangles, 187–255
 approximate methods, 208–11
 area of, 93, 170
 canonical forms, 184, 264
 diagram styles for, 228–9, 234
 discrepancies of changes between,
 287–90, 298–9
 displacement inside, 299
 equilateral, *see* equilateral triangle
 examples for, 8–9, 160–1, 227–51
 as finite elements, 251
 history of analyses for, 22
 invisibility of, 257
 isosceles, 226
 medians of, and allometry, 172–3
 multivariate analysis of, 131–2, 159,
 172–4
 principal components of, 242–3
 Procrustes superposition of, 264–5
 rigid triangulation by, 137, 138f,
 271f, 283f
 searching over, 159, 222
 and shape coordinates, 2, 9, 128–31
 shape measures of, 133–5, 214–22
 the size measure of, for allometry
 studies, 168–76
 on the spherical blackboard, 181
 sufficiency for extremes of strain,
 222–5
 in three dimensions, 164–7, 248–51
see also transects
- triharmonic equation, 368
- triple points, as landmarks, 66, 82; *see*
also medial axis
- truss, 51, 95–6, 158
- U* (function), 27–9, 32–3, 367–8
 figure of, 27

- uniform components
 - examples of, 10, 280–1, 354
 - factor estimate of, 277–80, 362
 - principal components of, 10, 279, 353–7, 365, 366
 - and relative warps, 15, 353–7
 - standard errors of, 280
- uniform distribution of shape, 181–2
- uniform shear, *see* uniform transformations
- uniform transformations, 9–10, 270–87
 - algebra of, 188–99, 272–3
 - anisotropy as metric for, 26, 283–5
 - basis for, 273
 - and bending energy, 318*f*, 320, 321, 353
 - circle construction, assumed in, 202
 - examples, 9–10, 283–7, 299
 - factor estimation of, *see* uniform components
 - and finite elements, 253–5
 - fitting, 255, 274, 276–7
 - formula for, 273
 - geometry of, 271–3; *see also* square, transformations of, to parallelogram
 - as polynomial, 273, 302
 - versus quadratic model, 304
 - and Procrustes superpositions, 260–2, 266–7
 - reporting, 284–5, 354*f*, 355–7, 366
 - residuals, localizing, 292, 299
 - versus rigid motion, 314
 - as a subspace of shape space, 13, 25, 273–4, 318*f*, 353
 - for symmetrized forms, 9–10
 - tests of, 255, 281–7, 299
 - in thin-plate spline analysis, 324, 327*f*, 335, 339*f*
 - and triangles, 277, 283
 - visualizations of, 31, 189*f*, 206*f*, 272
- University of Michigan University School Study (example)
 - data listings, 400–6
 - in deformity studies, 246
 - growth findings, 73*f*, 166–7, 228–41, 248–51, 309–10
 - growth prediction, 238–9
 - landmarks of, 68–72
 - mandibular form in, 80–5, 166–7, 248–51
 - scatter of shape in, 133*f*, 229*f*
 - Upper vermilion (landmark), 7, 79
- USS, *see* University of Michigan University School Study
- variables
 - from the circle construction, 201*f*, 209*f*, 234, 243, 245, 247
 - extents as, 57, 119–20
 - from Fourier analysis, 46
 - geometric ordering of, 59–60, 228; *see also* geometry, of shape space
 - latent, 42–44
 - from the medial axis, 82–3
 - morphometric, 2–3, 17, 21, 23, 36, 55–6; *see also* answers; multivariate analysis, reporting for purely inhomogeneous change, 290
 - sampling of, 398–400
 - scale of, and log transformations, 102
 - from tensor findings, 214–22
 - see also* distances; multivariate analysis; ratios; shape coordinates; shape variables; size variables
- variance
 - of Cartesian coordinates, 149–50
 - “explained,” 39
 - by projection onto shape subspaces, 282, 284, 299, 301, 310, 311, 314
 - and factors, 113–14, 153–5
 - of shape coordinates, 142–50, 153–5, 283
 - of the uniform factor estimate, 280
 - per unit bending, *see* relative warps
- Veenia* (example), 313–14
 - landmarks for, 74–5
 - visualization, 370–72
- volume, as variable, 57, 85
 - formula for, 92
- warps
 - blur rigid motions, 330
 - and fractals, 346
 - see also* partial warps; principal warps; relative warps; thin-plate spline
- weight, as variable, 57
- wings, insect, landmarks for, 268*f*
- workstations, 19, 370–2