

## Index

---

- abrasion, *see* wear  
 accelerated testing, *see* testing of materials  
 adhesion, *see* plastics  
   bond strength 221, 222  
   joint design 222  
   materials 222  
 aesthetics 12, 182, 187  
 alloys, *see* individual metals  
 aluminium  
   alloys 58, 69  
   hardening 69  
   sources 55  
   surface protection 69, 70  
   world production 55  
 annealing of metals 62  
 anodic coatings, *see* coatings  
   for aluminium 195, 201  
 arc  
   electric, for welding 232  
   plasma 234
- bending properties, *see* fatigue  
   metals 40, 61  
 bibliography 272  
 biological agents  
   *see* corrosion  
   *see* environmental vectors  
   attack on materials 147, 153, 164  
 brazing, *see* joining processes  
   alloys 37  
   processes 36, 90
- brittleness, *see* fracture  
   ceramics 79, 82, 149  
   plastics 100, 152  
 burning rate, *see* flammability
- carbides, *see* ion bombardment  
   cutting tools 150  
 casting, *see* encapsulation methods  
   metals 42, 230, 233  
   processes 57, 64, 230, 233  
   resins 230, 237
- ceramics, *see* coatings, ceramic  
   bonding 79  
   ceramic fibre paper 87  
   composites 81, 84  
   design factors 85, 90  
   effects of environment 82, 150  
   impact resistance 85, 149  
   manufacturing processes 48, 79, 82, 85,  
     86, 88, 89, 238  
   materials and their varieties 80  
   products 86, 87, 239  
   properties of 48, 79, 83  
   refractories 81  
   sialon 85  
   silicon carbide 80, 86  
   silicon nitride 86  
   standard products 81  
   structure 79, 80  
   wear resistance 82, 149  
   zirconium oxide 86

- chromium, *see* surface finishing  
 alloys 56  
 coatings 194, 195, 222  
 in conversion coatings 201  
 oxide-based coatings 196, 201  
 pack chromizing 189, 203  
 supplies 55  
 world sources 55, 225
- cleaning  
 before surface finishing 182  
 of metals 182, 191
- coatings  
*see* electroplating  
*see* painting  
*see* plasma  
*see* surface finishing  
 aesthetics 182, 184, 188  
 anodic 195, 201  
 ceramic 195, 204  
 conversion 182, 189, 196, 200  
 diffusion 194, 203  
 hot dip 188, 203  
 metal 188, 189, 195  
 paint 183, 187, 191, 205  
 plastic 189, 192  
 spray 190, 197  
 vapour deposition 190, 201  
 vitreous 204
- codes of practice, *see* standards
- cold working  
 of metals 34, 39, 45, 61, 64  
 processes, *see* welding  
   forging 231, 233  
   forming 231  
   pressing 231  
   rolling 231  
   stamping 231
- compacts  
 of ceramic 238  
 of metal powder 231, 232
- composites  
 anisotropy 48, 135  
 ceramics 124  
 constructions 124, 133  
 creep in 48  
 design data 133, 134  
 fibres 43, 125, 127, 134  
 fillers 125, 128  
 high strength 127, 135  
 inter-facial bonding 130, 134  
 limitations of properties 129, 133  
 manufacturing technology 130, 135, 137, 237  
 metal-based 72, 124, 141, 163  
 plastic-based 99, 130, 139  
 properties 129, 131  
 reinforcements 43, 127  
 structures from 129, 151  
 varieties of 126, 130  
 weathering 133
- computer  
 cad 14, 212, 231  
 cam 212, 231  
 data bases 31, 247  
 for materials selection 32, 247
- concrete  
 high strength 88
- copper  
 alloys 72  
 hardening 72  
 metal 71  
 plating 187, 198, 200  
 suppliers 55  
 world sources 55
- corporate image 8, 12, 220  
 aesthetics 12  
 design of products 8, 12, 220
- corrosion  
 atmospheric 58, 62, 146, 183  
 biological 147  
 chemicals 68, 194  
 galvanic 68, 71, 147, 183, 214  
 physical by cavitation 147  
 prevention 62, 169  
 products 58, 146  
 protection from 58, 147, 187  
 resistance 58  
 tests 146
- cost, *see* metals  
   *see* plastics  
 competitiveness 22, 54, 224  
 effectiveness 21, 24  
 of materials 27, 97  
 of processes 25, 37, 57
- creep  
 effects 216

276 *Index*

- creep (cont)
  - in service 144, 152
  - limits of 30
  - of materials 30, 84
  - rates 216
  - recovery 216
  - rupture 71
  - tests 32
- crystallinity
  - of ceramics 38, 79, 84
  - of glasses 38
  - of metals 38
  - of plastics 5, 38
- cutting, *see* carbides
  - see* machining
  - by laser beam 234, 236
  - by water jets 221, 239
  - fluids 77
  - metals 74, 77, 78
  - plastics 114
  - processes 74, 221
  - rates 74, 76, 77, 78
  - tools 75, 238
- data, *see* information sources
  - in books 241
  - in computers 31, 33
  - in the memory 31
- design, *see* ceramics
  - see* composites
  - see* human factors
  - see* value engineering
  - and profitability 2, 6, 8, 25
  - brief from client 15, 18
  - check-list for plastics 120
  - criteria to be satisfied 13, 29, 208
  - impact of ambient environment 147
  - mechanical 21
  - reviews 10
  - simplification 22
  - specifications 2, 6, 10, 19
- designer, *see* data
  - see* industrial design
  - and R & D 18
  - education of 1, 12, 17, 19, 120, 241
  - intuition 6, 24
  - materials selection by 20, 24, 27, 28, 31, 119
  - social responsibility 10, 25
  - sources of materials information 19, 242, 252
  - use of consultants 8, 17, 18, 19, 28, 31, 136, 252, 256, 259
- ductility, *see* stress
  - metals 145
  - plastics 93, 100, 103, 106, 108
- elastomers
  - additives 95
  - applications in products 96
  - cellular foams 96
  - coatings 95
  - manufacturing methods 95
  - properties 103, 104
  - thermoplastics 96
  - varieties of 96
- electrical conduction
  - of metals 43, 60, 72
  - of plastics 122
  - of solutions 198, 214
  - semiconductivity 227
- electroplating
  - electroforming of artifacts 197, 199
  - occlusion plating 199
  - on metal substrates 195, 197
  - on plastic substrates 195, 200
  - processes 198, 239
  - with metals 139, 187, 195
- encapsulation methods
  - coatings 70, 189, 207
  - materials 192, 207
- energy
  - derived from materials 228
  - effects of cost 41, 42
  - locked into products 3, 41, 42, 57
  - needs of processes 41
  - specific, of materials 3, 42
- environmental vectors, *see* weather
  - acceleration of 143, 146, 208
  - biological agents 147
  - effects 155, 209
  - test methods 109, 149, 208
- failure
  - affecting profits 212
  - analysis 217
  - lessons from 213

- mechanisms 133, 210
- probability of 218
- fatigue
  - effects 84, 212
  - metals, in vibration or bending 145, 209
  - plastics 212, 216
  - testing 212
  - thermal 212
- fibres
  - as reinforcement 122, 128, 141, 151
  - materials 49, 93, 126, 140
- fillers
  - in composites 126, 128
  - in elastomers 95
  - in plastics 92, 94, 139
- fire
  - avoidance of 169, 181
  - causes 165, 167
  - effects 169, 180
  - testing methods 175, 177, 179
- flame
  - fire risk 48, 58
  - spraying 197, 204
  - use for depositing coatings 196
- flammability
  - and electric fields 170
  - at elevated temperatures 173
  - burning rate 171, 176
  - combustion of materials 164
    - control additives in materials 165
  - customer requirements 165, 166
  - delayed ignition materials 168
  - heat sources 170, 176
  - layout of product to minimise 166, 171
  - local requirements 164
  - of components 168
  - of materials 168, 172
  - qualification testing of products 166, 180
  - reducing in products 169
  - standards 179
  - test methods 173, 175, 177, 178
- flaws *see* fracture
  - consequences 48, 238
  - detection 145, 215
- flexibility
  - elastomers 95
  - plastics 151, 153
- forming processes
  - ceramics 238
  - composites 137, 138, 139, 237
  - explosive 232, 238
  - metals 230
  - plastics 235
  - powder routes 232
  - work-hardening 39
- fracture *see* flaws
  - brittle 48, 61, 238
  - ductile 41
  - intergranular 39
  - mechanics 84, 130, 143, 145, 215
  - strength 24
  - toughness 24, 29, 49, 61
- galvanic effects
  - corrosion 146, 183, 188
  - series of metals 184, 214
- glass
  - borosilicate 81
  - composition 81, 88
  - manufacturing processes 81, 88, 89
  - quartz 84, 85
  - sol-gel process 81, 88
  - structure 80
  - testing 82
  - uses 84
- hardening processes
  - ion bombardment 78, 202, 234
  - metal 39, 58, 61, 67, 69, 72
    - carburise 194, 234
    - nitride 78, 190, 195
  - precipitation hardening 45, 69
- hardness
  - metals 39, 41
  - plastics 103
  - processes to increase 39
  - testing 41
  - values for materials 47
- hazardous materials
  - asbestos 29, 222
  - cadmium 222
  - other 29
- heat treatment
  - see* hardening processes

## 278 *Index*

- heat treatment (cont.)
  - see* laser beam
  - see* metals
  - solution treatment of metal alloys 40
- high temperature
  - ceramics to withstand 43, 86, 150
  - metals to withstand 62, 67, 148
- hot working
  - of metals 57, 68
- human factors 8
- impact *see* brittleness
  - see* ceramics
  - strength 145
  - testing 145
- industrial design
  - see* design
  - see* designer
  - concepts 9
  - organisation in a company 15
- information sources
  - academe 252
  - books 242, 245
  - colleagues 241
  - computer data bases 31, 247
  - conferences 246
  - consultants 8, 17, 19
  - films 247
  - government agencies 255
  - industry 254, 256, 258, 259
  - journals 242
  - libraries 241
  - patents 247
  - professional institutes 256
  - public corporations 256
  - research associations 254
  - suppliers 259
  - trade associations 258
  - trade papers 244
- injection moulding
  - costs-numbers trade-off 30
  - metals (die casting) 21, 56, 57, 64, 71, 233
  - plastics 30, 114
  - process affecting product 99
- ion bombardment
  - implantation in metals 78, 202
  - plating 78, 202
- nitriding 78, 202
- iron *see* steel
  - alloys 58, 67
  - metal 67
  - supplies 21
- joining processes *see* soldering
  - see* welding
  - adhesives 236
  - brazing 37, 73
  - ceramics 79, 90
  - mechanical fasteners 215
  - riveting 236, 263
- laminates 124, 139
- laser beam
  - cutting 236
  - surface treatment of metals 234
  - welding 236
- levitation
  - by acoustic waves 239
- machining
  - ceramics 48, 82, 90
  - composites 237
  - metals 56, 62, 74, 233
  - plastics 114, 237
  - relative indices of 75
  - speeds and rates 76, 77, 78
  - tools 76
  - ultra-high speeds 233
- magnesium
  - alloys 59, 70
  - corrosion 59, 70
  - supplies 55, 70
  - world sources 55, 70
- magnetism
  - devices 129, 217
  - disadvantages 145
  - materials 68, 73, 82, 129, 149
- management
  - expectations from designers 12
  - of companies 13
  - organisation of design function 8, 10, 14, 17
  - support for designers 15
- manufacturing
  - and relations with design 7

- industry 7, 56
- technology 24
- market
  - competitiveness 8
  - forces 7, 8, 15
  - requirements 2, 8
- materials
  - anisotropic 43, 48, 233
  - comparison of families 43
  - conservation 3, 42
  - economics 22, 24, 27, 37, 97
  - envelope of properties 39, 43, 48, 49
  - forming processes 36, 39, 230
  - isotropic 39
  - publications of data 28, 31, 241
  - ranking for usefulness 156
  - reclamation 94
  - recycling 3, 94
  - selection 6, 20, 32
  - shortages 27
  - strategic 225
  - substitution or alternatives 22
  - suppliers 21, 259
  - surface finish 20, 182
  - testing 24, 30, 40
  - varieties available 5, 27, 33
  - waste in production 42, 56
- material structures *see* ceramics
  - engineering level 5, 38
  - microstructural level 5, 38
  - molecular level 5, 38
- testing 4
- metals
  - see* cold working
  - see* corrosion
  - see* creep
  - see* fatigue
  - see* forming processes
  - see* fracture
  - see* heat treatment
  - see* weather
  - see* welding
- alloys 45, 57, 67, 69, 70, 71, 73
- costs 55, 61
- details of specific 28, 58,
- effects of environment 58
- fabrication methods 45, 56, 57, 230
- finishing 190
- performance in service 144
- properties 45, 46, 60
- strength 41, 61, 141
- substitution 22, 220
- superplastic 69, 231
- toughness 61, 142
- work hardening 40, 61
- world production 55
- moulding *see* casting
  - see* injection moulding
  - blow 97, 114
  - extrusion 114
  - green ceramics 89
  - multi-functional parts 21, 48
  - plastics 93
  - processes 114
- nickel
  - alloys 73
  - corrosion resistance 73
  - supplies 73
  - world sources 55, 226
- non-metals *see* ceramics
  - see* composites
  - see* elastomers
  - see* films
  - see* glass
  - see* plastics
- notch strength
  - see* impact
  - see* toughness
- crack propagation 2, 238
- sensitivity 145
- test methods 145
- painting
  - materials in paint 205, 207
  - performance of paint 206
  - processes 185
  - spray painting materials 189
  - spray painting processes 191, 192
  - substrates for spray painting 182, 206
- past experience
  - of materials selected 29, 31
  - rechecking 29
- patents 247
- physical properties
  - of materials 35

## 280 *Index*

- physical properties (cont.)
  - test methods 41
- plasma
  - cutting 234
  - etching 75
  - processing of surfaces 221, 233, 234
- plastics
  - see creep*
  - see elastomers*
  - see fatigue*
  - additives 92
  - applications 95, 140, 151
  - biological effects on 153
  - cellular foams 96, 122, 141
  - copolymers 101, 207
  - costs relative to other materials 97
  - degradation 100, 151
  - fabrication-processing 94, 113, 235
  - films 97, 151
  - flammability 103, 168
  - isotropy–anisotropy 99, 103, 105
  - joining 117, 118, 119
  - monomers 92, 114
  - performance in service 93, 122, 151
  - precursors 92
  - properties 48, 99, 105
  - pultrusion 130, 237
  - resins 93, 139
  - strain-dependence 45, 99
  - structure 91
  - thermoplasts 93
  - thermosets 93
  - trade names 33, 100, 105
  - varieties of 93
- pollution, *see* environmental vectors
  - air 146, 180
  - ground 57
  - reclamation of materials 3, 42, 94
  - water 223
- polymers, *see* elastomers
  - see plastics*
- porosity
  - fired ceramics 89, 238
  - plastic foams 96
- powder, *see* compacts
  - coating processes 192
  - compaction to strip 232
  - metallurgy 231, 232
  - use in cutting processes 239
- pressure vessels 135, 263
- processing
  - affects product reliability 25
  - of materials 221, 228, 239
  - optimisation 4
- product, *see* corporate image
  - see cost*
  - see design*
  - see service life*
  - and its environment 2
  - assembly 20, 36
  - design of 19, 20
  - external appearance 12, 13, 20
  - life cycle 8, 209
- quality
  - auditing 216
  - control methods 216
  - definition 216
  - evaluation 217
  - product safety analysis 217
  - sampling regimes 216
  - testing 41, 217
- raw materials
  - availability 3
  - costs 22, 24, 27
  - restricted number 3
- references 265
- reliability
  - definitions 210, 217
  - forecasting 149, 208
  - standards 263
  - statistics 19
- requirements for products 12
  - customer expectations 143
  - resistance to storage 144, 146
  - service performance 143
- safety, *see* quality
  - and reliability 10, 15, 19, 29
  - concepts 210
  - derating factors 29, 107, 209
  - factors 215, 218
  - fire tests 164, 175, 177, 179
  - of products 210

*Index*

281

- profile 217
- statistics 218
- service life, *see* plastics
  - see* product
  - damage-tolerant criterion 211
  - end of 209
  - fail-safe criterion 210
  - predictions 208
  - safe-life criterion 210
- shape-memory in metal alloys 72, 223
- sheet drawing processes
  - cold - 68, 69, 231
  - deep - 68, 231
  - for metal 58, 231
  - warm - 70, 231
- sintering
  - ceramic powders 48, 238
  - manufacturing processes 48, 238
  - metal powders 222, 232
- smoke emission,
  - from burning materials 180
- soldering
  - materials 37, 224
  - processes 37
- solvents
  - effects on plastics 109
- specifications, *see* design
  - customary in trade or industry 220, 261
  - military 161, 163
  - national 261
- standards
  - codes of practice 263
  - for materials 264
  - international 262
  - national 262
- statistics, *see* failure
  - see* quality
  - see* service life
  - for materials selection 218
- steel, *see* iron
  - manufacture 56, 57
  - properties 60
  - stainless 58, 68
  - uses 59, 67
  - varieties 58, 67
- strain
  - effects on materials 93, 99, 149
  - for metal hardening 40
  - measurement of 24
  - relation to stress 41
- stress
  - as cause of corrosion 144, 214
  - as cause of cracking 82, 109, 149
  - in materials 145, 149
  - relaxation 152, 158
  - tests 99
- substitute materials, *see* past experience
  - affected by production routes 221, 228
  - non-interchangeability 219
  - reasons for choosing 220, 225
  - successes and failures 224
  - to simplify a product 223
- surface finishing, *see* electroplating
  - see* painting
  - anodic coatings 70, 195, 201
  - as a system 182
  - conversion coatings 67, 78, 189, 200
  - electroless deposition 199
  - mechanical processes 192, 200
  - plastisol dips 189
  - processes for application 190, 191
  - selection of finishing system 188, 193
  - suitable substrates 182, 191
  - surface hardening treatments 67, 78
  - with engineering properties 78, 193, 202, 204
- temperature, *see* cryogenics
  - affecting operation of product 28, 42, 212
  - as an environment 2
  - deciding choice of materials 42
  - effects on materials 58, 144, 155
  - thermal expansion of plastics 28, 100
- tensile properties, *see* strain
  - see* stress
  - exploitation of 24
  - of materials 101, 102
  - testing for 40, 41
- testing of materials
  - accelerated methods 146, 159, 208
  - chemical resistance 146
  - electrical properties 158
  - non-destructive 217, 218
  - physical properties 99, 108
  - strength 143
  - variability of replicates 24, 40, 217



## 282 *Index*

- toughness, *see* fracture  
fracture and notch effects 24, 48, 61  
test methods 24
- toxic fumes, *see* smoke emission
- trade names 33
- transparency  
ceramics 87  
glass 82  
plastics 112  
to non-visible light 237
- value engineering 31
- vapour deposition  
of inorganic compounds 201, 202  
of metals 201, 227, 232  
of plastics 203  
processes 202
- vitreous enamel  
application processes 204  
materials 204  
performance 205  
substrates 205
- wealth, creation of 1
- wear, *see* ceramics  
applications 68, 80  
environmental effects 164
- materials to resist 58, 82, 105, 130, 145, 193, 199  
mechanical 105, 139, 238  
resistant coatings 193, 199, 202, 205, 207  
test methods 150
- weather, *see* environmental vectors  
effects on materials 109, 146, 151, 154  
effects on products 154  
humidity 2, 146, 151, 154  
radiation 2, 48, 154  
temperature 2, 152, 154
- Weibull distribution, *see* statistics  
of test results 149
- welding  
joint design 73, 215  
materials for welding 73  
processes 56, 235  
substrates  
metal 48, 56, 62, 73, 147, 221, 235  
plastic 119, 236  
other 238
- zinc  
alloys 59, 71  
castings 59, 71  
supplies 55  
surface finish 188, 198  
world sources 55