

Cambridge University Press

978-0-521-38856-6 - From Gene to Animal: An Introduction to the Molecular Biology of Animal Development: Second Edition

David de Pomerai

Index

[More information](#)

Index

- Abundance classes,
of DNA sequences, 2–3
of mRNAs, 16–17
- Acetylcholinesterase (AChE), 65–66
- Acron, 249–255, 257–258, 278
- Acrosome, 54
- Actin(s).
ascidean, 66–67
chick, 96
cytoskeletal (β -type), 66–67, 81–83, 85–86, 89, 95–96
microfilaments, 152
muscle-specific (α -type), 66–67, 81–83, 85, 89, 95
sea urchin, 81–83, 85–86
vertebrate, 89, 95–96
Xenopus, 89
- Actinomycin, 59–60, 63, 76–78
- Activator
domain, in transcription factors, 10, 13, 253
sequence, in vitellogenin A2 gene, 139
- Albumin gene regulation, 15, 138
- Allotypic structures, 215
- Alternative splicing, *see* splicing
- α -amanitin, 7–8, 154, 266
- Amplification, 22
divisions, 100–101
of chorion protein (CP) genes, 23, 25–26, 190–191
of DHFR gene, 26–27
of metallothionein I gene, 27
of ribosomal genes, 22–24, 44
- Androgens, 125, 219
- Animalised embryos, 71–74, 86
- Antennapedia complex (ANT-C), 278–279, 291, 294–306, 308–309, 315, 325
- Antero-posterior pattern, 242–243, 246–277, 306–318
- Antibody production, 28–35; *see also*
Immunoglobulin
- Antisense RNA, 258, 275
- AP-1, 14, 117
- Aphidicolin, 66, 154
- Ascaris*, 27, 70, 152
- Ascideans, 64–67
- Asterina*, 71, 86
- Autotypic structures, 215
- Avidin, 121, 125
- Axial structures, 307, 310
- Azacytidine, 96
- Balbani ring 2 (BR2), 205–206, 208–209
- Bithorax complex (BX-C), 279–294, 299–306, 308–309, 315, 325
- Bithynia*, 69
- Blastoderm, *see under Drosophila*
- Blastodisc, 57
- Blastomere, 57–62, 64–80
deletion, 64, 67, 153
- Blastula, 57, 60, 90, 93; *see also*
Midblastula transition
- Blood cells, *see* erythroid cells,
granulocytes, macrophages,
lymphocytes
- Blood islands, 104, 107
- Bone marrow, 98, 100
stem cells, *see* Stem cells
transplantation, 98–9, 116
- Branchpoint, in splicing, 17–18
- Burst-forming units (BFU-Es), 100–102, 105–106
- CACCC box, 110, 120
- Cadmium resistance, 27
- Caenorhabditis elegans*,
anchor cell, 156, 167–168, 170–171, 177
asymmetric divisions in, 149, 153, 159–160
blast cells, 147, 149, 165–166
body plan, 141–142

406 *Index**Caenorhabditis elegans* (cont.)

- cell death, 142, 158, 160, 165–6, 172–173, 187
- cell lineage, 66, 140, 142, 147–148, 150–173, 187–188
- cleavage, 147–149, 152–155
- cuticle, 141, 145, 165, 182
- dauer larva, 142, 181–185
- distal tip cells, 156, 158–159, 174–176
- energy metabolism, 183
- equivalence groups, 156–157, 159, 162–164, 167–172
- founder cells, 147–148, 153
- genes/mutants,
 - act-1/-2/-3/-4*, 145, 181
 - ced-1/-2/-3/-4*, 172–173, 187
 - ces-1*, 172
 - col-1/-2*, 145, 149
 - daf* series, 183–185
 - dpy* series, 145, 176
 - egl-1*, 172
 - fem-1/-2/-3*, 178–179
 - fer-15*, 177
 - fog-2*, 178–179
 - ges-1*, 154
 - glp-1*, 153, 156, 164, 175–176
 - her-1*, 178–179
 - lin-2/-7*, 180
 - lin-4/28/-29*, 165, 185
 - lin-8/-9*, 169
 - lin-11*, 171
 - lin-12*, 157, 159, 161–164, 169–172, 232, 239, 278
 - lin-14*, 159, 165–167, 169, 185
 - lin-15*, 167–170
 - lin-17*, 158–160
 - lin-22*, 160
 - lin-32*, 187–188
 - lin-39*, 172
 - mab-3*, 180
 - mab-5*, 180, 186, 305–306
 - mec* series (including *mec-4/mec-7*), 187–188
 - mec-3*, 187–188, 278, 305–306
 - nuc-1*, 172–173
 - par* series, 153, 155, 169
 - sdic-1/-2*, 178, 181
 - spe-6/-12*, 177
 - spe-11*, 155, 177
 - sqt-1*, 145, 176
 - tra-1*, 177–180
 - tra-2/-3*, 177–179
 - unc-15/-22/-54*, 145
 - unc-86*, 14, 158–161, 185, 187–188, 305–306, 318
 - vii-1/-2/-3/-4/-5/-6*, 146–147
 - xol-1*, 178, 181
 - zyg-8*, 155
- genetic subprograms, 165–166

- genome, 142–147
- germ cell development, 173–174
- gonads, 142, 173–177
- hermaphrodite, 141, 173–181
 - vulval equivalence group, 167–172
 - specific neurons (HSN cells), 188
- homoeotic genes, 159, 161–164; (see also *lin-12*)
- heterochronic genes, 159, 165–167; (see also *lin-14*)
- induction in, 156, 167–168, 171
- intercellular interactions in, 75, 153, 156–157, 176
- intestinal lineage, 148–149, 154
- larval development, 142, 149, 165, 182–183
- lateral inhibition in, 167, 169, 171
- leader cell, 174–176
- life cycle, 140, 182
- major sperm protein (MSP) genes, 146, 180
- male, 141, 173–181
 - abnormal (*mab*) mutants, 180
 - preanal equivalence group, 156–157, 162–163
 - Z4 lineage, 158–159
- maternal-effect mutants, 155
- mechanoreceptors, 186–188
- microtubules, 152, 186–188
- multivulva (Muv) mutants, 169–172
- muscle-specific genes, 145
- mutants, see genes above
- nervous system, 141, 160, 185–188
- paternal-effect mutants, 155
- P granules, 152–153
- pheromone, 182–184
- reproduction, 140, 142, 173–177
- sex determination, 143, 177–181
- sperm production, 146, 149, 174–177, 180
- sublineages, 147–148, 157
- suppressor mutations, 143, 176
- Tc1 transposon, 143–144
- touch sensitivity, 186–188
- trans* splicing, 146
- β -tubulin, 188
- vitellogenins, 138, 146–147, 177, 180
- vulval development, 167–172
- vulvaless (Vul) mutants, 169–172
- Cap (at 5' end of mRNA), 8, 17, 55
- CCAAT box, 13, 110, 115, 119
- cdc-2*, 55–56
- Cell cycle, 55–56, 58–59, 192
- Cell death, programmed, 159, 172–173, 217, 314
- Cell fates, segregation of, 64–70, 71, 73–76, 79–87, 148–155
- Cell fusion,
 - of myoblasts, 96–96

Cambridge University Press

978-0-521-38856-6 - From Gene to Animal: An Introduction to the Molecular Biology of Animal Development: Second Edition

David de Pomeraï

Index

[More information](#)

- of primary mesenchyme cells, 80
- Cell lineage, *see* lineage
- Cell lines,
 - 3CH 10T1/2, 96
 - K562, 109–110
 - mouse erythroleukaemia (MEL), 102, 109–110, 116
 - Xenopus*, 91
- Cellular blastoderm, *see under Drosophila*
- Chicken (*Gallus*),
 - calmodulin genes, 114
 - egg white proteins, 121, 125–134
 - globins, 104, 106–108, 110–112
 - limb bud, 317
 - oviduct, 121–126
 - segmentation in embryo, 308
 - vitellogenin, 134–136, 138
 - VLDL II, 134–135
- Chironomus*, 205–206, 208–209, 212
- Chorion, 23–26, 190–191
- Chromatin, 3–5, 106–107, 129
- Chromomere, 49–50, 206
- Chromosome (*see also* X, Y)
 - giant, *see* polytene
 - lampbrush, 49–53
 - loss, 27–28, 70, 141–142, 220
- Cilia, 80, 121, 124–125
- Cleavage, 57–83
 - arrest of, 65–66, 154
 - in ascidians, 64–66
 - in *C. elegans*, 147, 149, 152–155
 - in *Drosophila*, 191–195
 - maternal control of, 57–61, 155, 192
 - in molluscs, 67–71
 - onset of transcription during, 61–63, 149, 194
 - in sea urchins, 71–83
 - spiral, 60–61
 - synchronous divisions during, 58–59, 191–192
- Clonal marking, 202–203, 215–217, 243–245, 269–270, 292
- Coelomic sac, 79–80, 83, 85
- Colchicine, 154
- Colinearity, 17
- Collagen, 81, 84, 122, 144–145, 149, 176, 182
- Colony-forming units (CFU-Es), 101–102
- Colony stimulating factors, 99–100
- Commitment, *see* Determination
- Compartments, 243–248, 269, 284, 307–308
- Competence, 87–89
- Complexity, of RNA, 16–17, 38–40, 48–49, 52–53, 77–78, 191
- Concanavalin A, 76
- Conalbumin, 121, 126–129, 131, 133
- Consensus sequences,
 - in enhancers, 13–15,
 - for homeodomain-protein binding, 252, 271, 305
 - for Ig gene rearrangement, 32
 - in Ig promoters/enhancers, 34–35
 - in pol II promoters, 12–13
 - for POU-domain binding, 14, 35, 318–9
 - for splicing, 17–19
- Contractile proteins, *see* muscle
- Core histones, 4
- Cortex, of egg, 56, 70
- Cotransformation, 9, 109–110
- COUP factor, 134
- Creatine kinase, 96
- Cyclic AMP (cAMP), gene regulation by, 14–15, 117
- Cyclins, 47, 55–56, 196
- Cycloheximide, 194, 209–211, 266, 274
- Cytochalasin, 65, 154, 266
- Cytoplasmic localisation in egg, 64–75, 78, 152, 190, 252
- Cytoplasmic RNA populations, 16–17, 38–41
- D segment, *see* immunoglobulin genes
- Dauer larva, 142, 181–185
- Definitive erythroid cells, 103–106, 110
- Deletion, 22
 - of bithorax complex, 279–284
 - of chromosome ends, 27, 70, 152
 - of chromosomes, 28, 70
 - of DNA within Ig locus, 28–33
- Demethylation,
 - of actin genes, 95
 - of vitellogenin gene, 135–136
 - (*see also* Methylation, Undermethylation)
- Dentalium*, 67–68, 70
- Dermatome, 307
- Determination, 94
 - of blood cell precursors, 98–102
 - of compartment borders, 245–246
 - of imaginal discs, 213–218
 - of muscle cells, 96
- Deuterostomes, 306
- Diapause, 182, 198
- Differentiation, 94
 - of erythroid cells, 97–102
 - of mechanosensory neurones, 186–188
 - of muscle, 95–97
 - of oviduct, 121–125
- Dihydrofolate reductase (DHFR), gene amplification, 26–27
- DNA (deoxyribonucleic acid),
 - amplification, 22–27, 44
 - deletion, 27–33 *passim*
 - footprinting, 8
 - looping, 10
 - methylation, 5–6
 - rearrangement, 28–33
 - sequence organisation, 2, 143

408 *Index*

- DNA (*cont.*)
 supercoiling, 7
- DNA binding domains, in transcription factors, *see* homeodomain, leucine zipper, MYC domain, POU domain, zinc finger
- DNaseI
 -hypersensitive sites, 5, 94, 107, 110, 129–130, 135
 -sensitivity, 4–5, 106–107, 129
- Dorsal root ganglia, 308, 312, 314
- Dorso-ventral polarity,
 in *Drosophila*, 227–235
 in molluscs, 68–69
- Dosage compensation, 178, 181, 212, 223
- Double gradient hypothesis, 73
- Double minute chromosomes, 26
- Drosophila*,
achaete-scute complex (AS-C), 241
 amplification of chorion protein genes, 23–26, 190–191
 Antennapedia complex (ANT-C), 278–279, 291, 294–306, 308–9, 315, 325
 genetic map of ANT-C, 295
 antero-posterior polarity, 227, 242–243, 246–277
 bithorax complex (BX-C), 279–294, 299–306, 308–309, 315, 325
 genetic map of BX-C, 285
 blastoderm,
 cellular, 192–195, 217, 259, 264, 267, 276, 287
 fate map of, 196–198, 220, 249
 syncytial, 192–195, 259–260, 266, 287
 chorion proteins/genes, 23–26, 190–191
 compartments, 243–248, 269, 284
 development, overview of, 189–199
 dorsalising genes, 227–235
 dorso-ventral polarity, 227–235
 egg structure, 190–191, 228–229
 eye development, 241–242
 gap genes, 248–249, 252–261, 265–268, 287, 301, 303, 325
 genes/mutants,
abd-A, 281, 284–286, 289–291, 294, 300–304, 309
Abd-B, 281, 284–286, 289–291, 300–304, 309
abx, 280–281, 283–286, 288–289
amx, 238, 241
Antp, 180, 294–305, 309, 315
arm, 274, 277
bcd, 71, 190, 249–253, 255, 257–258, 260, 268, 278, 295, 303–306, 325
bib, 238, 241
BicC/D, 251, 253
boss, 242
bx, 280–281, 283–286, 288–289
bxl, 280–281, 283–286, 288–289, 292, 294
cac, 228–229, 235
cad, 254, 256, 300–304, 309
Cbx, 280, 285, 288
cut, 241, 278, 306
 cyclins, 196
da, 97, 221–3
Ddc, 201, 212
ddd, 218–219
dec-1, 191
Dfd, 254, 294–295, 298–304, 309, 311
dicephalic, 190, 252
DI, 238–240, 320
dl, 228–229, 231–235, 239, 320
Dll, 246, 278
dpp, 228, 234–235, 320
dsh, 274
dsx, 221–226
ea, 228–229, 231–234, 320
ecs, 210
egon, 259
en, 219, 246, 248, 262–264, 267–277, 303–306, 310–311
esc, 291
E(Spl), 238–240
eve, 241, 262–263, 265–268, 272, 277–278, 294, 304–306, 317, 325
exu, 71, 251, 253–254
fkh, 278
fs(1)K10, 228
ftz, 241, 254, 256, 262–268, 272, 277, 294–295, 298–299, 303–306, 315, 325
fu, 274
glass, 242
grk, 228–229
gsb, 268, 274, 304, 321
gt, 257–258, 265, 298
gust-B, 241
h, 262–263, 265–268, 303, 325
 H2.0, 304, 306
Hab, 292
hb, 252–253, 255–261, 265, 268, 298, 303, 321, 325
hh, 274
 histones, 61, 191
iab series, 281, 285–286, 289, 301
 IMP-E1/L2, 217–218
inv, 271, 304, 310–311
ix, 222–226
kni, 254, 257–261, 265, 303, 324–325
knrl, 259, 324
Kr, 257–261, 265, 268, 278, 298, 303, 321, 325
l(1)pole hole, 254
lab, 295, 299, 304, 309
liz, 223
M, 203, 244–245, 270
mam, 238, 241
Msh, 314

- mwh*, 202–203, 244–245
N, 162, 164, 204, 238–240, 268, 297, 320
neu, 238, 241
nina-E, 242
nk2, 275–277
nos, 251, 254–257, 259
odd, 262, 272
opa, 262, 272, 277, 303
opsin (RH), 242
osk, 250–251, 254–255
pb, 278, 295, 299, 304, 309
pbx, 260, 280–281, 283–286, 288
Pc, 290–291, 296, 298
Pcl, 291
pcx, 238, 241
ph, 291
pll, 228–229, 231–232, 234
ppx, 284
prd, 252, 262–263, 268, 274, 277, 297, 304–306, 321, 325
ptc, 275–277
pum, 251, 254–255
rough, 242
rfd, 298
Rg (pbx), 260
rRNA (5S), 11
runt, 262, 265–268, 325
sal, 278
Scr, 294–296, 298–304, 309
sev, 241–242, 254, 278, 320
sgs-3/-5/-7/-8, 213
Sgs-4, 212–213
sim, 234
sis-a/-b, 222–223
sna, 228, 233–234, 324
snk, 228, 231, 233, 320
spitz group, 234
stau, 251, 255
stg, 192
succinate dehydrogenase, 292
swa, 71, 251, 253
sxc, 291
Sxl, 181, 221–225, 232
Tab, 290
Tl, 228, 230–235, 239, 320
ill, 253–254, 257–259, 265, 303
top, 228–229
tor, 250–251, 253–254, 257
tra, 221–225
tra-2, 221–226
trk, 250–251, 253–254, 257
tropomyosin, 19
trx, 291
tsl, 250–251, 253, 257
tub, 228, 231
tud, 196, 251, 254
tuh, 290
twi, 228, 233–234
Ubx, 248, 260, 281, 284–296, 299–305, 309
val, 251
vasa, 196, 251, 254, 256
wg, 219, 262–263, 274–277, 320–321
white, 293
zen, 228, 234–235, 295, 299, 304–305, 315
zeste, 293
genital/anal disc, 213, 221
germ band, 196–198, 247–249, 261–304 *passim*
germ cell determination, 70, 194–196
glue protein (sgs) genes, 212–213
homeotic genes, 248–249, 275–304
imaginal discs, 199, 213–221, 243–246, 269, 273–274, 276, 296, 298–299
 fate maps of, 214
 morphogenesis of, 217–218
imaginal histoblast nests, 199
Malpighian tubules, 205–206, 259, 278
maternal determinants, 70–71, 227–233, 249–257, 287, 291, 303, 325
metameric identities, 279–304
metameric units, 242–249, 260–277
metamorphosis, 198–199, 213–218
mutants, *see genes above*
neurogenesis, 235–241
neurogenic genes, 236–241
non-methylation of DNA in, 5
pair-rule genes, 248–249, 261–268, 277, 287, 299, 303, 325
parasegments, 243, 246–248, 262–277, 284–303, 307, 321
P elements, 199–202, 213, 223–224, 232, 242, 257, 265, 272, 293, 297, 299
polytenisation, 23, 25, 198; *see also*
 Polytene chromosomes
puffs, early/late, 209–212
pupa, 198, 212, 217
segments, 242–243, 246–248, 279–280, 294–295
segment polarity genes, 248–249, 261–263, 268–277
sequence interspersions, 3
sex determination, 219–226
 sex-specific splicing in, 222–225
sex determining genes, 221–226
ventralising genes, 227–235 *passim*
visceral mesoderm, 291–292, 294, 304
zygotic gene expression, 257–304 *passim*
- Ecdysone*, 198, 199, 209–212, 217–8
 receptor, 211–212
EGF-like repeats, 162, 164, 239–240, 320
Egg white proteins, 121, 125–134
Embryonic haemoglobins, 104–106
engrailed-related genes/proteins, 310–311

Cambridge University Press

978-0-521-38856-6 - From Gene to Animal: An Introduction to the Molecular Biology of Animal Development: Second Edition

David de Pomerai

Index

[More information](#)410 *Index*

- Enhancers,
 activated at MBT, 59
 in *ftz* gene, 265–266
 in globin genes, 110–11
 in H2A histone gene, 13, 61
 HREs (qv) as, 119–120, 133
 in lg genes, 34–35, 97
 in lysozyme gene, 130
 in prolactin gene, 319
 in *sgs* genes, 213
 tissue-specific, 13–14, 34–35, 212
- Enhancer-binding proteins, 13–15, 34–35, 110–111, 293, 319
- Epistatic relationships, 169–170, 179, 183–184, 221
- Epithelio-mesenchymal interactions, 88
- Equivalence groups, 66, 156–157, 159, 162–164, 167–172
- Erythroblasts, 101, 108
- Erythrocytes, 97–8, 100–103
- Erythroid
 cells (E cells), 98, 103–108, 115
 definitive, 103–106, 110
 primitive, 104–106, 110
 differentiation, 97–116
 series, 101–102
 -specific transcription factor(s), [Eryf1/
 NF-E1/GH-1], 110–111, 115, 324
- Erythropoiesis, 103, 107
- Erythropoietin, 100–101, 108–109
- Exons,
 alternative use of, 18–19; *see also* Splicing, alternative
 micro-, 286, 291
 in pre-mRNA splicing, 17–18
 and protein domains, 131, 145
- Exoskeleton, 213, 220
- Extracellular matrix, 80–81, 100, 176
- Fate map, *see under Drosophila*
 blastoderm/imaginal disc
- Fertilisation, 54–56, 64, 148, 176–177, 191;
see also Self-fertilisation
- Fibroblast cell line (3CH 10T1/2), 96–97
- Foetal haemoglobins, 103
- Follicle cells, 23, 41–42, 190–191, 228–229
- Fusion, *see* Cell fusion
- Fusion genes/constructs, 9, 85–86, 96, 104, 109, 119–120, 133, 139, 201–2, 213, 253, 258, 264–266, 272–273, 293–294, 316
- Fusion mutants, 115, 289, 297–298
- Ganglion mother cell (GMC), 236–237, 241
- Gap genes, 248–249, 252–261, 265–268, 287, 301, 303, 325
- Gastrotheca*, 23
- Gastrula, *see* Gastrulation
- Gastrulation, 22, 80–81, 89, 92, 148–149, 196, 233, 259, 261, 264, 267, 270–271, 274, 276, 287, 310, 316–317
- Genes, *listed under species names*
- Gene therapy, 10, 115–116
- Genomic imprinting, 6
- Germ band, *see under Drosophila*
- Germ-cell determination, 70, 152–154, 194–196
 development, 173–177
- GHF-1, *see* Pit-1
- Globin
 gene clusters, 107, 109, 111–113, 300
 gene deletions, 114–115
 gene fusions, 115
 genes
 α, 97, 102–108, 110–114
 β, 97, 102–116
 Δ G γ , 104–110, 112–113, 115
 δ, 103–105, 107, 112–115
 ε, 104–107, 109–113
 ζ, 104–105, 108, 112–113
 ρ, 112
 θ, 104, 112
 U, 106–107
 gene therapy, 115–116
 mRNA, 101–102, 108
 proteins, 97, 101
 pseudogenes, 112–114
 switching, 102–110
- Glucocorticoid hormone
 negative response element (nGRE), 119
 receptors, 117–120
 response element (GRE), 119–120, 139
- Glycoprotein factors, 99–100
- Goblet cells, 121, 124–125
- Gradients
 in ascidean eggs, 64
 in *Drosophila*, 71, 227, 232–233, 251–252, 256, 259, 261
 in limb buds, 317
 in sea urchins, 73
- Granulocytes, 99–100
- Growth factors, 219, 235
 EGF, 162, 239
 bFGF, 91–92
 MIF, 91–92, 318
 TGF-β, 48, 91–92, 234, 320
- Growth hormone, 135, 319
- Gynandromorphs, 220–221, 292
- Haem, 97, 108–109
- Haemin, 102–103, 109
- Haemoglobin, 97–98, 102–116; *see also*
 Globin
 A, 102, 104–105, 115
 A₂, 103, 115
 embryonic, 104

- F, 104–105, 115
 Gower 1/2, 104
 Kenya, 115
 Lepore, 115
 Portland, 104
 switching, *see* Globin switching
 Haemonectin, 100
 Helix-loop-helix motif, 15, 97, 223
 Helix-turn-helix motif, 305
Hemicentrotus, 73
 Heterochronic genes, 159, 165–167
 Histone(s),
 accumulation during oogenesis, 48, 191
 α -type, 47, 61–2
 core, 4
 CS-type, 47, 61
 in *Drosophila*, 62, 191, 194
 genes
 lack of introns in, 8
 non-tandem, 62
 tandem clusters of, 2, 53, 61–2
 transcription factors for, 13, 62
 H1, 4–5, 7, 55, 69–70
 H5, 101, 110–111
 late, 47, 62
 mRNAs, 46–48, 53
 α H3, 3' processing, 19–20, 62
 lack of poly(A), 8
 in *Notophthalmus*, 53
 in sea urchin, 46–47, 61–62
 sperm-specific, 13, 61
 in *Xenopus*, 48, 62
 HMGs 14/17, 4
 HOM-C, 300, 309, 315
 Homeobox, 14, 35, 93, 180, 187, 190, 241–242, 252, 262, 265–268, 271, 274, 279, 281, 294–295, 297–300, 304–319, 324–325
 Homeodomain, 15, 35, 71, 160, 187, 241, 252, 267, 271, 278–279, 290, 296–297, 299, 304–319 *passim*
 Homeotic genes/mutants, 161, 187, 190, 215, 241, 248, 259, 277–304; *see also* *under C. elegans, Drosophila*
 Homogeneously-staining region, 26
 Hormone(s),
 interactions between, 119–120, 125, 128–129
 regulation
 of gene expression, 15, 44, 95, 116–139, 209–212
 of egg maturation, 55
 response elements (HREs), 119–120, 133–134
see also Androgen, Ecdysone, Glucocorticoid, Oestrogen, Progesterin, Thyroid hormone
 HOX clusters (human), 308, 318
 hox clusters (mouse), 308–316 *passim*
Hox genes, *see under* Mouse genes
 Human (*Homo sapiens*)
 blood disorders 114–116
 globin gene organisation, 109, 111–113
 globin switching, 102–105
 homeobox genes, 308–309, 318
 immunoglobulin genes, *see* Immunoglobulin
 immunoglobulin pseudogenes, 114
 PGK genes, 114
 sex determination, 219
 Hyalin, 81
 Hybrid dysgenesis, 199
 Hybrid (fused) genes, 115, 289, 297–298; *see also* Fusion genes
 Hybridisation,
 kinetic, 16–17
 for studying RNA populations, 38–40
 Ig, *see* Immunoglobulin
Ilyanassa, 67–69
 Imaginal discs/histoblast nests, *see under Drosophila*
 Immunoglobulin genes
 constant-region, 28–35, 114
 D segment, 29, 31–33
 enhancers in, 34–35, 97, 319
 heavy-chain, 28, 32–33
 switching, 33
 J segment, 28–33, 114
 κ light-chain, 28–30, 34–35
 λ light-chain, 29
 μ heavy chain, alternative RNA processing, 20, 33–34
 promoters in, 34–35
 rearrangement of, 28–33
 non-productive, 32
 somatic mutation in, 33
 somatic recombination of, 28–33
 variable-region, 28–35
 Immunoglobulin proteins, 28, 30
 Imprinting, 6
 Induction,
 in *C. elegans*, 156, 167–168, 171–172
 hierarchical, 88–89
 hormonal, 125–130, 134–136
 instructive, 88, 93
 mesodermal, 89–92
 neural, 92–93
 permissive, 88
 in *Xenopus*, 87–93
 Inductive interactions, 73–74
 Ingression, 80–81, 83–84
 Inhomogeneous distribution
 of maternal determinants, 64–75
 of maternal RNAs, 77–78
 Inheritance
 of DNase I-hypersensitive sites, 5–6
 of methylation patterns, 6

412 *Index*

- Initiator element (Inr), 12
 Inner cell mass (ICM), 75–76
 Interleukin 3, 100
 Internal control region (of 5S gene), 11, 44–45
 Intersexes, 220, 222, 225
 Interspecies hybrids, 60–62
 Interspersed repetitive sequence transcripts, 8, 40–41, 48–49, 53
 Interspersion of repetitive sequences in DNA, 3, 143
 Intervertebral disc, 321–323
 Intron(s),
 in egg white protein genes, 131–132
 evolution, 138
 feminising region in, 181
 in globin genes, 108, 112–4
 in Ig genes, 29–31, 33–34
 removal,
 from mRNA precursors, 8, 17–18
 from rRNA/tRNA precursors, 7
 see also Splicing
 unspliced, 40, 261
 Invagination, 80, 85, 196, 198, 234
 Involution, 92
 Isoschizomer restriction enzymes, 6
- J segment, *see* Immunoglobulin gene
 Jelly canal, 73
 Juvenile hormone, 198
- κ light-chain, *see* Immunoglobulin genes
 λ light-chain, *see* Immunoglobulin genes
 Lampbrush chromosome loops, 49–53
 readthrough transcription from, 53
 Lariat, in RNA splicing, 18
 Laser ablation of cells, 147, 156, 162, 175
 Lens regeneration, 36
 Leucine zipper motif, 14
 Limb field, 317
Limnaea, 42, 60–61
 Lineages, cell
 in ascidians, 65–67
 blood cell, 99–102
 in *C. elegans*, 66, 140, 142, 147–148, 150–173, 187–188
 in sea urchins, 79–86
 Lineage-specific gene expression, 81–86, 148–149, 187–188
 Lipovitellins, 43–44, 136–137
 Lithium, effects on development, 72–73, 86, 91
- Liver,
 foetal erythropoiesis in, 103–106
 -specific gene expression, 15, 134–139
 -specific transcription factor, 15
 steroid receptors in, 131, 134, 136
 Locus activation region (LAR), 107, 110, 116
- Lymphocyte differentiation, 98–99
 B cells (antibody producing), 28–35
 T cells, 32
 Lysozyme, 121, 126–127, 129–131, 133
Lytechinus, 85
- M (=opa) repeats, 239, 268, 297–299
 Macromeres, 57, 68, 71–80
 Macrophages, 99–100, 129
 Magnum, *see* Oviduct
 Maternal
 control, 38, 57–63
 determinants, 65–71, 89, 93, 152–155, 227–233, 291, 303, 325
 -effect mutants, 60–61, 155, 190, 227–233, 249–257
 RNAs, 46–53, 57, 66–67, 76–78, 191
 proteins, 46–48, 53, 57, 66–67
 sequence set, 39, 77–78, 81, 191
 Maturation, of oocyte, 55
 Maturation-promoting factor (MPF), 55–56; *see also* cyclin, *cdc-2*
 Meiosis, 23, 49, 55, 174–177, 202
 Mesentoblast, 67–68
 Mesodermal inducers, 91–92
 Mesomeres, 71–80
 Messenger RNA (mRNA),
 abundance, 16–17
 for egg white proteins, 126–130
 in oocyte, 46–49, 52–53
 population changes, 38–39, 76–78
 stability, 20, 47–48, 102, 128, 136, 266
 synthesis during cleavage, 58–59, 61–63, 76–78
 Metallothionein I, gene amplification, 27
 Metameric units, formation/specification in *Drosophila*, 242–249, 260–277, 279–304
 in vertebrates, 306–308
 Metamorphosis, 198–199, 213–218
 Methotrexate resistance, 26–27
 Methylation,
 of mRNA cap, 8, 55
 of DNA, 5–6, 107–108, 136
 of rRNA precursors, 7
 Microexons, 286, 291
 Micromeres, 57, 68, 71–80, 84
 Microtubules, 48, 152, 186–188; *see also* tubulins
 Midblastula transition (MBT), 58–59, 149
 enhancer activated at, 59
 Mitosis,
 control of, 55–56, 192
 without cytokinesis, 191–192
 lengthening of cycle, 194
 versus meiosis, 151, 159, 174–176
 rapid rate during cleavage, 37, 80, 149, 192

- stimulation of, 125, 324
- Mitotic domains, 192
- Mnemiopsis*, 75
- Morphogenetic determinants, 65–71; *see also* Maternal determinants
- Morula, 75–76
- Mosaic development, 64–70, 73–75, 147
- Mouse (*Mus musculus*),
 - bone marrow stem cells, 98
 - erythroleukaemia (MEL) cells, 102, 109–110, 116
 - fertilisation, 54
 - gene activation at 2-cell stage, 63
 - genes/mutants
 - α A2 crystallin, 19
 - Cdx-1*, 309
 - Dh*, 316
 - En-1/-2*, 310–312, 314, 316
 - far*, 316
 - Hd*, 316
 - Hox-1.1*, 308–310, 311–314, 316
 - Hox-1.2*, 309, 311–314
 - Hox-1.3*, 305, 309–312, 314
 - Hox-1.4*, 308–312, 316
 - Hox-1.5*, 305, 309, 311–314, 316
 - Hox-1.6*, 309, 317
 - Hox-1.7*, 308–309
 - Hox-2.1*, 309–312
 - Hox-2.2/-2.3*, 309–311
 - Hox-2.4*, 309–311, 314
 - Hox-2.5*, 308–312, 314
 - Hox-2.6*, 308–312
 - Hox-2.7/-2.8/-2.9*, 309–311
 - Hox-3.1*, 308–309, 312–314
 - Hox-3.2/-3.3*, 308–309
 - Hox-4.1*, 308–309
 - Hox-5.1/-5.3*, 308–309, 311
 - Hox-5.2*, 308–309, 317
 - Hox-5.5/-5.6*, 308–309
 - Hox-6.1*, 308–309, 311–312, 314, 317
 - Hox-6.2*, 308–309
 - Hox-7.1*, 314
 - HPRT*, 63
 - int-1*, 276, 320–321
 - Krox-20*, 314, 324
 - β_2 microglobulin, 63
 - mKr2*, 324
 - Pax-1*, 321–323
 - pu*, 315
 - rh*, 315
 - scid*, 32
 - shiverer*, 10
 - ts*, 316
 - undulated*, 321
 - z/z*, 219, 324
 - globin switching in, 104–106
 - homeobox genes, *see Hox- list under* genes/mutants
 - myogenesis in, 97
 - neural gene expression, 311–312, 314, 324
 - Mucopolysaccharides, 121, 124
 - Musca*, 3, 43, 293
 - Muscle development,
 - in ardeans, 65–67
 - in *Drosophila*, 233–234, 292–293
 - in molluscs, 67–68
 - in vertebrates (including *Xenopus*), 89–92, 95–97
 - MYC domain, 14–15, 96–97, 223, 262, 267
 - Myeloid precursors, 99–100
 - Myelencephalon, 311
 - MyoD1, 89, 96–97
 - Myogenic conversion, 96–97
 - Myogenin, 96–97
 - Myoplasm, 65–67
 - Myotome, 97, 307
 - Neural development,
 - in *C. elegans*, 185–188
 - in *Drosophila*, 235–241, 268, 292
 - in mouse, 311–312, 314, 324
 - in vertebrates, 307–308
 - in *Xenopus*, 92–93, 316
 - Neuroblasts, 162, 196, 235–238, 241
 - Neurogenic control element, 265
 - Neuromeres, 307
 - Newt, 36, 38, 317; *see also* *Notophthalmus/Triturus*
 - NvHbox 1*, 317
 - NF-A1/2, *see* Oct-1/-2
 - NF- κ B, binding to κ enhancer, 35
 - Notophthalmus*, 50, 53
 - histone genes, 53
 - Nuclear cage, 7
 - Nuclear equivalence, 35–38
 - Nuclear RNA populations, 39–40, 106
 - Nuclear transplantation, 36–38
 - Nucleolus, 7, 20
 - extrachromosomal, 23
 - Nucleoplasm, 7–8
 - Nucleosome, 4
 - Nurse cells, 42–43, 190–191, 252, 255–256
 - Oct-1/Oct-2, 14, 34–35, 160, 318–319
 - Oct-4, 319
 - Octamer element/binding proteins, 14, 34–35, 160, 318–319
 - Oestrogen, 125–129, 134–135, 219
 - receptors, 117–120, 136
 - response element (ERE), 119–120, 133, 136, 138–139
 - Ommatidia, 241
 - Oncogenes/proto-oncogenes, 14, 242
 - fos/jun*, 14; *see also* AP-1
 - int-1*, 276, 320–321
 - myc*, 14; *see also* MYC domain
 - rel*, 233, 320

414 *Index*

- Oocyte-type 5S rRNA, 44–45
 Oogenesis, 41–53, 149, 190–191
 meroistic, 42–43, 190
 panoistic, 41–42
 Ooplasms, 56, 64
opa repeats, *see* M repeats
 Organogenesis, 22, 87–88
 Ovalbumin, 4, 121, 126–134
 -related X and Y genes, 132–133
 Oviduct (chick), 121–126; *see also* Egg
 white proteins
 Ovomucoid, 121, 126–127, 131, 133
 Oxygen-binding by haemoglobin
 allosteric, 97
 differential affinities for, 104
 P elements, 9, 199–202, 213, 223–224, 232,
 242, 257, 265, 272, 293, 297, 299
 P granules, 152–153
 Pair-rule genes, 248–249, 261–268, 277,
 287, 299, 303, 325
 Palindromic sequences, 120, 139
Paracentrotus, 56, 71
 Parasegments, 243, 246–248, 262–267,
 284–303, 307–321
 Parthenogenetic activation, 37, 56–57, 60
 Partial embryos, 65, 72–74
 Paternal-effect mutants, 155
 Pheromone, 182–184
 Phosvettes, 137
 Phosvitin, 43–44, 136
 Photoreceptor cells, 241–242
 Pit-1, 160, 318–319
 Pluripotent stem cells, *see* Stem cells
 pol I/II/III. *see* RNA polymerases I/II/III
 Polar granules, 70, 152, 194–196
 Polar lobe, 67–70
 Polarisation, of mammalian blastomeres,
 75–76
 Pole cells, 194–196, 227, 254–256
 Pole plasm, 251
 Poly(A), 8, 40–41, 131–132, 149
 Polyadenylation, 18–19
 AAUAAA signal in, 19
 alternative sites for, 34–36, 225, 286,
 296–297
 of histone mRNA in oocyte, 48
 Polyclones, 217, 245
 Polyploid cells, 42–43, 176, 190, 192
 Polyspermy, blocks to, 54
 Polytene chromosomes, 23, 25, 190, 198,
 204–212
 Positional information, 74, 227, 233, 306,
 315
 Post-transcriptional control, 16–20, 257,
 261; *see also* Splicing
 Post-translational control, 35, 266
 POU domain, 14, 35, 160, 318–319
 Preinitiation complex, 11, 13, 45
 Prepattern, 261, 267, 307
 Prevertebrae, 311, 313–315
 Primary mesenchyme (PM) cells, 60–61,
 71, 79–81, 83–86
 Primary responses to hormone, 125, 134–
 136
 Primary transcripts, 16–17
 Primitive erythroid cells, 104–106, 110
 Primitive streak, 307
 Processed genes, 114
 Progesterin/progesterone, 125–126, 128–129,
 219
 receptors, 118–120
 response element (PRE), 119–120, 133
 Progressive localisation, 75
 Prolactin, 119, 135, 319
 Promoter(s)
 of *Antp* gene, 296–297
 of *cad* gene, 256
 of egg white protein genes, 133–134
 GC-rich, 12, 119
 of globin genes, 110–111
 of *hb* gene, 256, 260
 of histone genes, 53
 of homeotic genes, 304
 of Ig genes, 34–35
 modular nature of, 10, 12–13
 of mRNA-coding genes, 12–13
 of rRNA genes, 10–11
 of 5S rRNA genes, 11, 44–45
 of *sgs* genes, 213
 of snRNA genes, 12
 of *Ubx* gene, 286, 293–294
 Pronucleus, 9, 47, 54, 61
 Protein synthetic profiles,
 in *Drosophila* embryos, 194
 in mollusc embryos, 69–70
 in sea urchin blastomeres, 76–78
 Proto-oncogene, *see* Oncogene
 Protostomes, 305
Psammachinus, 61–62
 Pseudogenes, 112–114, 146–147
 Puffs, 198, 204–212
 early, 209, 212
 late, 209–211
Rana,
 cleavage of enucleate eggs, 60
 nuclear transplantation, 37
 Rat,
 elastase I, 9–10
 tryptophan oxygenase, 120
 Readthrough transcription, 53
 Rearrangement of Ig genes, 28–33; *see*
 also Immunoglobulin genes
 Recombinase, for Ig gene rearrangement,
 32
 Recombination,
 homologous, 116

- somatic, 29–32, 202–203, 215–217, 243–245, 269
- Regeneration, 36, 214, 317
- Regulative development, 71–76, 86–87
- Regulatory DNA elements, 10–15, 34–35, 85–86, 95–97, 109–111, 115, 117–120, 130, 133–134, 136, 13^o–139, 147, 160, 180–181, 201–202, 213, 252–253, 258, 265–268, 271, 286–287, 293–294, 299, 303–305, 318–319
- Repetitive DNA, 2, 143
- transcripts of, 8, 40–41, 48–49, 53, 138
- Replication of DNA, multifork, 25–26
- origin of, 26
- rolling circle, 23
- Replicon, 26
- Reticulocyte, 101–102
- Retinoic acid, as morphogen, 310, 316–317
- receptors, 118, 259, 310
- Rhombomeres, 308, 311, 314
- Ribosomal proteins, 45, 53, 57–58, 194
- Ribosomal RNA/genes, 5S
- in *C. elegans*, 144
- in *Drosophila*, 11
- internal control region of, 11, 44–45
- somatic versus oocyte type, 44–45
- in *Xenopus*, 11, 44–45
- Ribosomal RNA/genes, 18S + 5.8S + 28S
- amplification of, 22–24, 44
- in *C. elegans*, 144
- transcription of, 11, 23
- Ribosome, assembly, 7, 22–23, 44–45, 57
- transit time, 55
- Ring canals, 42–44, 190, 252
- RNA (ribonucleic acid), populations, 16–17, 38–41, 48–49, 52–53, 76–78, 191
- precursors/processing, 7–8, 16–20; *see also* Splicing
- stability, 20, 48, 266
- see also* Messenger/Ribosomal/Transfer RNA
- RNA polymerases
- pol I, 7, 10–11, 205, 207
- pol II, 8, 11–13, 110, 205, 207
- pol III, 7, 11, 44–45
- Sabellaria*, 69
- Salivary glands, in *Chironomus*, 205–209
- in *Drosophila*, 209–211
- Satellite DNA, 2, 27
- transcripts of, 53
- Schistocerca*, 236–237
- Schlerotome, 307
- Sea squirt, 64–67
- Sea urchin, 38–40, 46–47, 54–55, 60–62, 71–87, 306; *see also* *Hemicentrotus/Lytechinus/Paracentrotus/Psammechinus/Strongylocentrotus*
- cell fates in, 79–87
- cleavage of enucleate eggs, 60
- embryogenesis, 71–87
- fertilisation, 54–56
- genes/markers
- actin, 81–83, 85–86
- Endo1/16, 84–85
- homeobox gene, 306
- Meso 1, 84
- myosin, 85
- SM 50, 84–86
- Spec1, 83, 86
- Spec3, 86
- tropomyosin, 85
- tubulins, 47, 83
- histone genes/subtypes, 46–47, 61–62
- interspecies hybrids, 60–61
- mRNA populations in, 38–40, 46–48
- Secondary responses to hormone, 125–130, 135–136
- Segmentation, in *Drosophila*, 242–304 *passim*
- in vertebrates, 306–308
- Segment polarity genes, 248–249, 261–263, 268–277
- Selector genes, 215, 299
- Self fertilisation, 141, 148, 176
- Self splicing, 10
- Sequence interspersions, 3, 143
- Sex determination, in *C. elegans*, 177–181
- in *Drosophila*, 219–226
- in human, 219
- Sex-specific splicing, 222–226
- Sexual dimorphism, 177, 220–221, 226, 290
- Sheep, globin switching in, 105
- Skeletogenic cells/markers, 80, 84
- Silencer sequences, 15, 133
- Simple sequence DNA, 2
- Single copy sequences, 3, 38–40, 77–78
- Small micromeres (SM cells), 80
- Small nuclear RNAs (snRNAs), in 3' cleavage of pre-mRNA, 19–20, 62
- in pre-mRNA splicing, 18
- in rRNA processing, 20
- transcription of, 12
- see also* U1/U2/U4/U5, U3/U8/U13, U7
- Small nuclear RNPs (snRNPs), 18–20, 62, 146
- Snurps, *see* Small nuclear RNPs
- Somatic mesoderm, 248, 292
- Somatic mutation, 33
- Somatic recombination, *see* Recombination

416 *Index*

- Somatic-type 5S rRNA, 44–45
 Somatostatin, 117
 Somites, 97, 307, 310, 313, 316, 321
 Somitomeres, 307
 Spermatogenesis, 146, 149, 155, 173–174, 176–177, 179–180
 Sperm proteins, 146
 Sperm receptors, 54
 Spliceosome, 18
 Splicing,
 - alternative patterns, 18–19, 33–34, 191, 286, 296–297, 318
 - germ-line specific, 201
 - incomplete, 40, 261
 - of mRNA precursors, 8, 17–18
 - mutants affecting, 19, 113, 115
 - of nascent transcripts, 20
 - of rRNA precursors, 7
 - sex-specific, 222–226
 - trans*, 18, 146
 - of tRNA precursors, 7
 Stem cells, 37, 98–106, 149
 Steroid hormone(s), *see* Androgens/
 Ecdysone/Glucocorticoid/
 Oestrogen/Progesterin/Thyroid hormone
 receptors, 15, 119–120, 133–134, 139, 212
 receptor superfamily, 118, 134, 259, 324
Strongylocentrotus, 85
Styela, 64–66
 Synchronous divisions, 191–192
 Syncytial
 - blastoderm, *see under Drosophila*
 - gonad, 173
 - hypodermis, 141, 149, 168
 - myotube, 95
 - skeletogenic tissue, 80
 TATA box, 12–13, 110, 113, 119
 Telson, 249–255, 257–258, 278
 Terminal cell division, 95, 102, 109
 Testis-determining factor (TDF), 219
 TFIIA/B/C, TFIID, *see* Transcription factors
 Thyroid hormone,
 - receptors, 118, 120
 - response element (TRE), 120
 Tissue specificity,
 - of splicing patterns, 19, 201, 286
 - of transcription factors, 12–15, 34–35, 86, 110–111, 115, 134, 139, 160–161, 187, 304–305, 318–319
 Totipotency, 36–38
 Transcription, 10–15, *passim* throughout text
 Transcription factors,
 - general, 10–15, 86, 305
 - inducible, 86–87
 - for pre-mRNA transcription
 - CTF/NF-1, 13
 - Eryf1/NF-E1, GF-1, 110–111, 324
 - LF-B1, 15
 - NF- κ B, 35
 - Oct-1/-2, 14, 34–35, 160, 318–319
 - Pit-1, 160, 318–319
 - Sp1, 12
 - TFIID, 13
 - for rRNA transcription, 11
 - for 5S rRNA transcription
 - TFIIIA, 11, 20, 44–45, 48, 118, 234, 258, 321
 - TFIIIB/TFIIIC, 11, 45*see also* Homeodomain/Homeobox/
 Leucine zipper/MYC domain/
 POU domain/Zinc finger
 Transdetermination, 215–217
 Transferrin, 131
 Transfer RNA(s),
 - processing, 7
 - transcription, 7, 45
 - suppressor mutants involving, 143
 Transgenic animals,
 - Drosophila*, 200–202; *see also* P elements
 - mice, 9–10, 104, 202, 316
 Translation,
 - activation of, 54–55
 - control of, 103, 108–109
 - factors
 - eIF2, 46, 55
 - eIF4A, 196
 - inefficiency in oocyte, 46
 - rate, 55, 128, 130
 Transposable genetic element/
 transposon, *see* P element, Tcl,
 2–3, 19, 143–144, 199–202, 285
Trans splicing, 18, 146
 Transvection, 293
Tribolium, 299–300, 309, 315
 Triploid intersexes, 219–220
Triturus, 49–50
 Trophectoderm, 75–76
 Tubular glands, 121, 123, 126
 Tubulins, 47–48, 57, 83, 114, 188, 191
 U1/U2/U4/U5 snRNAs, 8
 - gene promoters (U2/U4), 12
 - in splicing, 18
 U3/U8/U13 snRNAs, in rRNA processing, 20
 U6 snRNA, 7
 - gene promoter, 11–12
 - in splicing, 18
 U7 snRNA/U7 snRNP, 19–20, 62
 Undermethylation of DNA, 6, 107–108
 Unique sequences, *see* Single copy sequences
 Unprocessed RNAs, 40–41, 53

Cambridge University Press

978-0-521-38856-6 - From Gene to Animal: An Introduction to the Molecular Biology of Animal Development: Second Edition

David de Pomerai

Index

[More information](#)

- Vegetalised embryos, 71–74, 86
 Vegetal plate, 79–81, 85
 Ventral neurogenic region, 196, 227, 230, 234–237
 Vertebrae, 307, 321
 Visceral mesoderm, 248, 294
 Vitellogenin(s), 44
 in *C. elegans*, 138, 146–147, 177, 180
 in chick (VTGII gene), 134–136
 cleavage of, 44, 136
 in *Xenopus*, 136–139
- Wachtliella*, chromosome elimination, 28, 70
 Wolffian lens regeneration, 36
- X chromosome, 63
 :autosome ratio, 143, 177–179, 181, 219–223, 226
 loss, 141–142, 177, 220
 puffing changes in, 210–211
- Xenopus (laevis)*,
 amplification of rDNA, 22–24, 44
 anucleolate mutant, 57–58
 cortical movements, after fertilisation, 56
 effect of *int-1* on pattern, 321
 genes/markers/proteins
 albumin, 138
 Epi 1, 93
 histones, 48, 62
 homeobox genes, 93, 309, 315–318
 Hox-5.2 homologue, 317
 MIF, 91–92, 318
 Mix-1, 318
 MPF, 55–56
 N-CAM, 93
 TFIIIA, 11, 20, 44–45, 48, 118, 234, 321
 TFIIIB/C, 11, 45
 tubulins, 48
 Vgl, 48, 92
 vitellogenins, 44, 136–139
 Xhox-1, 316
 Xhox-3, 317–318
 Xhox-36, 316
 XIHbox 1, 316–317
 XIHbox 6, 93, 316
 XIHbox 8, 317
 gradients in limb bud, 317
 growth factors, 91–92
 induction, 89–93
 lampbrush chromosome transcripts, 52
 localised mRNAs in oocyte, 47–48
 maturation of oocyte, 55
 meiosis, 55
 mesoderm formation, 89–93
 midblastula transition (MBT), 58–59
 neural development, 92–93, 316–317
 oocyte reserves, 41–41, 44–49
 oogenesis, 22–23, 44–46
 5S rRNA genes, 11, 44–45
 -type sequence interspersions, 3, 143
- Y chromosome, 219, 221, 223, 324
- Yeast (*Saccharomyces cerevisiae*/
Schizosaccharomyces pombe),
 cell cycle control genes,
 cdc2/cdc13, 55–56
 cdc25, 192
 mating-type switch genes,
 HO, 324–325
 MATa1 / MATa2, 304, 324
 SIN 3, 324
 SWI1 5, 324
 PHO 2 gene, 305
 transcriptional activators,
 GAL 4, 324
 GCN 4, 14
- Yellow crescent, 64–67
- Yolk, 41, 43–44, 57, 64, 67–68, 90, 134, 191–192
 nuclei, 192
 platelets, 43–44, 121, 134
 proteins, 43–44, 136–137, 146, 226; *see also*
 Vitellogenins
 sac, erythropoiesis in, 104–106
- Zebra element, 265
- Zebrafish, 308–9, 315
- Zinc, effects on development, 86
- Zinc finger motif, 12, 44, 118, 219, 234, 242, 258, 261, 314, 321, 324–325
- Zona pellucida, 54
- Zygote, 22, 54, 64, 72–73, 148, 152, 182, 191, 194
- Zygotic gene expression, 58–59, 61–62, 149, 155, 192, 194, 233–235, 257 *et seq.*