

Index

This index includes scientific names of families, genera and species, and also vernacular (common) names.
 All names in italics are synonyms.

- Aaron's Beard, 114
 Aaron's Rod, 369
 Abele, 318
 Abies Miller, 26
 alba Miller, 26
 grandis (D. Don) Lindley, 26
 nobilis (Douglas ex D. Don) Lindley, non A. Dietr., 26
 pectinata (Lam.) DC., 26
 procera Rehder, 26
 Abraham-Isaac-Jacob, 359
 Acacia, 187
 Acaena L., 225
 anserinifolia auct., 225
 anserinifolia (Forster & Forster fil.) Druce, 225
 inermis Hooker fil., 225
 magellanica (Lam.) Vahl, 225
 novae-zelandiae T. Kirk, 225
 ovalifolia Ruiz & Pavón, 225
 Acanthaceae, 401
 Acanthus L., 401
 mollis L., 401
 Acer L., 179
 campestre L., 180
 dasy carpum Ehrh., 180
 platanoides L., 180
 pseudoplatanus L., 179
 saccharinum L., 180
 Aceraceae, 179
 Aceras R.Br., 576
 anthrophorum (L.) Aiton fil., 576
 Achillea L., 472
 ligustica All., 473
 millefolium L., 473
 ptarmica L., 472
 tomentosa L., 473
 Acinos Miller, 409
 arvensis (Lam.) Dandy, 409
 thymoides Moench, 409
 Aconite, Winter, 34
 Aconitum L., 35
 anglicum Stapf, 35
 lycoctonum auct., non L., 35
 napellus L., 35
 variegatum L., 35
 vulparia Reichenb., 35
 Acorus L., 582
 calamus L., 582
 Actaea L., 36
 spicata L., 36
 Actinocarpus damasonium R.Br., 517
 Adder's-tongue, 7
 Adiantaceae, 8
 Adiantum L., 9
 capillus-veneris L., 9
 Adonis L., 50
 aestivalis L., 50
 annua L., 50
 autumnalis L., 50
 vernalis L., 50
 Adoxa L., 436
 moschatellina L., 436
 Adoxaceae, 436
 Aegopodium L., 283
 podagraria L., 283
 Aesculus L., 181
 carnea Hayne, 181
 hippocastanum L., 181
 pavia L., 181
 Aethusa L., 286
 cynapium L., 286
 Ageratum
 houstonianum Miller, 471
 mexicanum Sims, 471
 Agrimonia L., 219
 agrimonoides (L.) DC., 219
 eupatoria L., 219
 odorata auct., non Miller, 219
 procera Wallr., 219
 × *wirtgenii* Ascherson & Graebner, 219
 Agrimony, 219
 × Agropogon P. Fourn., 642
 littoralis (Sm.) C. E. Hubbard, 642
 Agropyron auct., non Gaertner, 633
 acutum auct. brit., 634
 junceiforme (A. & D. Löve) A. & D. Löve, 634
 junceum auct., non (L.) Beauv., 634
 pungens auct., non (Pers.) Roemer & Schultes, 634
 Agrostemma L., 127
 githago L., 127
 Agrostis L., 641
 alba auct., non L., 642
 canina L., 641
 capillaris L., 641
 castellana Boiss. & Reuter, 642
 curtisii Kerguelen, 641
 gigantea Roth, 641
 nigra With., 641
 palustris Hudson, 642
 semiverticillata (Forskål) C. Christ., 642
 setacea Curtis non Vill., 641
 spica-venti L., 625
 stolonifera L., 642
 tenuis Sibth., 641
 verticillata Vill., 642
 vinealis Schreber, 641
 vulgaris With., 641
 Ailanthus Desf., 179
 altissima (Müller) Swingle, 179
 Aira L., 639
 armoricana Albers., 639
 canescens L., 640
 caryophyllea L., 639
 cespitosa L., 638
 flexuosa L., 638
 praecox L., 639
 uliginosa Weihe & Boenn., 639
 Aizoaceae, 153
 Ajuga L., 418
 chamaepitys (L.) Schreber, 419
 genevensis L., 419
 × *hampeana* Braun & Vatke, 419
 pyramidalis L., 419
 reptans L., 419
 Alchemilla L., 220
 acutangula Buser, 222
 acutiloba Opiz, 222
 acidens auct., non Buser, 223
 alpestris auct., 223
 alpina L., 220
 anglica Rothm., 221
 argentea (Trevelyan) D. Don, non Lam., 221
 arvensis (L.) Scop., 224
 conjuncta Bab., 221
 filicaulis Buser, 222
 glabra Neygenfind, 223
 glaucescens Wallr., 221
 gracilis Opiz, 221
 hybrida auct., non (L.) L., 221
 minima S. M. Walters, 222
 minor auct., 221, 222
 mollis (Buser) Rothm., 223
 monticola Opiz, 221
 multiflora Buser ex Rothm., 221
 obtusa auct., 223
 pastoralis Buser, 221
 pratensis auct., vix Opiz, 222
 pseudominor Wilmott, 222
 pubescens auct., non Lam., 221
 salmoniana Jaquet, 222
 subcrenata Buser, 222
 tythantha Juz., 221
 vestita (Buser) Raunk., 222
 vulgaris sens. lat., 221
 wichurae (Buser) Stefánsson, 223
 xanthochlora Rothm., 222
 Alder, 314
 Alexanders, 282
 Alfalfa, 194
 Alisma L., 516
 gramineum Lejeune, 517
 lanceolatum With., 517
 natans L., 516
 plantago-aquatica L., 516
 ranunculoides L., 516
 Alismataceae, 516
 Alison, 88
 Alkanet, 359, 363
 All-good, 156
 All-seed, 156, 169
 Four-leaved, 149
 Alliaria Scop., 102
 officinalis Andr. ex Bieb., 102
 petiolata (Bieb.) Cavara & Grande, 102
 Allium L., 538
 ampeloprasum L., 540
 babingtonii Borrer, 540
 carinatum L., 540
 cepa L., 539
 fistulosum L., 539
 fragrans Ventenat, 541
 gracile Aiton, 541
 oleraceum L., 540
 paradoxum (Bieb.) G. Don, 540
 porrum L., 540
 roseum L., 539
 sativum L., 541
 schoenoprasum L., 539
 scorodoprasum L., 541
 sibiricum L., 539
 sphaerocephalon L., 541
 triquetrum L., 540
 ursinum L., 539
 vineale L., 541
Alliosorus crispus (L.) Röhl., 8
 Almond, 232
 Alnus Miller, 314
 glutinosa (L.) Gaertner, 314
 incana (L.) Moench, 314
 rotundifolia Stokes, 314
 Alopecurus L., 645
 agrestis L., 645
 aequalis Sobol., 645
 alpinus Sm., 646
 × *brachystylus* Peterm., 645
 bulbosus Gouan, 645
 fulvus Sm., 645
 geniculatus L., 645
 × *hybridus* Wimmer, 645
 mysuroides Hudson, 645
 pratensis L., 645
 Alpine Saussurea, 485
 Alsine
 fasciculata auct., non L., 144
 media L., 137
 recurva (All.) Wahlenb., 143

- rubella* Wahlenb., 142
stricta (Swarz) Wahlenb., 143
verna (L.) Wahlenb., 142
 Althaea L., 167
hirsuta L., 168
officinalis L., 168
rosea (L.) Cav., 168
 Alyssum L., 88
alyssoides (L.) L., 88
calycinum L., 88
incanum L., 88
maritimum (L.) Lam., 88
saxatile L., 88
 Amaranthaceae, 154
 Amaranthus L., 154
albus L., 154
bouchonii Thell., 154
hybridus L., 154
retroflexus L., 154
 Amaryllidaceae, 551
 Ambrosia L., 449
artemisiifolia L., 450
coronopifolia Torrey & A. Gray, 450
elatior L., 450
psilostachya auct., non DC., 450
trifida L., 450
 Amelanchier Medicus, 235
arboorea (Michx. fil.) Fernald, 236
canadensis auct., non (L.) Medicus, 235
canadensis (L.) Medicus, 236
confusa Hyl., 235
grandiflora Rehder, 235
 × *lamarckii* Schroeder, 235
laevis auct., non Wieg., 235
laevis Wieg., 236
 Ammi L., 290
majus L., 290
 × *Ammocalamagrostis* P. Fourn., 643
baltica (Flügge ex Schrader) P. Fourn., 643
 Ammophila Host, 643
arenaria (L.) Link, 643
arundinacea Host, 643
baltica (Flügge ex Schrader) Dumort., 643
 Amsinckia Lehm., 360
lycopsoides (Lehm.) Lehm., 360
 Anacamptis L.C.M. Richard, 582
pyramidalis (L.) L.C.M. Richard, 582
Anacharis canadensis Planchon, 519
 Anacyclus L., 479
clavatus (Desf.) Pers., 479
radiatus Loisel., 479
valentinus L., 479
 Anagallis L., 348
arvensis L., 348
minima (L.) E.H.L. Krause, 348
tenella (L.) L., 348
 Anaphalis DC., 465
margaritacea (L.) Bentham, 465
 Anchusa L., 359
arvensis (L.) Bieb., 359
sempervirens L., 359
 Andromeda L., 333
polifolia L., 333
 Anemone L., 36
apennina L., 37
blanda Schott & Kotschy, 37
coronaria L., 37
fulgens Gay, 37
hepatica L., 37
nemorosa L., 37
pavonina Lam., 37
pulsatilla L., 37
ranunculoides L., 37
 Anethum graveolens L., 286
 Angelica L., 291
archangelica L., 291
sylvestris L., 291
 Anisantha
diandra (Roth) Tutin, 629
gussonii (Parl.) Nevski, 629
madritensis (L.) Nevski, 629
rigida (Roth.) Hyl. 630
sterilis (L.) Nevski, 629
 Anogramma Link, 8
leptophylla (L.) Link, 9
 Antennaria Gaertner, 466
dioica (L.) Gaertner, 466
hibernica Br.-Bl., 466
margaritacea (L.) S.F. Gray, 465
 Anthemis L., 471
arvensis L., 471
cotula L., 472
nobilis L., 472
tinctoria L., 471
 Anthoxanthum L., 639
aristatum Boiss., 640
odoratum L., 639
puellii Lecoq & Lamotte, 640
 Anthriscus Pers., 281
caucalis Bieb., 281
neglecta Boiss. & Reuter, 281
scandicina Mansf., 281
sylvestris (L.) Hoffm., 281
vulgaris Pers., non Bernh., 281
 Anthyllis L., 201
vulneraria L., 201
 Antirrhinum L., 371
majus L., 371
orontium L., 371
 Apera Adanson, 625
interrupta (L.) Beauv., 626
spica-venti (L.) Beauv., 625
 Aphanes L., 224
arvensis L., 224
microcarpa (Boiss. & Reuter) Rothm., 224
 Apinella glauca (L.) Caruel, 288
 Apium L., 288
graveolens L., 288
inundatum (L.) Reichenb. fil., 289
 × *moorei* (Syme) Druce, 289
nodiflorum (L.) Lag., 288
repens (Jacq.) Lag., 289
 Apocynaceae, 350
 Aponogeton L., 520
distachyos L., 520
 Aponogetonaceae, 520
 Apple, 244
 Aquifoliaceae, 181
 Aquilegia L., 51
alpina auct. angl., 51
coerulea James, 51
chrysantha A. Gray, 51
formosa Fisch., 51
pyrenaica DC., 51
vulgaris L., 51
 Arabidopsis (DC.) Heynh., 104
thaliana (L.) Heynh., 104
 Arabis L., 95
albida Stev. ex Jacq. fil., 96
alpina L., 96
brownii Jordan, 96
caucasica Willd., 96
ciliata R. Br. pro parte, 96
glabra (L.) Bernh., 97
hibernica Wilmott, 96
hirsuta (L.) Scop., 96
hispida L., 95
perfoliata Lam., 97
petraea (L.) Lam., 95
scabra All., 97
stricta Hudson, 97
thaliana L., 104
turrita L., 95
 Araceae, 582
Aracium paludosum (L.) Monnier, 514
 Araliaceae, 276
 Araucaria Juss., 31
araucana (Molina) C. Koch, 31
imbricata Pavón, 31
 Araucariaceae, 31
 Arbor-Vitae, Giant, 30
 Arbutus, 334
Arbutus L., 334
unedo L., 334
 Archangelica officinalis Hoffm., 291
 Arctium L., 479
lappa L., 480
majus Bernh., 480
minus Bernh., 480
nemorosum Lej., 480
pubens Bab., 481
tomentosum Miller, 481
 Arctostaphylos Adans., 334
alpinus (L.) Sprengel, 334
uva-ursi (L.) Sprengel, 334
 Arctostaphylos (L.) Niedenzu., 334
 Aremonia DC., 219
agramonioides (L.) DC., 219
 Arenaria L., 144
balearica L., 146
campestris auct., 147
ciliata L., 145
fastigiata Sm., 144
hirta Wormsk., 142
leptoclados (Reichenb.) Guss., 145
montana L., 146
norvegica Gunn., 146
peploides L., 144
recurva All., 143
rubella (Wahlenb.) Sm., 142
rubra L., 147
serpyllifolia L., 145
sedoides (L.) F. J. Hanb., 143
tenuifolia L., 143
trinervia L., 144
uliginosa Schleicher ex DC., 143
verna L., 142
 Argemone mexicana L., 60
 Aristolochia L., 295
clematitis L., 295
rotunda L., 296
 Aristolochiaceae, 295
 Armeria Willd., 344
alliacea (Cav.) Hoffmans. & Link, 344
arenaria (Pers.) Schultes, 344
latifolia Willd., 344
maritima (Miller) Willd., 344
plantaginea Willd., 344
pseudarmeria (Murray) Mansfield, 344
 Armoracia Gilib., 91
lapathifolia Gilib., 91
rusticana P. Gaertner, B. Meyer & Scherb., 91
 Arnoseris Gaertner, 491
minima (L.) Schweigg. & Koerte, 491
pusilla Gaertner, 491
 Arrhenatherum Beauv., 636
avenaceum Beauv., 636
elatus (L.) Beauv. ex J. & C. Presl, 636
 Arrowgrass, 520
 Arrowhead, 517
 Artemisia L., 477
abrotanum L., 479
absinthium L., 478
biennis Willd., 479
campestris L., 478
ludoviciana Hort., 478
maritima L., 478
norvegica Fr., 478
pontica L., 479
scoparia Waldst. & Kit., 479
stellerana Besser, 478
verlotiorum Lamotte, 477
vulgaris L., 477
 Arum L., 583
italicum Miller, 583
maculatum L., 583
neglectum (Townsend) Ridley, 583
 Arundo phragmites L., 648
 Asarabacca, 295
 Asarina Miller, 371
procumbens Miller, 371
 Asarum L., 295
europaeum L., 295
 Ash, 350
 Asparagus L., 535
officinalis L., 535
prostratus Dumort., 535
 Aspen, 319

- Asperugo L., 358
 procumbens L., 358
 Asperula L., 426
 Asperula L. (*cont.*)
 arvensis L., 427
 cynanchica L., 426
 occidentalis Rouy, 426
 odorata L., 428
 taurina L., 427
 Asphodel, 533
 Aspidiaceae, 19
Aspidium
 aculeatum (L.) Swartz, 19
 aemulum (Aiton) Swartz, 22
 angulare Kit. ex Willd., 19
 cristatum (L.) Swartz, 22
 fillix-mas (L.) Swartz, 21
 lonchitis (L.) Swartz, 19
 oreopteris (Ehrh.) Sw., 12
 rigidum Swartz, 22
 spinulosum Swartz, 22
 thelypteris (L.) Swartz, 12
 Aspleniaceae, 13
Aspleniophyllitis Alston, 14
 jacksonii Alston, 14
Asplenium L., 13
 adiantum-nigrum L., 13
 × *alternifolium* Wulfen, 15
 billotii F. W. Schulz, 14
 ceterach L., 15
 × *contrei* Callé, Lovis & Reichstein, 14
 cuneifolium auct. Brit. non Viv., 13
 filix-femina (L.) Bernh., 16
 × *jacksonii* (Alston) Lawalrée, 14
 lanceolatum Hudson, 14
 marinum L., 15
 × *microdon* (T. Moore) Lovis & Vida, 14
 × *murbeckii* Dörfler, 15
 obovatum auct. angl., non Viv., 14
 onopteris L., 14
 ruta-muraria L., 14
 × *sarniensis* Sleep, 14
 scolopendrium L., 13
 septentrionale (L.) Hoffm. 14
 × *ticinense* D.E. Meyer, 14
 trichomanes L., 15
 viride Hudson, 15
 Aster L., 467
 acris L., 469
 amellus L., 469
 laevis L., 468
 lanceolatus Willd., 468
 linosyris (L.) Bernh., 467
 novae-angliae L., 468
 novi-belgii L., 468
 paniculatus Lam., non Miller, 468
 punicus L., 468
 × *salignus* Willd., 468
 schreberi Nees, 468
 sedifolius L., 469
 simplex Willd., 468
 tradescantii auct. eur., 468
 tripolium L., 467
 × *versicolor* Willd., 468
 Astragalus L., 187
 alpinus L., 187
 danicus Retz., 187
 glycyphyllus L., 187
 hypoglottis auct., 187
 Astrantia L., 279
 major L., 279
Astrocarpus sesamoides (L.) DC., 107
Athanasia maritima (L.) L., 473
 Athyriaceae, 16
 Athyrium Roth, 16
 alpestre Clairv., 16
 distentifolium Tausch ex Opiz, 16
 filix-femina (L.) Roth, 16
 flexile (Newman) Druce, 16
 Atriplex L., 159
 arenaria Woods, non Nutt., 160
 glabriuscula Edmondston, 160
 halimus L., 160
 hastata auct., non L., 159
 hortensis L., 160
 laciniata L., 160
 littoralis L., 159
 longipes Drejer, 160
 patula L., 159
 pedunculata L., 160
 portulacoides L., 160
 praecox Hülpfers, 160
 prostrata Boucher ex DC., 159
 sabulosa Rouy, 160
Arthrolobium ebracteatum (Brot.) Desv., 201
 Atropa L., 366
 bella-donna L., 366
Aubrieta deltoidea (L.) DC., 100
 Autumnal Starwort, 274
 Autumn Crocus, 541
 Avena L., 635
 fatua L., 636
 flavescens L., 637
 ludoviciana Durieu, 636
 pratensis L., 636
 pubescens Hudson, 636
 sativa L., 636
 sterilis L., 636
 strigosa Schreber, 636
 Avens, 218–19
Avenula (Dumort.) Dumort., 636
 pratensis (L.) Dumort., 636
 pubescens (Hudson) Dumort., 636
 Awlwort, 87
Azalea pontica L., 332
Azolla Lam., 25
 filiculoides Lam., 25
 Azollaceae, 24
 Bacon and Eggs, 200
Baldellia Parl., 516
 ranunculoides (L.) Parl., 516
 Baldmoney, 286
Ballota L., 413
 nigra L., 413
 Balm, 409
 Balm of Gilead, 320
 Balsam, 178–9
 Balsaminaceae, 178
Balsamita major Desf., 475
 Baneberry, 36
Barbarea R. Br., 93
 intermedia Boreau, 94
 praecox (Sm.) R. Br., 94
 sicula auct., vix C. Presl, 94
 stricta Andrz., 94
 verna (Miller) Aschers., 94
 vulgaris R. Br., 94
 Barbed-wire Weed, 450
 Barberry, 54
 Barley, 634–5
 Wood, 635
 Barren Strawberry, 213
 Barren-wort, 53
Bartsia L., 395
 alpina L., 395
 odontites (L.) Hudson, 394
 viscosa L., 395
 Basil Thyme, 409
 Bastard Balm, 411
 Bats-in-the-Belfry, 422
 Bayberry, 313
 Beach Aster, 469
 Beach Sagewort, 478
 Beaked Tasselweed, 531
 Beak-sedge, 593
 Bearberry, 334
 Beardgrass, 642
 Bear's-breech, 401
 Bear's-foot, 34
 Bedstraw, 428–32
 Beech, 316
 Beech Fern, 12
 Beet, 159
 Beggars-Ticks, 448
 Bellbine, 365
 Bellflower, 421–3
 Bellis L., 470
 perennis L., 470
 Bent-grass, 641–2
 Berberidaceae, 53
Berberis L., 53
 aquifolium Pursh, 54
 buxifolia Lam., 54
 glaucoarpa Stapf., 54
 vulgaris L., 54
 Bermuda Buttercup, 178
 Bermuda-grass, 649
Berteroa DC., 88
 incana (L.) DC., 88
Berula Koch, 284
 erecta (Hudson) Coville, 284
 Beta L., 159
 maritima L., 159
 vulgaris L., 159
Betonica officinalis L., 413
 Betony, 413
Betula L., 313
 alba sensu Coste, 313
 × *intermedia* Thomas ex Gaudin, 314
 nana L., 314
 odorata Bechst., 314
 pendula Roth, 313
 pubescens Ehrh., 313
 tortuosa auct., non Ledeb., 314
 verrucosa Ehrh., 313
 Betulaceae, 313
Bidens L., 448
 cernua L., 448
 connata Muhl. ex Willd., 448
 frondosa L., 448
 pilosa L., 449
 tripartita L., 448
 vulgata E.L. Greene, 449
 Big Tree, 30
 Bilberry, 335
Bilderdykia Dumort., 304
 Bindweed, 364–5
 Birch, 313–14
 Bird's-foot, 201
 Birdsfoot-trefoil, 200
 Birthwort, 295
 Bistort, 302
 Bitter-cress, 91–3
 Bittersweet, 367
 Blackberry, 207
 Black Bindweed, 304
 Black Dogwood, 183
 Black-eyed Susan, 447
 Black grass, 645
 Black Horehound, 413
 Black Saltwort, 349
 Blackstonia Hudson, 353
 perfoliata (L.) Hudson, 353
 Blackthorn, 231
 Bladder-nut, 180
 Bladder-seed, 287
 Bladder Senna, 187
 Bladderwort, 400–1
 Blaeberry, 335
 Blechnaceae, 23
Blechnum L., 23
 chilense (Kaulf.) Mett., 24
 penna-marina (Poiret) Kuhn, 24
 spicant (L.) Roth, 24
 Blinks, 152
 Blood-drop-emblets, 375
 Bluebell, 423, 538
 Blue-eyed Grass, 554
 Blue-eyed Mary, 357
 Bluebottle, 487
 Blysmus Panzer, 590
 compressus (L.) Panzer ex Link, 590
 rufus (Hudson) Link, 590
 Bogbean, 355
 Bog Myrtle, 312
 Bog Rosemary, 333
 Bog-rush, 593
 Borage, 359
 Boraginaceae, 356
Borago L., 359
 officinalis L., 359
Boreta cantabrica (Hudson) O. Kuntze, 333
 Botrychium Swartz, 7
 lunaria (L.) Swartz, 7
 matricarifolium A. Braun ex Koch, 7
 multifidum (S. G. Gmelin) Rupr., 7
 Bouncing Bett, 130
 Box, 182
Brachypodium Beauv., 632
 pinnatum (L.) Beauv., 632
 sylvaticum (Hudson) Beauv., 632
 Bracken, 11
 Bramble, 205–7

- Brandy-bottle, 55
 Brassica L., 69
adpressa Boiss., 75
alba (L.) Rabenh., 74
arvensis (L.) Rabenh., non L., 74
campestris L., 72
caulo-rapa (DC.) Pasquale, 71
cheiranthos Vill., 74
chinensis L., 71
elongata Ehrh., 72
eruca L., 76
fruticulosa Cyr., 72
hirta Moench, 74
incana auct., 75
integrifolia (West) O.E. Schulz, 72
juncea (L.) Czern., 72
kaber (DC.) L.C. Wheeler, 74
muralis (L.) Hudson, 75
napobrassica (L.) Miller, 71
napus L., 71
nigra (L.) Koch, 72
oleracea L., 70
orientalis L., 78
rapa L., 72
sinapis Vis., 74
sinapistrum Boiss., 74
tenuifolia (L.) Fr., 75
tournefortii Gouan, 72
Brassicella
erucastrum auct., 74
erucastrum L. sec. O. E. Schulz, 74
monensis (L.) O.E. Schulz, 73
wrightii O.E. Schulz, 73
 Bridewort, 203
 Bristle-grass, 651
 Brittle Bladder-fern, 17
 Briza L., 626
maxima L., 626
media L., 626
minor L., 626
 Brome, 629–32
 Bromus L., 628
arvensis L., 632
asper Murray, 630
benekenii (Lange) Trimen, 630
britannicus I.A. Williams, 631
carinatus Hooker & Arnott, 632
catharticus Vahl, 632
commutatus Schrader, 631
diandrus Roth, 629
erectus Hudson, 630
giganteus L., 616
gussonii Parl., 629
hordeaceus L., 630
inermis Leysser, 630
interruptus (Hackel) Druce, 631
japonicus Thunb., 632
lepidus Holmberg, 631
maximus Desf., 630
maximus auct. angl., 629
mollis L., 630
patulus Mert. & Koch, 632
pratensis Ehrh. ex Hoffm., non Lam., 631
pseudosecalinus, P.M. Sm., 632
 × *pseudothominii* P.M. Sm., 631
racemosus L., 631
ramosus Hudson, 630
rigidus Roth, 630
secalinus L., 632
sterilis L., 629
tectorum L., 630
thominii auct., non Hard., 631
unioloides Kunth, 632
willdenowii Kunth, 632
 Brooklime, 378
 Brookweed, 349
 Broom, 185
 Broomrape, 397–9
Bryanthus caeruleus (L.) Dippel, 332
 Bryonia L., 294
cretica L., 294
dioica Jacq., 294
 Bryony, 294
 Buckbean, 355
 Buckler-fern, 21–3
 Buckthorn, 182–3
 Buckwheat, 304
Buda rubra (L.) Dumort, 147
 Buddleja L., 349
davidii Franchet, 349
variabilis Hemsley, 349
 Buddlejaceae, 349
 Buffalo-Weed, 450
 Bugle, 419
 Bugloss, 359
Buglossoides
arvensis (L.) I.M. Johnston, 363
purpureoaeerulea (L.) I.M. Johnston, 363
 Bullace, 231
 Bullwort, 290
 Bulrush, 585–6, 591
 Bunias L., 87
cahile L., 78
erucago L., 87
orientalis L., 87
 Bunium L., 282
bulbocastanum L., 282
flexuosum Stokes, 282
Bupthalmum speciosum Schreber, 462
 Bupleurum L., 287
aristatum sensu Coste, 287
baldense Turra, 287
falcatum L., 288
fruticosum L., 288
lancifolium auct., non Hornem, 287
opacum (Cesati) Lange, 287
rotundifolium L., 287
subovatum Link ex Sprengel, 287
tenuissimum L., 288
 Burdock, 480
 Bur-Marigold, 448, 451
 Burnet, 224–5
 Burnet Saxifrage, 283
 Bur-reed, 584–5
 Bushgrass, 643
 Butcher's broom, 535
 Butomaceae, 517
 Butomus L., 517
umbellatus L., 518
 Butterbur, 458–9
 Buttercup, 40–3
 Butterwort, 400
 Buxaceae, 182
 Buxus L., 182
sempervirens L., 182
 Cabbage, 70
 Hare's-ear, 78
 Isle of Man, 73
 Lundy, 73
 Tall Wallflower, 74
 Cakile Miller, 78
maritima Scop., 78
 Calamagrostis Adanson, 643
canescens (Weber) Roth, 643
epigejos (L.) Roth, 643
lanceolata Roth, 643
neglecta auct., non (Ehrh.) Beauv., 644
scotica (Druce) Druce, 644
stricta (Timm) Koeler, 644
strigosa auct. angl., non Hartm., 644
 Calamint, 408
 Calamintha Miller, 408
acinos (L.) Clairv., 409
ascendens Jordan, 408
baetica Boiss. & Heldr., 408
clinopodium Benth., 409
grandiflora (L.) Moench., 408
intermedia auct., 408
nepeta (L.) Savi, 408
officinalis auct. angl. non Moench, 408
sylvatica Bromf., 408
vulgaris (L.) Druce, 409
 Calandrinia ciliata DC., 153
 Calendula L.
arvensis L., 459
officinalis L., 459
 Calf's Snout, 371
 Californian Poppy, 61
 Calla palustris L., 582
 Callistephus chinensis (L.) Nees, 469
 Callitrichaceae, 272
 Callitriche L., 272
autumnalis L., 274
brutia Petagna, 274
cophocarpa Sendtner, 273
hamulata Kütz. ex Koch, 274
hermaphroditica L., 274
intermedia Hoffm., nom illegit., 274
obtusangula Le Gall, 273
palustris L., 274
pedunculata DC., 274
platycarpa Kütz., 273
polymorpha auct., 273
polymorpha Lönnr., 273
stagnalis Scop., 273
truncata Guss., 274
verna auct., 273
verna L., nom. ambig., 274
vernalis Koch, 274
 Calluna Salisb., 336
vulgaris (L.) Hull, 336
 Calotis cuneifolia R.Br., 471
 Caltha L., 33
minor Miller, 33
palustris L., 33
 Calystegia R.Br., 365
sepium (L.) R.Br., 365
soldanella (L.) R.Br., 365
 Camelina Crantz, 104
sativa (L.) Crantz, sens. lat., 105
 Campanula L., 422
alliariifolia Willd., 424
glomerata L., 423
hederacea L., 421
lactiflora Bieb., 423
latifolia L., 422
medium L., 423
patula L., 423
persicifolia L., 423
rapunculoides L., 423
rapunculus L., 423
rotundifolia L., 423
trachelium L., 422
 Campanulaceae, 421
 Campion, 121–3, 125
 Canadian Pondweed, 519
 Canary Grass, 647
 Candytuft, 82
 Cannabaceae, 310
 Cannabis sativa L., 310
 Canterbury Bell, 423
 Cape Gooseberry, 367
 Cape Pondweed, 520
Capnoides Miller, 61
Capriola dactylon (L.) O. Kuntze, 649
 Caprifoliaceae, 434
 Capsella Medic., 84
bursa-pastoris (L.) Medic., 84
rubella Reuter, 84
 Caraway, 290
 Cardamine L., 91
amara L., 92
bulbifera (L.) Crantz, 91
flexuosa With., 93
hirsuta L., 93
impatiens L., 93
latifolia Vahl, non Lej., 93
petraea L., 95
pratensis L., sens. lat., 92
raphanifolia Pourret, 93
sylvatica Link, 93
trifolia L., 93
 Cardaminopsis (C.A. Meyer) Hayek, 95
petraea (L.) Hiit., 95
 Cardaria (L.) Desv., 82
draba (L.) Desv., 82
 Carduus L., 481
acanthoides L., 482
acaulos L., 484
anglicus Lam., 484
arvensis (L.) Hill, 483
crispus L., 482
dissectus L., 484
eriphorus L., 482
lanceolatus L., 483
marianus L., 485
nutans L., 481
palustris L., 483
pratensis Hudson, 484
pycnocephalus L., 481
tenuiflorus Curtis, 481
tuberosus L., 484

- Carex* L., 594
 acuta L., 610
 acutiformis Ehrh., 601
 alpina Liljeblad, non Schrank., 610
 ampullacea Good., 602
 angustifolia Sm., 611
 arenaria L., 598
 appropinquata Schumacher, 597
 aquatilis Wahlenb., 611
 atrata L., 610
 atrofusca Schkuhr, 609
 bicolor All., 594
 bigelowii Torrey ex Schweinitz, 611
 binervis Sm., 605
 buxbaumii Wahlenb., 610
 canescens auct., non L., 600
 canescens L., nom. ambig., 610
 capillaris L., 603
 capitata L., 594
 caryophyllea Latourr., 608
 cespitosa auct., non L., 611
 chordorrhiza L. fil., 599
 clandestina Good., 607
 concolor R.Br., 611
 contigua Hoppe, 598
 crawfordii Fernald, 594
 curta Good., 600
 davalliana Sm., 600
 demissa Hornem., 607
 depauperata Curtis ex With., 604
 diandra Schrank, 597
 digitata L., 607
 dioica L., 600
 distans L., 605
 disticha Hudson, 598
 diversicolor Crantz, p.p., 604
 divisa Hudson, 599
 divulsa Stokes, 598
 eboracensis Nelves, 611
 echinata Murray, 600
 elata All., 610
 elongata L., 600
 ericetorum Pollich, 608
 extensa Good., 605
 filiformis sensu Good., non L., 601
 filiformis auct., non L., 608
 flacca Schreber, 604
 flava L., 606
 fulva sensu Host, 606
 fusca All., 611
 glacialis Mackenzie, 594
 glauca Scop., 604
 goodenovii Gay, 611
 gracilis Curtis, 610
 halleri Gunn., p.p., 610
 helodes Link, 604
 hirta L., 601
 hornschuchiana Hoppe, 606
 hostiana DC., 606
 hudsonii Ar. Benn., 610
 humilis Leysser, 607
 hyperborea Drejer, 611
 incurva Lightf., 599
 inflata auct., non Hudson, 602
 irrigua (Wahlenb.) Sm. ex Hoppe., 609
 kattegatensis Fries ex Krecz., 611
 lachenalii Schkuhr, 601
 laevigata Sm., 604
 lagopina Wahlenb., 601
 lasiocarpa Ehrh., 601
 lepidocarpa Tausch, 606
 leporina L., nom. ambig., 601
 leporina auct., non L., 599
 limosa L., 609
 magellanica Lam., 609
 maritima Gunnerus, 599
 microglochin Wahlenb., 612
 montana L., 608
 muricata auct. angl., p.p., 598
 muricata L., 598
 nigra (L.) Reichard, 611
 norvegica Retz, 610
 ornithopoda Willd., 607
 atrubae Podp., 597
 ovalis Good., 599
 pairaei F.W. Shultz, 598
 pallescens L., 607
 paludosa Good., 601
 panicea L., 604
 paniculata L., 596
 paradoxa Willd., non G.F. Grmelin, 597
 pauciflora Lightf., 612
 pauperula Michx., 609
 pendula Hudson, 603
 pilulifera L., 609
 polygama Schkuhr., 610
 praecox Jacq., non Schreber, 608
 pseudocyperus L., 602
 pulcaris L., 612
 pulla Good., 602
 punctata Gaudin, 605
 rariflora (Wahlenb.) Sm., 609
 recta Boott, 611
 remota L., 599
 rigida Good., non Schrank, 611
 riparia Curtis, 601
 rostrata Stokes, 602
 rupestris All., 612
 salina auct., non Wahlenb., 611
 saxatilis L., 602
 scandinavica E.W. Davies, 607
 serotina Mérat, 607
 spicata Hudson, 598
 stellulata Good., 600
 stricta Good., non Lam., 610
 strigosa Hudson, 603
 sylvatica Hudson, 603
 teretiusecula Good., 597
 tomentosa L., 608
 tripartita auct., non All., 601
 ustulata Wahlenb., 609
 vaginata Tausch, 604
 vahlii Schkuhr, 610
 verna Chaix non Lam., 608
 vesicaria L., 602
 vulgaris Fr., 611
 vulpina auct. occid., non L., 597
 vulpina L., 597
 vulpinoidea Michx., 594
 Carlina L., 479
 vulgaris L., 479
 Carlina Thistle, 479
 Carnation, 129
 Carpinus L., 315
 betulus L., 315
 Carpobrotus N.E. Br., 153
 acinaciformis (L.) L. Bolus, 154
 edulis (L.) N.E. Br., 153
 Carthamus L., 490
 lanatus L., 490
 tinctorius L., 490
 Carum L., 290
 carvi L., 290
 petroselinum (L.) Benth., 289
 segetum (L.) Benth. ex Hooker fil., 289
 verticillatum (L.) Koch, 290
Caryolophia sempervirens (L.) Fischer & Trautv., 359
 Caryophyllaceae, 119
 Castalia alba (L.) Wood, 54
 Castanea Miller, 316
 sativa Miller, 316
 vesca Gaertner, 316
 Catabrosa Beauv., 625
 aquatica (L.) Beauv., 625
 Catapodium Link, 620
 loliaceum Link, 620
 marinum (L.) C.E. Hubbard, 620
 rigidum (L.) C.E. Hubbard, 620
 Catchfly, 124–7
 Berry, 128
 Cat-mint, 416
 Cat's Ear, 491–2
 Cat's-foot, 466
 Cat's-tail, 585, 644
Caucalis anthriscus (L.) Hudson, 293
 Cedar of Lebanon, 28
 Cedar, Western Red, 30
 Cedrus Trew, 28
 libanensis Mirbel, 28
 libani A. Rich., 28
 Celandine, Greater, 60
 Lesser, 49
 Celastraceae, 181
 Centaurea L., 486
 aspera L., 488
 calcitrapa L., 488
 cyanus L., 487
 diluta Aiton, 489
 drucei C.E. Britton, 488
 jacea L., 487
 jungens (Gugler) C.E. Britton, 488
 melitensis L., 489
 microptilon Gren., 488
 montana L., 487
 nemoralis Jordan, 488
 nigra L., 488
 obscura Jordan, 488
 paniculata L., 487
 pratensis Thuill., 488
 scabiosa L., 486
 solstitialis L., 489
 surrejana C.E. Britton, 488
 Centaurium Hill, 352
 capitatum (Willd.) Borbás, 352
 erythraea Rafn., 352
 × intermedium (Wheldon) Druce, 353
 latifolium (Sm.) Druce, 352
 littorale (D. Turner) Gilmour, 353
 minus auct., 352
 portense (Brot.) Butcher, 353
 pulchellum (Swartz) Druce, 352
 scilloides (L. fil.) Samp., 353
 tenuiflorum (Hoffmans, & Link) Fritsch, 352
 turneri Druce, 353
 umbellatum auct., 352
 vulgare Rafn., 353
 Centaury, 351–3
 Centranthus DC., 438
 ruber (L.) DC., 438
Centunculus minimus L., 348
 Cephalanthera L.C.M. Richard, 559
 damasonium (Miller) Druce, 560
 ensifolia (Schmidt) L.C.M. Richard, 560
 grandiflora S.F. Gray, 560
 latifolia Janchen, 560
 longifolia (L.) Fritsch, 560
 pallens L.C.M. Richard, 560
 rubra (L.) L.C.M. Richard, 560
 Cephalaria gigantea (Ledeb.) Bobrov, 440
 pilosa (L.) Gren., 439
 tatarica auct., 440
 Cerastium L., 131
 aquaticum L., 136
 alpinum L., 133
 arcticum Lange, 133
 arvense L., 132
 atrovirens Bab., 135
 biebersteinii DC., 132
 brachypetalum Pers., 135
 caespitosum Gilib., nom. illegit., 134
 cerastioides (L.) Britton, 132
 diffusum Pers., 135
 edmondstonii auct., non (H.C. Watson) Murb. & Ostenf., 133
 fontanum Baumg., 134
 glomeratum Thuill., 134
 glutinosum Fries, 135
 holosteoides Fries, 134
 lanatum Lam., 133
 latifolium auct., non L., 133

- nigrescens* Edmondston ex H.C. Watson, 133
pumilum Curtis, 135
quaternellum Fenzl., 139
semidecandrum L., 136
tetrandrum Curtis, 135
tomentosum L., 132
trigynum Vill., 132
triviale Link, nom. illegit., 134
viscosum auct., 134
vulgatum L., nom. ambig., 134
- Ceratochloa*
carinata (Hooker & Arnott) Tutin, 632
unioloides (Willd.) Beauv., 632
- Ceratophyllaceae, 56
Ceratophyllum L., 56
demersum L., 56
submersum L., 56
- Ceterach* Willd., 15
officinarum DC., 15
- Chaenomeles* Lindley, 244
lagenaria (Makino) Koidz., 244
speciosa (Sweet) Nakai, 244
- Chaenorhinum* (DC.) Reichenb., 373
minus (L.) Lange, 373
origanifolium (L.) Fourr., 373
- Chaerophyllum* L., 280
anthriscus (L.) Crantz, 281
aureum L., 280
sylvestre L., 281
temulentum L., 280
- Chaffweed, 348
- Chamaecyparis* Spach, 30
lawsoniana (A. Murray) Parl., 30
- Chamaemelum* Miller, 472
nobile (L.) All., 472
- Chamaenerion* Adanson, 265
angustifolium (L.) Scop., 266
dodonaei (Vill.) Schur, 266
rosmarinifolium Moench, 266
- Chamaepericlymenum*
suecicum (L.) Ascherson & Graebner, 276
- Chamagrostis minima* Borkh., 626
- Chamomile, 471–2, 475
- Chamomilla*
recutita (L.) Rauschert, 475
suaveolens (L.) Rauschert, 475
- Charlock, 74, 76
- Cheiranthus* L., 101
allionii Hort., 101
cheiri L., 101
incanus L., 100
mutabilis L'Hér., 102
sinuatus L., 100
- Chelidonium* L., 60
corniculatum L., 60
glauicum L., 60
majus L., 60
- Chenopodiaceae, 155
- Chenopodium* L., 155
album L., 157
bonus-henricus L., 156
botryodes Sm., 158
capitatum (L.) Ascherson, 158
chenopodioides (L.) Aellen, 158
crassifolium Hornem., 158
ficifolium Sm., 157
glaucum L., 158
hybridum L., 158
murale L., 157
opulifolium Schrader ex Koch & Ziz., 157
polyspermum L., 156
reticulatum Aellen, 157
rubrum L., 158
serotinum auct., non L., 157
suecicum J. Murr., 157
urbicum L., 158
viride auct., non L., 157
vulvaria L., 157
- Cherleria*
sedoides L., 143
- Cherry, 232–3
 Cherry Laurel, 233
 Chervil, 280–1
 Chestnut, 316
 Chickweed, 132–7
 Jagged, 139
 Upright, 139
- Chickweed Wintergreen, 348
- Chicory, 490
- Chives, 539
- Chlora* Adanson, 353
perfoliata (L.) L., 353
- Chrysanthemum* L., 475
balsamita (L.) Baillon, 475
carinatum Schousboe, 475
coronarum L., 475
leucanthemum L., 476
morifolium Ramat., 475
parthenium (L.) Bernh., 476
segetum L., 475
tanacetum Karsch, non Vis., 476
vulgare (L.) Bernh., 476
- Chrysocoma linosyris* L., 467
- Chrysosplenium* L., 253
alternifolium L., 254
oppositifolium L., 253
- Cicendia* Adanson, 351
filiformis (L.) Delarbre, 351
pusilla (Lam.) Griseb., 351
- Cicerbita* Wallr., 498
alpina (L.) Wallr., 499
macrophylla (Willd.) Wallr., 499
plumieri (L.) Kirschl., 499
- Cichorium* L., 490
endivia L., 490
intybus L., 490
- Cicuta* L., 290
virosa L., 290
- Cineraria*
maritima L., 456
palustris (L.) L., 455
- Cinquefoil, 212–16
- Circaea* L., 268
alpina L., 269
- × *intermedia* Ehrh., 269
lutetiana L., 269
- Cirsium* Miller, 482
acaule Scop., 484
arvense (L.) Scop., 483
dissectum (L.) Hill, 484
eriphorum (L.) Scop., 482
helenioides (L.) Hill, 484
heterophyllum (L.) Hill, 484
lanceolatum (L.) Scop., non Hill, 483
oleraceum (L.) Scop., 483
palustre (L.) Scop., 483
tuberosum (L.) All., 484
vulgare (Savi) Ten., 483
- Cistaceae, 116
- Cistus* L., 116
incanus L., 116
- Cladium* Browne, 593
jamaicense Crantz, 593
mariscus (L.) Pohl, 593
- Clary, 410
- Claytonia* L., 153
alsinoides Sims, 153
perfoliata Donn ex Willd., 152
sibirica L., 153
virginica L., 153
- Cleavers, 431–2
- Clematis* L., 38
flammula L., 38
heracleifolia DC., 38
integrifolia L., 38
lanuginosa Lindl., 38
montana DC., 38
patens Morr. & Decne., 38
recta L., 38
vitalba L., 38
viticella L., 38
- Clinopodium* L., 409
vulgare L., 409
- Cloudberry, 205
- Clover, 195–9
- Clubmoss, 1–3
- Club-rush, 590–2
- Clypeola maritima* L., 88
- Cnicus* L., 486
benedictus L., 486
eriphorus (L.) Roth, 482
oleraceus L., 483
- Cob-nut, 315
- Cochlearia* L., 85
armoracia L., 91
anglica L., 85
atlantica Podeb., 87
coronopus L., 81
danica L., 85
groenlandica auct. angl., non L., 86
islandica Podeb., 86
micacea E.S. Marshall, 87
officinalis L., 86
scotica Druce, 86
- Cocklebur, 450–1
- Cock's-foot, 624
- Cockspur, 651
- Codlins and Cream, 262
- Coeloglossum* Hartman, 568
viride (L.) Hartman, 568
- Colchicum* L., 541
autumnale L., 541
- Cole, 71
- Coltsfoot, 458
- Columbine, 51
- Colutea* L., 187
arborescens L., 187
- Comarum palustre* L., 213
- Comfrey, 358–9
- Common Sunflower, 447
- Compositae, 441
- Conium* L., 287
maculatum L., 287
- Conopodium* Koch, 282
denudatum Koch, 282
majus (Gouan) Loret, 282
- Conringia* Adanson, 78
orientalis (L.) Dumort., 78
- Consolida* (DC.) S.F. Gray, 36
ambigua (L.) P.W. Ball & Heywood, 36
orientalis (Gay) Schrödinger, 36
regalis S.F. Gray, 36
- Convallaria* L., 534
majalis L., 534
- Convolvulaceae, 364
- Convolvulus* L., 364
arvensis L., 364
- Conyza* Less., 470
bonariensis (L.) Cronq., 470
canadensis (L.) Cronq., 470
squarrosa L., 460
- Corallorhiza* Chatel., 567
innata R. Br., 568
trifida Chatel., 568
- Coral-root, 91, 568
- Cord-grass, 650
- Coriander, 282
- Coriandrum* L., 282
sativum L., 282
- Cornaceae, 275
- Cornbine, 364
- Corn Cockle, 127
- Cornelian Cherry, 276
- Cornflower, 487
- Cornish Moneywort, 376
- Corn Marigold, 475
- Corn Salad, 436–7
- Cornus* L., 275
alba L., 276
mas L., 276
sanguinea L., 276
sericea L., 276
stolonifera Michx, 276
suecica L., 276
- Coronilla* L., 202
valentina L., 202
varia L., 202
- Coronopus* Haller, 81
didymus (L.) Sm., 81
procumbens Gilib., 81
ruellii All., 81
squamatus (Forskål) Ascherson, 81
- Corrigiola* L., 149
litoralis L., 149
telephiifolia Pourret, 149
- Cortaderia selloana* (Schultes & Schultes fil.) Ascherson & Graebner, 648
- Corydalis* Vent., 61
bulbosa auct., 61
bulbosa (L.) DC., 61
cava (L.) Schweigg. & Koerte, 61

- Corydalis* Vent. (*cont.*)
claviculata (L.) DC., 62
lutea (L.) DC., 62
solida (L.) Swartz, 61
Corylaceae, 315
Corylus L., 315
avellana L., 315
maxima Miller, 315
Corynephorus Beauv., 640
canescens (L.) Beauv., 640
Cotoneaster Medicus, 233
affinis Lindley, 234
bullatus Bois, 234
divaricatus Rehder & E.H. Wilson, 234
frigidus Wallich ex Lindley, 234
horizontalis Decaisne, 234
integerrimus Medicus, 233
lacteus W.W. Sm., 234
microphyllus Wallich ex Lindley, 234
multiflorus Bunge, 234
simonsii Baker, 234
vulgaris Lindley, 233
Cotton-grass, 587
Cotula L., 477
coronopifolia L., 477
Cotyledon umbilicus-veneris L., p.p., 248
Couch-grass, 633–4
Cowbane, 290
Cowberry, 334
Cow Parsley, 281
Cowslip, 345
Cow-wheat, 385
Crab-grass, 651
Crambe L., 77
maritima L., 77
Cranberry, 335
Crane's-bill, 170–4
Crassula L., 248
aquatica (L.) Schönl., 248
decumbens Thunb., 248
helmsii (T. Kirk) Cockayne, 248
radicans Haw., 248
recurva (Hooker fil.) Ostenf., non N.E.Br., 248
tillaea L.-Garland, 248
Crassulaceae, 245
Crataegus L., 234
laevigata (Poiret) DC., 234
× *media* Bechst., 235
monogyna Jacq., 235
orientalis Pallas ex Bieb., 235
oxycanthoides Thuill., 234
Creeping Jenny, 347
Creeping Soft-grass, 640
Crepis L., 511
biennis L., 513
capillaris (L.) Wallr., 513
foetida L., 512
hieracioides Waldst. & Kit., non Lam., 514
mollis (Jacq.) Ascherson, 514
nicaensis Balbis, 513
nudicaulis auct., 493
paludosa (L.) Moench, 514
rubra L., 514
setosa Haller fil., 512
succisifolia (All.) Tausch, 514
taraxacifolia Thuill., 512
tectorum L., 513
vesicaria L., 512
virens L., 513
Cress, 79
Crinitaria linosyris (L.) Less., 467
Crithmum L., 284
maritimum L., 284
Crocasmia crocosmiflora (Lemoine) N.E. Br., 556
Crocus L., 555
nudiflorus Sm., 555
vernus (L.) Hill, 555
purpureus Weston, 555
sativus L., 555
Crosswort, 432
Crowberry, 340
Crowfoot, 42–6
Crown Vetch, 202
Crucianella stylosa Trin., 427
Cruciferae, 65
Cuckoo Flower, 92
Cuckoo-pint, 583
Cucubalus L., 128
baccifer L., 128
behen L., 122
italica L., 126
otites L., 125
Cucurbitaceae, 294
Cudweed, 462–5
Cupressaceae, 30
Cupressus L., 30
lawsoniana A. Murray, 30
macrocarpa Hartweg, 30
Currant, 256
Cuscuta L., 365
campestris Yuncker, 366
epilinum Weihe, 366
epithymum (L.) L., 366
europaea L., 365
trifolii Bab., 366
Cut-grass, 650
Cryptogramma R. Br., 8
crispa (L.) Hooker, 8
Cyclamen L., 346
europaeum auct., 346
hederifolium Aiton, 346
neopolitanum Ten., 246
Cydonia Miller, 244
japonica auct., non (Thunb.) Pers., 244
oblonga Miller, 244
Cymbalaria Hill, 373
muralis Gaertner, Meyer & Scherb., 373
pallida (Ten.) Wettst., 374
Cynodon L.C.M. Richard, 649
dactylon (L.) Pers., 649
Cynoglossum L., 357
germanicum Jacq., 357
montanum auct. non L., 357
officinale L., 357
Cynosurus L., 625
cristatus L., 625
echinatus L., 625
Cyperaceae, 586
Cyperus L., 592
fuscus L., 592
longus L., 592
Cypress, 30
Cypripedium L., 559
calceolus L., 559
Cyrtomium falcatum (L. fil.) C. Presl, 20
Cystopteris Bernh., 17
dickieana Sim, 18
fragilis (L.) Bernh., 17
montana (Lam.) Desv., 18
Cytisus L., 184
laburnum L., 184
scoparius (L.) Link, 185
Daboecia D. Don, 333
cantabrica (Hudson) C. Koch, 333
polifolia D. Don, 333
Dactylorhiza Necker ex Nevski, 576
fuchsii (Druce) Soó, 579
incarnata (L.) Soó, 577
maculata (L.) Soó, 578
majalis (Reichenb.) P.F. Hunt & Summerhayes, 580
traunsteineri (Sauter) Soó, 581
Dactylis L., 624
glomerata L., 624
polygama Horvátovszky, 625
Daisy, 470
Damasonium Miller, 517
alisma Miller, 517
stellatum Thuill., 517
Dame's Violet, 100
Danae cornubiensis (L.) Burnat, 287
Dandelion, 514
Danewort, 433
Danthonia DC., 648
decumbens (L.) DC., 648
Daphne L., 259
laureola L., 260
mezereum L., 259
Datura L., 368
stramonium L., 368
Daucus L., 294
carota L., 294
Day Lily, 533
Dead-nettle, 414
Deer-grass, 588
Delphinium
ajacis auct., 36
cheilanthum Fischer, 36
consolida L., sec. Sm., 36
elatum L., 36
gayanum Wilmott, 36
Dendranthema morifolium (Ramat.) Tzvelev., 475
Dentaria bulbifera L., 91
Deschampsia Beauv., 638
cespitosa (L.) Beauv., 638
flexuosa (L.) Trin., 638
setacea (Hudson) Hackel, 639
Descurainia Webb & Berth., 105
sophia (L.) Webb ex Prantl, 105
Desmazeria Dumort., 620
loliacea Nyman, 620
marina (L.) Druce, 620
rigida (L.) Tutin, 620
Dewberry, 206
Dianthus L., 128
armeria L., 128
barbatus L., 130
caesius Sm., 129
caespitosus Poiret, 129
carthusianorum L., 130
caryophyllus L., 129
chinensis L., 130
deltoides L., 129
gallicus Pers., 129
glauca sensu Hudson, non L., 129
gratianopolitanus Vill., 129
plumarius L., 129
prolifer L., 131
saxifragus L., 131
superbus L., 130
Diapensia L., 340
lapponica L., 340
Diapensiaceae, 340
Dicentra Bernh., 61
spectabilis (L.) Lemaire, 61
Dichondra Forster & Forster f., 364
micrantha Urban, 364
Dicksonia antarctica R. Br., 9
Digitalis L., 377
lanata Ehrh., 377
purpurea L., 377
Digitaria Haller, 651
humifusa Pers., 651
ischaemum (Schreber) Muhl., 651
sanguinalis (L.) Scop., 651
Digraphis arundinacea (L.) Trin., 647
Dimorphotheca aurantiaca Hort., 459
sinuata DC., 459
Dioscoreaceae, 556
Diotis maritima (L.) Desf. ex Cass., 473
Diphasiastrum Holub, 2
alpinum (L.) Holub, 2
× *issleri* (Rouy) Holub, 2
Diphasium alpinum (L.) Rothm., 2
Diplotaxis DC., 75
bracteata Godr., 73
erucoides (L.) DC., 76
muralis (L.) DC., 75
tenuifolia (L.) DC., 75
Dipsacaceae, 438
Dipsacus L., 438
fullonum L., 439
pilosus L., 439
sativus (L.) Honckeny, 439
strigosus Willd., 439
sylvestris Hudson, 439
Disphyma N.E. Br., 154
crassifolium (L.) L. Bolus, 154
Dittrichia W. Greuter, 461
graveolens, 461
viscosa (L.) W. Greuter, 461
Dock, 306–9
Dodder, 365–6
Doddering Dillies, 626
Dog's-tail, 625

- Dogwood, 276
Doronicum L., 457
 columnae Ten., 457
 pardalianches L., 457
 plantagineum L., 457
Dorycnium Miller, 199
 gracile Jordan, 199
 pentaphyllum Scop., 199
 suffruticosum Vill., 199
Draba L., 89
 aizoides L., 89
 hirta auct., 89
 incana L., 89
 muralis L., 89
 norvegica Gunn., 89
 praecox Steven, 90
 rupestris R. Br., 89
 verna L., 90
Dragon's-teeth, 200
Dropwort, 204
Drosera L., 257
 anglica Hudson, 258
 intermedia Hayne, 258
 longifolia L., p.p., 258
 × *obovata* Mert. & Koch, 258
 rotundifolia L., 257
Droseraceae, 257
Dryas L., 219
 octopetala L., 219
Dryopteris Adanson, 20
 abbreviata (DC.) Newman
 ex Manton, 21
 abbreviata auct., 21
 × *abrosiae* Fraser-Jenkins
 & Jermy, 23
 affinis (Lowe) Fraser-
 Jenkins, 21
 aemula (Aiton) O. Kuntze,
 22
 aristata (Vill.) Druce, 23
 assimilis S. Walker, 23
 austriaca auct., non (Jacq.)
 Wojnar, 23
 borrieri (Newman)
 Newman ex von Tavel,
 21
 × *brathica* Fraser-Jenkins
 & Reichstein, 23
 carthusiana (Villar) H.P.
 Fuchs, 22
 cristata (L.) A. Gray, 22
 × *deweveri* (Jansen)
 Jansen & Wachter, 23
 dilatata (Hoffman) A.
 Gray, 23
 expansa (C. Presl)
 Fraser-Jenkins & Jermy,
 23
 felix-mas (L.) Schott, 21
 felix-mas group, 20
 linnaeana C. Chr., 17
 × *mantoniae* Fraser-
 Jenkins & Corley, 21
 oreades Fomin, 21
 oreopteris (Ehrh.) Maxon,
 12
 phegopteris (L.) C. Chr., 12
 × *pseudoabbreviata*
 Jermy, 22
 pseudomas (Wollaston)
 Holub & Pouzar, 21
 × *remota* (A. Braun)
 Druce, 23
 rigida (Swartz) A. Gray,
 21
 robertiana (Hoffm.) C.
 Chr., 17
 × *sarvelae* Fraser-Jenkins
 & Jermy, 23
 spinulosa Watt, 22
 submontana (Fraser-
 Jenkins & Jermy)
 Fraser-Jenkins, 21
 × *tavelii* Rothm., 21
 thelypteris (L.) A. Gray,
 12
 × *uliginosa* (A. Braun ex
 Doll) Druce, 23
 villarii (Bell) Wojnar, 21
Duchesnea indica (Andrews)
 Focke., 218
Duck's-meat, 584
Duckweed, 583–4
Duke of Argyll's Tea-plant,
 366
Dusty Miller, 132, 478
Dwale, 366
Dwarf Cornel, 276
 Earthnut, 282
 Ecballium elaterium (L.) A.
 Richard, 295
 Echinochloa Beauv., 651
 crus-galli (L.) Beauv., 651
 Echinodorus ranunculoides
 (L.) Engelm., 516
 Echinops
 banaticus Rochel ex
 Schrader, 479
 exaltatus Schrader, 479
 sphaerocephalus L., 479
 Echium L., 363
 lycopsis L. p.p., 364
 plantagineum L., 364
 vulgare L., 364
 Eelgrass, 521
 Egeria Planchon, 519
 densa Planchon, 519
 Elatinaceae, 118
 Elatine L., 118
 hexandra (Lapierre) DC.,
 119
 hydropiper L., 119
 Elder, 433–4
 Eleagnaceae, 260
 Elecampane, 460
 Eleocharis R. Br., 588
 austriaca Hayek, 589
 acicularis (L.) Roemer &
 Schultes, 589
 eupalustris H. Lindb. fil.,
 589
 multicaulis (Sm.) Sm., 589
 palustris (L.) Roemer &
 Schultes, 589
 parvula (Roemer &
 Schultes) Link ex Bluff,
 Nees & Schauer, 588
 pauciflora (Lightf.) Link,
 589
 quinqueflora (F.X.
 Hartmann) O. Schwarz,
 589
 uniglumis (Link) Schultes,
 589
 watsonii Bab., 589
 Eleogiton Link, 592
 fluitans (L.) Link, 592
 Elisma natans (L.) Buchen,
 516
 Elm, 310–11
 Elodea Michx, 519
 callitrichoides auct., non
 (L.C.M. Richard)
 Caspary, 519
 canadensis Michx, 519
 ernstiae St John, 519
 nuttallii (Planchon) St
 John, 519
 Elymus L., 633
 caninus (L.) L., 633
 europaeus L., 635
 fartcus (Viv.) Runemark
 ex Melderis, 634
 pycnanthus (Godron)
 Melderis, 634
 repens (L.) Gould, 633
 Empetraceae, 340
 Empetrum L., 340
 nigrum L., 340
 Enchanter's Nightshade, 269
 Endymion Dumort, 537
 hispanicus (Miller)
 Chouard, 538
 non-scriptus (L.) Garcke,
 538
 Epilobium L., 261
 adenocaulon Hausskn., 263
 adnatum Griseb., 263
 alpinum L., p.p., 265
 alpinum L., et auct. plur.,
 264
 alsinifolium Vill., 265
 anagallidifolium Lam., 264
 angustifolium L., 266
 brunnescens (Cockayne)
 Raven & Engelhorn,
 265
 ciliatum Rafin., 263
 glandulosum Lehm., 263
 hirsutum L., 262
 inornatum Melville, 265
 komarovianum Léveillé,
 265
 lami F., Schultz, 264
 lanceolatum Sebastiani &
 Mauri, 263
 linnaeoides auct., 265
 montanum L., 262
 nerteroides auct., non A.
 Cunn., 265
 nerteroides A. Cunn., 265
 obscurum Schreber, 264
 palustre L., 264
 parviflorum Schreber, 262
 pedunculare auct., non A.
 Cunn., 265
 pedunculare A. Cunn.,
 265
 roseum Schreber, 263
 trigonum L., 263
 Epimedium L., 53
 alpinum L., 53
 Epipactis Zinn, 560
 atropurpurea Rafin., 563
 atrorubens (Hoffm.)
 Besser, 563
 cambrensis C. Thomas,
 563
 dunensis (T. & T.A.
 Stephenson) Godf., 562
 helleborine (L.) Crantz,
 561
 laetifolia (L.) All., 561
 leptochila (Godf.)
 Godf., 562
 palustris (L.) Crantz, 561
 pendula C. Thomas, nom.
 illegit., 563
 phyllanthes G.E. Sm.,
 563
 purpurata Sm., 561
 rubiginosa (Crantz)
 Gaudin, 563
 sessilifolia Peterm., 561
 vectensis (T. & T.A.
 Stephenson) Brooke &
 Rose, 563
 violacea (Dur. Duq.)
 Boreau, 561
 youngiana A. J. Richards
 & A.F. Porter, 562
 Epipogium R. Br., 564
 aphyllum Swartz, 564
 gmelinii L.C.M. Richard,
 564
 Equisetaceae, 4
 Equisetum L., 4
 arvense L., 5
 arvense × *fluviatile*, 5
 × *dycei* C.N. Page, 5
 × *font-queri* Rothm., 6
 fluviatile L., 5
 fluviatile × *palustre*, 5
 heleocharis Ehrh. 5
 hyemale L., 4
 hyemale × *ramosissimum*,
 4
 hyemale × *variegatum*, 5
 limosum L., 5
 × *litorale* Kuhlew. ex
 Rupr. 5
 maximum auct., 6
 × *moorei* Newman, 4
 occidentale (Hy) Coste, 4
 palustre L., 6
 pratense Ehrh., 6
 ramosissimum Desf., 5
 × *rothmaleri* C.N. Page, 6
 sylvaticum L., 6
 telmateia Ehrh., 6
 × *trachyodon* A. Braun, 5
 variegatum Schleicher ex
 Weber & Mohr, 5
 Eranthis Salisb., 34
 cilicica Schott & Kotschy,
 35
 hyemalis (L.) Salisb., 34
 Erica L., 336
 ciliaris L., 337
 cinerea L., 337
 erigena R. Ross, 337
 hibernica (Hooker &
 Arn.) Syme, 337
 lusitanica Rudolphi, 337
 mackaiana Bab., 337
 mackaii Hooker, 337
 mediterranea auct., non
 L., 337
 stricta Donn ex Willd.,
 337
 terminalis Salisb., 337
 tetralix L., 336
 vagans L., 337
 Ericaceae, 331

- Erigeron* L., 469
acer L., 469
alpinus auct. angl., non L., 469
annuus (L.) Pers., 470
borealis (Vierh.) Simmons, 469
canadensis L., 470
glaucus Ker-Gawler, 469
karvinskianus DC., 469
mucronatus DC., 469
uniflorus L., 469
Erinus L., 377
alpinus L., 377
 Eriocaulaceae, 531
Eriocaulon L., 531
aquaticum (Hill) Druce, 531
septangulare With., 531
Eriophorum L., 587
alpinum L., 587
angustifolium Honckeny, 587
brachyantherum Trautv. & C.A. Meyer, 587
gracile Roth, 587
latifolium Hoppe, 587
paniculatum Druce, 587
polystachion L., p.p., 587
vaginatum L., 587
Erodium L'Hérit., 175
ballii Jordan, 176
botrys (Cav.) Bertol., 176
cicutarium (L.) L'Hérit., 175
glutinosum Dumort., 176
maritimum (L.) L'Hérit., 175
moschatum (L.) L'Hérit., 175
pimpinellifolium (With.) Sibth., 176
triviale Jordan, 176
Erophila DC., 90
duplex Winge, 90
glabrescens Jordan, 90
inflata H.C. Watson, 90
majuscula Jordan, 90
praecox (Steven) DC., 90
quadruplex Winge, 90
simplex Winge, 90
spathulata A.F. Lang, 90
verna (L.) Chevall., 90
Eruca Miller, 76
sativa Miller, 76
vesicaria (L.) Cav., 76
Erucastrum C., Presl., 73
gallicum (Willd.) O.E. Schulz, 73
nasturtiifolium (Poiret) O.E. Schulz, 73
polllichii Schimper & Spenner, 73
Eryngium L., 280
campestre L., 280
maritimum L., 280
Erysimum L., 101
allionii Hort., 101
barbarea L., 94
cheiranthoides L., 101
linifolium (Pers.) Gay, 101
officinale L., 102
perfoliatum Crantz, 78
repandum L., 101
Erythraea Borkh., 352
centaurium auct., 352
compressa Kunth, 353
littoralis (D. Turner) Fries, 353
portensis (Brot.) Hoffmanns. & Link, 353
pulchella (Swartz) Fries, 352
tenuiflora Hoffmanns. & Link, 352
turneri Wheldon & C.E. Salmon, 353
Escallonia Mutis ex L. fil., 255
macrantha Hooker & Arn., 255
rubra (Ruiz & Pavón) Pers., 255
 Escalloniaceae, 255
Eschscholzia Cham., 61
californica Cham., 61
Eufragia viscosa (L.) Benth., 395
Euonymus L., 182
europaeus L., 182
Eupatorium L., 471
cannabinum L., 471
Euphorbia L., 296
amygdaloides L., 300
corallioides L., 298
cyparissias L., 299
dulcis L., 298
esula L., 299
exigua L., 299
helioscopia L., 298
hyberna L., 298
lathyrus L., 297
paralias L., 299
peplis L., 297
peplus L., 299
pilosa auct., non L., 297
platyphyllos L., 298
portlandica L., 299
serrulata Thuill., 298
stricta L., 298
turneri Druce, 300
villosa Waldst. & Kit. ex Willd., 297
 Euphorbiaceae, 296
Euphrasia L., 386
anglica Pugsley, 389
arctica Lange ex Rostrup, 389
atroviolacea Druce & Lumb, 391
brevipila sensu Wettst., Pugsley, non Bernat & Gremli, 390
cambrica Pugsley, 392
campbelliae Pugsley, 393
confusa Pugsley, 391
curta auct., non (Fries) Wettst. p.p., 392
curta (Fries) Wettst., 390
eurycarpa Pugsley, 392
foulaensis Towns. ex Wettst., 392
frigida Pugsley, 391
heslop-harrisonii Pugsley, 394
hirtella auct. angl., non Jordan ex Reuter, p.p., 388–9
marshallii Pugsley, 392
micrantha Reichenb., 393
nemorosa (Pers.) Wallr., 390
occidentalis Wettst., 390
officinalis L., nom. ambig., 388
ostenfeldii (Pugsley) P.F. Yeo, 392
paludosa Towns., non R. Br., 393
pseudokernerii Pugsley, 391
rhunica Pugsley, 393
rivularis Pugsley, 388
rostkoviana Hayne, 388
rotundifolia Pugsley, 393
salisburgensis Funck, 394
scottica Wettst., 393
stricta J.P. Wolff ex J.F. Lehm., 390
tetraquetra (Breb.) Arrond., 390
Eupteria aquilina (L.) Newman, 11
 Evening Primrose, 266–7
Exaculum Caruel, 351
pusillum (Lam.) Caruel, 351
 Eyebright, 388–94
 Fabaceae, 183
 Fagaceae, 316
Fagopyrum Miller, 304
esculentum Moench, 304
sagittatum Gilib., 304
Fagus L., 316
sylvatica L., 316
Falcaria Bernh., 290
vulgaris Bernh., 290
Falcatula
falsotrifolium Brot., 195
ornithopodioides (L.) Brot. ex Bab., 195
Fallopia Adanson, 304
aubertii (Louis Henry) J. Holub, 304
baldschuanica (Regel) J. Holub, 304
convolvulus (L.) Á. Löve, 304
dumetorum (L.) J. Holub, 304
 False-brome, 632
Farsetia incana (L.) R.Br., 88
 Fat Hen, 157
 Felwort, 354
 Fennel, 286
 Fenugreek, 195
 Fern-grass, 620
 Fescue, 616–20
Festuca L., 615
altissima All., 616
armoricana Kerguélen, 617
arundinacea Schreber, 616
caesia Sm., 618
duriuscula auct., ? an L., 618
elatior L., p.p., 616
gigantea (L.) Vill., 616
guestfalica Boenn. ex Reichenb., 618
heterophylla Lam., 616
indigesta Boiss., 618
juncifolia St-Amans, 617
lemanii Bast., 618
longifolia Thuill., 618
longifolia auct., 618
marina L., 620
myuros L., 620
nigrescens Lam., 617
ovina L., 617
pratensis Hudson, 616
rigida (L.) Raspail, non Roth., 620
rotboellioides Kunth, 620
rubra L., 617
sciuroides Roth, 619
sylvatica (Pollich) Vill., non Hudson, 616
tenuifolia Sibth., 617
trachyphylla (Hackel) Krajina, 618
uniglumis Aiton, 619
vivipara (L.) Sm., 618
 x *Festulolium* Ascherson & Graebner, 618
 x *lioliceum* (Hudson) P. Fourn., 618
 x *Festulpia* Melderis ex Stace & Cotton, 618
 x *hubbardii* Stace & Cotton, 618
 x *melderisii* Stace & Cotton, 618
 Feverfew, 476
Ficaria, 49
ranunculoides Roth, 49
verna Hudson, 49
Ficus L., 312
carica L., 312
Field Eryngo, 280
Field Madder, 426
 Fig, 312
 Figwort, 374
Filaginella uliginosa (L.) Opiz, 465
Filago L., 462
apiculata G.E. Sm. ex Bab., 463
arvensis L., 464
canescens Jordan, 462
gallica L., 463
germanica Hudson, 463
germanica auct., non L. nec. Hudson, 463
germanica L., non Hudson, 462
lutescens Jordan, 463
minima (Sm.) Pers., 463
pyramidata L., 463
spathulata C. Presl, 463
vulgaris Lam., 462
 Filbert, 315
Filipendula Miller, 204
hexapetala Gilib., 204
ulmaria (L.) Maxim., 204
vulgaris Moench, 204
 Filmy-fern, 9–10
 Fiorin, 642
 Fir, 26–7
 Flax, 169
 Fleabane, 460–1, 469–70
 Fleawort, 455–6
 Flixweed, 105
 Flowering Rush, 518
 Fluellen, 373

- Foeniculum* Miller, 286
officinale All., 286
vulgare Miller, 286
 Fool's Parsley, 286
 Fool's Watercress, 288
 Forget-me-not, 361–2
 Foxglove, 377
 Fox-sedge, 597
 Foxtail, 645–6
Fragaria L., 217
 × *ananassa* Duchesne, 217
chiloensis auct. angl., 217
elatior Ehrh., 217
grandiflora Ehrh., non
 Crantz, 217
moschata Duchesne, 217
vesca L., 217
virginiana Duchesne, 218
Frangula Miller, 183
alnus Miller, 183
Frankenia L., 118
laevis L., 118
 Frankeniaceae, 118
Fraxinus L., 349
 excelsior L., 350
 French Hales, 242
 French Lilac, 187
 Fringed Water-lily, 356
Fritillaria L., 535
 meleagris L., 536
 Fritillary, 536
 Frogbit, 518
Fuchsia L., 268
 gracilis Lindl., 268
 macrostema Ruiz &
 Pavón, 268
 magellanica Lam., 268
Fumaria L., 62
 bastardii Boreau, 63
 capreolata L., 63
 confusa Jordan, 63
 densiflora DC., 64
 martinii Clavaud, 63
 micrantha Lag., 64
 muralis Sonder ex Koch,
 63
 occidentalis Pugsley, 63
 officinalis L., 64
 × *painteri* Pugsley, 64
 pallidiflora Jordan, 63
 paradoxa Pugsley, 63
 parviflora Lam., 65
 purpurea Pugsley, 63
 vallantii Loisel., 65
 Fumariaceae, 61
 Fumitory, 63–5
 Furze, 185–6
Gagea Salisb., 536
 bohemica (Zauschner)
 Schultes & Schultes fil.,
 536
 lutea (L.) Ker-Gawler, 536
Gaillardia Foug., 452
 amblyodon Gay, 452
 aristata Pursh, 452
 pulchella Foug., 452
Galanthus L., 552
 nivalis L., 552
Galega L., 187
 officinalis L., 187
Galeobdolon luteum
 Hudson, 413
Galeopsis L., 415
 angustifolia Ehrh. ex
 Hoffman, 415
 bifida Boenn., 416
 dubia Leers, 416
 ladanum auct., p.p., 415
 ladanum L., 415
 ochroleuca Lam., 416
 segetum Necker, 416
 speciosa Miller, 416
 tetrahit L., 416
 Galingale, 592
Galinsoga Ruiz & Pavón, 449
 ciliata (Rafin.) S.F. Blake,
 449
 parviflora Cav., 449
 quadriradiata auct., ? Ruiz
 & Pavón, 449
Galium L., 427
 album Miller, 428–9
 anglicum Hudson, 432
 aparine L., 431
 boreale L., 428
 constrictum Chaub., 431
 cruciata (L.) Scop., 432
 debile Desv., 431
 elongatum C. Presl., 430
 erectum Hudson 1778, non
 1762, 428
 fleurotii Jordan, 430
 harcynicum Weigel, 429
 hercynicum auct., 429
 mollugo L., 428
 montanum Hudson, 429
 odoratum (L.) Scop., 428
 palustre L., 430
 parisiense L., 432
 × *pomeranicum* Retz., 429
 pumilum Murray, 429
 saccharatum All., 431
 saxatile L., 429
 spurium L., 432
 sternerii Ehrend., 430
 sylvestre Pollich, non
 Scop., 429
 tricornis Stokes p.p., 431
 tricornutum Dandy, 431
 uliginosum L., 431
 vallantii DC., 432
 valantia Weber, 431
 verrucosum Hudson, 431
 verum L., 429
 witheringii Sm., 430
Gallant Soldier, 449
Garden Arabis, 96
Garlic, 540–1
Garlic Mustard, 102
Gastroidium Beauv., 642
 australe Beauv., 642
 lendigerum (L.) Desv., 642
 ventricosum (Gouan)
 Schinz & Thell., 642
Gaudinia Beauv., 637
 fragilis (L.) Beauv., 637
Gaultheria L., 333
 procumbens L., 333
 shallon Pursh, 333
 Gean, 232
Genista L., 185
 anglica L., 185
 pilosa L., 185
 tinctoria L., 185
Gentian, 353–5
Gentiana L., 353
 amarella L., 354
 anglica Pugsley, 355
 axillaris (Schmidt)
 Reichenb., 354
 baltica auct., 354
 campestris L., 354
 germanica Willd., 354
 nivalis L., 354
 pneumonanthe L., 353
 septentrionalis (Druce)
 Druce, 355
 uliginosa Willd., 355
 verna L., 353
 Gentianaceae, 351
Gentianella Moench, 354
 amarella (L.) Börner, 354
 anglica (Pugsley) E.F.
 Warb., 355
 campestris (L.) Börner,
 354
 germanica (Willd.) E.F.
 Warb., 354
 × *pamplinii* (Druce) E.F.
 Warb., 355
 septentrionalis (Druce)
 E.F. Warb., 355
 uliginosa (Willd.) Börner,
 355
 Geraniaceae, 169
Geranium L., 170
 columbinum L., 173
 dissectum L., 173
 endressii Gay, 171
 lucidum L., 174
 macrorrhizum L., 173
 molle L., 174
 nodosum L., 172
 perenne Hudson, 173
 phaeum L., 172
 pratense L., 170
 purpureum Vill., 175
 pusillum L., 174
 pyrenaicum Burm. fil., 173
 robertianum L., 174
 rotundifolium L., 173
 sanguineum L., 172
 striatum L., 172
 sylvaticum L., 171
 versicolor L., 172
 Germander, 418
German Ivy, 456
Geropogon glaber L., 495
Geum L., 218
 × *intermedium* Ehrh., 218
 macrophyllum Willd., 218
 rivale L., 218
 urbanum L., 218
Gilliflower, 100
Gipsywort, 406
Githago segetum Link, 127
Gladdon, 554
Gladiolus L., 556
 byzantinus Miller, 556
 communis L., 556
 illyricus Koch, 556
 italicus Miller, 556
 segetum Ker-Gawler, 556
Glasswort, 161–2
Glaucium Miller, 60
 corniculatum (L.) J.H.
 Rudolph, 60
 flavum Crantz, 60
 luteum Crantz, 60
 phoeniceum Crantz, 60
Glaux L., 348
 maritima L., 349
Glechoma L., 416
hederacea L., 416
Globe Flower, 33
Glyceria R.Br., 627
 aquatica (L.) Wahlenb.,
 non J. & C. Presl., 628
 borreri (Bab.) Bab., 624
 declinata Bréb., 628
 distans (Jacq.) Wahlenb.,
 624
 fluitans (L.) R.Br., 628
 maritima (Hudson)
 Wahlenb., 623
 maxima (Hartm.)
 Holmberg, 628
 × *pedicellata* Towns., 628
 plicata Fr., 628
 procumbens (Curtis)
 Dumort., 624
 rupestris (With.) E.S.
 Marshall, 624
Gnaphalium L., 464
 dioicum L., 466
 luteo-album L., 465
 margaritaceum L., 465
 norvegicum Gunn., 464
 supinum L., 465
 sylvaticum L., 464
 uliginosum L., 465
 undulatum L., 465
Goat's-Beard, 494
Goat's Rue, 187
Golden Rain, 184
Golden-rod, 466
Golden Samphire, 461
Golden-saxifrage, 253–4
Goldilocks, 43, 467
Gold-of-Pleasure, 105
Good King Henry, 156
Goodyera R.Br., 566
 repens (L.) R.Br., 566
Gooseberry, 257
Goosefoot, 157–8
Goosegrass, 431
Gorse, 186
 Gramineae, 613
Grammitis leptophylla (L.)
 Swartz, 9
Grape Hyacinth, 538
Grass-of-Parnassus, 254
Grass Poly, 259
Grass-wrack, 521
Green Amaranth, 154
Greenweed, 185
Grindelia
 robusta Nutt., 470
 rubricaulis DC., 470
 squarrosa (Pursh) Dunal,
 470
Groenlandia Gay, 530
 densa (L.) Fourr., 530
Gromwell, 363
 Grossulariaceae, 255
Ground-ivy, 416
Ground-pine, 419
Groundsel, 454
Guelder-rose, 434
Guizotia abyssinica (L.fil.)
 Cass., 452
Gunnera L., 271
 brasiliensis Schindler,
 271
 chilensis Lam., 271

- Gunnera* L. (*cont.*)
manicata Linden ex André, 271
scabra Ruiz & Pav., 271
tinctoria (Molina) Mirbel, 271
Gymnadenia R.Br., 569
albida (L.) L.C.M. Richard, 570
conopsea (L.) R.Br., 569
odoratissima (L.) L.C.M. Richard, 569
Gymnocarpium Newman, 16
dryopteris (L.) Newman, 17
robertianum (Hoffm.) Newman, 17
Gymnogramma leptophylla (L.) Desv., 9
Gypsophila L., 131
elegans Bieb., 131
 muralis L., 131
paniculata L., 131
porrigens (L.) Boiss., 131
Habenaria
albida (L.) R.Br., 570
bifolia (L.) R.Br., 570
chlorantha (Custer) Bab., non Sprengel, 570
conopsea (L.) Bentham, non Reichenb. fil., 569
viridis (L.) R.Br., 568
 Hair-grass, 637–40
 Hairif, 431
Halimione Aellen, 160
pedunculata (L.) Aellen, 160
portulacoides (L.) Aellen, 160
 Haloragidaceae, 269
Hammarbya O. Kuntze, 567
paludosa (L.) O. Kuntze, 567
 Hard-fern, 24
 Hard-grass, 646
 Hardheads, 488
 Harebell, 423
 Hare's-ear, 287–8
 Hare's-tail, 587, 638
 Hart's-tongue Fern, 13
 Hartwort, 293
 Hawkbit, 492–3
 Hawk's-beard, 512–14
 Hawkweed, 499–511
 Hawthorn, 234–5
 Hazel, 315
 Heath, 332–3, 336–7
 Heather, 336
 Heath Grass, 648
 Heath Lobelia, 425
Hebe Comm., 382
elliptica (Forster fil.) Pennell, 382
 × *franciscana* (Eastw.) Souster, 383
salicifolia (Forster fil.) Pennell, 382
speciosa (R. Cunn. ex A. Cunn.) Andersen, 382
Hedera L., 277
helix L., 277
 Hedge Garlic, 102
 Hedge Mustard, 102
 Hedge-parsley, 293–4
Helenium L., 452
autumnale L., 452
Helianthemum Miller, 117
apenninum (L.) Müller, 117
breweri Planchon, 117
canum (L.) Baumg., 117
chamaecistus Miller, 117
guttatum (L.) Miller, 116
nummularium (L.) Miller, 117
polifolium Miller, 117
vulgare Gaertner, 117
Helianthus L., 447
annuus L., 447
decapetalus L., 447
 × *laetiflorus* Pers., 447
rigidus (Cass.) Desf., 447
strumosus L., 447
tuberosus L., 447
Helictotrichon auct., 636
pratense (L.) Pilger, 636
pubescens (Hudson) Pilger, 636
 Hellebore, 34
 Helleborine, 560–3
Helleborine palustris (L.) Schrank, 561
Helleborus L., 33
argutifolius Hort., 34
corsicus Willd., 34
foetidus L., 34
hyemalis L., 34
lividus Aiton, 34
niger L., 34
viridis L., 34
Helmintia echioides (L.) Gaertner, 494
Hemerocallis L., 533
flava L., 533
fulva (L.) L., 533
lilioasphodelus L., 533
Helosciadium
inundatum (L.) Koch, 289
nodiflorum (L.) Koch, 288
 Hemlock, 287
 Hemp Agrimony, 471
 Hemp-nettle, 415–16
 Henbane, 367
Hepatica Miller, 37
nobilis Miller, 37
Heracleum L., 292
mantegazzianum Sommier & Levier, 293
sphondylium L., 292
 Herb Bennet, 218
 Herb Christopher, 36
 Herb Gerard, 283
 Herb-Paris, 542
 Herb-Robert, 174
 Herminium Guett., 568
monorchis (L.) R.Br., 568
Hermodactylus Miller, 555
tuberosus (L.) Miller, 555
Herniaria L., 149
ciliata Bab., 150
ciliolata Melderis, 150
cinerea DC., 150
glabra L., 149
hirsuta L., 150
Hesperis L., 100
laciniata All., 101
matronalis L., 100
Hieracium L., 499
acuminatum Jordan, 508
amplexicaule L., 509
ampliatum (W.R. Linton) A. Ley, 510
anglicum Fries, 510
anglorum (A. Ley) Pugsley, 508
argenteum Fries, 508
aurantiacum L., 511
auratiflorum Pugsley, 506
bladonii Pugsley, 502
britanniciforme Pugsley, 509
britannicum F.J. Hanb., sensu stricto, 509
brunneocroceum Pugsley, 511
caesiomurorum Lindeb., 507
caespitosum Dumort., 511
calcaricola (F.J. Hanb.) Roffey, 502
caledonicum F.J. Hanb., 508
calenduliflorum Backhouse, 510
cinderella (A. Ley) A. Ley, 505
colliniforme (Naegeli & Peter) Roffey, 511
cravoniense (F.J. Hanb.) Roffey, 507
crebridentiforme Pugsley, 506
cymbifolium Purchas, 504
daedalolepioides (Zahn) Roffey, 508
dewarii Syme, 504
diaphanoides Lindeb., 508
diaphanum Fries, 508
dicella P.D. Sell & C. West., 508
duriceps F.J. Hanb., 504
eboracense Pugsley, 502
euprepes F.J. Hanb., 507
flagellare Willd., 511
gracilifolium (F.J. Hanb.) Pugsley, 510
grandidens Dahlst., 505
hanburyi Pugsley, 510
holosericeum Backhouse, 510
hypochaeroides Gibson, 508
iricum Fries, 510
lachenalii auct., 508
lasiophyllum Koch, 508
latobrigorum (Zahn) Roffey, 502
lingulatum Backhouse, 510
maculatum Sm., 507
mirandum P.D. Sell & C. West., 504
oistophyllum Pugsley, 506
paludosum L., 514
oradense W.R. Linton, 507
peleteranum Mérat, 511
pellucidum Laest., 505
perpropinquum (Zahn) Druce, 502
pictorum E.F. Linton, 506
piligerum (Pugsley) P.D. Sell & C. West., 506
pilosella L., 510
praealtum Vill. ex Gochnat., 511
pratense Tausch, 511
prenanthoides Vill., 503
reticulatum Lindeb., 502
rigens Jordan, 502
rubiginosum F.J. Hanb., 507
sabaudum L., 502
schmidtii Tausch, 508
senescens Backhouse, 510
silvaticoides Pugsley, 504
sparsifolium Lindeb., 502
speluncarum Arvet-Touvet, 509
stenolepiforme (Pugsley) P.D. Sell & C. West., 509
strictiforme (Zahn) Roffey, 502
strumosum auct., 508
subcrocatum (E.F. Linton) Roffey, 502
subgracilentipes (Zahn) Roffey, 510
subhirtum (F.J. Hanb.) Pugsley, 506
sublepistoides (Zahn) Druce, 505
trichocaulon (Dahlst.) K. Joh., 502
umbellatum L., 500
vagum Jordan, 502
vulgatum Fries, 507
Hierochloë R.Br., 639
borealis (Schrader) Roemer & Schultes, 639
odorata (L.) Beauv., 639
Himantoglossum Koch, 573
hircinum (L.) Sprengel, 573
 Hippocastanaceae, 181
Hippocrepis L., 202
comosa L., 202
Hippophaë L., 260
rhamnoides L., 260
 Hippuridaceae, 271
Hippuris L., 271
vulgaris L., 271
Hirschfeldia Moench, 75
incana (L.) Lagrèze-Fossat, 75
 Hog's Fennel, 292
 Hogweed, 292–3
Hoicus L., 640
lanatus L., 640
mollis L., 640
 Holly, 181
 Holly Fern, 19
 Hollyhock, 168
 Holly-leaved Naiad, 531
Holoschoenus Link, 590
vulgaris Link, 590
Holosteum L., 139
umbellatum L., 139
 Holy-grass, 639
Homogyne Cass., 459
alpina (L.) Cass., 459
 Honesty, 88
 Honewort, 288
 Honeysuckle, 435–6
Honkenya Ehrh., 144
peploides (L.) Ehrh., 144
 Hop, 310

- Hordelymus* (Jessen) Harz, 635
europaeus (L.) Harz, 635
Hordeum L., 634
distichon L., 635
europaeum (L.) All., 635
jubatum L., 635
marinum Hudson, 635
maritimum Stokes, 635
murinum L., 635
nodosum auct., non L., 634
pratense Hudson, 634
secalinum Schreber, 634
sylvaticum Hudson, 635
vulgare L., 635
Hornbeam, 315
Hornwort, 56
Horse-chestnut, 181
Horse-radish, 91
Horseshoe Vetch, 202
Horsetail, 4–5
Hornungia Reichenb., 84
petraea (L.) Reichenb., 85
Hottentot Fig, 153
Hottonia L., 346
palustris L., 346
Hound's-tongue, 357
Houseleek, 248
Huckleberry, 335
Humulus L., 310
lupulus L., 310
Huperzia Bernh., 2
selago (L.) Bernh. ex Schrank & Mart. 2
Hutchinsia petraea (L.) R.Br., 85
Hyacinthoides Medicus, 538
hispanica (Miller) Rothm., 538
non-scripta (L.) Chouard ex Rothm., 538
Hyacinthus comosus L., 538
Hydrangea sargentiana Rehder, 255
Hydrangeaceae, 254
Hydrilla L.C.M. Richard, 519
verticillata (L. fil.) Royle, 519
Hydrocharitaceae, 518
Hydrocharis L., 518
morsuranae L., 518
Hydrocotyle L., 279
moschata G. Forster, 279
vulgaris L., 279
Hymenophyllaceae, 9
Hymenophyllum Sm., 9
peltatum auct., vix Desv., 10
tunbrigense (L.) Sm., 9
unilaterale auct., 10
wilsonii Hooker, 10
Hyoscyamus L., 367
niger L., 367
Hyoscyamus minima L., 491
Hypericaceae, 113
Hypericum L., 113
acutum Moench, 115
androsaemum L., 114
boeticum Boiss, 115
calycinum L., 114
canadense L., 116
desetangii Lamotte, 115
elatium Aiton, 114
elodes L., 116
hircinum L., 114
hirsutum L., 115
humifusum L., 115
inodorum Miller, 114
linarifolium Vahl, 115
maculatum Crantz, 114
montanum L., 116
perforatum L., 114
pulchrum L., 115
quadrangulum auct., non L., 114
quadrangulum L., nom. ambig., 115
tetrapterum Fries, 115
undulatum Schousb. ex Willd., 115
Hypochoeris L., 491
glabra L., 492
maculata L., 492
radicata L., 491
Hypolepidaceae, 11
Hyssop, 408
Hyssopus L., 408
officinalis L., 408
Iberis L., 82
amara L., 82
nudicaulis L., 84
sempervirens L., 83
umbellata L., 83
Iceland Purslane, 300
Ilex L., 181
aquifolium L., 181
Illecebrum L., 150
verticillatum L., 150
Impatiens L., 178
biflora Walter, 178
capensis Meerburgh, 178
fulva Nutt., 178
glandulifera Royle, 179
noli-tangere L., 178
parviflora DC., 179
roylei Walp., 179
Indian-weed, 452
Inula L., 459
britannica L., 460
conyza DC., 460
crithmoides L., 461
dysenterica L., 461
graveolens (L.) Desf., 461
helenium L., 460
pulicaria L., 461
salicina L., 460
squarrosa (L.) Bernh., non L., 460
viscosa (L.) Aiton, 461
Ipheion uniflorum (R.C. Graham) Rafin., 538
Iridaceae, 553
Iris L., 554
foetidissima L., 554
germanica L., 554
pseudacorus L., 554
spuria L., 554
tuberosa L., 555
versicolor L., 554
Isatis L., 82
aleppica Scop., 82
tinctoria L., 82
Isardia palustris L., 261
Isoetaceae, 3
Isoetes L., 3
echinospora Durieu, 3
histris Bory, 3
lacustris L., 3
Isolepis R.Br., 591
cernua (Vahl) Roemer & Schultes, 592
setacea (L.) R.Br., 591
Iva xanthifolia Nutt., 450
Jack-by-the-Hedge, 102
Jack-go-to-bed-at-noon, 494
Jacob's Ladder, 356
Japanese Wineberry, 206
Japonica, 244
Jasione L., 424
montana L., 424
Jersey Fern, 9
Jerusalem Artichoke, 447
Jerusalem Cherry, 368
Jerusalem Sage, 415
Joey Hooker, 449
Juglandaceae, 312
Juglans L., 312
regia L., 312
Juncaceae, 542
Juncus L., 542
acutiflorus Ehrh. ex Hoffm., 548
acutus L., 543
alpinoarticulatus Chaix, 548
alpinus Vill., 548
ambiguus Guss., 546
articulatus L., 548
balticus Willd., 544
biglumis L., 548
bufonius L., sensu stricto, 546
bulbosus L., 547
capitatus Weigel, 547
castaneus Sm., 549
compressus Jacq., 545
conglomeratus L., 544
diffusus Hoppe, 544
effusus L., 544
filiformis L., 544
foliosus Desv., 546
gerardi Loisel., 545
glaucus Sibth., 544
inflexus L., 544
kochii F.W. Schultz, 548
lampocarpus Ehrh. ex Hoffm., 548
leersii Marsson, 544
macer S.F. Gray, 546
maritimus Lam., 543
mutabilis Lam., 547
obtusiflorus Ehrh. ex Hoffm., 547
pallidus R.Br., 545
planifolius R.Br., 547
pygmaeus L.C.M. Rich., 547
ranarius Song. & Perr., 546
royeri P. Fourn., 545
ruhmeri Ascherson & Graebner, 544
squarrosus L., 545
subnodulosus Schrank, 547
subulatus Forskål, 545
supinus Moench., 547
surreyanus Druce, 548
sylvaticus auct., 548
tenuis Willd., 546
trifidus L., 545
triglumis L., 549
Juncaginaceae, 520
Juneberry, 235
Juniper, 30
Juniperus L., 30
communis L., 30
nana Willd., 31
sibirica Burgsdorf, 31
Kalmia L., 332
angustifolia L., 332
polifolia Wangeh., 332
Keck, 281, 292
Kerria japonica (L.) DC., 205
Kerry Lily, 533
Kickxia Dumort., 373
elatine (L.) Dumort., 373
spuria (L.) Dumort., 373
Kidney-vetch, 201
Killarney Fern, 10
Kingcup, 33
Knapweed, 486–8
Knautia L., 440
arvensis (L.) Coulter, 440
Knapweed, 151
Knotgrass, 301–2
Knotweed, 303–4
Kobresia Willd., 594
caricina Willd., 594
simpliciuscula (Wahlenb.) Mackenzie, 594
Koeleria Pers., 637
cristata (L.) Pers., p.p., 637
glauca (Schrader) DC., 637
gracilis Pers., 637
macrantha (Ledeb.) Schultes, 637
vallesiana (Honckeny) Gaudin, 637
Koenigia L., 300
islandica L., 300
Kohlruschia prolifera (L.) Kunth, 131
saxifraga (L.) Dandy, 131
Labiatae, 402
Labrador-tea, 331
Laburnum Fabr., 184
anagyroides Medicus, 184
vulgare J. Presl, 184
Lactuca L., 495
alpina (L.) A. Gray, 499
muralis (L.) Gaertner, 497
saligna L., 497
sativa L., 496
scariola L., 496
serriola L., 496
tatarica (L.) C.A. Meyer, 497
virosa L., 496
Ladies' Fingers, 201
Lady-fern, 16
Lady's-mantle, 220–1
Lady's Slipper, 559
Lady's Smock, 92
Lady's Tresses, 564–5
Creeping, 566
Lagarosiphon Harvey, 519
major (Ridley) Moss, 519

- Lagurus L., 638
 ovatus L., 638
 Lamb's Lettuce, 436
 Lamiastrum Heister ex
 Fabr., 413
 galeobdolon (L.) Ehrend.
 & Polatschek, 413
 Lamium L., 413
 album L., 414
 amplexicaule L., 414
 dissectum With., 414
 galeobdolon (L.) L., 413
 hybridum Vill., 414
 incisum Willd., 414
 intermedium Fries, 414
 maculatum L., 414
 moluccellifolium Fries, 414
 purpureum L., 414
 Lampsana communis auct.,
 490
 Land-cress, 94
 Lappa
 major Gaertner, 480
 minor Hill, 480
 officinalis All., 480
 vulgaris Hill, 480
 Lapsana L., 490
 communis L., 490
 intermedia Bieb., 491
 Larch, 27
 Larix Miller, 27
 europaea DC., 27
 decidua Miller, 27
 kaempferi (Lamb.) Carr.,
 27
 leptolepis (Sieb. & Zucc.)
 Endl., 27
 Larkspur, 36
 Lastrea
 aemula (Aiton) Brackenr.,
 22
 cristata (L.) C. Presl, 22
 dilatata (Hoffman) C.
 Presl, 23
 filix-mas (L.) C. Presl, 21
 montana Newm., 12
 oreopteris (Ehrh.) Bory,
 12
 rigida (Swartz) C. Presl, 22
 spinulosa C. Presl, 22
 thelypteris (L.) Bory, 12
 Lathraea L., 395
 clandestina L., 396
 squamaria L., 395
 Lathyrus L., 190
 aphaca L., 191
 hirsutus L., 191
 japonicus Willd., 192
 latifolius L., 191
 macrorrhizus Wimmer,
 192
 maritimus Bigelow, 192
 montanus Bernh., 192
 niger (L.) Bernh., 192
 nissolia L., 191
 odoratus L., 191
 palustris L., 192
 pratensis L., 191
 sylvestris L., 191
 tuberosus L., 191
 Lavatera L., 167
 arborea L., 167
 cretica L., 167
 sylvestris Brot., 167
 trimestris L., 167
 Lavender Cotton, 473
 Ledum L., 331
 palustre L., 331
 Leek, 540–1
 Leersia Swartz, 650
 oryzoides (L.) Swartz, 650
 Legousia Durande, 424
 hybrida (L.) Delarbre, 424
 Leguminosae, 183
 Lemna L., 583
 arrhiza L., 584
 gibba L., 584
 minor L., 584
 minuscula Herter, 584
 polyrhiza L., 583
 trisulca L., 584
 Lemnaceae, 583
 Lemon-scented Fern, 12
 Lentibulariaceae, 399
 Leontodon L., 492
 autumnalis L., 492
 hastilis L., 493
 hirtus auct., non L., 493
 hispidus L., 493
 leysseri Beck, 493
 taraxacoides (Vill.) Mérat,
 493
 Leonurus L., 415
 cardiaca L., 415
 Leopard's-bane, 457
 Lepidium L., 79
 campestre (L.) R.Br., 79
 densiflorum Schrader, 80
 didymum L., 81
 draba L., 82
 graminifolium L., 81
 heterophyllum Bentham,
 79
 hirtum Sm., p.p., 79
 latifolium L., 80
 neglectum Thell., 80
 perfoliatum L., 81
 petraeum L., 85
 pratense auct., 80
 ramosissimum Nelson, 80
 ruderale L., 80
 sativum L., 79
 smithii Hooker, 79
 villarsii Gren. & Godron,
 80
 virginicum L., 80
 Lepturus
 filiformis auct., non (Roth)
 Trin., 646
 incurvus (L.) Druce, 646
 strigosus Dumort., 646
 Lettuce, 496–7
 Leucanthemum Miller, 475
 maximum (Ramond) DC.,
 476
 vulgare Lam., 476
 Leucocjum L., 551
 aestivum L., 551
 vernum L., 551
 Leucorchis albida (L.)
 E.H.F. Meyer, 570
 Levisticum officinale Koch,
 291
 Leycesteria Wall., 436
 formosa Wall., 436
 Leymus Hochst., 633
 arenarius (L.) Hochst.,
 633
 Ligularia Cass., 457
 dentata (A. Gray) Hara,
 457
 Ligusticum L., 291
 scoticum L., 291
 Ligustrum L., 350
 vulgare L., 350
 Lilac, 350
 Liliaceae, 532
 Lilium L., 535
 martagon L., 535
 pyrenaicum Gouan, 535
 Lily, 535
 Lily-of-the-Valley, 533
 Lime, 164–5
 Limestone Fern, 17
 Limnanthemum
 nymphoides (L.)
 Hoffmanns. & Link, 356
 peltatum S.G. Gmelin, 356
 Limonium Miller, 341
 auriculae-ursifolium
 (Pourret) Druce, 341,
 342
 bellidifolium (Gouan)
 Dumort., 341, 342
 binervosum (G.E. Sm.)
 C.E. Salmon, 341, 343
 companyonis (Gren. &
 Billot) O. Kuntze, 343
 humile Miller, 341, 342
 paradoxum Pugsley, 343
 recurvum C.E. Salmon,
 343
 transwallianum (Pugsley)
 Pugsley, 343
 vulgare Miller, 341, 342
 Limosella L., 376
 aquatica L., 376
 australis R.Br., 376
 subulata Ives, 376
 Linaceae, 168
 Linaria Miller, 372
 arenaria DC., 373
 cymbalaria (L.) Miller, 373
 dalmatica (L.) Miller, 372
 elatine (L.) Miller, 373
 minor (L.) Desf., 373
 pallida (Ten.) Guss., 374
 pelisseriana (L.) Miller,
 372
 purpurea (L.) Miller, 372
 repens (L.) Miller, 372
 × sepium Allman, 372
 spuria (L.) Miller, 373
 supina (L.) Chaz., 373
 vulgaris Miller, 372
 Linden, 164
 Ling, 336
 Linnaea L., 435
 borealis L., 435
 Linosyris vulgaris DC., 467
 Linum L., 168
 anglicum Miller, 169
 angustifolium Hudson, 169
 bienne Miller, 169
 catharticum L., 169
 grandiflorum Desf., 168
 perenne L., 169
 usitatissimum L., 169
 Liparis L.C.M. Richard, 567
 loeselii (L.) L.C.M.
 Richard, 567
 Listera R.Br., 565
 cordata (L.) R.Br., 566
 ovata (L.) R.Br., 565
 Lithospermum L., 363
 arvense L., 363
 officinale L., 363
 purpureocaeruleum L., 363
 Little-Robin, 175
 Littorella Bergius, 421
 lacustris L., 421
 uniflora (L.) Ascherson,
 421
 Livelong, 246
 Lloydia Salisb. ex Reichenb.,
 536
 serotina (L.) Reichenb.,
 536
 Lobelia L., 425
 dortmanna L., 425
 urens L., 425
 Lobularia Desv., 88
 maritima (L.) Desv., 88
 Loganberry, 206
 Logfia
 arvensis (L.) J. Holub, 464
 gallica (L.) Cosson &
 Germ., 463
 minima (Sm.) Dumort.,
 463
 Loiseleuria Desv., 332
 procumbens (L.) Desv.,
 332
 Lolium L., 619
 × hybridum Hausskn., 619
 multiflorum Lam., 619
 perenne L., 619
 rigidum Gaudin, 619
 temulentum L., 619
 Lomaria spicant (L.) Desv.,
 24
 London Pride, 251
 Longleaf, 290
 Lonicera L., 435
 caprifolium L., 435
 japonica Thunb., 435
 pericyclenum L., 435
 xylosteum L., 435
 Loosestrife, 347
 Lop-grass, 630
 Loranthaceae, 275
 Lords-and-Ladies, 583
 Loroglossum hircinum (L.)
 L.C.M. Richard, 573
 Lotus L., 200
 angustissimus L., 200
 corniculatus L., 200
 hispidus Desf. ex DC., 200
 major auct., non Scop.,
 200
 pedunculatus auct., non
 Cav., 200
 siliquosus L., 200
 subbiflorus Lag., 200
 tenuis Waldst. & Kit. ex
 Willd., 200
 uliginosus Schkuhr, 200
 Lousewort, 383
 Lovage, 291
 Lucerne, 194
 Ludwigia L., 261
 palustris (L.) Elliott, 261
 Lunaria L., 87
 annua L., 88
 biennis Moench, 88
 rediviva L., 88

- Lungwort, 360
Lupin, 186
Lupinus L., 186
 arboreus Sims, 186
 nootkatensis Donn ex Sims, 186
 polyphyllus Lindley, 186
Luronium Rafin., 516
 natans (L.) Rafin., 516
Luzula DC., 549
 albida (Hoffm.) DC., 550
 arcuata Swartz, 550
 × *borreri* Bromf. ex Bab., 551
 campestris (L.) DC., 549
 forsteri (Sm.) DC., 551
 luzuloides (Lam.) Dandy & Wilmott, 550
 maxima (Reichard) DC., 550
 multiflora (Retz.) Lej., 549
 memorosa (Poll.) E. Meyer, non Hornem., 550
 nivea (L.) DC., 551
 pallescens Swartz, 550
 pilosa (L.) Willd., 551
 spicata (L.) DC., 550
 sylvatica (Hudson) Gaudin, 550
Lychnis L., 126
 alba Miller, 122
 alpina (L.) G. Don, 127
 chalconica L., 127
 coronaria (L.) Desr., 127
 dioica L., 121
 diurna Sibth., 121
 flos-cuculi L., 127
 flos-jovis (L.) Desr., 127
 githago (L.) Scop., 127
 vespertina Sibth., 122
Lycium L., 366
 barbarum L., 366
 chinense Miller, 366
 halimifolium Miller, 366
 rhombifolium (Moench) Dippel, 366
Lycocarpus fugax (Lag.) O.E. Schulz, 104
Lycopodiaceae, 1
Lycopodiella Holub, 1
 inundata (L.) Holub, 1
Lycopodium L., 1
 alpinum L., 2
 annotinum L., 1
 clavatum L., 1
 complanatum auct. brit., 2
 inundatum L., 1
 issleri (Rouy) Lawalrée, 2
 selago L., 2
Lycopsis arvensis L., 359
Lycopus L., 406
 europaeus L., 406
Lyme-grass, 633
Lysichiton americanus Hultén & St John, 582
Lysimachia L., 347
 ciliata L., 347
 nemorum L., 347
 nummularia L., 347
 punctata L., 347
 stricta Aiton, 347
 terrestris (L.) Britton, Stearns & Poggenb., 347
 thyrsiflora L., 347
 vulgaris L., 347
Lythraceae, 258
Lythrum L., 258
 hyssopifolia L., 259
 portula (L.) D.A. Webb, 259
 salicaria L., 258
Madwort, 358
Mahonia Nutt., 54
 aquifolium (Pursh) Nutt., 54
Maianthemum Weber, 534
 bifolium (L.) Schmidt, 534
 convallaria Weber, 534
Maidenhair Fern, 9
Malachium aquaticum (L.) Fries, 136
Malaxis paludosa (L.) Swartz, 567
Malcolmia maritima (L.) R. Br., 100
Male-fern, 21
Mallow, 166–8
Malus Miller, 244
 domestica Borkh., 244
 sylvestris Miller, 244
Malva L., 165
 alcea L., 166
 borealis Wallr., 166
 moschata L., 166
 neglecta Wallr., 166
 nicaeensis All., 166
 parviflora L., 167
 pusilla Sm., 166
 rotundifolia auct., 166
 rotundifolia L., nom. ambig., 166
 sylvestris L., 166
 verticillata L., 167
 vulgaris Fries, non S.F. Gray, 166
Malvaceae, 165
Maple, 180
Mare's-tail, 271
Marguerite, 476
Mariscus mariscus (L.) Borbás, 593
Marjoram, 407
Marram Grass, 643
Marrubium L., 417
 vulgare L., 417
Marsh Fern, 12
Marsh Marigold, 33
Marshwort, 289
Marsileaceae, 24
Master-wort, 292
Mat-grass, 649
Matricaria L., 474
 chamomilla L. 1755, non L. 1753, 475
 disciformis DC., 475
 discoidea DC., 475
 inodora L., 474
 maritima L., 474
 matricarioides (Less.) Porter, 475
 parthenium L., 476
 perforata Mérat, 474
 recutita L., 475
 suaveolens (Pursh) Buchenau, non L., 475
Matthiola R. Br., 100
 bicornis (Sibth. & Sm.) DC., 100
 incana (L.) R. Br., 100
 longipetala (Vent.) DC., 100
 sinuata (L.) R. Br., 100
Matteuccia struthiopteris (L.) Tod., 18
May Blobs, 33
May Lily, 534
Mayweed, 472, 474–5
Meadow-grass, 621–3
Meadow Saffron, 541
Meadowsweet, 204
Meconopsis Vig., 59
 baileyi Prain, 60
 betonicifolia Franchet, 60
 cambrica (L.) Vig., 60
 racemosa Maxim., 60
Medicago L., 194
 arabica (L.) Hudson, 194
 arboorea L., 194
 denticulata Willd., 194
 hispidula Gaertner, 194
 lupulina L., 194
 maculata Sibth., 194
 minima (L.) Bartal., 194
 polymorpha L., 194
 sativa L., 194
Medick, 194
Medlar, 235
Melampyrum L., 385
 arvense L., 385
 cristatum L., 385
 pratense L., 385
 sylvaticum L., 385
Melandrium
 album (Miller) Garcke, 122
 dioicum (L.) Cosson & Germ., 121
 noctiflorum (L.) Fr., 122
 rubrum (Weigel) Garcke, 121
Melica L., 627
 nutans L., 627
 uniflora Retz., 627
Melick, 627
Melilot, 193
Melilotus Miller, 193
 alba Medicus, 193
 arvensis Thuill., 193
 altissima Thuill., 193
 indica (L.) All., 193
 officinalis auct., non (L.) Pallas, 193
 officinalis (L.) Pallas, 193
 parviflora Desf., 193
Melissa L., 409
 officinalis L., 409
Melittis L., 411
 melissophyllum L., 411
Mentha L., 403
 aquatica L., 405
 arvensis L., 404
 cardiaca (S.F. Gray) Baker, 405
 cordifolia auct., 406
 × *dumetorum* Schultes, 406
 × *gentilis* L., 405
 gracilis Sole, 405
 longifolia auct., non (L.) Hudson, 406
 × *maximiliana* F.W. Schultz, 406
 × *muellerana* F.W. Schultz, 405
 niliaca auct., non Juss. ex Jacq., 406
 palustris Sole, non Miller, 406
 × *piperita* L., 405
 pubescens auct., 406
 pulegium L., 404
 requienii Benth., 404
 rotundifolia auct., non (L.) Hudson, 406
 rubra Sm., non Miller, 405
 sativa L., 404
 scotica R.A. Graham, 406
 × *smithiana* R.A. Graham, 405
 spicata L., 406
 suaveolens Ehrh., 406
 sylvestris auct., non L., 406
 × *verticillata* L., 404
 × *villosa* Hudson, 406
 viridis (L.) L., 406
Menyanthaceae, 355
Menyanthes L., 355
 trifoliata L., 355
Menziesia
 caerulea (L.) Swartz, 332
 polyfolia Juss., 333
Mercurialis L., 296
 annua L., 296
 perennis L., 296
Mercury, 156, 296
Mertensia Roth, 363
 maritima (L.) S.F. Gray, 363
Mesembryanthemum edule L., 153
Mespilus L., 235
 germanica L., 235
Meu, 286
Meum Miller, 286
 athamanticum Jacq., 286
Mezereon, 259
Mibora Adanson, 626
 minima (L.) Desv., 626
 verna Beauv., 626
Microcala filiformis (L.) Hoffmanns. & Link, 351
Microsymbrium lasiophyllum (Hooker & Arn.) O.E. Schulz, 104
Midsummer-men, 245
Mignonette, 106–7
Milfoil, 473
Miliun L., 647
 effusum L., 647
 scabrum L.C.M. Richard, 647
 vernale Bieb., 647
Milk Parsley, 291–2
Milk-Thistle, 498
Milk-vetch, 187
Milkwort, 112–13
Millet, 647
 Red, 651
Mimulus L., 375
 × *burnetii* S. Arnott, 376
 guttatus DC., 375
 langsdorffii Donn ex Greene, 375
 luteus L., 375

- Mimulus* L. (*cont.*)
luteus auct. angl., p.p., 375
moschatus Douglas ex
 Lindley, 376
 Mind-your-own-business,
 309
 Mint, 403–6
Minuartia L., 142
hybrida (Vill.) Schischkin,
 143
recurva (All.) Schinz &
 Thell., 143
rubella (Wahlenb.) Hiern,
 142
rubra (Scop.) McNeill, 144
sedoides (L.) Hiern, 143
stricta (Swarz) Hiern, 143
tenuifolia (L.) Hiern, non
 Nees & Mart., 143
verna (L.) Hiern, 142
Misopates Rafin., 371
orontium (L.) Rafin., 371
 Mistletoe, 275
 Mock Orange, 255
Moehringia L., 144
trinervia (L.) Clairv., 144
Moenchia Ehrh., 139
erecta (L.) Gaertn., Mey.
 & Scherb., 139
Molinia Schrank, 648
caerulea (L.) Moench.,
 649
Mollugo tetraphylla L., 149
Moneses Salisb., 339
uniflora (L.) A. Gray, 339
 Monkeyflower, 375
 Monkey Puzzle, 31
 Monkshood, 35
 Monk's Rhubarb, 306
Monotropa L., 339
hypopitys L., 339
 Monotropaceae, 339
Montia L., 151
fontana L., 152
lamprosperma Cham., 152
limosa Decker, 152
lusitanica Sampaio, 152
minor auct., 152
perfoliata (Willd.) Howell,
 152
rivularis auct., 152
sibirica (L.) Howell, 153
verna auct., 152
 Moon Carrot, 284
 Moon Daisy, 476
 Moor-grass
 Blue, 627
 Purple, 649
 Moraceae, 312
Morina longifolia Wall., 441
 Moschatel, 436
 Mossy Cyphel, 143
 Mother of thousands, 309
 Motherwort, 415
 Mountain Everlasting, 466
 Mountain Ash, 238–9
 Mountain Bladder-fern, 18
 Mouse-tail, 50
 Mudwort, 376
Muehlenbeckia Meissner,
 309
complexa (A. Cunn.)
 Meissner, 309
 Mugwort, 432, 477–8

Mulgedium alpinum (L.)
 Less., 499
 Mullein, 369–71
Muscari Miller, 538
atlanticum Boiss. &
 Reuter, 538
comosum (L.) Miller, 538
neglectum Guss. ex Ten.,
 538
racemosum auct., 538
 Musk, 376
 Mustard, 72–5
Myagrum sativum L., 105
Mycelis Cass., 497
muralis (L.) Dumort., 497
Myosotis L., 360
alpestris F.W. Schmidt,
 362
arvensis (L.) Hill, 362
brevifolia C.E. Salmon,
 361
caespitosa C.F. Schultz, 361
collina auct., 362
discolor Pers., 362
hispidula Schlecht., 362
laxa Lehm., 361
palustris (L.) Hill, 361
ramosissima Rochel, 362
repens auct., 361
scorpioides L., 361
secunda A. Murray, 361
sicula Guss., 361
stolonifera (DC.) Gray ex
 Leresche & Levier, 361
sylvatica Hoffm., 362
versicolor Sm., 362
Myosoton Moench, 136
aquaticum (L.) Moench,
 136
Myosurus L., 50
minimus L., 50
Myrica L., 312
caroliniensis Miller, 313
gale L., 312
pennsylvanica Lois., 313
 Myricaceae, 312
Myriophyllum L., 270
alterniflorum DC., 271
aquaticum (Velloso)
 Verdcourt, 270
brasiliense Camb., 270
proserpinacoides Gillies ex
 Hooker & Arnott, 270
spicatum L., 270
verrucosum Lindley, 271
verticillatum L., 270
Myrrhis Miller, 281
odorata (L.) Scop., 281

 Najadaceae, 531
Najas L., 531
flexilis (Willd.) Rostk. &
 W.L.E. Schmidt, 531
marina L., 531
 Naked Ladies, 541
Narcissus L., 552
biflorus Curtis, 553
hispanicus Gouan, 552
 × *incomparabilis* Miller,
 552
 × *infundibulum* Poiret, 552
lobularis (Haw.) A. &
 J.H. Schultes, 552
majalis Curtis, 553
 × *medioluteus* Miller, 553
obvallaris Salisb., 552
 × *odorosus* L., 552
poeticus L., 553
pseudonarcissus L., 552
Nardosmia japonica Siebold
 & Zucc., 459
Nardurus maritimus (L.)
 Murb., 620
Nardus L., 649
stricta L., 649
Narthecium Hudson, 532
ossifragum (L.) Hudson,
 533
Nasturtium R.Br., 99
amphibium (L.) R. Br., 98
austriacum Crantz, 99
officinale R. Br., 99
microphyllum (Boenn.)
 Reichenb., 99
microphyllum × *officinale*,
 99
palustre (L.) DC., non
 Crantz, 98
sylvestre (L.) R. Br., 97
uniseriatum Howard &
 Manton, 99
Naumburgia thyrsoiflora (L.)
 Reichenb., 347
 Navelwort, 248
 Navew, 72
Neotinea Reichenb. fil., 571
intacta (Link) Reichenb.
 fil., 571
maculata (Desf.) Stearn,
 571
Neottia Ludwig, 566
nidus-avis (L.) L.C.M.
 Richard, 566
Nepeta L., 416
cataria L., 416
glechoma Bentham, 416
hederacea (L.) Trev., 416
Nephrodium
aemulum (Aiton) Baker,
 22
cristatum (L.) Michx., 22
fili-mas (L.) Strempel, 21
oreopteris (Ehrh.) Desv.,
 12
rigidum (Swartz) Desv., 22
spinulosum Strempel, 22
thelypteris (L.) Strempel,
 12
 Nettle, 309–10
 New Zealand Flax, 533
Nicandra physalodes (L.)
 Gaertner, 367
Nigella L., 35
arvensis L., 35
damascena L., 35
gallica Jordan, 35
hispanica auct., 35
 Nightshade, 366–7
 Nipplewort, 490
 Nitgrass, 642
Nothofagus Blume, 316
obliqua (Mirbel) Oersted,
 316
procera Oersted, 316
Nothoscordum Kunth, 541
fragrans (Ventenat)
 Kunth, 541
gracile (Aiton) Stearn, 541
inodorum auct., non
 (Aiton) Nicholson, 541
Nuphar Sm., 55
advena (Aiton) Aiton fil.,
 56
intermedia Ledeb., 56
lutea (L.) Sm. 55
pumila (Timm) DC., 55
 × *spennerana* Gaud, 56
Nymphaea L., 54
alba L., 54
lutea L., 55
 Nymphaeaceae, 54
Nymphoides Séguier, 356
peltata (S.G. Gmelin) O.
 Kuntze, 356

 Oak, 317–18
 Oak Fern, 17
 Oat, 635–6
 Oat-grass, 636
 False, 636
 Yellow, 637
Obione
pedunculata (L.) Moq.,
 160
portulacoides (L.) Moq.,
 160
Odontites Ludwig, 394
rubra Gilib, 394
verna (Bell.) Dumort., 394
Oenanthe L., 284
aquatica (L.) Poiret, 285
crocata L., 285
fistulosa L., 284
fluviatilis (Bab.) Coleman,
 285
lachenalii C.C. Gmelin,
 285
phellandrium Lam., 285
pimpinelloides L., 285
silifolia Bieb., 285
Oenothera L., 266
ammophila auct. angl.,
 non Focke, 268
biennis L., 267
cambrica Rostański, 268
cantabrigiana B.M. Davis,
 267
erythrosepala Borbás, 267
fallax Renner emend.
 Rostański, 267
grandiflora auct., non
 L'Hér., 267
lamarckiana auct., non
 Ser., 267
muricata L., 268
odorata auct. europ., non
 Jacq., 267
parviflora auct. angl., non
 L., 268
perangusta Gates, 268
rubricaulis Klebahn, 268
stricta Ledeb. ex Link, 267
 Old Man's Beard, 38
 Old Woman, 478
 Oleaceae, 349
Olearia macrodonta Baker,
 470
Omalotheca sylvatica (L.)
 Schultz Bip. & F.W.
 Schultz, 464
Omphalodes Miller, 357
verna Moench, 357

- Onagraceae, 260
 Onobrychis Miller, 202
 sativa Lam., 202
 vicifolia Scop., 202
 Onoclea sensibilis L., 18
 Ononis L., 192
 arvensis auct., non L., 193
 campestris Koch & Ziz., 193
 reclinata L., 193
 repens L., 193
 spinosa L., 193
 Onopordum L., 485
 acanthium L., 485
 Ophioglossaceae, 6
 Ophioglossum L., 7
 azoricum C. Presl, 7
 lusitanicum L., 7
 vulgatum L., 7
 Ophrys L., 571
 apifera Hudson, 572
 arachnites (L.) Reichard, 572
 aranifera Hudson, 573
 corallorhiza L., 568
 cordata L., 566
 fuciflora (F.W. Schmidt) Moench, 572
 insectifera L., 573
 loeslii L., 567
 monorchis L., 568
 muscifera Hudson, 573
 nidus-avis L., 566
 ovata L., 565
 paludosa L., 567
 sphegodes Miller, 573
 spiralis L., 564
 trollii Hegetschw., 572
 Orache, 159–60
 Orchid
 Bee, 572
 Bird's Nest, 566
 Bog, 567
 Burnt, 575
 Butterfly, 570
 Dark-winged, 575
 Fen, 567
 Fly, 573
 Fragrant, 569
 Frog, 568
 Ghost, 564
 Green-winged, 575
 Jersey, 575
 Lady, 574
 Lizard, 573
 Man, 576
 Marsh, 577, 580–1
 Meadow, 577
 Monkey, 575
 Musk, 568
 Pyramidal, 582
 Small White, 570
 Soldier, 574
 Spider, 572–3
 Spotted, 578–9
 Orchidaceae, 557
 Orchis L., 574
 bifolia L., 570
 chlorantha Custer, 570
 conopsea L., 569
 hircina (L.) Crantz, 573
 incarnata L., sec. Vermeulen, 577
 kerryensis Wilmott, 580
 latifolia L., sec. Pugsley, 577
 latifolia L., p.p., 580
 laxiflora Lam., 575
 majalis Reichenb., 580
 mascula (L.) L., 575
 militaris L., 574
 montana Schmidt, 570
 morio L., 575
 purpurea Hudson, 574
 purpurella T. & T.A. Stephenson, 580
 pyramidalis L., 582
 simia Lam., 575
 strictifolia Opiz, 577
 tephrosanthos Vill., 575
 ustulata L., 575
 Oregon-grape, 54
 Oreopteris Holub, 12
 limbosperma (All.) Holub, 12
 Origanum L., 406
 vulgare L., 407
 Ornithogalum L., 536
 nutans L., 537
 pyrenaicum L., 537
 umbellatum L., 537
 Ornithopus L., 201
 ebracteatus Brot., 201
 perpusillus L., 201
 pinnatus (Miller) Druce, 201
 Orobanchaceae, 396
 Orobanche L., 396
 alba Stephan ex Willd., 397
 apiculata Wallr., 398
 arenaria auct., 397
 arenaria Borkh., 397
 caerulea Vill., 397
 caryophyllacea Sm., 398
 crenata Forskål, 399
 elator Sutton, 398
 epithymum DC., 397
 hederæ Duby, 399
 loricata Reichenb., 399
 major L. p.p., 397
 major auct., 398
 minor Sm., 398
 picridis F.W. Schultz ex Koch, 399
 purpurea Jacq., 397
 rapum auct., 397
 rapum-genistæ Thuill., 397
 reticulata Wallr., 398
 ritro Gren. & Godron, 398
 rubra Sm., 397
 trifolii-pratensis Schultz, 398
 vulgaris Poirer, 398
 Orobus
 niger L., 192
 sylvaticus L., 189
 tuberosus L., 192
 Orpine, 246
 Orthilia Rafin., 338
 secunda (L.) House, 339
 Oryza *oryzoides* (L.) Brand, 650
 Oryzopsis *miliacea* (L.) Bentham & Hooker ex Ascherson & Graebner, 648
 Osier, 325
 Osmunda L., 8
 regalis L., 8
 Osmundaceae, 8
 Otanthus Hoffmanns. & Link, 473
 maritimus (L.) Hoffmanns. & Link, 473
 Oxalidaceae, 176
 Oxalis L., 176
 acetosella L., 177
 articulata Savigny, 177
 cernua Thunb., 178
 corniculata L., 177
 corymbosa DC., 177
 dillenii Jacq., 177
 europaea Jordan, 177
 exilis A. Cunn., 177
 floribunda Lehm., 177
 incarnata L., 178
 latifolia Kunth., 178
 pes-caprae L., 178
 stricta auct. non L., 177
 stricta L., 177
 tetraphylla Cav., 178
 valdiviensis Barnéoud, 177
 Ox-eye Daisy, 476
 Ox-Tongue, 494
 Oxyccoccus
 macrocarpus (Aiton) Pursh, 335
 microparus Turcz. ex Rupr., 335
 palustris Pers., 335
 quadrifolius Gilib., 335
 Oxyria Hill, 304
 digyna (L.) Hill, 304
 Oxytropis DC., 188
 campestris (L.) DC., 188
 halleri Bunge, 188
 sericea (DC.) Simonkai, non Nutt., 188
 uralensis auct., non (L.) DC., 188
 Oyster plant, 363
 Paeonia L., 53
 corallina Retz., 53
 lactiflora Pallas, 53
 mascula (L.) Miller, 53
 moutan Sims, 53
 suffruticosa Andr., 53
 Paeoniaceae, 53
 Paigle, 345–6
 Panicum L., 650
 capillare L., 651
 crus-galli L., 651
 glabrum Gaudin, 651
 miliaceum L., 650
 sanguinale L., 651
 verticillatum L., 652
 viride L., 651
 Pansy, 110–12
 Papaver L., 57
 argemone L., 58
 atlanticum (Ball) Coss., 59
 cambricum L., 60
 commutatum Fisch. & Mey., 58
 dubium L., 58
 hispidum Lam., 59
 hybridum L., 59
 lateritium C. Koch, 59
 lecoqii Lamotte, 58
 nudicaule L., 59
 orientale L., 59
 radicatum Rottb., 59
 rheas L., 57
 somniferum L., 59
 strigosum (Boenn.) Schur., 58
 Papaveraceae, 56
 Parapholis C.E. Hubbard, 646
 incurva (L.) C.E. Hubbard, 646
 strigosa (Dumort.) C.E. Hubbard, 646
 Parentucellia Viv., 395
 viscosa (L.) Caruel, 395
 Parietaria L., 309
 diffusa Mert. & Koch, 309
 judaica L., 309
 officinalis auct., non L., 309
 ramiflora auct., 309
 Paris L., 541
 quadrifolia L., 542
 Parnassia L., 254
 palustris L., 254
 Parnassiaceae, 254
 Paronychia *polygonifolia* (Vill.) DC., 149
 Parrot's Feathers, 270
 Parsley, 289
 Parsley Fern, 8
 Parsley-piert, 224
 Parsnip
 Cow, 292
 Wild, 292
 Parthenocissus
 quinquefolia (L.) Planchon, 183
 tricuspidata (Siebold & Zucc.) Planchon, 183
 Pasque Flower, 37
 Pastinaca L., 292
 sativa L., 292
 Pea, 191–2
 Peach, 232
 Pearlwort, 139–42, 146
 Pearly Everlasting, 465
 Pedicularis L., 383
 palustris L., 383
 sylvatica L., 383
 Pellitory, 309
 Penny-cress, 83
 Pennyroyal, 404
 Pennywort, 248
 Marsh, 279
 Pentaglottis Tausch, 359
 sempervirens (L.) Tausch, 359
 Peony, 53
 Peplis *portula* L., 259
 Pepper Saxifrage, 286
 Pepperwort, 79–82
 Periwinkle, 351
 Pernettya Gaudich., 333
 mucronata (L. fil.) Gaudich. ex Sprengel, 333
 Persicaria, 303
 Petasites Miller, 458
 albus (L.) Gaertner, 458
 fragrans (Vill.) C. Presl, 459
 hybridus (L.) P. Gaertner, B. Meyer & Scherb., 458

- Petasites* Miller (*cont.*)
japonicus (Siebold & Zucc.) Maxim., 459
officinalis Moench., 458
ovatus Hill, 458
vulgaris Desf., 458
Petrorhagia (Ser. ex DC.), Link, 130
nanteuillii (Burnat) P.W. Ball & Heywood, 130
prolifera (L.) P.W. Ball & Heywood, 131
saxifraga (L.) Link, 131
Petroselinum Hill, 289
crispum (Miller) A.W. Hill, 289
sativum Hoffm., 289
segetum (L.) Koch, 289
Peucedanum L., 291
officinale L., 292
ostruthium (L.) Koch, 292
palustre (L.) Moench, 292
sativum (L.) Bentham ex Hooker fil., 292
Phalaris L., 646
arundinacea L., 647
canariensis L., 647
minor Retz., 647
paradoxa L., 647
Pheasant's Eye, 50, 553
Phegopteris (Presl) Fée emend. Ching, 12
connectilis (Michx.) Watt, 12
dryopteris (L.) Fée, 17
polypodioides Fée, 12
robertiana (Hoffm.), A. Br., 17
Phellandrium aquaticum L., 285
Phelypaea caerulea (Vill.) C.A. Meyer, 397
Philadelphus L., 254
coronarius L., 255
Pheum L., 644
alpinum L., 644
arenarium L., 644
boehmeri Wibel, 644
commutatum Gaudin, 644
phleoides (L.) Karsten, 644
pratense L., 644
Phlomis L., 415
fruticosa L., 415
samia L., 415
Phlox, 356
drummondii Hooker, 356
paniculata L., 356
subulata L., 356
Pholiurus incurvus (L.) Schinz & Thell., 646
Phormium J.R. & G. Forster, 533
colensoi Hooker fil., 533
tenax J.R. & G. Forster, 533
Phragmites Adanson, 648
australis (Cav.) Trin. ex Steudel, 648
communis Trin., 648
Phuopsis stylosa (Trin.) B.D. Jackson, 427
Phyllitis scolopendrium (L.) Newman, 13
Phylloclode Salisb., 332
caerulea (L.) Bab., 332
Physalis alkekengi L., 367
Physocarpus (Cambess.) Maxim., 204
opulifolius (L.) Maxim., 204
Physospermum Cusson, 287
cornubiense (L.) DC., 287
Phyteuma L., 424
orbiculare L., 424
spicatum L., 424
tenerum R. Schulz, 424
Phytolacca L., 163
esculenta Van Houtte, 163
Phytolaccaceae, 163
Picea A. Dietr., 27
abies (L.) Karsten, 27
excelsa (Lamb.) Link, 27
menziesii (Douglas ex Don) Carr., 27
sitchensis (Bong.) Carr., 27
Picris L., 493
echioides L., 494
hieracioides L., 494
spinulosa Bertol. ex Guss., 494
Pignut, 282
Pilewort, 49
Pillwort, 24
Pilularia L., 24
globulifera L., 24
Pimpernel
Bog, 348
Scarlet, 348
Yellow, 347
Pimpinella L., 283
magna L., 283
major (L.) Hudson, 283
saxifraga L., 283
Pinaceae, 26
Pine, 28–9
Pineapple Weed, 475
Pinguicula L., 400
alpina L., 400
grandiflora Lam., 400
lusitanica L., 400
× scullyi Druce, 400
vulgaris L., 400
Pink, 128–30
Pinus L., 28
contorta Douglas ex Loudon, 29
excelsa Wall., non Lam., 29
insignis Douglas, 29
montana Miller, 28
mugo Turra, 28
nigra Arnold, 29
pinaster Aiton, 29
radiata D. Don, 29
strobus L., 29
sylvestris L., 28
wallichiana A.B. Jackson, 29
Pipe-wort, 531
Piptatherum miliaceum (L.) Cosson, 648
Pirri-pirri-bur, 225
Pisum L., 192
sativum L., 192
Pitcherplant, 258
Pittosporaceae, 257
Pittosporum Gaertner, 257
crassifolium Putterl., 257
Plantaginaceae, 419
Plantago L., 419
arenaria Waldst. & Kit., 421
coronopus L., 420
indica L., nom. illegit., 421
lanceolata L., 420
major L., 420
maritima L., 420
media L., 420
psyllium L., nom. ambig., 421
ramosa Ascherson, 421
Plantain, 419–20
Platanaceae, 244
Platanthera L.C.M. Richard, 570
bifolia (L.) L.C.M. Richard, 570
chlorantha (Custer) Reichenb., 570
Platanus
acerifolia (Aiton) Willd., 245
hybrida Brot., 245
orientalis L., 245
Ploughman's Spikenard, 460
Plum, 231–2
Plumbaginaceae, 341
Poa L., 620
alpina L., 621
angustifolia L., 623
annua L., 621
balfourii Parnell, 622
bulbosa L., 621
caesia Sm., 622
chaixii Vill., 623
compressa L., 622
fasciculata Torrey, 624
flexuosa Sm., 622
glauca Vahl, 622
infirmis Kunth, 621
irrigata Lindman, 623
× jemtlandica (Almq.) K. Richter, 622
loliacea Hudson, 620
nemorialis L., 622
palustris L., 623
pratensis L., 623
rigida L., 620
serotina Ehrh., ex Hoffm., 623
subcaerulea Sm., 623
trivialis L., 623
Pokeweed, 163
Polemoniaceae, 356
Polemonium L., 356
caeruleum L., 356
Polycarpon L., 149
tetraphyllum (L.) L., 149
Polygala L., 112
amara auct., 113
amarella Crantz, 113
austriaca Crantz, 113
calcareo F.W. Schultz, 113
depressa Wenderot, 112
oxyptera Reichenb., 112
serpyllacea Weihe, 112
serpyllifolia Hose, 112
uliginosa Reichenb., 113
vulgaris L., 112
Polygalaceae, 112
Polygonaceae, 300
Polygonatum Miller, 534
anceps Moench, 534
× hybridum Brügger, 534
odoratum (Miller) Druce, 534
officinale All., 534
multiflorum (L.) All., 534
verticillatum (L.) All., 534
Polygonum L., 300
aequale Lindman, 302
amphibium L., 302
amplexicaule D. Don, 302
arenastrum Boreau, 302
aviculare L., 301
baldschuanicum Regel, 304
bistorta L., 302
boreale (Lange) Small, 301
calcatum Lindman, 302
campanulatum Hooker fil., 303
cognatum Meissner, 302
convolvulus L., 304
cuspidatum Siebold & Zucc., 304
dumetorum L., 304
fagopyrum L., 304
heterophyllum Lindman, 301
hydropiper L., 303
laphathifolium L., 303
laxiflorum Weihe, 303
maritimum L., 302
microspermum Jordan ex Boreau, 302
minus Hudson, 303
mite Schrank, 303
oxyspermum Meyer & Bunge ex Ledeb., 302
persicaria L., 303
polystachyum Wall. ex Meissner, 303
raii Bab., 302
rurivagum Jordan ex Boreau, 301
sagittatum L., 303
viviparum L., 302
Polypodiaceae, 10
Polypodium L., 10
australe Fée, 11
calcareum Sm., 17
dryopteris L., 17
× fontqueri Rothm., 11
interjectum Shivas, 11
× mantoniae Rothm., 11
phegopteris L., 12
robertianum Hoffm., 17
× shivasiae Rothm., 11
vulgare L., 10
Polypody, 10
Polypon Desf., 642
littoralis Sm., 642
lutosus auct., 642
monspeliensis (L.) Desf., 642
semiverticillatus (Forskål) Hyl., 642
viridis (Gouan) Breistr., 642
Polystichum Roth, 19
aculeatum (L.) Roth, 19
angulare (Willd.) C. Presl, 19
× bicknellii (Christ) Hahne, 19
× illyricum (Borbás) Hahne, 20

- lobatum* (Hudson)
 Chevall, 19
 × *lonchitiforme* (Halacsy)
 Becherer, 20
lonchitis (L.) Roth, 19
setiferum (Forskål)
 Woyнар, 19
 Pondweed, 523–30
Pontederia L., 542
cordata L., 542
 Pontederiaceae, 542
 Poplar, 318–19
 Poppy, 57–61
Populus L., 318
alba L., 318
balsamifera L., 320
 × *canadensis* Moench, 319
candicans Aiton, 320
 × *canescens* (Aiton) Sm.,
 319
deltoides Marsh., 320
 × *gileadensis* Rouleau, 320
nigra L., 319
tacamahaca Miller, 320
tremula L., 319
trichocarpa Torrey & A.
 Gray ex Hooker, 320
 Portugal Laurel, 233
Portulaca L., 153
oleracea L., 153
 Portulacaceae, 151
Potamogeton L., 522
acuminatus Schumacher,
 524
acutifolius Link, 529
alpinus Balbis, 525
anglicus Hagström, 523
angustifolius auct. mult.,
 524
 × *bennettii* Fryer, 528
berchtoldii Fieber, 528
 × *billupsii* Fryer, 524
 × *cadburyi* Dandy &
 Taylor, 524
coloratus Hornem., 524
compressus L., 528
compressus auct. mult.,
 527
 × *cooperi* (Fryer) Fryer,
 526
crispus L., 529
cuspidatus Schrader, 529
 × *decipiens* Nolte ex
 Koch, 525
densus L., 530
drucei Fryer, 524
epihydus Rafin., 526
filiformis Pers., 529
flabellatus Bab., 530
 × *fluitans* Roth, 523
 × *fluitans* Roth, pro parte,
 524
friesii Rupr., 527
gramineus L., 525
gramineus auct. mult., non
 L., 527
graminifolius H. & J.
 Groves, 525
 × *griffithii* Ar. Benn., 526
heterophyllus Schreber.,
 525
hibernicus (Hagström)
 Druce, 523
interruptus Kit., 530
lacustris (Pearsall &
 Pearsall fil.) Druce, 528
 × *lanceolatus* Sm., 524
 × *lintonii* Fryer, 527
lonchites Tuckerman, 525
longifolius Gay ex Poiret,
 524
lucens L., 524
marinus auct., 529
millardii Heslop-Harrison,
 528
mucronatus Schrader ex
 Sonder, 527
natans L., 523
 × *nericius* Hagström, 525
 × *nerviger* Wölg., 524
 × *nitens* Weber, 525
nodosus Poiret, 524
nuttallii Cham. &
 Schlecht., 526
oblongus Viv., 523
obtusifolius Mert. & Koch,
 527
 × *olivaceus* Baagöe ex G.
 Fischer, 526
panormitanus Biv., 527
pectinatus L., 530
pennsylvanicus Willd. ex
 Cham. & Schlecht., 526
perfoliatus L., 526
petiolatus Wölg., 524
plantagineus Du Croz ex
 Roemer & Schultes, 524
polygonifolius Pourret,
 523
praelongus Wulfen, 526
 × *prussicus* Hagström, 526
 × *pseudofriesii* Dandy &
 Taylor, 527
pusillus L., 527
pusillus auct., mult, non
 L., 528
rufescens Schrader, 525
rutilus Wölg., 527
 × *salicifolius* Wölg., 525
serratus auct. mult., 529
serratus L., 530
 × *sparganifolius* Laest. ex
 Fries, 523
sturrockii (Ar. Benn) Ar.
 Benn., 528
 × *sudermanicus* Hagström,
 528
 × *suecicus* K. Richter, 530
tenuissimus (Mert. &
 Koch) Reichenb., 528
trichoides Cham. &
 Schlecht., 528
 × *trinervius* G. Fischer, 527
venustus Ar. Benn., 526
 × *zizii* Koch ex Roth, 524
zosterifolius Schumacher,
 528
 Potamogetonaceae, 521
Potentilla L., 212
alpestris Haenke, 215
anglica Laicharding, 216
anserina L., 213
argentea L., 214
comarum Nestler, 213
crantzii (Crantz) G. Beck
 ex Fritsch, 215
erecta (L.) Räsichel, 215
fragariastrum Pers., 213
fruticosa L., 212
intermedia L., 215
maculata auct., 215
 × *mixta* Nolte ex
 Reichenb., 216
norvegica L., 214
palustris (L.) Scop. 213
procumbens Sibth., 216
procumbens (L.) Clairv.,
 non Sibth., 217
recta L., 214
reptans L., 216
rupestris L., 213
salisburgensis Haller fil.,
 215
sibbaldii Haller fil., 217
sterilis (L.) Garcke, 213
 × *suberecta* Zimm., 216
tabernaemontani
 Ascherson, 215
thuringiaca Bernh. ex
 Link, 215
tormentilla Stokes, 215
verna auct. non L., 215
verna L., nom. ambig.,
 215
Poterium
dictyocarpum Spach, 224
officinale (L.) A. Gray, 224
polygamum Waldst. &
 Kit., 225
sanguisorba L., 224
Prenanthes muralis L., 497
 Primrose, 345–6
 Primrose-peerless, 553
Primula L., 345
acaulis (L.) Hill, 346
elatior (L.) Hill, 346
farinosa L., 345
scotica Hooker, 345
veris L., 345
vulgaris Hudson, 346
 Primulaceae, 344
 Privet, 350
Prunella L., 411
 × *hybrida* Knaf, 411
laciniata (L.) L., 411
vulgaris L., 411
Prunus L., 231
amygdalus Batsch, 232
armeniaca L., 231
avium (L.) L., 232
cerasifera Ehrh., 232
cerasus L., 232
 davidiana (Carr.)
 Franchet, 232
divaricata Ledeb., 232
domestica L., 231
dulcis (Miller) D.A.
 Webb, 232
 × *fruticans* Weihe, 231
insititia L., 231
 × *italica* Borkh. em.
 Kárpáti, 231
laurocerasus L., 233
lusitanica L., 233
padus L., 233
persica (L.) Batsch, 232
serotina Ehrh., 233
serrulata Lindley, 232
spinosa L., 231
Pseudorchis Séguier, 569
albida (L.) A. & D. Löve,
 570
frivaldii (Hampe ex
 Griseb.) P.F. Hunt, 570
Pseudotsuga Carr., 26
douglasii (Lindley) Carr.,
 27
menziesii (Mirbel) Franco,
 27
taxifolia Britton, 27
Pteridium Scop., 11
aquilinum (L.) Kuhn, 11
Pteris L., 9
aquilina L., 11
cretica L., 9
vittata L., 9
Pubilaria planifolia (L.)
 Druce, 533
Puccinellia Parl., 623
distans (Jacq.) Parl., 624
fasciculata (Torrey) E.P.
 Bicknell, 624
maritima (Hudson) Parl.,
 623
pseudodistans (Crépin)
 Jansen & Wachter, 624
rupestris (With.) Fernald
 & Weatherby, 624
Pulicaria Gaertner, 461
dysenterica (L.) Bernh.,
 461
vulgaris Gaertner, 461
Pulmonaria L., 360
angustifolia auct., 360
longifolia (Bast.) Boreau,
 360
obscura Dumort., 360
officinalis L., 360
Pulsatilla Miller, 37
alpina (L.) Delarbre, 38
vernalis (L.) Miller, 38
vulgaris Miller, 37
 Purple Loosestrife, 258
Pyracantha M.J. Roemer,
 234
coccinea M.J. Roemer, 234
Pyrethrum
parthenium (L.) Sm., 476
roseum Bieb., 477
Pyrola L., 338
media Sw., 338
minor L., 338
rotundifolia L., 338
secunda L., 339
uniflora L., 339
 Pyrolaceae, 338
Pyrus L., 243
aria (L.) Ehrh., 240
arranensis (Hedl.) Druce,
 239
aucuparia (L.) Ehrh., 238
communis auct., 243
cordata Desv., 244
germanica (L.) Hooker fil.,
 235
intermedia Ehrh., 239
malus L., 244
minima A. Ley, 239
pyraster Burgsd., 243
rupicola (Syme) Bab., 242
torminalis (L.) Ehrh., 243
 Quaking Grass, 626
Quercus L., 316
borealis Michx fil., 318
cerris L., 317
 × *hispanica* Lam., 317

- Quercus* L. (*cont.*)
 ilex L., 317
maxima (Marshall) Ashe, 318
pedunculata Ehrh., 317
petraea (Mattuschka) Liebl., 318
 robur L., 317
 × *rosacea* Bechst., 317
rubra L. sec. Duroi, 318
sessiliflora Salisb., 318
 Quillwort, 3
 Quince, 244
- Radiola* Hill, 169
linoides Roth, 169
millegrana Sm., 169
 Radish, 76–7
 Ragged Robin, 127
 Ragweed, 450
 Ragwort, 453–5
Ramischia Opiz ex Garcke, 338
secunda (L.) Garcke, 339
 Rampion, 423–4
 Ramsons, 539
 Rannoch Rush, 520
 Ranunculaceae, 32
Ranunculus L., 38
acris L., 40
arvensis L., 42
aquatilis L., 47
auricomus L., 43
baudotii Godron, 46
bulbosus L., 41
chaerophyllus sensu Coste, non L., 43
circinatus Sibth., 49
drouetii F.W. Schultz, 47
divaricatus Schrank, nom. illegit., 49
ficaria L., 49
fabellatus Desf., 43
flammula L., 44
fluitans Lam., 48
hederaceus L., 45
heterophyllus Weber, 47
hirsutus Curtis, 42
lenormandii F.W. Schultz, 45
lingua L., 43
lutarius (Revel) Bouvet, p.p., 45
marginatus D'Urv., 42
muricatus L., 42
omiophyllus Ten., 45
ophioglossifolius Vill., 44
paludosus Poir., 43
parviflorus L., 42
parvulus L., 42
paucistamineus Tausch, p.p., 47
peltatus Schrank, 48
penicillatus (Dumort.) Bab., 48
philonotis Ehrh., 42
pseudofluitans (Syme) Newbould ex Baker & Foggitt, 48
radicans Revel, 47
repens L., 41
reptans L., 44
sardous Crantz, 42
sceleratus L., 44
- trichophyllus* Chaix, 47
trilobus Desf., 42
tripartitus DC., 45
 Rape, 71
Raphanus L., 76
landra Moretti ex DC., 77
maritimus Sm., 77
raphanistrum L., 76
sativus L., 77
Rapistrum Crantz, 77
perenne (L.) All., 77
rugosum (L.) All., 78
 Raspberry, 206
 Ray-grass, 619
 Red-rattle, 383
 Red Shank, 303
 Redwood, 29
 Reed, 648
 Reed-grass, 647
Reseda L., 106
alba L., 107
lutea L., 106
luteola L., 106
odorata L., 107
phyteuma L., 107
suffruticulosa L., 107
 Resedaceae, 106
 Restharrow, 193
Reynoutria Houtt., 304
japonica Houtt., 304
sachalinensis (Friedrich Schmidt Petrop.) Nakai, 304
 Rhamnaceae, 182
Rhamnus L., 182
alaternus L., 183
catharticus L., 182
frangula L., 183
Rheum *digynum* (L.) Wahlenb., 304
Rhinanthus L., 383
angustifolius C.C. Gmelin, 383
borealis (Sterneck) Druce, 384
calcareus Wilmott, 384
 × *gardineri* Druce, 384
major auct., non L., 383
minor L., 384
monticola (Sterneck) Druce, 384
serotinus (Schönheit) Oborny, 383
spadiceus Wilmott, 384
stenophyllus (Schur) Druce, 384
Rhodiola *rosea* L., 245
Rhododendron L., 331
luteum Sweet, 332
ponticum L., 332
Rhodotypos *scandens* (Thunb.) Makino, 205
Rhynchosinapis Hayek, 73
cheiranthos (Vill.) Dandy, 74
erucastrum Dandy, 74
monensis (L.) Dandy, 73
wrightii (O.E. Schulz) Dandy, 73
Rhynchospora Vahl, 593
alba (L.) Vahl, 593
fusca (L.) Aiton fil., 593
 Ribes L., 255
alpinum L., 256
domesticum Jancz., 256
grossularia L., 257
nigrum L., 256
petraeum auct., 256
pubescens (Hartm.) Hedl., 256
rubrum L., 256
sanguineum Pursh, 256
spicatum Robson, 256
sylvestre (Lam.) Mert. & Koch, 256
uva-crispa L., 257
vulgare Lam., 256
 Robinia L., 187
pseudoacacia L., 187
 Rock-cress, 95–7
 Rocket, 103–4
 Dyer's, 106
 Yellow, 94
 Rock Hutchinsia, 85
 Rock-rose, 116–17
 Rock Samphire, 284
Roemeria *hybrida* (L.) DC., 60
 Romulea Maratti, 555
columnae Sebastiani & Mauri, 555
parviflora Bubani, 555
rosea (L.) Ecklon, 555
 Rorippa Scop., 97
amphibia (L.) Besser, 98
austriaca (Crantz) Besser, 98
islandica auct. mult., non Borbás, 98
islandica (Oeder) Borbás, sens. str., 98
microphylla (Boenn.) Hyl., 99
nasturtium-aquaticum (L.) Hayek, 99
palustris (L.) Besser, 98
 × *sterilis* Airy-Shaw, 99
sylvestris (L.) Besser, 97
 Rosa L., 225
afzeliana Fries, 228
agrestis Savi, 230
arvensis Hudson, 226
caesia Sm., 228
canina L., 228
coriifolia Fries, 228
dumalis auct., 228
dumetorum Thuill., 228
eglanteria L., nom. ambig., 230
elliptica Tausch, 230
glauca Vill. ex Loisel., non Pourret, 228
inodora auct., 230
lucida Ehrh., 227
micrantha Borrer ex Sm., 230
mollis Sm., 229
mollissima Willd., 229
multiflora Thunb., 227
obtusifolia Desv., 229
omissa Déségl., 229
pimpinellifolia L., 227
rubiginosa L., 230
rugosa Thunb., 227
sempervirens L., 227
sepium Thuill., 230
sherardii Davies, 229
spinossissima L., 227
stylosa Desv., 228
systyla Bast., 228
tomentella Léman, 229
tomentosa Sm., 229
villosa L., 229
virginiana Miller, 227
 Rosaceae, 202
 Rose, 226–9
 Rose-of-Sharon, 114
 Roseroot, 245
 Royal Fern, 8
 Rowan, 238
 Rubia L., 433
peregrina L., 433
tinctorum L., 433
 Rubiaceae, 425
 Rubus L., 205
arcticus L., 206
caesius L., 206
cardiophyllus P.J. Mueller & Lefèvre, 210
carpinifolius Weihe & Nees, 209
chamaemorus L., 205
dasyphyllus (Rogers) E.S. Marshall, 212
discerptus P.J. Mueller, 211
echinatosides (Rogers) Dallmann, 211
echinatus Lindley, 211
flexuosus P.J. Mueller & Lefèvre, 211
foliosus Weihe & Nees, 211
fruticosus sens. lat., 207
 × *idaeoides* Ruthe, 207
idaeus L., 206
laciniatus Willd., 209
lindleanus Lees, 209
loganobaccus L.H. Bailey, 206
macrophyllus Weihe & Nees, 209
memoralis P.J. Mueller, 209
nessensis W. Hall, 208
odoratus L., 206
parviflorus Nutt., 206
phoenicolasius Maxim., 206
platyacanthus P.J. Mueller & Lefèvre, 209
plicatus Weihe & Nees, 209
polyanthemus Lindeb., 209
pyramidalis Kaltenb., 209
radula Weihe ex Boenn., 211
rufescens P.J. Mueller & Lefèvre, 211
saxatilis L., 205
scissus W.C.R. Watson, 209
spectabilis Pursh, 206
sprengelii Weihe, 210
ulmifolius Schott, 210
vestitus Weihe & Nees, 210
vitifolius Cham. & Schlecht., 206
 Rudbeckia L., 447
 hirta L., 447

- laciniata* L., 447
Rue, 51–2
Rumex L., 305
 acetosa L., 306
 acetosella L., 306
 acutus sensu Sm., 308
 alpinus L., 306
 angiocarpus Murb., 306
 aquaticus auct., non L., 307
 aquaticus L., 306
 condyloides Bieb., 308
 conglomeratus Murray, 308
 crispus L., 307
 cristatus DC., 307
 cuneifolius Campd., 308
 domesticus Hartm., 307
 elongatus Guss., 307
 frutescens Thouars, 308
 glomeratus Schreber, 308
 graecus Boiss. & Heldr., 307
 hibernicus Rech. fil., 306
 hydrolapathum Hudson, 306
 limosus auct. angl., non Thuill., 308
 longifolius DC., 307
 magellanicus auct. angl., 308
 maritimus L., 308
 nemorosus Schrader ex Willd., 308
 obtusifolius L., 307
 palustris Sm., 308
 patientia L., 307
 pulcher L., 307
 rupestris Le Gall, 308
 salicifolius group, 309
 sanguineus L., 308
 scutatus L., 306
 tenuifolius (Wallr.) Löve, 306
 triangulivalvis (Danser) Rech. fil., 309
Runch, 76
Ruppia L., 530
 cirrhosa (Petagna) Grande, 530
 maritima L., 531
 maritima auct. mult., non L., 530
 rostellata Koch, 531
 spiralis L. ex Dumort., 530
 Ruppiaceae, 530
 Rupture-wort, 149–50
Ruscus L., 535
 aculeatus L., 535
 Rush, 543–9
 Russian-vine, 304
 Rustyback Fern, 15
 Rye-grass, 619
Sagina L., 139
 apetala Ard., 140
 boydii F.B. White, 141
 caespitosa auct. angl., non (J. Vahl) Lange, 141
 ciliata Fries, 140
 debilis Jordan, 140
 densa Jordan, 140
 erecta Hornem., 140
 erecta L., 139
 filicaulis Jordan 140
 intermedia Fenzl, 141
 linnei Presl, 141
 maritima G. Don fil., 140
 nivalis auct., ?(Lindblad) Fries, 141
 nodosa (L.) Fenzl, 142
 × *normaniana* Lagerh., 141
 procumbens L., 140
 saginoides (L.) Karst., 141
 scotica (Druce) Druce, 141
 subulata (Sw.) C. Presl, 141
Sagittaria L., 517
 heterophylla Pursh, non Schreber, 517
 rigida Pursh, 517
 sagittifolia L., 517
 subulata (L.) Buchenau, 517
 Sainfoin, 202
 Salicaceae, 318
Salicornia L., 161
 appressa Dumort., 162
 disarticulata Moss, 162
 dolichostachya Moss, 163
 europaea L., 162
 fragilis P.W. Ball & Tutin, 163
 gracillima (Townsend) Moss, 162
 herbacea (L.) L., 162
 lignosa Woods, 163
 lutescens P.W. Ball & Tutin, 163
 nitens P.W. Ball & Tutin, 162
 obscura P.W. Ball & Tutin, 162
 perennis Miller, 163
 prostrata auct., 162
 pusilla Woods, 162
 radicans Sm., 163
 ramosissima Woods, 162
 smithiana Moss, 162
 stricta Dumort., 162
Salix L., 320
 acutifolia Willd., 325
 alba L., 323
 × *ambigua* Ehrh., 329
 amygdalina L., 324
 andersoniana Sm., 328
 aquatica Sm., 326
 arbuscula L., 329
 atrocinerea Brot., 327
 aurita L., 327
 babylonica L., 323
 × *calodendron* Wimmer, 325
 caprea L., 326
 × *cernua* E.F. Linton, 330
 chrysocoma Dode, 323
 cinerea L., 326
 daphnoides Vill., 324
 elaeagnos Scop., 326
 × *forbyana* Sm., 325
 fragilis L., 322
 × *friesiana* Andersson, 329
 × *fruticosa* Doell, 327
 helix L., 324
 herbacea L., 330
 hibernica Rech. fil., 328
 incana Schrank, 326
 lambertiana Sm., 324
 lanata L., 329
 lapponum L., 329
 × *laurina* Sm., 328
 × *margarita* F.B. White, 330
 × *mollissima* Hoffm. ex Elwert, 325
 × *multinervis* Doell, 327
 myrsinifolia Salisb., 328
 myrsinites L., 329
 nigricans Sm., 328
 oleifolia Sm., non Vill., 327
 × *pendulina* Wenderoth, 324
 pentandra L., 322
 phylicifolia L., 328
 purpurea L., 324
 × *reichardtii* A. Kerner, 327
 repens L., 328
 reticulata L., 330
 × *rubra* Hudson, 325
 × *sepulcralis* Simonkai, 323
 × *sericans* Tausch ex A. Kerner, 326
 × *sordida* A. Kerner, 327
 × *smithiana* Willd., 327
 × *subsericea* Doell, 329
 triandra L., 324
 viminalis L., 325
 × *wardiana* Leefe ex F.B. White, 328
 woolgariana Borrer, 324
 Sallow, 326–7
Salpichroa *origanifolia* (Lam.) Baillon, 368
 Salsify, 495
Salsola L., 161
 kali L., 161
 pestifer A. Nelson, 161
 tragus auct., non L., 161
 Saltmarsh grass, 623–4
 Saltwort, 161
Salvia L., 409
 clandestina L., 410
 horminoides Pourret, 410
 marquandii Druce, 410
 nemerosa L., 410
 pratensis L., 410
 reflexa Hornem., 410
 sylvestris auct., non L., 410
 verbenaca L., 410
 verticillata L., 410
Sambucus L., 433
 canadensis L., 434
 ebulus L., 433
 nigra L., 434
 racemosa L., 434
Samolus L., 349
 valerandi L., 349
 Samphire
 Marsh, 161
 Rock, 284
 Sand-grass, 626
 Sand-spurrey, 147–8
 Sandwort, 142–6
Sanguisorba L., 224
 canadensis L., 224
 minor Scop., 224
 officinalis L., 224
Sanicle, 279
Sanicula L., 279
 europaea L., 279
 Santalaceae, 275
Santolina L., 473
 chamaecyparissus L., 473
Saponaria L., 130
 ocymoides L., 130
 officinalis L., 130
 segetalis Necker, 130
 vaccaria L., 130
Sarcocornia A. J. Scott, 163
 perennis (Miller) A.J. Scott, 163
Sarothamnus Wimmer, 184
scoparius (L.) Wimmer ex Koch, 185
Sarracenia L., 258
 purpurea L., 258
 Sarraceniaceae, 258
Satureja L., 408
 acinos (L.) Scheele, 409
 ascendens (Jordan) Maly, 408
 montana L., 408
 nepeta (L.) Scheele, 408
 sylvatica (Bromf.) Maly, 408
Satyrium
 albidum L., 570
 hircinum L., 573
 repens L., 566
 viride L., 568
 Saussurea DC., 485
 alpina (L.) DC., 485
Savastana odorata (L.) Scribner, 639
 Saw-wort, 489
Saxifraga L., 249
 affinis D. Don, 252
 aizoides L., 253
 cernua L., 252
 cespitosa L., 252
 cymbalaria L., 251
 decipiens Ehrh. ex Pers., 252
 drucei E.S. Marshall, 252
 geum L., 251
 granulata L., 251
 groenlandica L., 252
 hartii D.A. Webb, 252
 hirculus L., 250
 hirsuta auct., non L., 251
 hirsuta L., 251
 hirta Donn ex Sm., non Haw., 252
 hypnoides L., 252
 incurvifolia D. Don, 252
 lactiflora Pugsley, 251
 nivalis L., 250
 oppositifolia L., 253
 platypetala Sm., 252
 × *polita* (Haw.) Link, 251
 rivularis L., 252
 rosacea Moench., 252
 spathularis Brot., 251
 sponhemica auct. brit., non C.C. Gmelin, 252
 stellaris L., 250
 sternbergii Willd., 252
 tridactylites L., 251
 umbrosa auct. brit., 251
 umbrosa L., 250
 × *urbium* D.A. Webb, 251

- Saxifragaceae, 249
Saxifrage, 250–3
Scabiosa L., 440
 atropurpurea L., 440
 caucasica Bieb., 440
 columbaria L., 440
 succisa L., 441
Scabious, 440–1
Scandix L., 281
 pecten-veneris L., 281
Scheuchzeria L., 520
 palustris L., 520
Scheuchzeriaceae, 520
Schkuchia pinnata (Lam.)
 Thell., sens. lat., 452
Schoenoplectus (Reichenb.)
 Palla, 591
 × *carinatus* (Sm.) Palla,
 591
 lacustris (L.) Palla, 591
 pungens Vahl, 591
 triqueter (L.) Palla, 591
Schoenus L., 592
 ferrugineus L., 593
 nigricans L., 593
Scilla L., 537
 autumnalis L., 537
 campanulata Aiton, 538
 hispanica Miller, 538
 non-scripta (L.)
 Hoffmanns. & Link, 538
 nutans Sm., 538
 verna Hudson, 537
Scirpus L., 590
 americanus auct. eur.,
 non Pers., 591
 caespitosus L., 588
 caricis Retz., 590
 cernuus Vahl, 592
 compressus (L.) Pers., non
 Moench, 590
 filiformis Savi, non Burm.
 fil., 592
 fluitans L., 592
 germanicus (Palla)
 Lindman, 588
 holoschoenus L., 590
 hudsonianus (Michx)
 Fernald, 587
 maritimus L., 590
 nanus Sprengel, non
 Poiret, 588
 parvulus Roemer &
 Schultes, 588
 pauciflorus Lightf., 589
 planifolius Grimm, 590
 pygmaeus (Vahl) A. Gray,
 non Lam., 592
 rufus (Hudson) Schrader,
 590
 savii Sebastiani & Mauri,
 592
 setaceus L., 591
 sylvaticus L., 590
 triqueter L., 591
Scleranthus L., 150
 annuus L., 151
 perennis L., 151
Sclerocloa
 procumbens (Curtis)
 Beauv., 624
 rigida (L.) Link, 620
Scleropoa rigida (L.)
 Griseb., 620
Scolopendrium vulgare Sm.,
 13
Scolymus
 hispanicus L., 515
 maculatus L., 515
Scorpion Grass, 360
Scorzonera L., 495
 humilis L., 495
Scrophularia L., 374
 alata Gilib., 374
 auriculata L., 374
 canina L., 375
 ehrhartii Stevens, 374
 scorodonia L., 375
 umbrosa Dumort., 374
 vernalis L., 375
Scrophulariaceae, 368
Scurvy-grass, 85–6
Scutch, 633
Scutellaria L., 417
 altissima L., 418
 columnae auct., 418
 galericulata L., 417
 hastifolia L., 417
 × *hybrida* Strail, 417
 minor Hudson, 417
 × *nicholsonii* Taub., 417
Sea Aster, 467
Seablite, 161
Sea-buckthorn, 260
Sea Holly, 280
Seakale, 77
Sea lavender, 342–3
Sea Milkwort, 349
Sea Pink, 344
Sea Purslane, 160
Sea Rocket, 78
Sea-spurrey, 148
Secale cereale L., 634
Sedge, 593–612
Sedum L., 245
 acre L., 247
 album L., 246
 anglicum Hudson, 246
 boloniense Loisel., 247
 dasyphyllum L., 246
 dendroideum Sesse &
 Moc. ex DC., 247
 fabaria Koch, 246
 forsterianum Sm., 247
 lydium Boiss., 247
 mite Gilib., 247
 purpurascens Koch, 246
 purpureum auct., ?(L.)
 Schultes, 246
 reflexum L., 247
 rhodiola DC., 245
 rosea (L.) Scop., 245
 rupestre L., p.p., 247
 sexangulare L., 247
 spurium Bieb., 246
 stoloniferum auct., 246
 telephium L., 246
 villosum L., 247
Selaginellaceae, 2
Selaginella Beauv., 2
 kraussiana (G. Kunze) A.
 Braun, 3
 selaginoides (L.) Link, 2
 spinosa Beauv., 2
 spinulosa A. Braun, 2
Selfheal, 411
Selinum L., 291
 carvifolia (L.) L., 291
Sempervivum L., 247
 tectorum L., 248
Senebiera
 coronopus (L.) Poiret, 81
 didyma (L.) Pers., 81
Senecio L., 452
 aquaticus Hill, 453
 bicolor (Willd.) Tod., non
 Viv., 456
 cambrensis Rosser, 454
 campestris (Retz.) DC.,
 p.p., 456
 cineraria DC., sensu lato,
 456
 clivorum Maxim., 457
 congestus (R.Br.) DC.,
 455
 cruentus DC., 457
 doria L., 455
 erraticus Bertol., 453
 erucifolius L., 453
 fluviatilis Wallr., 455
 helenitis (L.) Schinz &
 Thell., 456
 inaequidens DC., 456
 integrius (L.) Clairv.,
 456
 jacobaea L., 453
 lautus Solander ex Willd.,
 457
 mikanioides Otto ex
 Walpers, 456
 paludosus L., 455
 palustris (L.) Hooker, non
 Velloso, 455
 salicetorum Godr., 455
 sarracenicus L., p.p., 455
 smithii DC., 456
 spathulifolius auct. angl.,
 non Griesselich, 456
 squalidus L., 453
 sylvaticus L., 454
 tanguticus Maxim., 457
 vernalis Waldst. & Kit.,
 455
 viscosus L., 454
 vulgaris L., 454
Sequoia Endl., 29
 sempervirens (Lamb.)
 Endl., 29
Sequoiadendron Buchholz,
 29
 giganteum (Lindley)
 Buchholz, 30
Serapias L., 560
 palustris (L.) Miller, 561
 rubra L., 560
Serratula L., 489
 alpina L., 485
 arvensis L., 483
 tinctoria L., 489
Service-tree, 238
Sesamoides pygmaea
 (Scheele) O. Kuntze,
 107
Seseli L., 284
 libanotis (L.) Koch, 284
Sesleria Scop., 627
 albicans Kit. ex Schultes,
 627
 caerulea (L.) Ard., 627
Setaria Beauv., 651
 glauca auct., 652
 italica (L.) Beauv., 652
 lutescens F.T. Hubbard,
 652
 pumila (Poiret) Schultes,
 652
 verticillata (L.) Beauv.,
 652
 viridis (L.) Beauv., 651
Shaggy Soldier, 449
Shallon, 333
Sheep's-bit, 424
Shepherd's Cress, 84
Shepherd's Needle, 281
Shepherd's Purse, 84
Shepherd's Weir-glass,
 348
Sherardia L., 426
 arvensis L., 426
Shield-fern, 19
Shore-weed, 421
Sibbaldia L., 217
 procumbens L., 217
Siberian Wallflower, 101
Sibthorpia L., 376
 europaea L., 376
Sieglingia Bernh., 648
 decumbens (L.) Bernh.,
 648
Sigesbeckia L., 451
 cordifolia Kunth, 452
 lorullensis Kunth, 452
Silaum Miller, 286
 flavescens Bernh., 286
 pratensis Besser, 286
 silaus (L.) Schinz & Thell.,
 286
Silene L., 121
 acaulis (L.) Jacq., 125
 anglica L., 124
 armeria L., 125
 coeli-rosa (L.) Godron,
 126
 conica L., 124
 cretica L., 126
 cserei Baumg., 126
 dichotoma Ehrh., 124
 dioica (L.) Clairv., 121
 gallica L., sensu lato, 124
 italica (L.) Pers., 126
 latifolia Poiret, 122
 muscipula L., 126
 noctiflora L., 122
 nutans L., 126
 otites (L.) Wibel, 125
 pendula L., 126
 quinquevulnera L., 124
 schafta S.G. Gmelin, 126
 vulgaris (Moench) Garcke,
 sensu lato, 122
Silky-bent, 625–6
Silverweed, 213
Silybum Adanson, 485
 marianum (L.) Gaertner,
 485
Simaroubaceae, 179
Simethis Kunth, 533
 bicolor (Desf.) Kunth, 533
 planifolia (L.) Gren., 533
Sinapis L., 74
 alba L., 74
 arvensis L., 74
 dissecta Lag., 75
 incana L., 75
 nigra L., 72
 juncea L., 72

- Sison L., 289
 amomum L., 289
- Sisymbrium L., 102
alliaria (L.) Scop., 102
altissimum L., 104
amphibium L., 98
columnae Jacq., 103
erucastrum sensu Poll., 73
fugax Lag., 104
 irio L., 103
loiselii L., 103
monense L., 73
murale L., 75
nasturtium-aquaticum L., 99
officinale (L.) Scop., 102
orientale L., 103
pannonicum Jacq., 104
pusillum Vill., 98
sinapisrum Crantz, 104
sophia L., 105
strictissimum L., 104
tenuifolium L., 75
thalianum (L.) Gay, 104
vulgense Bieb. ex E. Fourn., 103
- Sisyrinchium L., 553
angustifolium Miller, 553
bermudiana L., 553
californicum (Ker-Gawler) Aiton fil., 554
graminoides Bicknell, 553
montanum E.L. Greene, 554
- Sium L., 283
angustifolium L., 284
erectum Hudson, 284
latifolium L., 283
- Skullcap, 417
- Sloe, 231
- Small-reed, 643–4
- Smilacina bifolia* (L.) J.A. & J.H. Schultes, 534
- Smyrniolum L., 282
olusatrum L., 282
perfoliatum L., 282
- Snake's Head, 536
- Snapdragon, 371
- Sneezewort, 472
- Snowberry, 434
- Snowdon Lily, 536
- Snowdrop, 552
- Snowflake, 551
- Snow-in-Summer, 132
- Soapwort, 130
- Solanaceae, 366
- Solanum L., 367
dulcamara L., 367
nigrum L., 367
pseudocapsicum L., 368
sarrachoides Sendtner, 367
triflorum Nutt., 368
- Soleirolia Gaud-Beaup., 309
soleirolii (Req.) Dandy, 309
- Solidago L., 466
canadensis L., 466
gigantea Aiton, 466
graminifolia (L.) Salisb., 467
lancoolata L., 467
serotina Aiton, 466
virgaurea L., 466
- Solomon's Seal, 534
- Sonchus L., 497
alpinus L., 499
arvensis L., 498
asper (L.) Hill, 498
oleraceus L., 498
palustris L., 498
tataricus L., 497
- Sorbus L., 236
anglica Hedl., 240
aria (L.) Crantz, 240
arranensis Hedl., 239
aucuparia L., 238
bristoliensis Wilmott, 242
devoniensis E.F. Warburg, 242
domestica L., 238
eminens E.F. Warburg, 241
fennica auct. angl., 239
fennica Fries, 239
hibernica E.F. Warburg, 241
hybrida L., 239
intermedia (Ehrh.) Pers., 239
lancastriensis E.F. Warburg, 241
latifolia sensu lato, 242
leptophylla E.F. Warburg, 240
leyana Wilmott, 239
minima (A. Ley) Hedl., 239
mougeotii Soy.-Will. & Godr., 240
 × *pinnatifida* auct., 238
porrigens Hedl., p.p., 241
porrigentiformis E.F. Warburg, 241
pseudofennica E.F. Warburg, 239
rupicola (Syme) Hedl., 242
salicifolia (Hartm.) Hedl., 242
scandica (L.) Fries, 239
subcuneata Wilmott, 242
suecica (L.) Krok, 239
 × *thuringiaca* (Ilse) Fritsch, 238
tormalis (L.) Crantz, 243
 × *vagensis* Wilmott, 243
vexans E.F. Warburg, 242
wilmottiana E.F. Warburg, 241
- Sorrel, 177, 304–6
- Southernwood, 478
- Sowbane, 158
- Sowbread, 346
- Sow-Thistle, 497–9
- Sparganiaceae, 584
- Sparganium L., 584
affine Schnizlein, 585
angustifolium Michx., 585
emersum Rehmman, 585
erectum L., 584
minimum Wallr., 585
simplex Hudson, p.p., 585
- Spartina Schreber, 649
alterniflora Loisel., 650
anglica C.E. Hubbard, 650
maritima (Curtis) Fernald, 650
stricta (Aiton) Roth, 650
 × *townsendii* H. & J. Groves, 650
- Spartium L., 185
junceum L., 185
- Spearwort, 43–4
- Specularia hybrida* (L.) A. DC., 424
- Speedwell, 378–82
- Spergula L., 146
arvensis L., 146
morisonii Boreau, 147
nodosa L., 142
pentandra auct., non L., 147
sativa Boenn., 146
stricta Swarz, 143
vernalis auct., 147
vulgaris Boenn., 146
- Spergularia (Pers.) J. & C. Presl, 147
atheniensis Ascherson, 147
bocconii (Scheele) Ascherson & Graebner, 147
campestris auct., non Ascherson, 147
dillenii Lebel, 148
marginata (DC.) Kittel, 148
marina (L.) Griseb., 148
media (L.) C. Presl, 148
rubra (L.) J. & C. Presl, 147
rupestris Lebel, non Cambess., 148
rupicola Lebel ex Le Jolis, 148
salina J. & C. Presl, 148
- Spiguel, 286
- Spike-rush, 589
- Spindle tree, 182
- Spiraea L., 203
 × *billardii* Hérincq, 204
douglasii Hooker, 204
filipendula L., 204
salicifolia L., 203
ulmaria L., 204
- Spiranthes L.C.M. Richard, 564
aestivalis (Poiret) L.C.M. Richard, 565
autumnalis L.C.M. Richard, 564
romanzoffiana Cham., 565
spiralis (L.) Chevall., 564
- Spirodela polyrhiza* (L.) Schleiden, 583
- Spleenwort, 13–15
- Spruce, 27
- Spurge, 296–300
- Spurge-laurel, 260
- Spurred Coral-Root, 564
- Squill, 537
- Squinancy Wort, 426
- Squirrel-tail Grass, 635
- Squirting Cucumber, 295
- Stachys L., 411
alpina L., 412
 × *ambigua* Sm., 412
annua (L.) L., 411
arvensis (L.) L., 412
betonica Bentham, 413
germanica L., 412
officinalis (L.) Trev., 413
palustris L., 412
recta L., 412
sylvatica L., 412
- Staphylea L., 180
pinnata L., 180
- Staphyleaceae, 180
- Starfruit, 517
- Star of Bethlehem, 536–7
- Star-Thistle, 488–9
- Statice
armeria L., 344
auriculata auct., 343
bahusiensis Fries, 342
binervosa G.E. Sm., 343
caspia Willd., 342
limonium L., 342
lychnidifolia Girard., 342
maritima Miller, 344
occidentalis Lloyd, 343
rariflora Drejer, 342
reticulata auct. angl., non L., 342
- Stellaria L., 136
alsine Grimm, 138
apetala auct., 137
boraean Jordan, 137
dilleniana Moench, non Leers, 138
elisabethae F.W. Schultz, 137
glauca With., 138
graminea L., 138
holostea L., 138
media (L.) Vill., 137
neglecta Weihe, 137
memorum L., 137
pallida (Dumort.) Piré, 137
palustris Retz., 138
uliginosa Murray, 138
umbrosa Opiz & Rupr., 137
- Stenactis annuus* (L.) Nees, sensu lato, 470
- Sternbergia Waldst. & Kit. lutea (L.) Ker-Gawler ex Sprengel, 552
- Stick-tight, 448
- Sticky Willie, 431
- Stinkweed, 75
- Stichwort, 137–8
- St John's-wort, 113–16
- St Patrick's-cabbage, 251
- Stock, 100
- Stonecrop, 246–8
- Stork's-bill, 175–6
- Strapwort, 149
- Stratiotes L., 518
aloides L., 518
- Strawberry, 217
- Strawberry Blite, 158
- Strawberry-tree, 334
- Suaeda Forskål ex Scop., 160
fruticosa auct., non Forskål, 161
maritima (L.) Dumort., 161
vera J.F. Gmelin, 161
- Subularia L., 87
aquatica L., 87
- Succisa Haller, 440
pratensis Moench, 441
- Succory, 490–1
- Sulphur-weed, 292
- Sundew, 257–8

- Swede, 71
Sweet Briar, 230
Sweet Cicely, 281
Sweet Flag, 582
Sweet Gale, 312
Sweet-grass, 628
Swida sanguinea (L.) Opiz, 276
Swine-cress, 81
Sycamore, 179
Symphoricarpos Duh., 434
 albus (L.) S.F. Blake, 434
 racemosus Michx., 434
 rivularis Suksdorf, 434
Symphytum L., 358
 asperum Lepechin, 358
 grandiflorum auct., non DC., 359
 ibericum Steven, 359
 officinale L., 358
 orientale L., 358
 peregrinum auct., non Ledeb., 358
 tuberosum L., 359
 × *uplandicum* Nyman, 358
Syringa, 255
Syringa L., 350
 vulgaris L., 350

Tagetes L., 452
 erecta L., 452
 lucida L., 452
 minuta L., 452
 patula L., 452
 signata Bartl., 452
 tenuifolia Cav., 452
Tall Brome, 616
Tamaricaceae, 118
Tamarisk, 118
Tamarix L., 118
 anglica Webb, 118
 africana Poir., 118
 gallica L., 118
Tamus L., 556
 communis L., 557
Tanacetum L., 476
 cinerariifolium (Trev.) Schultz Bip., 477
 coccineum (Willd.) Schultz Bip., 476
 parthenium (L.) Schultz Bip., 476
 vulgare (L.) Bernh., 476
Tansy, 476
Taraxacum Weber, 514
 adamii group, 515
 croceum group, 515
 erythrospermum group, 515
 fulvum group, 515
 praestans group, 515
 simile group, 515
 spectabile group, 515
 unguiculobum group, 515
Tare, 188
Tassel Hyacinth, 538
Taxaceae, 31
Taxodiaceae, 29
Taxus baccata L., 31
Teasel, 439
Teesdalia R.Br. 84
 nudicaulis (L.) R.Br., 84
Telekia speciosa (Schreber) Baumg., 462
Telephium imperati L., 148
Tellima grandiflora (Pursh) Douglas ex Lindley, 254
Tetragonolobus Scop., 200
 maritimus (L.) Roth, 200
 siliquosus (L.) Roth, 200
Teucrium L., 418
 botrys L., 418
 chamaedrys L., 418
 scordium L., 418
 scorodonia L., 418
Thale Cress, 104
Thalictrum L., 51
 alpinum L., 51
 flavum L., 51
 minus L., 52
Thelycrania (L.) Pojarik., 276
 sanguinea (L.) Fourr., 276
Thelypteridaceae, 11
Thelypteris Schmidel, 12
 dryopteris (L.) Slosson, 17
 limbosperma (All.) H.P. Fuchs, 12
 oreopteris (Erhr.) Slosson, 12
 palustris Schott, 12
 robertiana (Hoffm.) Slosson, 17
 phegopteris (L.) Slosson, 12
 thelypteroides Holub, 12
Thesium L., 275
 humifusum DC., 275
Thistle, 481–9
Thlaspi L., 83
 alliaceum L., 84
 alpestre auct. non L., 83
 arvense L., 83
 bursa-pastoris L., 84
 caerulescens J. & C. Presl, 83
Thorn-apple, 368
Thorow-wax, 287
Thrift, 344
Thrinia hirta Roth, 493
Thrumwort, 517
Thuja L., 30
 plicata D. Don ex Lambert, 30
Thyme, 407
Thymelaeaceae, 259
Thymus L., 407
 arcticus (E. Durand) Ronn., 407
 britannicus Ronn., 407
 carniolicus auct. brit., 407
 chamaedrys Fr., 407
 drucei Ronn., 407
 glaber Miller, 407
 neglectus Ronn., 407
 × *oblongifolius* Opiz, 408
 ovatus Miller, 407
 praecox Opiz, 407
 pseudolanuginosus Ronn., 407
 pulegioides L., 407
 pycnotrichus auct., 407
 serpyllum auct. brit., p.p., 407
 serpyllum L., 407
 zetlandicus Ronn., 407
Tilia L., 164
 cordata Miller, 164
 × *europaea* L., 165
 grandifolia Ehrh. ex Hoffm., 164
 intermedia DC., 165
 parvifolia Ehrh. ex Hoffm., 164
 platyphyllos Scop., 164
 vulgaris Hayne, 165
Tiliaceae, 164
Tillaea, 248
 aquatica L., 248
 muscosa L., 248
Toadflax, 372–3
 Bastard, 275
Tofieldia Hudson, 533
 borealis (Wahlenb.) Wahlenb., 532
 palustris Hudson pro parte, 533
 pusilla (Michx.) Pers., 533
Tolmiea menziesii (Pursh) Torrey & Gray, 254
Tolpis barbata (L.) Gaertner, 515
Toothwort, 395
Tordylium L., 293
 maximum L., 293
Tor-grass, 632
Torilis Adanson, 293
 anthriscus (L.) C.C. Gmelin, 293
 arvensis (Hudson) Link, 293
 infesta (L.) Sprengel, 293
 japonica (Hout.) DC., 293
 nodosa (L.) Gaertner, 294
Tormentil, 215–16
Tower-cress, 95
Tower Mustard, 97
Townhall Clock, 436
Trachyspermum ammi (L.) Sprague, 289
Trachystemon D. Don, 359
 orientalis (L.) G. Don, 359
Tragopogon L., 494
 hybridus L., 495
 porrifolius L., 495
 pratensis L., 494
Trailing Azalea, 332
Traveller's Joy, 38
Treacle Mustard, 101
Trefoil, 195, 197
Trichomanes L., 10
 radicans auct., 10
 speciosum Willd., 10
Trichonema columnae (Sebastiani & Mauri) Reichenb., 555
Trichophorum Pers., 587
 alpinum (L.) Pers., 587
 cespitosum (L.) Hartman, 588
 germanicum Palla, 588
Trientalis L., 348
 europaea L., 348
Trifolium L., 195
 agrarium L., nom. ambig., 197
 arvense L., 198
 aureum Pollich, 197
 bocconeii Savi, 198
 campestre Schreber, 197
 dubium Sibth., 197
 filiforme L., nom. ambig., 197
 fragiferum L., 197
 glomeratum L., 196
 hybridum L., 196
 incarnatum L., 198
 maritimum Hudson, 199
 medium L., 199
 micranthum Viv., 197
 minus Sm., 197
 occidentale D.E. Coombe, 196
 ochroleucon Hudson, 199
 ornithopodioides L., 195
 pratense L., 198
 procumbens L., nom. ambig., 197
 repens L., 196
 resupinatum L., 197
 scabrum L., 198
 squamosum L., 199
 stellatum L., 198
 striatum L., 197
 strictum L., 196
 subterraneum L., 199
 suffocatum L., 196
Triglochin L., 520
 maritima L., 520
 palustris L., 520
Trigonella
 ornithopodioides (L.) DC., 195
 purpurascens Lam., 195
Trinia Hoffm., 288
 glauca (L.) Dumort., 288
 vulgaris DC., 288
Triodia decumbens (L.) Beauv., 648
Tripleurospermum Schultz Bip., 473
 inodorum (L.) Schultz Bip., 474
 maritimum (L.) Koch, 474
Trisetum Pers., 637
 flavescens (L.) Beauv., 637
Triticum L., 634
 aestivum L., 634
 turgidum L., 634
 vulgare Vill., 634
Tritonia Ker-Gawler, 555
 crocosmiflora (Lemoine) Nicholson, 556
Trollius L., 33
 asiaticus L., 33
 caucasicus Steven, 33
 europaeus L., 33
 giganteus hort., 33
Tsuga (Antoine) Carr., 27
 albertiana (A. Murray) Senecl., 27
 heterophylla (Rafin) Sarg., 27
 mergensiana auct., 27
Tuberaria (Dunal) Spach, 116
 guttata (L.) Fourr., 116
Tulipa L., 536
 sylvestris L., 536
Tunica
 prolifera (L.) Scop., 131
 saxifraga (L.) Scop., 131
Turnip, 71–2
Turritis

- glabra* L., 97
hirsuta L., 96
 Tussilago L., 458
alba L., 458
alpina L., 459
farfara L., 458
hybrida L., 458
petasites L., 458
 Tutsan, 114
 Twayblade, 565–6
 Twinflower, 435
 Twitch, 633
 Black, 645
 Typhaceae, 585
 Typha, 585
 angustifolia L., 586
 latifolia L., 585
 minima Hoppe, 586
 Ulex L., 186
 europaeus L., 186
 gallii Planchon, 186
 minor Roth, 186
 nanus T.F. Forster, 186
 Ulmaceae, 310
 Ulmaria
 filipendula (L.) Hill, 204
 pentapetala Gilib., 204
 Ulmus L., 310
 angustifolia (Weston)
 Weston, 312
 carpinifolia G. Suckow, 311
 glabra Hudson, 311
 minor Miller, 311
 montana Stokes, 311
 plotii Druce, 311
 procera Salisb., 311
 scabra Miller, 311
 Umbelliferae, 277
 Umbilicus DC., 248
 pendulinus DC., 248
 rupestris (Salisb.) Dandy,
 248
Unifolium bifolium (L.)
 Greene, 534
 Urtica L., 309
 dioica L., 310
 pilulifera L., 310
 urens L., 310
 Urticaceae, 309
 Utricularia L., 400
 australis R.Br., 401
 intermedia Hayne, 401
 major auct., 401
 minor L., 401
 neglecta Lehm., 401
 ochroleuca auct. angl., non
 R.W. Hartman, 401
 vulgaris L., 401
 Vaccaria Medicus, 130
 hispanica (Miller)
 Rauschert, 130
 pyramidata Medicus, 130
 Vaccinium L., 334
 × *intermedium* Ruthe, 335
 macrocarpon Aiton, 335
 microcarpum (Turcz. ex
 Rupr.) Hooker fil., 335
 myrtillus L., 335
 oxycoccus L., 335
 uliginosum L., 335
 vitis-idaea L., 334
Valantia cruciata L., 432
 Valerian, 437–8
 Valeriana L., 437
 dioica L., 438
 mikanii Syme, 437
 officinalis L., 437
 pyrenaica L., 438
 sambucifolia Mikan fil., 437
 Valerianaceae, 436
 Valerianella Miller, 436
 auricula DC., 437
 carinata Loisel., 437
 dentata (L.) Pollich, 437
 eriocarpa Desv., 437
 locusta (L.) Laterrade, 437
 olitoria (L.) Pollich, 437
 rimosa Bast., 437
 Vallisneria L., 518
 spiralis L., 519
 Venus's Looking-glass, 424
 Verbascum L., 369
 blattaria L., 371
 densiflorum Bertol., 370
 × *godronii* Boreau, 370
 × *kernerii* Fritsch, 370
 lychnitis L., 370
 nigrum L., 370
 phlomoides L., 369
 phoeniceum L., 371
 pulverulentum Vill., 370
 pyramidatum Bieb., 371
 × *regelianum* Wirtgen, 370
 × *schiedeanum* Koch, 370
 × *semialbum*, 370
 sinuatum L., 371
 speciosum Schrader, 370
 × *thapsi* L., 370
 thapsiforme Schrader, 370
 thapsus L., 369
 virgatum Stokes, 371
 × *wirtgenii* Franchet, 370
 Verbena L., 402
 officinalis L., 402
 Verbenaceae, 402
 Vernal-grass, 639–40
 Veronica L., 377
 acinifolia L., 381
 agrestis L., 382
 alpina L., 380
 anagallis-aquatica L., 378
 aquatica Bernh., non S.F.
 Gray, 378
 arvensis L., 381
 beccabunga L., 378
 buxbaumii Ten., non
 Schmidt, 382
 catenata Pennell, 378
 chamaedrys L., 379
 crista-galli Steven, 382
 comosa auct., 378
 didyma auct., 382
 filiformis Sm., 382
 fruticans Jacq., 380
 hederifolia L., 381
 × *lackschewitzii* Keller, 378
 longifolia L., 380
 montana L., 379
 officinalis L., 379
 paniculata L., 380
 peregrina L., 380
 persica Poiret, 382
 polita Fr., 382
 praecox All., 381
 repens Clarion ex DC., 380
 saxatilis Scop., 380
 serpyllifolia L., 380
 scutellata L., 379
 spicata L., 379
 spuria auct., non L., 380
 tournefortii auct., 382
 triphyllos L., 381
 verna L., 381
 Vervain, 402
 Vetch, 188–90, 192
 Vetchling, 191
 Viburnum L., 434
 lantana L., 434
 opulus L., 434
 tinus L., 434
 Vicia L., 188
 atropurpurea Desf., 189
 benghalensis L., 189
 bithynica (L.) L., 190
 cracca L., 189
 dasycarpa Ten., 189
 faba L., 190
 gemella Crantz, 188
 gracilis Loisel., non Banks
 & Solander, 189
 hirsuta (L.) S.F. Gray, 188
 nigrum L., 190
 lathyroides L., 190
 lutea L., 190
 narbonensis L., 190
 orobus DC., 189
 pannonica Crantz, 190
 sativa L., 190
 sepium L., 189
 sylvatica L., 189
 tenuifolia Roth, 189
 tenuissima (Bieb.) Schinz
 & Thell., 189
 tetrasperma (L.) Schreber,
 188
 villosa Roth, 189
 Vinca L., 350
 herbacea Waldst. & Kit.,
 351
 major L., 351
 minor L., 351
 Viola L., 107
 agrestis auct., 111
 anglica Drabble, 111
 arenaria DC., 108
 arvatica auct., 111
 arvensis Murray 111
 canina L., 109
 cantiana Drabble, 111
 contempta auct., 111
 cornuta L., 111
 curtisii E. Forster, 111
 derelicta auct., 111
 deseqlisii auct., 111
 epipsila auct. angl., 110
 hirta L., 108
 juressii Link ex K. Wein,
 110
 kitabelliana Schultes, 112
 lactea Sm., 110
 latifolia Drabble, 111
 lejeunei auct., 111
 lepida auct., 111
 lloydii auct., 111
 lutea Hudson, 110
 monticola auct., 111
 nana (DC.) Godron, 112
 obtusifolia auct., 111
 odorata L., 108
 orcadensis Drabble, 111
 palustris L., 110
 persicifolia Schreber, 110
 pesneaii Lloyd, 111
 reichenbachiana Jordan ex
 Boreau, 109
 riviniana Reichenb., 109
 rupestris Schmidt, 108
 ruralis auct., 111
 segetalis auct., 111
 stagnina Kit., 110
 subtilis auct., 111
 sylvestris Lam., p.p., 109
 tricolor L., 111
 variata auct., p.p., 111
 vectensis Williams, 111
 × *witrockiana* Gams, 111
 Violaceae, 107
 Violet, 108–10
 Viper's Bugloss, 364
 Viper's Grass, 495
 Viscaria
 alpina (L.) G. Don, 127
 vulgaris Bernh., 127
 Viscum L., 275
 album L., 275
 Vitidaceae, 183
 Vitis vinifera L., 183
 Vulpia C.C. Gmelin, 619
 ambigua (Le Gall) More,
 620
 bromoides (L.) S.F. Gray,
 619
 ciliata Dumort., 620
 fasciculata (Forskål)
 Samp., 619
 megalura (Nutt.) Rydb.,
 620
 membranacea auct., non
 (L.) Dumort., 619
 myuros (L.) C.C. Gmelin,
 620
 uniglumis (Aiton)
 Dumort., 619
 unilateralis (L.) Stace,
 620
 Wahlenbergia Schrader ex
 Roth, 421
 hederacea (L.) Reichenb.,
 421
 Wall Cress, 104
 Wallflower, 101
 Wall Rocket, 75
 Wall-Rue, 14
 Walnut, 312
 Wart-cress, 81
 Water-cress, 99
 Water-Dropwort, 284–5
 Water Fern, 25
 Water-lily, 54–6
 Water Lobelia, 425
 Water-milfoil, 270–1
 Water Parsnip, 283–4
 Water-pepper, 303
 Water-Plantain, 516–17
 Water Purslane, 259
 Water Soldier, 518
 Water Violet, 346
 Water Whorl-grass, 625
 Waterwort, 119
 Wayfaring-tree, 434
 Weasel's Snout, 371
Weingaertneria canescens
 (L.) Bernh., 640

Cambridge University Press

978-0-521-38974-7 - Flora of the British Isles, Third Edition

A. R. Clapham, T. G. Tutin and D. M. Moore

Index

[More information](#)

688

INDEX

- Welcome home husband,
 however drunk you be,
 248
 Weld, 106
 Wellingtonia, 30
 Welsh Onion, 539
 Welsh Poppy, 60
 Western Hemlock, 27
 Whin, 185–6
 Whitebeam, 239–42
 White Horehound, 417
 Whitlow Grass, 89
 White-rot, 279
 Whortleberry, 335
 Wild Angelica, 291
 Wild Basil, 409
 Wild Carrot, 294
 Wild Celery, 288
 Wild Daffodil, 552
 Wild Madder, 433
 Wild Pear, 243
 Wild Service Tree, 243
 Wild Tulip, 536
 Willow, 322–30
 Willow-herb, 262–6
 Willow-weed, 303
 Winter Cress, 94, 99
 Wintergreen, 338–9
 Winter Heliotrope, 459
 Winter Savory, 408
 Wire Plant, 309
 Woad, 82
 Wolffia Horkel ex Schleiden,
 584
 arrhiza (L.) Horkel ex
 Wimmer, 584
 Woodruff, 427–8
 Woodrush, 549–51
 Wood Sage, 418
 Woodsia, 18
 Woodsia R.Br., 18
 alpina (Bolton) S.F. Gray,
 18
 hyperborea (Lilj.) R.Br.,
 18
 ilvensis (L.) R.Br., 18
 Wormwood, 450, 478
 Woundwort, 412
 Xanthium L., 450
 ambrosioides Hooker &
 Arnott, 451
 brasilicum Velloso, 451
 californicum E. L.
 Greene, 451
 echinatum Murray, 451
 italicum Moretti, 451
 macrocarpum DC., 451
 orientale L., 451
 riparium Itz. & Hertsch,
 451
 saccharatum Wallr., 451
 spinosum L., 450
 strumarium L., sensu lato,
 451
 Yarrow, 473
 Yellow Archangel, 413
 Yellow Bird's-nest, 339
 Yellow-cress, 97–8
 Yellow Flag, 554
 Yellow-rattle, 383–4
 Yellow-wort, 353
 Yew, 31
 Yorkshire Fog, 640
 Zannichelliaceae, 531
 Zannichellia L., 531
 palustris L., 531
 Zerna
 benekenii (Lange)
 Lindman, 630
 erecta (Hudson) S.F.
 Gray, 630
 inermis (Leysser)
 Lindman, 630
 ramosa (Hudson)
 Lindman, 630
 Zostera L., 521
 angustifolia (Hornem.)
 Reichenb., 521
 hornemanniana Tutin,
 521
 marina L., 521
 nana Roth, p.p., 521
 noltii Hornem., 521
 Zosteraceae, 521