

Cambridge University Press

978-0-521-39190-0 - Plants in Changing Environments: Linking Physiological, Population, and Community Ecology

F. A. Bazzaz

Index

[More information](#)

## Index

Page references in **bold** denote illustrations

- Abutilon theophrasti*  
 allocation and display flexibility in competition, 111–23  
 allocation of resources, 109  
 biomass, 108–9  
 light and nutrient gradients, **165–7**  
 environmental heterogeneity, 175–81  
 germination, 88–90  
 growth response, 235, 237  
 mycorrhiza, 76  
 photosynthetic response, **207**  
 relative growth rate (RGR), 126–7  
 response flexibility, **198**  
 seedlings, herbivory damage, 104–5, **106**  
 stomatal conductance, **99**
- acclimation  
 defined, 199  
 and plasticity, 197–203
- Acer* spp.  
 hurricane damage and forest regeneration, 257–8  
 partitioning gap-understory environment, 249–56
- Acer rubrum*, photosynthesis rate, 26, **96**, **208**, **250**
- Acer saccharum*, 94  
 gap dynamics, 248  
 modeling response, 224–5  
 photosynthesis, 26, **250**  
 plasticity, **202**
- aerial environment  
 carbon dioxide, 67–71  
 light, 64–6  
 temperature, 66–7
- agriculture, plough layer, 63
- Agropyron repens*  
 allocation costs and disturbance frequency, **27**, 28  
 photosynthesis, 26–7  
*Agropyron spicatum*, replacement by *A. desertorum*, 111  
 allocation of resources, 21, 23–8  
 controllers and signals, 19–21  
 costs and disturbance frequency, *Agropyron repens*, **27**, 28  
 and display flexibility in competition, 111–23  
 examples  
*Abutilon theophrasti*, 109  
*Datura*, 109, 111–23  
*Erigeron canadensis*, 133  
*Polygonum pensylvanicum*, 111–23  
*Setaria faberii*, 111–23  
*Verbascum thapsus*, 28  
 nutrients, 108–23  
 reproductive allocation (RA), **25**, 26, 28  
 theory, 24
- Amaranthus*  
 biomass vs. density, 49–51  
 competition, 116, 236  
 environmental variation, 178  
 germination, 88–90  
 growth potential, 136  
 leaves and seeds, nitrogen, 29  
 phosphoglucosomerase (PGI), allelic frequencies, **179**, 180–1  
 relative growth rate (RGR), 126–7  
 survivorship, 99, **100**
- Ambrosia* spp.  
 biomass and density, 49–51  
 photosynthetic response, **207**  
 pollen record, 274
- Ambrosia artemisiifolia*  
 air temperature response, **163**  
 biomass responses, **141**  
 dominance patterns, 39–40

- Ambrosia artemisiifolia* (*cont.*)  
 germination cycle, **87**, 88–90  
 leaves and seeds, nitrogen, 29  
 response shifts with ontogeny, **164**  
 response to neighbor identity, 125–7  
 survivorship, **142**
- Ambrosia trifida*  
 competition, 127, 237  
 germination, 233–7  
 growth potential, 134–6  
 oldfield vs. annual field, **187**  
 oldfields, dominance, 47, 235–6  
 plasticity, **202**  
 recruitment, **86**  
 seeds  
   data, **187**  
   germination and emergence timing, 186  
   predators and herbivores, 103–7  
   size, germination depth, emergence, **85**,  
   86  
 stomatal conductance, **99**
- Andropogon virginicus*  
 dominance, 47  
 replacing *Aster*, 142–3  
 successional change, 275
- annuals  
 vs. herbaceous perennials, 140–2  
 C<sub>3</sub> and C<sub>4</sub> species, 12, 236  
 co-occurring with early-successional  
 plants, **157**  
 root depth, **158**  
 disturbance and recruitment, 88–90  
 examples  
   summer *see* *Ambrosia* spp.  
   winter *see* *Erigeron* spp.  
 gaps in *Poa* community, **119**  
 leaves and seeds, nitrogen content, 29  
 oldfield successional change, 38–60  
 recruitment, comparisons, **84**  
 recruitment times, **98**  
 resource augmentation, 19  
 response breadths, Levins' B, **155**  
 response to pre-emption of space, 117, 137  
 winter vs. summer annuals, interactions,  
 136–9  
*see also* early-successional plants
- Antennaria parlinii*  
 role in succession, 168–70  
 stolons, 59–60  
 anthropogenic disturbance, 264–5  
 anthropogenic disturbance and recovery,  
 61–3  
 apomixis, 59–60, 168  
 Arrhenius model, 88  
*Aster* spp.  
   <sup>14</sup>C distribution, **144**  
   vs. annuals, 140–2  
   vs. *Solidago* spp., 142–4  
   architecture, **120**  
   biomass and density, 50, 51  
   clonality, 52–9  
   development, **122**  
   photosynthesis and transpiration rates,  
   **121**  
   plasticity, 201  
 axillary bud enhancement cloning, 228
- Betula* spp.  
 biomass, and light, **212**  
 elevated CO<sub>2</sub>, herbivores, **279**  
 hurricane damage and forest regeneration,  
 259–63  
 nitrogen-deposition treatments, 73–4  
 partitioning gap–understorey  
   environment, 249–56  
 photosynthesis, rates, **208**  
 place in successional change, 43  
 root production and loss, **221**, 222  
 biomass, vs. density, 49–51  
*Brosimum alicastrum*, plasticity, **203**, 204
- capacitance, of resources, 22  
 carbon dioxide  
   aerial environment, 67–71  
   early-, mid-, and late-successional plants,  
   **213**  
   Keeling curve, 13  
   photosynthesis, 67–71  
   rise  
     CO<sub>2</sub> effect, 32  
     global consequences, 264–78  
     influence of elevated CO<sub>2</sub>, **277**  
     plant changes, 275–6  
     scaling, **34**  
   sunflecks, post-illumination fixation,  
   261–2  
*see also* photosynthesis
- carbon sinks  
 formation from recovering ecosystems,  
 268  
 and removal of primary forest, 269–70
- Castanea*, mortality, 103  
*Cecropia obtusifolia*, 110  
 plasticity, **203**, 205  
*Ceiba pentandra*, response flexibility, 209  
*Celtis occidentalis*, modeling response, 224–5  
*Chenopodium album*  
 biomass vs. density, 49–51  
 germination, 88–90  
 response to pre-emption of space, 117  
 seed size, germination depth, emergence,  
**85**  
 Clementsian views of successional change, 3,  
 9, 38, 230–1

- climate change  
 General Circulation Models (GCMs), 224  
 human activities, 267–70  
 plant adaptation, 276–9  
 and successional change, 264–79  
 successional trajectories, 230, 274–6  
 temperature rise, 271
- clonal plants, 51–60  
 clonal integration, 184–5  
 recruitment in successional habitats, 90–2
- cloning techniques, 228
- competition  
 competitive competence, 146  
 components, 108  
 intraspecific (conspecific), 132–6  
 and successional change, 131–2  
*see also* plant–plant interactions
- competitive superiority, dominance, 235–6  
 congruence, of resources, 22
- controllers  
 defined, 20  
 and signals, 19–21
- CSR strategies, 15–16
- dam building, vegetation response, 224, 225
- Datura*  
 allocation and display flexibility in  
 competition, 111–23  
 allocation of resources, 109  
 germination, pattern, 89
- density, vs. biomass, 49–51
- diallel competition experiment, 124–5
- Diospyros*, clonality, 51, 91
- disturbance  
 consequences of disturbance regimes, 227  
 defined, 61  
 impact on atmosphere–biosphere–ocean  
 interactions, 2  
 succession mechanisms, 5–6
- disturbance and recovery  
 basic principles, 6–7  
 complexity and dynamics, 8  
 disturbance severity and site heterogeneity,  
 44  
 gap size, 244  
 human activities, 61–3  
 intermediate disturbance hypothesis, 45  
 patterns, 39–40  
 plant–plant interactions, 131–2  
 predictions, niche separation, 153–4  
 research strategy, 24  
 resources, 19–21
- divergence, defined, 171
- dominance  
 clonal plants, 51–60  
 competitive superiority, 235–6  
 patterns, 38–44, 47, 133–4
- dominance–diversity relationships, 46–9
- early-successional plants  
 biomass, conspecific and heterospecific  
 pairs, 161  
 carbon dioxide exchange attributes, 213  
 co-occurring annuals, 157  
 competitive competence, 146  
 decline in photosynthetic rate, 211  
 ecological and genetic variation, 173–90  
 monospecies in patches, 132–6  
 nutrient gradient, 156  
 photosynthesis, 212–13  
 physiological attributes, 210  
 response breadths, 155–6  
 responses to environmental change, 228–9  
 survivorship, 156  
*see also* annuals; successional plants
- ecological variation  
 defined, 174  
 early-successional plants, 173–90  
 and genetic variation, 188–90
- ecology  
 community and population ecologists,  
 225  
 evolutionary, 227
- ecosystem models, scaling, 225–9
- effect and response, resources, 22–3
- environmental factors  
 growth responses, 234–8  
 influence on fitness, 185–6
- environmental heterogeneity, 175–81  
 and species diversity, 177  
 variability, 78–81
- equivalency of neighbors, plant–plant  
 interactions, 123–7
- Erigeron canadensis*  
 germination, 90  
 interactions with *Erigeron annuus*, 137,  
 138  
 intraspecific (conspecific) competition,  
 132–3  
 leaf rosettes, temperature, 137  
 niche separation, 151–2  
 plant height and reproductive allocation,  
 133
- evolutionary ecology, 227
- exotic species  
 in competition, 127  
 successional change, 51
- extinction, 270–4
- Ficus*, plasticity, 203, 205
- fire, effects, 269
- fitness  
 defined, 24  
 environmental influences, 185–6

Cambridge University Press

978-0-521-39190-0 - Plants in Changing Environments: Linking Physiological, Population, and Community Ecology

F. A. Bazzaz

Index

[More information](#)

316

## Index

- flexibility, 193–205  
flooding regime, vegetation response, **224**, 224–5  
flower color diversity, successional change, 44, **45**  
forest, primary, removal, and carbon sinks, 269–70  
forest communities  
  dynamics, 239–63  
  gap dynamics, 240–63  
  gap size and severity of disturbance, **244**  
  light availability, 245–7, **246**  
  partitioning gap–understory environment, 248–56  
  plant responses, 247–8  
  resource fluxes in gaps, 244–7  
  successional change, 240–4  
  migration, adaptation and extinction, 272–4  
  predicted changes, **271**  
  regeneration, 256–63  
  after clearcutting, successional change simulation, 18  
  successional change, in oldfields, 13  
  tree replacement, 43–4  
FORET models, 17–19, 231, 240, 241  
*Fraxinus*, 91–7  
  germination response surfaces, **91**  
  photosynthesis rate, **96**  
free air carbon dioxide exposure (FACE), 32  
frost heaving, 101  
fungal pathogens, 101–3  
gap dynamics *see* forest communities  
genetic variation  
  changes in genetic structure of persistent populations during succession, 186–8  
  early-successional plants, 173–90  
  and ecological variation, 188–90  
  fast (FF) and slow (SS) alleles, 179  
  structure of population response, 189–90  
Gleasonian views, plant communities, 3, 230  
*Gleditsia*, 91–7  
  competition, 95  
  germination response surfaces, **91**  
  photosynthesis rate, **96**  
  water stress, 95  
Grime's triangle, **16**  
  primary strategies, 15–16  
growth responses  
  environmental factors, 234–8  
  relative growth rate (RGR), 126–7  
habitat selection  
  methods available, 192–3  
  and response flexibility, 191–205  
*Heliocarpus appendiculatus*, tropical pioneer tree, 110  
  light and leaf area, 194, **195**, 211  
herbivory  
  change, CO<sub>2</sub> increase, 277–8  
  damage to seedlings, 104  
  species richness, 76–8  
  insecticide use, 78  
  successional change, 76–8  
*Heterotheca*, replacement of *Erigeron*, 127  
Hubbard Brook ecosystem, USA, 48–9, 241, **242**  
human activities  
  climate change, 264–78  
  disturbance and recovery, 61–3  
  magnitude, 264–7  
human population, projection, 2  
hurricane damage, 63, 107  
  enhanced recovery, 254  
  forest regeneration, 256–63  
  simulation, 171, 265, **266**  
individual species response, prediction of community composition, 229–38  
JABOWA–FORET model, 17–19, 231, 240, 241  
Janzen–Connell hypothesis, seeds, 243  
*Juniperus virginiana*, 66  
K-strategists, 15, 153  
Keeling carbon dioxide curve, 13  
*Lactuca scariola*, 138  
  niche separation, 151–3  
late-successional plants, physiological attributes, 210  
leaf area index (LAI), 31  
  ‘big leaf’ of the ecosystem model, 226  
leaf area profiles, successional change, **80**  
leaf temperature, transpiration, 216  
life cycle, attributes, 232  
life forms, successional change, 51  
light  
  aerial environment, 64–6  
  Beer–Lambert formula, 64  
  gap dynamics, 245–7, **246**  
  sunflecks, 261–2  
  *see also* photosynthesis  
*Liriodendron*, response flexibility, 209  
Long Term Ecological Research (LTER) network, 5  
Lotka–Volterra formulation, 17, 19  
maple *see* *Acer*  
mesocosms, 12  
microorganisms, soil, 74–6

- migration, 270
- models and modeling
- Arrhenius model, 88
  - General Circulation Models (GCMs), 224
  - JABOWA–FORET models, 17–19, 231, 240, 241
  - modeling response, 224–5
  - resource ratio model (Tilman), 16–17, 231
  - SORTIE model, 18, 240
  - species used as models, 12
  - strategies and models in successional plants, 14–19
  - transition matrix models, 230
  - vector models, 170–1
  - ZELIG model, 18
- Morus*, germination response surfaces, **91**
- mycoplasmal pathogens, 103
- mycorrhiza, 75–6
- neighbors, equivalency, 123–7
- net ecosystem carbon exchange (NEE), temperate forest, **31**
- net primary production (NPP), prediction equation, 226
- niches
- defined, 147–50
  - determining a plant's niche, 150–3
  - evolution, 147–72
  - 'fundamental' niche, 150
  - and genetic variation, 189
  - niche differentiation, 150
  - niche separation, 150
  - population niche, structure, 163–70
  - quantification, 170–2
  - response breadth, early-successional and late-successional plants, 159–60
  - species coexistence, 148
  - successional ecosystems, 153–62
  - volume reduction, 162
  - see also* patches and patch-types
- nitrogen
- annuals, leaves and seeds, 29
  - anthropogenic disturbance, 265–6
  - availability, patterns, 71–3
  - chronic deposition, 265–6
  - forms, 73–4
  - leaf, decline in high CO<sub>2</sub> environment, **276**
  - Tilman's model of change, 16–17
- nitrogen-fixing bacteria, inhibition by *Solidago* spp., 73
- normalized difference vegetation index (NDVI), 31, 226
- nuclear winter scenario, 266–7
- nutrients
- additions, response flexibility, 196–7
  - allocation of resources, 108–23
  - biomass accumulation, 241–2
  - gradient, early-successional plants, **156**
- oak *see Quercus*
- oldfields, abandoned
- clonality, successional change, mid-successional habitats, 51–60
  - dynamics and succession, 7
  - flow diagram of species and lifeforms, **39**
  - leaching, 11–12
  - species on soil depth gradient, **10**
  - successional change
    - biomass vs. density, 49–51
    - dominance–diversity relationships, 46–9
    - forest community regeneration, 13, 239–63
    - generalized pattern of dominance, 39–44
    - lifeforms, 51
    - native vs. exotics, **52**
    - patterns of diversity, 44–6, **47**
  - ontogeny, response shifts, 162–3, **164**
- patches and patch-types
- alpha, beta and gamma scales, 46
  - dynamics, and recruitment of trees, 92–7
  - genotypes, evaluation of performance, 228
  - Illinois oldfields, 7–9
    - mid-successional field, **41**
  - monospecies, early-successional fields, 132–6
  - plant–plant interactions, 132–6
    - and scale, 4, 38
  - and succession mechanisms, 9–11
  - succession trajectories, 94–7
  - successional change, 21
  - Suchatchev effect, 47
  - see also* niches
- pathogens
- examples, 62
  - and mortality, 101–3
- perennials, mechanisms which maintain variation, 182–3
- phenotypic plasticity, defined, 199
- phenotypic variation, defined, 174
- Phlox drummondii*, environmental heterogeneity, 177
- phosphoglucosomerase (PGI)
- changes in allelic frequencies, **179**
  - changes in fast (FF) and slow (SS) allelic frequencies, **179–81**
- photosynthesis
- <sup>13</sup>C and <sup>12</sup>C discrimination, 69–70
  - <sup>14</sup>C distribution, **144**
  - absorbed photosynthetically active radiation (APAR), 226
  - C<sub>3</sub> and C<sub>4</sub> species, 12, 236
  - carbon dioxide, 67–71

- photosynthesis (*cont.*)  
 net primary production (NPP), 226  
 and partitioning gap-understory environment, 249–56  
 photosynthetically active radiation (PAR), 31, 251–2  
 rate *Acer rubrum*, 26, **96**, **208**  
 reallocation of nitrogen, Rubisco activity, 194  
 Rubisco, plasticity, 199  
 successional plants, 210–15  
 physiology of successional plants, 206–22  
 photosynthesis, 210–15  
 respiration, 217–19  
 seeds, germination, 210  
 transpiration, 215–17  
 water-use efficiency, 219–22  
 phytometers, 206  
*Pinus*, facilitation, **93**  
*Piper auritum*, 110  
 plant communities  
 community-wide predictions, 229  
 composition, 223–38  
 prediction from life history patterns, 233–8  
 prediction of successional change, 229–33  
 dynamics and succession, 5  
 ecological emphases in classical studies, 227  
 middle-number systems, 228–9  
 reciprocity and symmetry, 22  
 resource capture, congruence and capacitance, 22  
 resources and responses, 36–7, 130–1  
 stand vs. community confusion, 4  
*see also* forest communities  
 plant–plant interactions, 108–27  
 equivalency of neighbors, 123–7  
 facilitative or neutral, 129–30  
 niches, early-successional and late-successional plants, 159–60  
 species guilds, 136–46  
 winter vs. summer annuals, 136–9  
 and successional change, 128–46  
*Plantago major*, and *P. rugellii*, 28, **29**  
 nutrient pulse responses, 196  
 reproductive effort (RE), 28  
 plasticity  
 and acclimation, 197–203  
 evidence for evolution, 189–90  
*Platanus*, germination response surfaces, **91**  
*Poa*  
 competition, 125–6  
 mid-successional community, 119  
 pollinators, competition for, 155–6  
*Polygonum pensylvanicum*  
 allocation and display flexibility in  
 competition, 111–23  
 competition, 236  
 density, and rank change, **35**  
 differential response, light and nutrient gradients, 167, **168**  
 dominance, 133–4  
 germination, 234–7  
 growth responses, 235  
 population density, 33  
 response flexibility, **198**  
 seed size, germination depth, emergence, **85**  
 survivorship, 99, **100**  
*Polygonum persicaria*  
 genetic variability, **183**  
 plasticity, 204  
 population, attributes of successful population, 4  
 population niche, structure, 163–70  
*Populus deltoides*, modeling response, 224–5  
*Poulsenia armata*, plasticity, **203**, 204  
 pre-adaptation, 153  
 prediction  
 changes in forest communities, **271**  
 disturbance and recovery, niche separation, 153–4  
 equation for net primary production (NPP), 226  
 plant community composition  
 individual species response, 229–38  
 from life history patterns, 233–8  
 short-lived communities, 233  
 successional change, 229–38  
 principal component analysis (PCA), 94  
*Prunus*  
 germination response surfaces, **91**  
 photosynthesis rate, **96**  
 recruitment, 91–7  
  
*Quercus macrocarpa*, photosynthesis, 26  
*Quercus rubra*  
 gap dynamics, 248  
 hurricane damage and forest regeneration, 258  
 photosynthesis  
 rate, **208**  
 rate decline during day, **214**  
 place in successional change, 43  
  
*r*-strategists, 15, 153  
 recruitment  
 annuals, recruitment times, **98**  
 fate of recruits, 97–100  
 hazards, 101–3  
 successional habitats, 82–107  
 trends in successional habitats, 82–107

- relative growth rates (RGR), 126–7  
 reproductive allocation (RA), **25**  
 reproductive effort (RE), 25–7  
 resource fluxes, gap dynamics, 244–7  
 resources  
   congruence, capture, 21–2  
   effect and response, 22–3  
   and responses, 28–30  
     plant communities, 36–7, 130–1  
   *see also* allocation of resources  
 respiration  
   soil, 268–9  
   successional plants, 217–19  
 response breadth  
   Levins' B, 155  
   niches, early and late successional change, 154  
 response flexibility  
   defined, 197  
   of individuals, 183–4  
   plasticity and acclimation, 197–203  
   tracking environmental change, 194–7  
 response shifts  
   ontogeny, 162–3, **164**  
   *see also* response flexibility  
*Rhus* spp., plasticity, **202**  
 root specific absorption rate (RSR), 130  
*Rorippa sessiliflora*, 133, 138
- Sassafras*, clonality, 51, 91  
 scalar field, 170–1  
 scale of succession *see* patches  
 scaling  
   community and population ecologists, 225  
   in ecosystems, space and time, 225–9  
   leaf-level response to canopy-level response, 226  
   and mechanistic complexity, 30–5  
 seedlings  
   gap dynamics, 260–1  
   herbivory damage, 104  
   seed bank dynamics, 82–6  
 seeds  
   and biomass, 30  
   biomass vs. density, 49–51  
   germination, 86–90, 233–4  
   depth and emergence, **85**, 86  
   determinant of recruitment time, 233  
   successional plants, 210  
   Janzen–Connell hypothesis, 243  
   nitrogen content, annuals, **29**  
   predators and seed herbivores, 103–7  
   seed bank dynamics, 82–6  
     longevity, 181–3  
   shadows, recruitment curves and diversity, **92**  
   size, **85**, 86  
     size and number, 24–5  
*Setaria faberii*  
   allocation and display flexibility in competition, 111–23  
   biomass vs. density, 49–51  
   competition, 236  
   environmental heterogeneity, 180  
   germination, 233–7  
   leaves and seeds, nitrogen, 29  
   photosynthetic response, **207**  
   response flexibility, **198**  
   survivorship, 99, **100**  
*Shorea* spp.  
   gap partitioning, 253  
   plasticity, 204, 212, 219  
 soil(s)  
   depth gradient, species distribution, **10**  
   disturbance, plow layer, 63  
   early-successional habitats, 70–1  
   microorganisms, 74–6  
   nutrient availability, 71–3  
     *see also* nitrogen  
   respiration, 268–9  
   soil warming simulation, 265–6  
   *see also* nutrients  
*Solanum dulcamara*, environmental heterogeneity, 177  
*Solidago* spp.  
   <sup>14</sup>C distribution, **144**  
   vs. *Aster*, 142–3  
   vs. trees, 145  
   clonal integration, 184–5  
   development, **122**  
   dominance in oldfield succession, 47–8  
   inhibition of N-fixing bacteria, 73  
   photosynthesis and transpiration rates, **121**  
   plasticity, 201  
   recruitment, 90–2  
   successional change, 39–42, 275  
   water-use efficiency, 220  
*Solidago altissima*  
   clonality, 52–9  
   dominance, **48**  
*Solidago canadensis*  
   architecture, **120**  
   clonality, 52–9  
*Solidago gigantea*, clonality, 52–9  
 SORTIE model, 18, 240  
 species  
   allocation of resources, 21, 23–8  
   response, prediction of community composition, 229–38  
   used as models, 12  
 species diversity  
   environmental heterogeneity, 177  
   patterns, 44–6

Cambridge University Press

978-0-521-39190-0 - Plants in Changing Environments: Linking Physiological, Population, and Community Ecology

F. A. Bazzaz

Index

[More information](#)

320

*Index*

- stomatal sensitivity, water-use efficiency, 219
- strategies  
 plant types, 15  
 primary, Grime's triangle, 15, 16  
*r*-*K* continuum, 153
- successional change  
 and climate change, 264–78  
 prediction, 229–33  
 trajectories, 230, 274–6
- successional habitats  
 niches, 153–62  
 physical environment, 61–81  
 trends, 63–4  
 recruitment, 82–107  
 summary, 81
- successional plants  
 carbon dioxide exchange attributes, 213  
 Clementsian vs. Gleasonian views, 3  
 and competition, 131–2  
 defined, 1–2  
 forest communities, 18  
 Grime's triangle, 17  
 and herbivores, 76–8  
 historical perspective, 3  
 late-successional plants, physiological attributes, 210  
 life forms, 51  
 patterns of dominance, 39–43  
 and plant–plant interactions, 128–46  
 scale, 4–6  
 strategies and models, 14–19  
 Tilman's model, 16–17
- see also* annuals; early-successional plants; forest; oldfields; physiology
- temperate forest, net ecosystem carbon exchange (NEE), 31
- temperate successions  
 flow diagram, 39  
 winter vs. summer annuals, 136–9
- temperature  
 aerial environment, 66–7, 84  
 and photosynthetic response, 138  
 rise *see* climate change
- Tilman's model, successional change, 16–17, 231
- transpiration, successional plants, 215–17
- transpirational efficiency, 226
- trees, recruitment, and patch dynamics, 92–7
- Trema micrantha*, 110
- Ulmus*, mortality, 103
- Ulmus americana*, modeling response, 224–5
- vector models, 170–1
- vegetation index (NDVI), 226, 31
- vegetation response, dissimilarity of surface to present vegetation, 224
- Verbascum thapsus*, reproductive allocation (RA), 28
- water-use efficiency, successional plants, 219–22
- ZELIG model, 18