

Subject Index

- adjoint bundle: 39, 40, 86, 93, 96, 97, 104, 152, 153, 156, 157, 158, 165, 171, 173, 174
- adjoint spectrum: 116, 121, 125, 177, 180
- adjunction theory: §18
- admissible minimalization: 116
- ample vector bundle: 41, 113, 132
 adjoint bundle of ———: 171, 173, 174
 c_1 -sectional genus of ———: 174
 $\mathcal{O}(1)$ -sectional genus of ———: 175
- ampleness criterion
 ——— for blow down: 61
 Nakai's ———: 14
 Serre's ———: 6
- Bertini theorem
 ——— for irreducibility, reducedness: 32
 ——— for k -Macaulayness: 8
 ——— for normality: 9
 ——— for smoothness: 36, 62
- bi-elliptic surface:= hyperelliptic surface
- big: 16, 164
- blowing-down: 4
 extension of ———: 60
- blowing-up: 3
 canonical bundle formula for ———: 4
 Chow ring of ———: 12
 simple ———: 103
- canonical bundle formula
 ——— for blowing-up: 4
 ——— for double covering: 49
 ——— for scrolls: 2
- Castelnuovo bound: 139, 140
- Castelnuovo variety: 142, 143
- characterization of \mathbb{P}^n (and \mathbb{Q}^n): 22, 23, 24, 52, 59, 62, 93, 104, 159, 171, 173, 174, 175
- Chern class: 11
- Chow ring: 10
 ——— of scroll: 12
- Clifford's theorem: 31
- Cohen Macaulay singularity: 22, 36, 38, 43, 44, 49, 50, 56, 170
- deformaton type: 108, 110, 118, 182
- (generalized) cone: 42, 79, 159, 161, 169, 170
- degree: 4
- Del Pezzo fibration: 168

- Del Pezzo surface: 62, 115, 161
 — of degree one: 123, 134, 153, 156
 — of degree two: 153
 Del Pezzo variety (or manifold): 44, 83
 characterization of —: 45, 46, 82, 107, 161
 classification of —: 72
 — of degree 1: 50
 — — — 2: 49
 — — — 3: 47
 — — — 4: 47
 — — — 5: 69, 77
 — — — 6: 66, 76
 — — — 7: 65
 — — — 8: 65
 — in positive characteristic case: 73
 4-genus: 26
 desingularization: 9
 double covering: 48, 49, 51, 53, 85, 89, 91, 126, 129, 142, 143
 elliptic ruled variety: 123, 133, 134, 153, 157
 elliptic scroll: 47, 84, 89, 107, 137, 17, 161
 embedded component: 7, 23, 168
 energy: 161
 Enriques surface: 20, 126
 exceptional divisor: 3
 extension theorem (of Lefschetz type)
 — of blowing-down: 60
 — of line bundle: 55, 76
 — of linear system: 57
 — of morphism: 57, 58
 — of scroll structure: 60
 — of vector bundle: 71
 extremal ray (extremal curve): 18, 93, 166, 171, 172
 Fibration theorem: 17, 115, 172
 flatness criterion: 6
 flip: 166
 higher direct image: 4
 Hilbert polynomial: 13, 24, 25, 45, 95, 99, 108, 110
 hyperelliptic fibration: 52, 86
 hyperelliptic polarized variety: 143, 90
 hyperelliptic surface (:= bielliptic surface): 21, 126
 hyperquadric fibration: 87, 100, 112, 129, 134, 135, 159, 160
 index theorem: 15, 98, 110, 167
 intersection number: 11, 13
 Jacobian vector bundle: 132

- K3-surface: 20,126
 Kleiman's criterion of nefness: 15
 Kodaira's Lemma for bigness: 16
 ladder: 28
 regular ———: 28,30,141
 existence of ———: 30,32,36,37,38,43,44
 Lefschetz theorem: 55
 Leray spectral sequence: 5
 lift to characteristic zero: 73
 log-terminal singularity: 96,156,157,162,164
 k -Macaulay singularity: 7,8,44,57,58,59
 Cohen Macaulay singularity: 22,36,38,43,44,49,50,56,170
 minimal reduction: 103,11,121,129,130,159,160
 Nakai's criterion of ampleness: 14
 nef: 14,15,16,17,18
 ——— and big: 16,164
 normal singularity: 8,9,17,30,43,78,80,81,82,164,169
 polarized manifold
 ——— of Δ -genus 0: 41,107
 ——— ——— 1: 47-55,72
 ——— ——— 2: 92,150
 ——— ——— fixed: 150
 ——— of sectional genus 0: 30,41,107
 ——— ——— 1: 72,84,107
 ——— ——— 2: 86,122,129,150
 ——— ——— 3: 136,150
 ——— ——— fixed: 108~ ,114~ ,150
 polarized varieties of Δ -genus 0: §5,42,79,142,143,167
 ——— ——— 1: §6,§9,82,83
 proper transform: 4
 \mathbb{Q} -bundle: 14
 \mathbb{Q} -divisor: 14
 quasipolarized variety: 164
 rational scroll: 41,80,107,145,§17
 relatively (very) ample: 3
 relative rational map: 3
 ridge: 42,79,145
 Riemann-Roch-Hirzebruch formula: 13
 rung: 25
 regular ———: 26,27

- scroll: 2, 102, 160, 172
 ——— over curves: 96, 107, 108, 109, 122, 129, 152, 156, 157,
 158, 159, 165, 174
 ——— ——— surfaces: 98, 101, 113, 129, 132, 159
 Chowring of ———: 12
 elliptic ———: 47, 84, 89, 107, 137, §17, 161
 extension of ——— structure: 60
 rational ———: 41, 80, 107, 145, §17
- sectional genus: 25, 26
 c_1 - ———: 174
 $o(1)$ - ———: 175
- Segre class: 12
- semiample: 14, 157, 158
- Serre's condition S_k : 8
- Serre duality: 6
- Serre's normality criterion: 8
 ——— vanishing theorem: 6
- Severi variety (in the sense of Zak): 105
- simple blow-up: 103
- simply generated: 27, 30, 35, 38, 44, 86, 142, 170
- spectral sequence: 5
- spectral value (in the sense of Sommese): 158, 159, 160, 162
- Stein factorization: 1
- strict transform: 4
- Todd class: 12
- triple cover: 90
- upper-semicontinuity theorem: 6
- vanishing theorem
 Kawamata-Viehweg's ———: 16
 Kodaira's ———: 16
 Mumford's ———: 17
 Serre's ———: 6
 Sommese's ———: 56
- varieties of minimal degrees: 43
- varieties of small degrees: §17
- varieties with many rational curves: 104
- Veronese surface: 39, 41, 80, 96, 97, 106, 112, 146, 159
- (weighted) hypersurface (or complete intersection): 28, 47,
 48, 50, 52, 53, 59, 89, 128, 131, 144