

Index

Note that East Coast fever is often abbreviated as ECF.

- Ackerknecht, E. H., 135, 332n34, 368n1, 368n2
- Adler, S., 262
- African Coast fever, *see* East Coast fever
- African communal farmers and ECF, 223–38
recent achievements, 236–7
role of cattle in society, 235–6, 352n18, 352n19, 352n20
- African-owned cattle and ECF, 223–38
- African uprising
1896, 11, 47, 223–4, 236
1902, fear of, 41, 223–5, 230–1
- Afrikaner farmers, *see* Boer farmers
- agriculture, scientific
in the Transvaal, 54–6, 285, 307n2
in U.K. and colonies, 56, 133–4, 282–5, 307n2, 307n3, 328n21, 331n33, 334n3, 369n6
in U.S., 54–5, 284, 334n3, 369n6
- AIDS, xii, 276
- Alexander, C. D., 117–19, 170–1
biographical note, 324n42
- Alter, P., 128
- Amery, J., 125
- Amery, L. S., 331n33
- anaplasmosis and *Anaplasma marginale* (*see also* Texas fever (redwater), 'mild form'), 12, 23, 243–8, 279–80, 357n15
- Australian cattle and ECF, 22–5, 27, 35, 39, 47, 57, 96, 97, 299n9, 302n31, 343n10
- Babesia bigemina*, *see* parasite causing Texas fever
- babesiosis, bovine, *see* Texas fever (redwater)
- bacteriological institute, proposed in Rhodesia, 44–6, 303n48, 304n50, 304n51
- Barnett, S. F., 160, 261, 263, 266, 338n28
- Baxter, T. W., xii–xiii, 203, 314n54
- Baynes, J., 217, 218, 305n57
- Beach, D. N., xii, 236
- Bechuanaland (Botswana), 42, 190, 193, 195, 214
- Beira, 5, 22, 25, 57, 87, 93, 299n9, 302n31
- Beit, A., 18, 63
- Bevan, L. E. W., 17, 46, 119–20, 171, 211–12, 342n44
biographical note, 305n52
- Bloemfontein conference, 109–12, 183–5
- Boer farmers
attacked: by Stirling, 209; by Stockman, 187, 190, 191, 198–9; by Theiler, A., 187, 197, 198
economic distress among, 199–201
- Booth, W. (General Booth), 204, 205
- Bordet, J., 139
- bossiekte (heartwater), 300n12
- Botha, L., 199–200
- Bradford, J. R., 67
- British South Africa Company (Chartered Company)
archives, xii–xiii
charter, calls for abrogation of, 64, 310n28
economic problems, 201–3
founding of, 8–9
governs Rhodesia, 8–10
price of shares, 1, 2, 210
and search for expert, 40, 41, 42, 43, 52, 57–9, 60–2, 65–7, 69–85; *see also* Kotzé J. G.; Milton, W. H.; Orpen, J. M.
and settler unrest, 31, 32, 34, 36–8, 39, 40–1, 42–4, 59, 60–1, 63–5, 93, 109, 175, 176, 181, 310n28
- blue tick, *see* ticks
- Brocklesby, D. W., 259, 263, 264

376 *Index*

- Brodrick, W. St. J., 68, 69
- Brown, C. G. D., 259, 262, 264, 267, 268, 270, 338n28, 363n2, 365n26, 366n33
- Brown, W. C. 273, 274
- brown tick (*Rhipicephalus appendiculatus*)
 can transmit ECF only once, 160, 161
 feeding habits, 10, 14, 158
 Gray sends to Cape Town, 150–3, 155, 156
 identified by Neumann, 153–4, 157, 338n25
 life cycle, 10
 and Lounsbury, 141, 150–63, 167–8
 parasite must multiply in salivary gland, 159, 337n23
 parasite not carried in eggs, 10, 14, 90, 158, 161–2
 and Theiler, A., 110, 158–9, 163
 as vector of ECF, 10, 14, 90, 110, 150–63
- Bruce, D., 62, 67, 68, 69, 73, 74, 75, 76, 78–85, 94, 106–7, 132, 139, 177, 277, 282, 283
 biographical note, 309n22
 Malaria Committee recommends, 67–8
 and sleeping sickness, 84, 317n84
 terms, 80–1, 316n72
- Bruce, G. S., 20, 21
 biographical note, 319n9
- Bruce, D., letters to, 94, 106–7
- Buchanan, G. W., 77, 316n70
- Bulawayo
 demands that expert work in, 58, 60, 61, 62, 98
 description of, 103, 104, 340n42
 ECF first appears in, 5
 garden parties and polo, 321n21, 340n42
 Hillside camp, 61, 93, 104
 unrest, protests and demands, 31, 32, 36–7, 39, 40–1, 42–4, 58–9, 60–1, 62, 63–4
- Burdon Sanderson, J. S., 67, 130, 131, 329n27
- Butterfield, H., ix–x
- camels, as replacement for oxen, 191
- Carter, K. C., 250, 252
- Castens, H. H., 35, 70, 78
- castle kopjes, 112
- cattle, restriction of movement, *see* East Coast fever, attempts to control
- center and periphery, 281–7, 370n9
- Chaka, 8, 353n27
- Chamber of Mines
 and Gray, 37, 41, 224
 and Jarvis, 213–4
 and Orpen, J. M., 36–41
- Chamberlain, J.
 biographical note, 121–5
 and Bruce, D., recommends to Milner, 69, 84–5
 center and periphery, 283
 and Germany, attitude toward, 121–2, 135, 136
 and Jameson raid, 125–7
 and Koch, opposition to, 6, 67–9, 72–3, 83, 121, 134–6, 177, 310n37
 and Lister, 127–8, 130, 133
 and Malaria Committee, 122, 125, 130–3
 as manufacturer, 122, 135–6, 333n36
 and Milner, 55, 67, 69, 70, 72–3, 85, 121, 126, 136
 political career and views, 122–5, 135–6
 and professionalization of government, 133–4
 and Rhodes, distrust of, 125–6, 134
 and rinderpest, 129–30
 and Ross, 130, 132, 330n29
 and Royal Botanic Gardens (Kew), 128–9, 134
 and Royal Society, 121, 122, 125, 127–33
 and Tse Tse Fly committee, 125, 129
 and tsetse-fly disease of cattle, 68, 125
- Chartered Company, *see* British South Africa Company
- Chimanimani, *see* Melsetter
- Chivhu, *see* Enkeldoorn
- Churchill, W. S., 53, 124, 125, 326n11, 373n14
- Clarke, M. J., 18, 19, 24
 biographical note, 296n19
 expert, search for, 52, 57–9, 60, 61, 275
 cleansing the fields of ticks, 185–8, 191–6, 221; *see also* temperature camps
- Colonial Secretaries and professionalization of government
 Amery, L. S., 331n33
 Chamberlain, 133–4
 Elgin, 331n33
 Milner, 134, 331n33
- Conferences, commissions and committees to consider ECF, 220
- Bloemfontein (1903), 109–12, 183–5
- Cape Colony (1904), 158–9, 189–97, 205, 221
- Transvaal (1905), 215
- Pan-African (1909), 214–15
- Rhodesian (1910), 210–13
- Rhodesian (1917), 215, 216–17, 220
- Rhodesian (1920), 215, 217
- South African (1920), 215, 217–18
- South African (1924, 1926, 1943), 215
- cordons, *see* East Coast fever, attempts to control
- 'counts and smears,' 219–20, 350n51

Index

377

- Cowdry, E. V., 261
- Cripps, A., 289
- Cripps, Mrs. D., 289
- Cripps, H., 289
- Cripps, L., 3, 30, 274, 289
biographical note, 293n6
- Dalrymple, W. H., 48
biographical note, 305n56
- Danks, W. B. C., 261
- Danysz, M. J., 139
- 'Darkest England,' 204–5
- Davidson, A., 204
- Deixonne, R., 145, 335n10
- Delépine, A. S., 62, 84, 133
biographical note, 309n19
- DeMartini, J. C., 264
- Diesel, A. M., 218–19
- dipping, *see also* East Coast fever, attempts to control
contribution of Watkins-Pitchford, 215, 217, 218, 350n50
- Dobbelaere, D. A. E., 273–4, 275
- Dodgson, R. W., 45–6, 303n48
biographical note, 304n51
- Doherty, P. C., 150, 222
- Dönitz, W., 97, 101
- donkeys, as replacement for oxen, 5, 40, 191, 204, 289
- Dschunkowsky, E., 174, 242, 355n7
- Dwork, D., xi, 61, 291n7, 311n38
- East Coast fever, *see also* East Coast fever, attempts to control; East Coast fever, early names for
confused with Texas fever, 13, 29–30, 31, 33, 34, 35, 43, 46–50, 56–7, 87–93, 99, 102, 117–19, 118, 144–7, 165–7, 175, 176; *see also* Texas fever (redwater), confused with ECF
distinguished from Texas fever, 95–7, 110, 178; by absence of hemoglobinuria, 13, 47, 95, 251; by absence of cross-immunity, 49, 56–7, 93, 95, 96, 147–9, 174, 176, 180, 251–2, 253; by different signs and symptoms, 13–14, 47, 94–5, 251, 252–3; Koch's reasoning, 95–7, 250–1; by non-inoculability, 105–6, 149–50, 170, 174, 175, 251, 361n1; by presence of small parasites, 48, 96, 170, 174; by post-mortem findings, 47–9, 95, 170, 251; Theiler's reasoning, 251–2
doubts about full identity with Texas fever: Gray, 50, 66, 150–1, 171, 176; Hutcheon, 164–9, 170, 252–4; Lounsbury, 152, 153, 169–70; Theiler, A., 143–4, 146, 182
no doubts about identity with Texas fever: Gray, 27–31, 34–7, 42, 46–9, 176, 181; Orpen, J. M., 17, 32; Watkins-Pitchford, 56–7, 119, 307n6
early outbreaks in the Transvaal (Daspoort, Elands River Valley, Komati Poort, Nelspruit, Pretoria), 142–3
economic impact on Africa today, xi, 222, 288, 351n65, 352n20
kidney lesions in, 47, 49, 95, 260, 263, 266
Koch confuses with Texas fever in 1897–8, 87–93
maintained experimentally in Cape Town, 161
- East Coast fever, attempts to control, 181–222 *passim*
cleansing the fields, 184–6, 191–6, 221; *see also* temperature camps
cordons, 31, 33, 35, 37, 181
'counts and smears,' 219, 350n51
dipping, 41, 42, 50, 99, 111, 116, 151, 186–7, 194–5, 215, 216, 218–19, 221, 222, 237
fencing, 111, 116, 183, 184, 185, 187–9, 191, 195–6, 211, 214, 217
fencing Bechuanaland border, 195, 214
fencing Cape Colony border, 195, 214–15
immunization, early efforts: Gray, 42, 111; Koch, 99, 105–13, 115–16, 120, 180, 184, 191; Meyer, 149–50; Spreull, 336n14; Theiler, A., 147–9
immunization, recent methods, 150, 222
innoculation, 42, 99, 105–13, 115–16, 120, 150, 180, 183, 184, 191, 234–5, 267–8, 336n14
quarantine, 31, 33, 35, 109, 110, 111, 183, 193
restriction of movement of cattle, 31, 35, 36, 37, 39, 41, 42, 57, 109, 112, 116, 182, 183, 184, 188, 190, 191, 192, 194, 198, 199, 200, 201, 206–7, 210, 211, 212, 213–14, 227, 233, 234, 235–6, 237
slaughter of herds, 182, 184, 191, 192, 193, 194, 195, 196, 197, 201, 217, 219, 220, 221, 234, 349n42
- East Coast fever, early names for
African Coast fever, 1, 5, 97, 99, 105, 106, 107, 154, 155, 157, 160, 169, 184
Coast fever, 207
Coast tick fever, 147
Rhodesian cattle disease, 152, 153
Rhodesian fever, 95, 96, 97, 102, 118
Rhodesian redwater, 7, 93, 96, 102, 104, 168

378 *Index*

- Rhodesian tick fever, 147, 148, 149, 169, 172, 173
- Eckardstein, Baron von, 135, 136, 333n35
- Edington, A., 21, 27
biographical note, 300n12
- Edmonds, C. R., 20, 21, 60, 156
and immune carriers, 345n21
- Elgin, Lord, 331n33
- Enkeldoorn (Chivhu)
ECF appears in, 5
Orpen, J. M., criticized, 39
- entomology, economic
center and periphery, 284, 334n3
development of in U.K. and colonies, 140, 141, 284, 334n3
development of in U.S., 140, 284, 334n3
- expert, search for, 40, 41, 43, 53–86 *passim*, 133–4; *see also* British South Africa Company; Royal Society, Malaria Committee
- persons considered or recommended, 84;
Bruce, D., 62, 67, 68, 69, 73, 74, 75, 76, 78, 79, 80, 81, 82, 83, 84, 85;
Delépine, 62, 84; Koch, 66, 67, 70, 71, 72, 73, 74, 75–8, 79, 80, 81, 82, 84;
McFadyean, 59, 60, 61, 62, 84;
Nicolle, 76, 84, 314n59; Nocard, 70, 71, 72, 74, 76, 84; Strangeways, 63, 66, 84; Woodhead, 62, 84
- persons playing key roles, *see*
Chamberlain, J.; Clarke, M. J.; Gray, C. E.; Hutcheon, D.; Kotzé, J. G.; Milner, A.; Milton, W. H.; Orpen, J. M.; Woodhead, G. S.
- special difficulties: Cape Colony's
reluctance, 53–4, 81–2, 85; Colonial Office caution and slowness, 58, 59, 66, 67, 78, 133–4; communications poor, 52, 66–7, 70, 72, 85; demand that expert work in Bulawayo, 60–2; Koch, cost of services, 75–81 *passim*, 313n52; Koch, objected to by Chamberlain, 67, 72–3
- Fairbridge, K., 205, 348n34
- Farmers and Landowners Association, 31, 32, 35, 36, 37, 42–4, 109
- Farrar, G., 202
- Fawcett, D. W., 259, 270, 271
- fencing, *see* East Coast fever, attempts to control
- Financial News*, letters from Hyatt, 1, 2, 230–1
- foot-and-mouth disease in modern Zimbabwe, press comments, 373n15
- Fort Victoria, *see* Victoria district
- Foster, M., 67, 68, 69, 83–4, 85, 129, 130, 131, 329n27
- Fox, H. W., 79
on economy of Rhodesia, 202–3, 210
- Fritsch, G. T., 103
- gall sickness, 12, 199, 216, 243, 244; *see also* anaplasmosis
- Gambo, Chief, and rabies, 353n27
- Garnett, J., 56, 331n33
- German South-West Africa, *see* Namibia
- Germany
and Boer War, 121, 135
and Chamberlain, 2, 121, 122, 135–6
economic rival of U.K., 122, 135–6, 333n36
Koch as 'government man,' 135, 323n34
and science and empire, 135, 285–6
and scientific journals, 286, 370n8
and Jameson raid, 125–6, 326n12
- Gonder, R., 260–1, 286
- Gordon, P. R., 24
- Gorman, J. J., 20, 21, 31
- government, British, professionalization of, 133–4, 331n33
- Grab, D., 273
- Graham, F., 61, 79
- Gray, C. E.
and Alexander, 119
and Bevan, 171
biographical notes, 17–18, 296n18
brown ticks, sent to Lounsbury, 151–2, 177
at Cape conference, 190, 192, 193, 194
center and periphery, 282, 283
Chamber of Mines, attacks, 37, 41
cordons, 31, 37, 181
correspondence with: Dalrymple, 48, 283–4, 305n56; King Ranch, 48, 283–4
dipping, advocates, 41, 42, 46, 48, 99, 150–1
and ECF: first case seen, 26–7, 175; hemoglobinuria absent, 27, 28, 29, 30, 47, 280; may be new disease, 50, 66, 150–1, 169–70, 171, 176; not a new disease, 27–31, 34–7, 41, 42, 46–9, 181; pulmonary edema present, 29–30, 47, 49, 280
and Hutcheon, 163–4
and inoculation, 42, 111
and Koch: in Bulawayo and Victoria district with, 109, 113, 120, 321n21; evaluates contributions, 120; as expert, recommends, 66, 70, 86; immunization, method evaluated, 115, 116, 120; as stumbling block, 49, 92, 102, 254–6
as Principal Veterinary Surgeon: Rhodesia, 17; Transvaal, 18; Union of South Africa, 18, 217

Index

379

- reports: January 1902, 28, 87, 175; for year ending March 31, 1902, 26–30, 87, 175; interim, June 1902, 34–5, 87, 175, 176; joint, with Robertson, August 1902, 46–9, 87, 93, 94–5, 100–1, 144, 146, 163, 165, 169, 176–8, 180, 246, 255, 260; for year ending March 31, 1903, 99; sent to Koch, 87 and rinderpest, 17, 138, 224 and Robertson, 33–4, 46–9, 169, 175–6, *see also* Gray, C. E., reports, joint staff, 20–1 and Stockman, 192, 193, 194, 195 and uprising, fear of in 1902, 41, 224 and uprising of 1896, in Bulawayo during, 17, 138, 224
- Gregory, A. J., 45
- Grey, Earl, 1, 126, 202–3
- Grindle, G., 67
- Gwelo (Gweru)
demand for cordon, 31
ECF reaches, 5
- Gweru, *see* Gwelo
- Haggard, H. R., 8, 16, 295n12, 329n28
- Harare, *see* Salisbury
- Hatch Act, experimental stations, 140, 284, 334n3, 369n6
- Hawking, F., 262
- heartwater, 156, 184
suggested as identical to ECF, 300n12
- Hillside camp, Bulawayo, 61, 93, 104
- Holmes, Sherlock, and cost of living, 115
- Hopetoun, Lord, 23, 24
- Howard, L. O., 140, 284, 334n3
- Hutcheon, D.
biographical notes, 21, 297n24
and brown tick, 151–2, 153, 158–9
collaborates with Gray and Robertson in Salisbury, 49, 59, 60, 163–4
collaborates with Theiler, A., in Transvaal, 154, 164–9
contributions evaluated, 167–8
ECF regarded as virulent Texas fever, 164–9
ECF regarded as Texas fever altered in character, 165–7, 170, 252–4
ECF, reports on: of August 1902, 49, 163–4; interim report, 164–5; special report, 165–7; special report revised, 168
and expert, search for: consulted by Kotzé, 43, 52, 58, 59, 61; consulted by Milton, 73–4; as key figure in search, 85–6; prefers Koch to Bruce, D., 73–4; recommends Koch, 66, 85, 308n11; recommends McFadyean, 59, 60, 71, 85, 308n11; recommends Nocard, 71, 85, 308n11
- Gray, letter from, 27; translation in Windhoek archives, 344n16
immunity, views influenced by Lignières, 164–6, 281
Lounsbury sent to Transvaal at his request, 154, 167
Roberston: letters from, 34; sent to Salisbury by Hutcheon, 21, 32–3, 85
- Hwange, *see* Wankie colliery
- Hyam, R., 331n33
- Hyatt, S. P.
biographical note, 347n33
and Koch, 1, 2, 102
letters to *Financial News*, 1, 2, 230–1
and native commissioners, 233–4
and transport riders, 19–20
hyperimmune serum, 106, 108
hypothesis influences perception, 256–7
- IL-2 (interleukin 2), 272–5
- I.L.R.A.D., xi
- imapunga (heartwater), 300n12
- immune carriers, 110, 111, 162, 184, 187, 197, 220, 345n21
- immunization, *see* East Coast fever, attempts to control
- inoculation, *see* East Coast fever, attempts to control
- Jameson, L. S., 9, 18–19, 63, 125–6, 203
‘off his head before the raid’, 38–9
- Jameson raid, 9, 18–19, 38–9, 63, 125–7, 296n20, 326n11, 326n12
- Jarrett, W. F. H., 263, 264
- Jarvis, E. M., 20, 21, 26, 28, 29, 156, 175, 213
biographical note, 299n10
- Judd, D., 124
- Jura, W. G. Z. O., 270
- Kanthack, A. A., 129, 130, 328n24
- Kelly, B., 270
- Kenya, British emigration to, 372n11
- Kenya, ECF in, 373n14
- Keppel-Jones, A., 38–9, 63–5, 236, 293n2
- Kew, *see* Royal Botanic Gardens
- Kilborne, F. L., *see* Smith, T.
- King Ranch, 48, 283, 284, 305n57
- Kirk, J., 67, 131–2, 329n28
- Kitchener, H. H. (Lord Kitchener), 40
- Klein, E., 130
- Kleine, F. K., 99, 104–5, 286, 289, 321n21, 322n30, 340n42
- Koch, R.
and Australian cattle, 96, 97
biographical notes, 318n3, 319n4, 319n7, 340n2
at Bloemfontein conference, 109–12, 178–9, 183–4

380 *Index*

- Bulawayo, remarks on, 103
 Chamberlain opposes employment of, 6, 67–9, 72–4, 121, 134–6, 177, 310n37
 character, 340n42
 cost of investigation, 115; in money of 1988, 115, 324n36, 324n38
 cost of personal services, 115; in money of 1988, 2, 115, 324n36, 324n38
 criticism of, 328n24; by Alexander, 117–19; by Bevan, 119–20; at Bloemfontein conference, 110–12, 183–4; by Gray, 49, 92, 102, 120, 255, 256; by Theiler, A., 110–11; by Watkins-Pitchford, 111–12, 119
 critique of work in German East Africa, 49, 91–3, 100–3, 255–7
 critique of work in Rhodesia, 96–7, 100–3, 169–71, 257, 276, 277
 and ECF: bibliography of articles on, 320n10; blue tick as vector, 97–8, 99, 107–8, 110, 183–4; errors made in 1897, consequences of, 102–3, 256–7; failure to induce by blue ticks, 97–8, 107–8, 321n25; failure to induce by inoculation, 105–6, 149; hyperimmune serum, 106, 108; immunity, attempts to induce, 91, 92, 98–9, 106–7, 108–10, 113, 183–4; immunity, failure of method, 115, 116, 120, 179, 186, 187, 190, 191, 194; a new disease, 95, 96, 101, 168; parasites, small, 13, 33, 88–93, 106, 107, 172–3; parasites, small, supposed sign of immunity, 106, 107, 111, 179, 239, 240, 246–7; quarantine impractical, 109, 110, 183
 in German East Africa, 13, 33, 71, 72, 74, 86, 87–93, 96, 101–3, 169–70, 257
 and German government, 135, 332n34
 as expert: and British South Africa Company (*which see also*), 71, 73–9, 83–4; extension of services, 113–14; suggested as expert, 66, 70, 71, 85, 86; terms to serve, 75–82, 313n52;
 reports on ECF, 320n10; interim, 94–7, 98–100, 103, 105, 117–18, 147, 168, 170, 178; second, 105–7; third, 107–9; fourth, 109, 113
 and rinderpest, 11, 41, 85, 105, 129–30, 138–9, 328n24
 Rhodesia, arrives, 93
 Rhodesia, leaves, 114–15
 Rhodesia, views on, 103, 114
 at Zimbabwe ruins, 112–13
 Koch's blue bodies (macroschizonts), 13, 95, 260, 261, 263, 265, 267, 269, 270, 271, 276, 363n5
 Koch's postulates, 248–52, 254
 Kotzé, J. G.
 and Australian cattle, 23
 biographical notes, 15–16, 295n12
 and expert, search for, 43, 52, 58–61, 65–7, 70–2, 78, 85
 and Haggard, 16, 295n12
 Hutcheon, advice from, 43, 52, 59, 66, 71, 85
 and Jameson raid, 326n12
 and Kruger, 16, 53, 295n12, 326n12
 and Milner, 16, 23, 53
 and settlers' demands, 40–1, 42–4, 60, 61
 Krauss, H. H., 264
 Kruger, P., 16, 53, 135, 138, 295n12, 326n12
 Kurtti, T. J., 269–70
 Langley, J. N., 130, 131
 Lankester, R., 67, 68, 129, 130, 131, 311n40, 330n29
 larvae, *see* ticks, life cycle
 Laveran, A., 46, 50, 112, 137, 144–6, 145 (fig. 2), 176, 177, 246, 253, 255–6, 278, 283, 285, 335n10, 360n20
 Lawrence, D. A., 20, 355n8
 Lawrence, J. A., 220, 221, 299n9, 325n43, 350n50, 355n8
 Lees-May, T., 220
 Lignières, J.
 articles, sent from Australia, 24, 298n5
 center and periphery, 283–4, 285
 expert on Texas fever, 24, 283–4
 immunity, views on, 146, 164, 166, 176
 influence on: Gray, 29, 278, 280, 283, 286; Hutcheon, 164, 166, 278, 281, 286; Theiler, A., 146, 176, 285
 Lister, J. (Lord Lister), 127–8, 129, 130, 131, 133
 Livingstone, D., 8, 131, 132
 Lobengula, 8
 Loeb, J., 370n8
 Logan, K. S., 273, 274
 Loir, A., 71, 145, 304n50, 312n44
 Loudon, J. B., 235, 352n18, 352n19
 Lounsbury, C. P., x, 2, 21, 53, 90, 98, 137, 167, 168, 180, 248, 249, 277, 278, 284, 289
 biographical notes, 140–1, 334n3
 and brown tick, 151–63
 critique of work of Koch, 169–70
 and immune carriers, 162, 345n21
 first induction of ECF, 151–2, 153
 Lucas, C. P., 132, 330n29
 Luhs, J., 174, 242, 355n7
 lymphoblasts, 258–76
 lymphocytes, 13, 258–76
 McCallum, H., 57
 McCarty, M., 259, 322n30

Index

381

- Macdonald, W., 188, 196
- McFadyean, J., 59, 60, 61, 62, 63–5, 66, 70, 71, 84, 85, 100, 114, 116, 133, 139, 171, 283, 285
biographical notes, 308n12, 309n27
suggested as expert, 59, 60, 61, 62, 63, 66, 70, 71, 84, 85, 176
- MacLeod, R., 283, 286, 291n5, 368n3, 368n4, 370n9
- malaria, 155, 345n21, 361n1; *see also* Ross, R.
- malaria, bovine, *see* Texas fever
- malignant jaundice of dogs, 156
- Malmquist, W. A., 262, 264
- Manson, P., 55, 67, 128, 130, 132, 133, 330n29
- 'marginal points,' 243–4, *see also* anaplasmosis
- Mashonaland, 8, 225–9, 231–2, 233–4, 293n1
- Masvingo (Fort Victoria), *see* Victoria district
- Matabeleland, 8, 229–30, 232, 293n1
- Melsetter (Chimanimani), 3, 156, 225, 229, 231, 232, 274
- Mettam, A., 63
- Meyer, K. F., 149–50, 260, 261
- Michell, L., 63, 93, 203
- Milner, A. (Lord Milner), 18, 19, 100, 133, 134
and Australian cattle, 22–4
biographical notes, 52–4, 306n1, 307n2
and Chamberlain, 121, 126
as Colonial Secretary, and professionalization of government, 134, 331n33
expert, search for, 52, 57–62, 65–7, 69–82, 85
and Kruger, 16, 53
and Smith, F. B., 54–6, 139, 331n33
- Milton, W. H., 37, 38, 100, 203
and bacteriological institute, 45–6
biographical notes, 15, 295n10
and expert, search for, 70–6, 78–80, 81–2, 312n43
and Jameson raid, 19, 126
- Mitchell, L., *see* Michell, L.
- Moor, F. R., 57
- Morrison, W. I., 265, 266
- Moulton, J. E., 264
- moving metropolis, 281–2, 286–7
evolution of concept, 370n9
- Mozambique, *see* Portuguese East Africa
- Mugabe, R., 237
- Musisi, F. L., 269
- Mutare, *see* Umtali
- Mzilikaze, 8, 293n1
- nagana, *see* tsetse-fly disease of cattle
- Namibia (German South-West Africa), 190, 344n16
- Napier, W., 31
- Natal cattle die when exposed to ECF, 49, 56–7, 93, 95, 100, 176
- Native Commissioners
Hyatt, opinion of, 233–4
reports on ECF, 224–33
- Neitz, W., 150, 355n8
- Neufeld, F., 99, 104, 113, 289, 322n30, 340n42
- Neumann, L. G.
biographical note, 337n23
and brown tick, 153–4, 157, 337n23
center and periphery, 284
new disease, how defined, 252–4
- Nicolle, M., 76, 84, 314n59
- Nocard, E.
figure of the center, 283, 285
and horse sickness, 114
says disease is ECF, 112, 137, 146, 176, 177, 253, 278
suggested as expert, 70, 71, 72, 76, 84, 85, 312n43, 314n59
- Nussenzweig, R., 150, 222
- Nyindo, M. B. A., 262, 264
- nymphs, *see* ticks, life cycle
- Ommanney, M., 80, 83
- Onderstepoort (veterinary research institute), 285, 321n21, 331n33
- van Onselen, C., 11, 40
- Orpen, C. E., 156
- Orpen, J. M., 33, 34, 42
accused of incompetence, defends self, 36–9, 302n31, 303n34
and bacteriological institute, 44, 45, 303n45, 303n46
biographical notes, 16–17, 295n13, 295n14, 302n31
disease not new, 17, 32, 181
expert, advice about 70–1, 136, 312n43
and Gray, 16–17, 31, 34, 35, 37, 42
and Rhodes, 295n14
- ox-carts, *see* transport riders
- parasite causing ECF (*Theileria parva*), 258–76 *passim*
bacillary, *see* parasite causing ECF (*Theileria parva*), form within red blood cells
confused with *Theileria mutans*, 239–42
form within T lymphocytes (Koch's blue bodies), 13, 95, 260, 261, 263, 265, 267, 269, 270, 271, 276, 363n5;
evokes production of IL-2, 272–6;
induces IL-2 receptors, 274–5; and T cells, 271–6; transmits ECF if

382 *Index*

- inoculated and infected lymphocyte not rejected, 267–8
- form within red blood cells, 13, 33, 48, 49, 50, 88, 89, 90, 91, 92, 93, 95, 144–6, 145 (fig. 2), 152, 153, 164–5, 169, 170, 171–5, 178, 246–8, 259–60, 267, 361n1, 364n9, 365n26
- infectious only after tick feeds for a time, 338n28
- ‘juvenile form’ of Texas fever parasite, mistaken for by: Koch, 88–9, 91, 92, 246; Robertson, 33, 48, 49, 50, 246
- multiplies in certain lymphoid tissues (see also Koch’s blue bodies), 13, 95, 260, 261, 262, 266, 269, 271, 276
- named *Piroplasma parvum*, by Theiler, A., 174
- named *Theileria parva*, 242, 361n1
- pin-shaped, see parasite causing ECF (*Theileria parva*), form within red blood cells
- provokes multiplication of lymphocytes: in infected cattle, 258, 260, 261, 262, 263, 264, 265, 266, 268–9, 269–70, 271; *in vitro*, 262–3, 264, 267–8, 269–71
- stave-like, see parasite causing ECF (*Theileria parva*), form within red blood cells
- parasite causing Texas fever
- carried in ticks’ eggs, 11–12, 90, 246, 248
- causes hemolysis and anemia, 11, 27, 28–9, 30, 95, 244–5, 279–80
- described by Smith and Kilborne, 12, 88, 175, 244–6
- may reappear in animals suffering from ECF, 13, 105
- named or referred to as: *Babesia bigemina*, 242, 361n1; *Piroplasma bigeminum*, 358n16; *Pyrosoma bigeminum*, 88, 89, 358n16
- parasite, ‘large, twinned, pear-shaped,’ see parasite causing Texas fever
- parasite, small, as supposed sign of immunity to ECF, 107, 111, 113, 190, 239–41, 246–7, 249
- parasites, small, see anaplasmosis and *Anaplasma marginale*; *Theileria mutans*; *Theileria parva*; *Theileria parva bovis*
- Pattison, I., 63
- Pinder, M., 272
- Piroplasma bigeminum*, see parasite causing Texas fever
- Piroplasma bigeminum*, ‘immune form,’ 239–42, 246–7
- Piroplasma kochi*, 249–50
- Piroplasma mutans*, see *Theileria mutans*
- Pols, J. W., 262
- Pyrosoma bigeminum*, name changed to *Piroplasma bigeminum*, 358n16
- Pitchford, H. W., see Watkins–Pitchford, H.
- Portuguese East Africa, 7, 97, 110–11, 142, 190, 209, 210, 214, 293n1, 349n2; see also Beira
- quarantine, see East Coast fever, attempts to control
- rabies, in Rhodesia (1902–3), 94, 304n50, 312n44
- and Loir, 71, 304n50, 312n44
- rabies, Chief Gambo’s memory of, 238, 353n27
- Radley, D. E., 265
- railroads, in Rhodesia, 19, 40, 225, 303n36, 372n11
- request to Kitchener for supplies to build, 40
- Ranger, T. O., 11, 224
- redwater, see Texas fever
- Reichenow, E., 261–2, 263, 269, 270, 286
- Rhodes, C. J., 8, 9, 15, 25, 30, 44, 104, 202
- and Australian cattle, 22, 25
- biographical notes, 291n1, 295n14
- called ‘Mr. Rhodes,’ 44
- and Chamberlain, 126, 134
- and Orpen, J. M., 295n14
- Rhodesia
- economic situation, 201–5, 287–8
- history, 7–10, 293n1, 293n2, 293n3; see also African uprising, 1896
- Koch, comments on, 103, 114
- named, 291n1
- newspapers, controlled by Rhodes and B.S.A.C., 292n5
- political situation and public unrest, 8–10, 22–6, 28, 30, 31, 32, 34, 35, 36–8, 39, 40–1, 42–4, 47, 58, 59, 60–1, 63–5, 93, 109, 175–6, 181
- Rhodesian redwater, see East Coast fever
- Rhodesian tick fever, see East Coast fever
- Rickmann, W., 344n16
- rinderpest, 1, 11, 17, 26, 27, 36, 40, 41, 44, 47, 67, 71, 85, 130, 138–9, 142, 223, 297n24, 324n43, 329n27
- ‘ring forms,’ 111, 113, 115–16, 190, 239–41, 246–7, 249; see also parasites, small, as supposed sign of immunity to ECF; *Theileria mutans*
- Robertson, W., 11, 21, 53, 85, 102, 119, 181, 253, 256
- biographical note, 301n20
- in Bulawayo at protest meeting, 60

Index

383

- diagnoses first deliberately induced ECF, 152, 154
- disease not new, 33–4, 46–9, 50, 56, 92, 146, 246, 278, 280–1
- letters: to and from Gray, 50, 82, 151; to Hutcheon, 34
- reports: interim, 32, 34, 42, 175; joint, with Gray, 46–9, 87, 93, 94–5, 100–1, 144, 147, 163, 165, 169, 176–8, 180, 246, 255, 260
- in Salisbury, with Gray, 32–4, 37, 39, 40, 41, 42, 163, 164, 167
- Rodwell, C. H., 114
- Ross, R., 130, 132, 282, 330n29
- Rowland, A. C., 270
- Royal Botanic Gardens (Kew)
and agricultural research, 129, 134, 328n21
and Chamberlain, 128–9, 133, 134
and Colonial Office, 129, 133, 134, 328n21
and Kirk, 132
- Royal Society
and Chamberlain, 121, 122, 125, 127–33, 136
- Malaria Committee, 67–9, 122, 125, 130–3; recommendation of Bruce, D., 67–9, 83–4, 85, 311n40; and Ross, 130–2, 330n29
- TseTse Fly Committee, 84, 125, 129, 132
- no veterinarian members, 283
- Rudd, C. D., 8, 202, 373n13
- Salisbury (Harare), 2, 3, 4, 5, 9, 15, 21, 25–50 *passim*, 59, 65–6, 70, 93, 225, 226, 229, 231; *see also* British South Africa Company, search for expert
- Santa Gertrudis, *see* King Ranch
- Savile Club, 243, 311n40, 356n13
and Malaria Committee, 311n40
- science, caution and rationalization, 278–81
- Selous, F. C., 8
- Selukwe, 41, 213, 229
- Sherrington, C. S., 67, 132
- Sinclair, J. M., 20, 25, 26, 206–7, 214
- slaughter of herds, *see* East Coast fever, attempts to control
- sleeping sickness, human
and Bruce, D., 84, 106, 317n84
and Castellani, A., 317n84
- Smith, F. B., 54–6, 74, 114, 122, 134, 139, 147, 187–9, 196, 243
biographical notes, 54–6, 307n3, 356n13
center and periphery, 284
opinion of Koch, 74, 114
and scientific agriculture, 54–6, 134, 307n3, 331n33, 369n6
and Stockman, 187–9, 196, 243
- Smith, T. (and Kilborne, F. L.), 12, 88, 89, 90, 167, 171–2, 175, 239, 244–6, 278, 279–80, 305n57, 358n16
critique of work, 279–80
and small parasite, 175, 239, 244–6, 254–5, 256, 257 (fig. 4), 279–80
- Smuts, J. C., 200
- South African Association for the Advancement of Science, 187, 306n58
- Spreull, J., 214–15, 336n14
- Stagg, D. A., 268–9
- Steinman, R., 259
- Stevens, J. A., and Cape Town office, B.S.A.C., 32, 72, 314n54
- Stewart, J. D., 24
- Stirling, R. F., 25, 207–10, 213, 223, 233, 234
attacks Dutch farmers, 209
biographical note, 349n41
and temperature camps, 207–9
- Stockman, S., 63, 134, 221, 233, 234, 243, 282
attacks Boer farmers, 198–9
biographical notes, 309n27, 331n33
at Bloemfontein conference, 110–11, 184–5
at Cape conference, 190–7
cleansing the fields, 185–9, 192–5
and Smith, F. B., 187–9, 196, 243
and temperature camps, 187–9, 191, 192, 195, 196, 197
and Theiler, A., in Transvaal, 185–9
- Strangeways, T. S. P., 63, 66, 84
biographical note, 309n24
- Strickland, A. W. N., 31, 299n9
- stumbling blocks, 49, 92, 102, 254–6
- T cell, 271–6
- T cell growth factor (IL-2), 272–5
- temperature camps, 187–9, 191, 192, 195, 196, 197, 207–8, 219–20, 221
- Texas fever (redwater), *see also* Smith, T.; Texas fever (redwater), confused with ECF; Texas fever (redwater), ‘mild form’
absent from New South Wales, 24
and Australian cattle, 23, 24, 39, 96, 97
blue tick as vector, 10, 11–12, 14, 28, 50, 90, 97–8
cattle immune to, not immune to ECF, 95, 96; Natal cattle, 49, 56–7, 93, 95, 147, 176, 180, 307n6; Theiler’s evidence, 95, 96, 147–9, 180
causal parasite, *see* parasite causing Texas fever
did not alter in character in first invasion of Transvaal, 166

384 *Index*

- hemoglobinuria in, 11, 27, 28–9, 30, 95, 244–5, 279–80
- Lignières, expert on, 24, 298n5
- pulmonary edema absent, 13, 14, 29, 30, 33
- relapse may occur during ECF, 13, 105
- transmissible by inoculation of blood, 90–1, 105, 239–40
- transmitted by Koch in German East Africa, 90, 91
- Texas fever (redwater), confused with ECF
- by Koch, 13, 33, 47–8, 87–92, 117, 118, 119, 147
- by others, 13, 14, 29–30, 31, 46–50, 56–7, 119, 175
- referred to as redwater: ‘altered in character,’ 35, 165–7; ‘atypical,’ 29–30, 35, 47, 49, 93, 176; ‘virulent’, 43, 49, 99, 103, 144, 146, 147, 151, 165–7, 176
- uncertainties as to whether ECF same as Texas fever, 50, 66, 72, 86, 143, 147, 149, 151, 152, 154, 164–8, 169–71, 176, 177
- Texas fever (redwater), ‘mild form’, *see also* anaplasmosis
- anemia present, 12, 243, 244, 279, 280
- autumnal, 244, 245
- causal parasite: actually *Anaplasma marginale*, 243–6, 247, 357n15; confused with ECF parasite by Koch, 33, 49, 88–93, 169, 170, 171–2, 175, 254, 255, 256; difficult to classify, 357n15; dismissed as artefact, 357n15; identity with ECF parasite denied by Laveran, 146, 246, 255, 256; regarded as ‘juvenile form’ of the Texas fever parasite, 33, 88–93, 169, 170, 171–2, 175, 244–6, 255, 256, 279–80; ‘seen’ to transform into true Texas fever parasite, 256, 257 (fig. 4), 279; Theiler’s work on doubted, 244, 357n15
- described by Smith and Kilborne, 88, 89, 244–6, 279–80
- hemoglobinuria absent, 244, 279–80
- hemolysis present, 244, 279–80
- latency exceeds that of Texas fever, 245, 279, 280
- transmissible by blue tick, 247, 280
- transmissible by inoculation, 247, 280
- Theiler, A., xiii, 2, 6, 21, 54, 96, 98, 139, 178, 179, 180, 277
- anaplasmosis and *Anaplasma marginale*, 243–8, 356n14, 357n15
- biographical note, 137–9
- at Bloemfontein conference, 110–12, 183–5
- Boer farmers, condemns, 126, 197–9
- and brown tick, 90, 110, 111, 154, 158–60, 163, 183–4
- and Bruce, D., 80, 84, 139, 334n2
- center and periphery, 285, 331n33
- cleansing the fields, 185–9, 192–5
- critique of work, 179, 357n15, 358n17
- and ECF: articles on, listed, 339n29; contrasts with Texas fever, 251–2; and dipping, 186–7, 194–5, 217; favors fencing, 182–3, 191; first case seen, 142; immune carriers, doubts existence of, 197, 345n21; immunity to ECF and Texas fever, 96, 100–1, 147–9, 173, 178, 180; immunization by inoculation, opposes, 111, 184, 343n10; new disease?, 143–4, 146, 149, 182; slaughter of herds, favors, 193–5
- and horse sickness, 114
- and Hutcheon in Transvaal, 154, 164
- and Jameson raid, 126, 139
- and Koch, 96, 98, 100–1, 110–12, 139, 178–9
- and Koch’s postulates, 248–52, 254
- at Ladysmith, siege of, 139
- languages spoken, 138, 197, 286
- and Laveran, 112, 144–6, 176, 177, 246, 255–6, 283, 285
- and Lignières, 146, 176, 283, 285
- and Lounsbury in Transvaal, 154, 158, 159, 160, 163
- ocular demonstration, 199, 347n25
- and parasites, small, 115–16, 143–4, 190, 239–49 (*see also* anaplasmosis and *Anaplasma marginale*); describes forms, 172–3; ‘immune form’ of Texas fever parasite, 107, 111, 115–16, 239–42 (*see also* ‘ring forms’); ‘juvenile form’ of Texas fever parasite, 144–6, 176, 255–6; *Piroplasma mutans* (*Theileria mutans*), discovers and names, 240–2, 246–8, 358n17; *Piroplasma parvum* (*Theileria parva*), discovers and names, 172–3, 173–5, 246–7, 251–2
- and rinderpest, 11, 138–9
- in Salisbury, 143–4
- services requested by Bruce, 80, 84
- with Stockman, 182–7, 190–201
- and stumbling blocks, 254–6
- transport riders, condemns, 198–9
- Theiler, M., xiii, 114, 289
- Theileria annulata*
- causal parasite of tropical piroplasmosis, 242
- in vitro* studies, 262
- Theileria mutans*, 240–2, 246–8
- inoculable, 240–2, 358n17
- transmission by ticks, 242, 358n17
- Theileria parva*, *see* parasite causing ECF
- Theileria parva bovis*, 242, 355n8
- Theileria parva lawrencei*, 242, 355n8
- Theileria parva parva*, 242
- Thiselton-Dyer, W. T., 129
- ticks, 150–63 *passim*, *see also* brown tick

Index

385

- abundant in Rhodesia in 1901–2, 32, 33, 41, 42, 48
- Amblyomma*, and *Theileria mutans*, 358n17
- black-pitted (*Rhipicephalus simus*), can transmit ECF, 159, 160
- blue (*Rhipicephalus decoloratus*): believed by Koch to transmit ECF, 97–8, 108, 110, 120, 183–4; do not transmit ECF, 14, 90, 151, 152–3, 157, 158, 163, 173, 183–4; and Texas fever, 10, 11–12, 14, 90, 151, 152–3
- Capensis (*Rhipicephalus capensis*), can transmit ECF, 158, 160, 161
- Hyalomma*, and *Theileria annulata*, 242
- life cycle, 10–11, 12, 14
- ‘mixed tick infection,’ cause of ECF (Hutcheon), 166–7
- ‘shiny brown’ (*Rhipicephalus nitens*), can transmit ECF, 161
- study of, way to sort out problem (Hutcheon), 167, 173
- Townsend, E. R., 37, 64
- Trager, W., 259, 262–3, 275
- Transkei, 288, 349n49, 352n20, 354n28
- transport riders, 19–20, 34, *see also* Hyatt, S. P.
- regulation of, 206–7, 211–14
- ruined by ECF, 1, 20
- and spread of ECF, 20, 31, 183, 187, 190, 198, 199, 212, 225, 227, 230, 232, 233
- transport, disrupted by ECF, 5, 31, 36, 37, 40–1, 65, 185, 200
- Transvaal Department of Agriculture, created by F. B. Smith, 54–6
- opposes fencing, 187–9
- support of Theiler, A., 139, 147
- tropical piroplasmiasis, 242, 355n7
- TseTse Fly Committee, *see* Royal Society
- tsetse-fly disease of cattle, 68, 84, 311n40, 351n65
- Tsur, I., 262
- Turner, F. J., 370n9
- Turner, G., 142–3, 164, 334n2
- Turner, L., 262
- Umtali (Mutare), 32, 211, 215, 225, 226, 229, 230, 231, 289
- Agricultural Show: 1901, 3, 23, 25, 26, 343n10; 1902, 5–6
- and Australian cattle, 22–3, 97, 343n10
- ECF, first appears in, 3, 141, 181, 215
- ECF, death rate, 30, 93, 94
- Gray visits, 26–9, 30–1
- quarantine imposed by Jarvis, 35
- veterinary research in U.K., 63, 134, 331n33
- Victoria district, 225
- Koch, trial of immunization, 112–13
- spread of ECF, 41, 227, 230, 231; *see also* Selukwe
- Vumba (near Umtali), 3, 289
- Wankie colliery, 232, 352n12
- Wang, H., 360n22
- Watkins–Pitchford, H.
- attacks Koch, 111–12, 119
- biographical note, 324n43, 350n50
- and dipping, 215, 217, 218, 350n50
- disease not new, 50, 57, 112, 118, 119, 151, 307n6
- mentioned 11, 21, 100, 180, 256, 282, 289
- and Natal cattle, 49, 56–7, 93, 95, 100, 147, 176, 178
- and rinderpest, 138–9
- Wilde, J. K. H., 220, 262
- Wilhelm II, Emperor of Germany, 125, 135, 326n12
- Woodhead, G. S., 62–3, 65, 84, 133
- biographical note, 309n18
- Worboys, M., 129, 284, 291n5, 334n3
- X-club, 368n4
- yellow fever, 155
- vaccine and Theiler, M., xiii, 114, 289
- Zimbabwe ruins (Great Zimbabwe), 112–13