

Index

Page references in **bold** denote illustrations

Abutilon theophrasti
 allocation and display flexibility in competition, 111–23
 allocation of resources, 109
 biomass, 108–9
 light and nutrient gradients, **165–7**
 environmental heterogeneity, 175–81
 germination, 88–90
 growth response, 235, 237
 mycorrhiza, 76
 photosynthetic response, **207**
 relative growth rate (RGR), 126–7
 response flexibility, **198**
 seedlings, herbivory damage, 104–5, **106**
 stomatal conductance, **99**
 acclimation
 defined, 199
 and plasticity, 197–203
Acer spp.
 hurricane damage and forest regeneration, 257–8
 partitioning gap-understory environment, 249–56
Acer rubrum, photosynthesis rate, 26, **96**, **208**, **250**
Acer saccharum, 94
 gap dynamics, 248
 modeling response, 224–5
 photosynthesis, 26, **250**
 plasticity, **202**
 aerial environment
 carbon dioxide, 67–71
 light, 64–6
 temperature, 66–7
 agriculture, plough layer, 63
Agropyron repens
 allocation costs and disturbance frequency, **27**, 28
 photosynthesis, 26–7
Agropyron spicatum, replacement by *A. desertorum*, 111
 allocation of resources, 21, 23–8
 controllers and signals, 19–21
 costs and disturbance frequency, *Agropyron repens*, **27**, 28
 and display flexibility in competition, 111–23
 examples
Abutilon theophrasti, 109
Datura, 109, 111–23
Erigeron canadensis, 133
Polygonum pensylvanicum, 111–23
Setaria faberii, 111–23
Verbascum thapsus, 28
 nutrients, 108–23
 reproductive allocation (RA), **25**, 26, 28
 theory, 24
Amaranthus
 biomass vs. density, 49–51
 competition, 116, 236
 environmental variation, 178
 germination, 88–90
 growth potential, 136
 leaves and seeds, nitrogen, 29
 phosphoglucoisomerase (PGI), allelic frequencies, **179**, 180–1
 relative growth rate (RGR), 126–7
 survivorship, 99, **100**
Ambrosia spp.
 biomass and density, 49–51
 photosynthetic response, **207**
 pollen record, 274
Ambrosia artemisiifolia
 air temperature response, **163**
 biomass responses, **141**
 dominance patterns, 39–40

Cambridge University Press

978-0-521-39843-5 - Plants in Changing Environments: Linking Physiological, Population, and Community Ecology

F. A. Bazzaz

Index

[More information](#)

314

Index

- Ambrosia artemisiifolia* (cont.)
 germination cycle, **87**, 88–90
 leaves and seeds, nitrogen, **29**
 response shifts with ontogeny, **164**
 response to neighbor identity, 125–7
 survivorship, **142**
- Ambrosia trifida*
 competition, 127, 237
 germination, 233–7
 growth potential, 134–6
 oldfield vs. annual field, **187**
 oldfields, dominance, 47, 235–6
 plasticity, **202**
 recruitment, **86**
 seeds
 data, **187**
 germination and emergence timing, 186
 predators and herbivores, 103–7
 size, germination depth, emergence, **85**, 86
 stomatal conductance, **99**
- Andropogon virginicus*
 dominance, 47
 replacing *Aster*, 142–3
 successional change, 275
- annuals
 vs. herbaceous perennials, 140–2
 C₃ and C₄ species, 12, 236
 co-occurring with early-successional plants, **157**
 root depth, **158**
 disturbance and recruitment, 88–90
- examples
 summer *see* *Ambrosia* spp.
 winter *see* *Erigeron* spp.
- gaps in *Poa* community, **119**
 leaves and seeds, nitrogen content, **29**
 oldfield successional change, 38–60
 recruitment, comparisons, **84**
 recruitment times, **98**
 resource augmentation, 19
 response breadths, Levins' B, **155**
 response to pre-emption of space, 117, 137
 winter vs. summer annuals, interactions, 136–9
see also early-successional plants
- Antennaria parlinii*
 role in succession, 168–70
 stolons, 59–60
- anthropogenic disturbance, 264–5
 anthropogenic disturbance and recovery, 61–3
- apomixis, 59–60, 168
- Arrhenius model, 88
- Aster* spp.
 ¹⁴C distribution, **144**
 vs. annuals, 140–2
 vs. *Solidago* spp., 142–4
 architecture, **120**
 biomass and density, 50, 51
 clonality, 52–9
 development, **122**
 photosynthesis and transpiration rates, **121**
 plasticity, 201
- axillary bud enhancement cloning, 228
- Betula* spp.
 biomass, and light, **212**
 elevated CO₂, herbivores, **279**
 hurricane damage and forest regeneration, 259–63
 nitrogen-deposition treatments, 73–4
 partitioning gap-understorey environment, 249–56
 photosynthesis, rates, **208**
 place in successional change, 43
 root production and loss, **221**, 222
- biomass, vs. density, 49–51
- Brosimum alicastrum*, plasticity, **203**, 204
- capacitance, of resources, 22
- carbon dioxide
 aerial environment, 67–71
 early-, mid-, and late-successional plants, **213**
 Keeling curve, 13
 photosynthesis, 67–71
 rise
 CO₂ effect, 32
 global consequences, 264–78
 influence of elevated CO₂, **277**
 plant changes, 275–6
 scaling, **34**
 sunflecks, post-illumination fixation, 261–2
see also photosynthesis
- carbon sinks
 formation from recovering ecosystems, 268
 and removal of primary forest, 269–70
- Castanea*, mortality, 103
- Cecropia obtusifolia*, 110
 plasticity, **203**, 205
- Ceiba pentandra*, response flexibility, 209
- Celtis occidentalis*, modeling response, 224–5
- Chenopodium album*
 biomass vs. density, 49–51
 germination, 88–90
 response to pre-emption of space, 117
 seed size, germination depth, emergence, **85**
- Clementsian views of successional change, 3, 9, 38, 230–1

Cambridge University Press

978-0-521-39843-5 - Plants in Changing Environments: Linking Physiological, Population, and Community Ecology

F. A. Bazzaz

Index

[More information](#)

Index

315

- climate change
 - General Circulation Models (GCMs), 224
 - human activities, 267–70
 - plant adaptation, 276–9
 - and successional change, 264–79
 - successional trajectories, 230, 274–6
 - temperature rise, 271
- clonal plants, 51–60
 - clonal integration, 184–5
 - recruitment in successional habitats, 90–2
- cloning techniques, 228
- competition
 - competitive competence, 146
 - components, 108
 - intraspecific (conspecific), 132–6
 - and successional change, 131–2
 - see also* plant–plant interactions
- competitive superiority, dominance, 235–6
- congruence, of resources, 22
- controllers
 - defined, 20
 - and signals, 19–21
- CSR strategies, 15–16
- dam building, vegetation response, 224, 225
- Datura*
 - allocation and display flexibility in
 - competition, 111–23
 - allocation of resources, 109
 - germination, pattern, 89
- density, vs. biomass, 49–51
- diallel competition experiment, 124–5
- Diospyros*, clonality, 51, 91
- disturbance
 - consequences of disturbance regimes, 227
 - defined, 61
 - impact on atmosphere–biosphere–ocean interactions, 2
 - succession mechanisms, 5–6
- disturbance and recovery
 - basic principles, 6–7
 - complexity and dynamics, 8
 - disturbance severity and site heterogeneity, 44
 - gap size, 244
 - human activities, 61–3
 - intermediate disturbance hypothesis, 45
 - patterns, 39–40
 - plant–plant interactions, 131–2
 - predictions, niche separation, 153–4
 - research strategy, 24
 - resources, 19–21
- divergence, defined, 171
- dominance
 - clonal plants, 51–60
 - competitive superiority, 235–6
 - patterns, 38–44, 47, 133–4
- dominance–diversity relationships, 46–9
- early-successional plants
 - biomass, conspecific and heterospecific pairs, 161
 - carbon dioxide exchange attributes, 213
 - co-occurring annuals, 157
 - competitive competence, 146
 - decline in photosynthetic rate, 211
 - ecological and genetic variation, 173–90
 - monospecies in patches, 132–6
 - nutrient gradient, 156
 - photosynthesis, 212–13
 - physiological attributes, 210
 - response breadths, 155–6
 - responses to environmental change, 228–9
 - survivorship, 156
 - see also* annuals; successional plants
- ecological variation
 - defined, 174
 - early-successional plants, 173–90
 - and genetic variation, 188–90
- ecology
 - community and population ecologists, 225
 - evolutionary, 227
- ecosystem models, scaling, 225–9
- effect and response, resources, 22–3
- environmental factors
 - growth responses, 234–8
 - influence on fitness, 185–6
- environmental heterogeneity, 175–81
 - and species diversity, 177
 - variability, 78–81
- equivalency of neighbors, plant–plant interactions, 123–7
- Erigeron canadensis*
 - germination, 90
 - interactions with *Erigeron annuus*, 137, 138
 - intraspecific (conspecific) competition, 132–3
 - leaf rosettes, temperature, 137
 - niche separation, 151–2
 - plant height and reproductive allocation, 133
- evolutionary ecology, 227
- exotic species
 - in competition, 127
 - successional change, 51
- extinction, 270–4
- Ficus*, plasticity, 203, 205
- fire, effects, 269
- fitness
 - defined, 24
 - environmental influences, 185–6

Cambridge University Press

978-0-521-39843-5 - Plants in Changing Environments: Linking Physiological, Population, and Community Ecology

F. A. Bazzaz

Index

[More information](#)

316

Index

- flexibility, 193–205
- flooding regime, vegetation response, **224**, 224–5
- flower color diversity, successional change, **44**, **45**
- forest, primary, removal, and carbon sinks, 269–70
- forest communities
 - dynamics, 239–63
 - gap dynamics, 240–63
 - gap size and severity of disturbance, **244**
 - light availability, 245–7, **246**
 - partitioning gap–understory environment, 248–56
 - plant responses, 247–8
 - resource fluxes in gaps, 244–7
 - successional change, 240–4
 - migration, adaptation and extinction, 272–4
 - predicted changes, **271**
 - regeneration, 256–63
 - after clearcutting, successional change simulation, 18
 - successional change, in oldfields, 13
 - tree replacement, 43–4
- FORET models, 17–19, 231, 240, 241
- Fraxinus*, 91–7
 - germination response surfaces, **91**
 - photosynthesis rate, **96**
- free air carbon dioxide exposure (FACE), 32
- frost heaving, 101
- fungal pathogens, 101–3
- gap dynamics *see* forest communities
- genetic variation
 - changes in genetic structure of persistent populations during succession, 186–8
 - early-successional plants, 173–90
 - and ecological variation, 188–90
 - fast (FF) and slow (SS) alleles, 179
 - structure of population response, 189–90
- Gleasonian views, plant communities, 3, 230
- Gleditsia*, 91–7
 - competition, 95
 - germination response surfaces, **91**
 - photosynthesis rate, **96**
 - water stress, 95
- Grime's triangle, **16**
 - primary strategies, 15–16
- growth responses
 - environmental factors, 234–8
 - relative growth rate (RGR), 126–7
- habitat selection
 - methods available, 192–3
 - and response flexibility, 191–205
- Heliocarpus appendiculatus*, tropical pioneer tree, 110
 - light and leaf area, 194, **195**, 211
- herbivory
 - change, CO₂ increase, 277–8
 - damage to seedlings, 104
 - species richness, 76–8
 - insecticide use, 78
 - successional change, 76–8
- Heterotheca*, replacement of *Erigeron*, 127
- Hubbard Brook ecosystem, USA, 48–9, 241, **242**
- human activities
 - climate change, 264–78
 - disturbance and recovery, 61–3
 - magnitude, 264–7
- human population, projection, 2
- hurricane damage, 63, 107
 - enhanced recovery, 254
 - forest regeneration, 256–63
 - simulation, 171, 265, **266**
- individual species response, prediction of community composition, 229–38
- JABOWA–FORET model, 17–19, 231, 240, 241
- Janzen–Connell hypothesis, seeds, 243
- Juniperus virginiana*, 66
- K-strategists, 15, 153
- Keeling carbon dioxide curve, 13
- Lactuca scariola*, 138
 - niche separation, 151–3
- late-successional plants, physiological attributes, 210
- leaf area index (LAI), 31
 - 'big leaf' of the ecosystem model, 226
- leaf area profiles, successional change, **80**
- leaf temperature, transpiration, 216
- life cycle, attributes, 232
- life forms, successional change, 51
- light
 - aerial environment, 64–6
 - Beer–Lambert formula, 64
 - gap dynamics, 245–7, **246**
 - sunflecks, 261–2
 - see also* photosynthesis
- Liriodendron*, response flexibility, 209
- Long Term Ecological Research (LTER) network, 5
- Lotka–Volterra formulation, 17, 19
- maple *see* *Acer*
- mesocosms, 12
- microorganisms, soil, 74–6

Cambridge University Press

978-0-521-39843-5 - Plants in Changing Environments: Linking Physiological, Population, and Community Ecology

F. A. Bazzaz

Index

[More information](#)

Index

317

- migration, 270
- models and modeling
 - Arrhenius model, 88
 - General Circulation Models (GCMs), 224
 - JABOWA–FORET models, 17–19, 231, 240, 241
 - modeling response, 224–5
 - resource ratio model (Tilman), 16–17, 231
 - SORTIE model, 18, 240
 - species used as models, 12
 - strategies and models in successional plants, 14–19
 - transition matrix models, 230
 - vector models, 170–1
 - ZELIG model, 18
- Morus*, germination response surfaces, 91
- mycoplasmal pathogens, 103
- mycorrhiza, 75–6
- neighbors, equivalency, 123–7
- net ecosystem carbon exchange (NEE), temperate forest, 31
- net primary production (NPP), prediction equation, 226
- niches
 - defined, 147–50
 - determining a plant's niche, 150–3
 - evolution, 147–72
 - 'fundamental' niche, 150
 - and genetic variation, 189
 - niche differentiation, 150
 - niche separation, 150
 - population niche, structure, 163–70
 - quantification, 170–2
 - response breadth, early-successional and late-successional plants, 159–60
 - species coexistence, 148
 - successional ecosystems, 153–62
 - volume reduction, 162
 - see also patches and patch-types
- nitrogen
 - annuals, leaves and seeds, 29
 - anthropogenic disturbance, 265–6
 - availability, patterns, 71–3
 - chronic deposition, 265–6
 - forms, 73–4
 - leaf, decline in high CO₂ environment, 276
 - Tilman's model of change, 16–17
- nitrogen-fixing bacteria, inhibition by *Solidago* spp., 73
- normalized difference vegetation index (NDVI), 31, 226
- nuclear winter scenario, 266–7
- nutrients
 - additions, response flexibility, 196–7
 - allocation of resources, 108–23
 - biomass accumulation, 241–2
 - gradient, early-successional plants, 156
- oak see *Quercus*
- oldfields, abandoned
 - clonality, successional change, mid-successional habitats, 51–60
 - dynamics and succession, 7
 - flow diagram of species and lifeforms, 39
 - leaching, 11–12
 - species on soil depth gradient, 10
 - successional change
 - biomass vs. density, 49–51
 - dominance–diversity relationships, 46–9
 - forest community regeneration, 13, 239–63
 - generalized pattern of dominance, 39–44
 - lifeforms, 51
 - native vs. exotics, 52
 - patterns of diversity, 44–6, 47
 - ontogeny, response shifts, 162–3, 164
- patches and patch-types
 - alpha, beta and gamma scales, 46
 - dynamics, and recruitment of trees, 92–7
 - genotypes, evaluation of performance, 228
 - Illinois oldfields, 7–9
 - mid-successional field, 41
 - monospecies, early-successional fields, 132–6
 - plant–plant interactions, 132–6
 - and scale, 4, 38
 - and succession mechanisms, 9–11
 - succession trajectories, 94–7
 - successional change, 21
 - Suchatchev effect, 47
 - see also niches
- pathogens
 - examples, 62
 - and mortality, 101–3
- perennials, mechanisms which maintain variation, 182–3
- phenotypic plasticity, defined, 199
- phenotypic variation, defined, 174
- Phlox drummondii*, environmental heterogeneity, 177
- phosphoglucosomerase (PGI)
 - changes in allelic frequencies, 179
 - changes in fast (FF) and slow (SS) allelic frequencies, 179–81
- photosynthesis
 - ¹³C and ¹²C discrimination, 69–70
 - ¹⁴C distribution, 144
 - absorbed photosynthetically active radiation (APAR), 226
 - C₃ and C₄ species, 12, 236
 - carbon dioxide, 67–71

Cambridge University Press

978-0-521-39843-5 - Plants in Changing Environments: Linking Physiological, Population, and Community Ecology

F. A. Bazzaz

Index

[More information](#)

318

Index

- photosynthesis (*cont.*)
 net primary production (NPP), 226
 and partitioning gap-understory environment, 249–56
 photosynthetically active radiation (PAR), 31, 251–2
 rate *Acer rubrum*, 26, **96**, **208**
 reallocation of nitrogen, Rubisco activity, 194
 Rubisco, plasticity, 199
 successional plants, 210–15
 physiology of successional plants, 206–22
 photosynthesis, 210–15
 respiration, 217–19
 seeds, germination, 210
 transpiration, 215–17
 water-use efficiency, 219–22
 phytometers, 206
Pinus, facilitation, **93**
Piper auritum, 110
 plant communities
 community-wide predictions, 229
 composition, 223–38
 prediction from life history patterns, 233–8
 prediction of successional change, 229–33
 dynamics and succession, 5
 ecological emphases in classical studies, 227
 middle-number systems, 228–9
 reciprocity and symmetry, 22
 resource capture, congruence and capacitance, 22
 resources and responses, 36–7, 130–1
 stand vs. community confusion, 4
see also forest communities
 plant-plant interactions, 108–27
 equivalency of neighbors, 123–7
 facilitative or neutral, 129–30
 niches, early-successional and late-successional plants, 159–60
 species guilds, 136–46
 winter vs. summer annuals, 136–9
 and successional change, 128–46
Plantago major, and *P. rugellii*, 28, **29**
 nutrient pulse responses, 196
 reproductive effort (RE), 28
 plasticity
 and acclimation, 197–203
 evidence for evolution, 189–90
Platanus, germination response surfaces, **91**
Poa
 competition, 125–6
 mid-successional community, 119
 pollinators, competition for, 155–6
Polygonum pensylvanicum
 allocation and display flexibility in competition, 111–23
 competition, 236
 density, and rank change, **35**
 differential response, light and nutrient gradients, 167, **168**
 dominance, 133–4
 germination, 234–7
 growth responses, 235
 population density, 33
 response flexibility, **198**
 seed size, germination depth, emergence, **85**
 survivorship, 99, **100**
Polygonum persicaria
 genetic variability, **183**
 plasticity, 204
 population, attributes of successful population, 4
 population niche, structure, 163–70
Populus deltoides, modeling response, 224–5
Poulsenia armata, plasticity, **203**, 204
 pre-adaptation, 153
 prediction
 changes in forest communities, **271**
 disturbance and recovery, niche separation, 153–4
 equation for net primary production (NPP), 226
 plant community composition
 individual species response, 229–38
 from life history patterns, 233–8
 short-lived communities, 233
 successional change, 229–38
 principal component analysis (PCA), 94
Prunus
 germination response surfaces, **91**
 photosynthesis rate, **96**
 recruitment, 91–7
Quercus macrocarpa, photosynthesis, 26
Quercus rubra
 gap dynamics, 248
 hurricane damage and forest regeneration, 258
 photosynthesis
 rate, **208**
 rate decline during day, **214**
 place in successional change, 43
r-strategists, 15, 153
 recruitment
 annuals, recruitment times, **98**
 fate of recruits, 97–100
 hazards, 101–3
 successional habitats, 82–107
 trends in successional habitats, 82–107

Cambridge University Press

978-0-521-39843-5 - Plants in Changing Environments: Linking Physiological, Population, and Community Ecology

F. A. Bazzaz

Index

[More information](#)

Index

319

- relative growth rates (RGR), 126–7
- reproductive allocation (RA), **25**
- reproductive effort (RE), 25–7
- resource fluxes, gap dynamics, 244–7
- resources
 - congruence, capture, 21–2
 - effect and response, 22–3
 - and responses, 28–30
 - plant communities, 36–7, 130–1
 - see also* allocation of resources
- respiration
 - soil, 268–9
 - successional plants, 217–19
- response breadth
 - Levins' B, 155
 - niches, early and late successional change, 154
- response flexibility
 - defined, 197
 - of individuals, 183–4
 - plasticity and acclimation, 197–203
 - tracking environmental change, 194–7
- response shifts
 - ontogeny, 162–3, **164**
 - see also* response flexibility
- Rhus* spp., plasticity, **202**
- root specific absorption rate (RSR), 130
- Rorippa sessiliflora*, 133, 138
- Sassafras*, clonality, 51, 91
- scalar field, 170–1
- scale of succession *see* patches
- scaling
 - community and population ecologists, 225
 - in ecosystems, space and time, 225–9
 - leaf-level response to canopy-level response, 226
 - and mechanistic complexity, 30–5
- seedlings
 - gap dynamics, 260–1
 - herbivory damage, 104
 - seed bank dynamics, 82–6
- seeds
 - and biomass, 30
 - biomass vs. density, 49–51
 - germination, 86–90, 233–4
 - depth and emergence, **85**, 86
 - determinant of recruitment time, 233
 - successional plants, 210
 - Janzen–Connell hypothesis, 243
 - nitrogen content, annuals, **29**
 - predators and seed herbivores, 103–7
 - seed bank dynamics, 82–6
 - longevity, 181–3
 - shadows, recruitment curves and diversity, **92**
 - size, **85**, 86
 - size and number, 24–5
- Setaria faberii*
 - allocation and display flexibility in competition, 111–23
 - biomass vs. density, 49–51
 - competition, 236
 - environmental heterogeneity, 180
 - germination, 233–7
 - leaves and seeds, nitrogen, 29
 - photosynthetic response, **207**
 - response flexibility, **198**
 - survivorship, 99, **100**
- Shorea* spp.
 - gap partitioning, 253
 - plasticity, 204, 212, 219
- soil(s)
 - depth gradient, species distribution, **10**
 - disturbance, plow layer, 63
 - early-successional habitats, 70–1
 - microorganisms, 74–6
 - nutrient availability, 71–3
 - see also* nitrogen
 - respiration, 268–9
 - soil warming simulation, 265–6
 - see also* nutrients
- Solanum dulcamara*, environmental heterogeneity, 177
- Solidago* spp.
 - ¹⁴C distribution, **144**
 - vs. *Aster*, 142–3
 - vs. trees, 145
 - clonal integration, 184–5
 - development, **122**
 - dominance in oldfield succession, 47–8
 - inhibition of N-fixing bacteria, 73
 - photosynthesis and transpiration rates, **121**
 - plasticity, 201
 - recruitment, 90–2
 - successional change, 39–42, 275
 - water-use efficiency, 220
- Solidago altissima*
 - clonality, 52–9
 - dominance, **48**
- Solidago canadensis*
 - architecture, **120**
 - clonality, 52–9
- Solidago gigantea*, clonality, 52–9
- SORTIE model, 18, 240
- species
 - allocation of resources, 21, 23–8
 - response, prediction of community composition, 229–38
 - used as models, 12
- species diversity
 - environmental heterogeneity, 177
 - patterns, 44–6

- stomatal sensitivity, water-use efficiency, 219
- strategies
 - plant types, 15
 - primary, Grime’s triangle, 15, **16**
 - r*–*K* continuum, 153
- successional change
 - and climate change, 264–78
 - prediction, 229–33
 - trajectories, **230**, 274–6
- successional habitats
 - niches, 153–62
 - physical environment, 61–81
 - trends, 63–4
 - recruitment, 82–107
 - summary, 81
- successional plants
 - carbon dioxide exchange attributes, **213**
 - Clementsian vs. Gleasonian views, 3
 - and competition, 131–2
 - defined, 1–2
 - forest communities, 18
 - Grime’s triangle, 17
 - and herbivores, 76–8
 - historical perspective, 3
 - late-successional plants, physiological attributes, 210
 - life forms, 51
 - patterns of dominance, 39–43
 - and plant–plant interactions, 128–46
 - scale, 4–6
 - strategies and models, 14–19
 - Tilman’s model, 16–17
 - see also* annuals; early-successional plants; forest; oldfields; physiology
- temperate forest, net ecosystem carbon exchange (NEE), **31**
- temperate successions
 - flow diagram, 39
 - winter vs. summer annuals, 136–9
- temperature
 - aerial environment, 66–7, **84**
 - and photosynthetic response, 138
 - rise *see* climate change
- Tilman’s model, successional change, 16–17, 231
- transpiration, successional plants, 215–17
- transpirational efficiency, 226
- trees, recruitment, and patch dynamics, 92–7
- Trema micrantha*, 110
- Ulmus*, mortality, 103
- Ulmus americana*, modeling response, 224–5
- vector models, 170–1
- vegetation index (NDVI), 226, 31
- vegetation response, dissimilarity of surface to present vegetation, **224**
- Verbascum thapsus*, reproductive allocation (RA), 28
- water-use efficiency, successional plants, 219–22
- ZELIG model, 18