

Author index

- Abraham, B., 28, 29, 31, 42
 Adams, J.G.U., 392
 Ahamad, B., 450
 Aitchison, J., 246
 Akaike, H., 286
 Akram, M., 31, 94
 Almon, S., 369
 Amemiya, T., 197, 212
 Andersen, A.P., 157
 Anderson, B.D.O., 103, 108, 111, 115, 119,
 124, 137, 150, 154, 162, 185
 Anderson, T.W., 42, 59, 79, 195, 213, 291
 Ansley, C.F., 78, 128, 139, 145, 149, 151, 154,
 183, 185, 258, 286, 315, 327, 383

 Ball, J., 4
 Bell, W.R., 227, 228, 302, 334, 335
 Benchmarks, 337–341
 Bera, A.K., 260
 Berenblut, I.I., 237, 238
 Bergstrom, A.R., 479, 480, 502, 508
 Beveridge, S., 288, 289
 Bhargava, A., 213, 237
 Bhattacharyya, M.N., 85
 Bollerslev, T., 345
 Bowden, R.J., 413
 Bowman, K.O., 260
 Box, G.E.P., 7, 12, 22, 35, 42, 70, 71, 76, 78,
 205, 228, 259, 273, 287, 288, 366, 370, 390,
 450
 Boyles, R.A., 188
 Brewer, K.R.W., 309, 315
 Brillinger, D.R., 450
 Brown, R.G., 22, 28, 29
 Brown, R.L., 257, 400
 Bucy, R.S., 23
 Burman, J.P., 75, 304
 Burrige, P., 301

 Caines, P.E., 119, 128, 129
 Cairncross, A., 284
 Cameron, C.C., 358, 418, 420
 Campos, J., 415, 417

 Carvalho, J.L., 23
 Chan, S.W., 113, 117, 119
 Chan, W.Y.T., 468, 473
 Chatfield, C., 31
 Chernoff, H., 236
 Chitturi, R.V., 427
 Cholette, P.A., 337
 Chow, G.C., 367, 463
 Clark, C.E., 500
 Cleveland, W.P., 301, 307
 Cleveland, W.S., 332, 336
 Collier, P., 387
 Conrad, W., 337
 Cooley, T.F., 155
 Corrado, C., 337
 Cox, D.R., 234
 Cramér, H., 266
 Crowder, M.J., 491

 Dagum, E.B., 306, 335
 Dahlhaus, R., 220
 Data revisions, 337–341
 Davidson, J., 373
 De Jong, P., 128, 133, 135, 139, 155, 199,
 327, 338, 453
 Dempster, A.P., 188
 Devlin, S.J., 336
 Dickey, D.A., 291
 Domowitz, I., 345
 Drettakis, E.G., 146, 328
 Duncan, D.B., 111
 Durbin, J., 7, 174, 261, 392, 406, 421

 Efron, B., 190
 Ekern, S., 348
 Engle, R.F., 23, 74, 157, 188, 189, 342, 345,
 366, 376, 429, 438, 455
 Enns, P.G., 436, 447
 Ericsson, N.R., 13
 Evans, M.A., 245

 Fernandes, C., 350

544 Author index

- Fernandez, F.J., 203, 215, 434, 435, 441, 446, 447, 453, 468
 Fernandez, R., 463
 Fishman, G.S., 59, 380
 Franzini, L., 237, 238, 239, 253, 254
 Frisch, R., 292, 373
 Fuller, W.A., 291, 292
- Garbade, K., 23
 Gardner, G., 78, 121, 124
 Gersch, W., 94, 286, 303, 334, 335
 Geweke, J., 450
 Glass, G.V., 456
 Godolphin, E., 68
 Gonzalez, P., 216
 Gourieroux, C., 236
 Granger, C.W.J., 29, 79, 157, 224, 274, 429
 Gregg, J.V., 296
 Grether, D.M., 23
- Hakkio, C.S., 345
 Hall, A.D., 476, 477
 Hall, P., 491
 Hannan, E.J., 41, 80, 210, 267, 377, 423
 Harrison, P.J., 23, 31, 41, 76, 94, 170, 226, 348, 350
 Harvey, A.C., 4, 7, 13, 23, 35, 39, 59, 78, 79, 80, 85, 86, 90, 111, 125, 126, 132, 139, 145, 154, 182, 185, 187, 197, 199, 204, 213, 234, 237, 238, 239, 243, 247, 253, 254, 257, 261, 270, 271, 273, 291, 299, 327, 328, 337, 350, 366, 371, 379, 386, 387, 388, 390, 392, 394, 406, 410, 411, 424, 433, 435, 440, 469, 493, 496, 501, 505, 508
 Hatanaka, M., 372, 385
 Hausman, J.A., 49, 303, 306, 418
 Hay, R.A., Jr, 89
 Hendry, D.F., 13
 Heyde, C.C., 491
 Hillier, G.H., 238
 Hillmer, S.C., 75, 287, 301, 302, 305, 334, 335, 336
 Hinkley, D.V., 234
 Holt, C.C., 22, 27
 Horn, S.D., 111
 Hosking, J.R.M., 443
 Hotta, L.K., 206, 209, 247
 Howrey, E.P., 337
- Imhof, J.P., 238
- Jarque, C.M., 260
 Jazwinski, A.H., 103, 112, 135, 154, 162, 480
- Jeffreys, H., 355
 Jenkins, G.M., 12, 22, 35, 70, 71, 76, 78, 81, 205, 366, 370, 390
 Johnson, L.A., 28, 29, 31
 Johnston, F.R., 226
 Jones, R.H., 78, 433, 445, 483, 502
 Jorgenson, D.W., 370
- Kalbfleisch, J.D., 183
 Kalman, R.E., 23
 Kane, R.P., 86
 Kang, H., 290, 373
 Kendall, M.G., 81
 King, M.L., 237, 238, 239, 245, 299
 Kitagawa, G., 94, 109, 155, 165, 286, 303, 334, 335, 346, 491
 Kiviet, J.F., 243
 Klein, L., 337
 Koener, R., 241
 Kohn, R., 78, 128, 145, 149, 151, 154, 183, 185, 258, 315, 327, 383
 Kolmogorov, A., 264
- La Motte, L.R., 239, 253
 Layton, A.P., 85
 Leach, A.G., 348
 Ledolter, J., 28, 29, 31
 Lehmann, E.L., 237, 238, 355
 Levenbach, H., 297
 Li, W.K., 259, 443
 Lim, K.S., 347
 Lin, A., 463
 Lipster, R.S., 157
 Litterman, R.B., 463
 Liu, L.M., 336
 Ljung, G.M., 259
 Ljung, L., 129
 Lomnicki, Z.A., 274
- Magnus, J.R., 447
 Makridakis, S., 268
 Maravall, A., 73, 307, 342
 Markham, C.G., 86
 Mar-Molinero, C., 298
 Martin, R.D., 330, 332
 Mayne, D.Q., 119
 McCleary, R., 89
 McCullagh, P., 349, 360, 418
 McKenzie, C.R., 328
 McKenzie, E., 177
 McLeod, A.I., 259, 443
 McWhorter, A., 239, 253
 Miller, J.E., 350, 351, 362, 419

- Mizon, G.E., 13
 Moler, C., 484
 Montgomery, D.C., 28, 29, 31
 Moore, J.B., 103, 108, 111, 115, 119, 124, 137, 150, 154, 162, 185
 Morettin, P.A., 86
 Murphy, M.J., 174
 Muth, J.F., 22, 175
- Nabeya, S., 254
 Nelder, J.A., 349, 360, 418
 Nelson, C.R., 90, 91, 288, 290, 373, 438
 Nerlove, M., 22, 23, 67, 68, 88, 187, 227, 291
 Neudecker, H., 447
 Newbold, P., 29, 79, 185, 224, 274
 Nicholls, D.F., 267, 367, 411, 434
 Nickell, S., 4, 394
 Nijman, T.E., 310
 Nyblom, J., 238, 253
- Pagan, A.R., 345, 367, 411, 476, 477, 491
 Parzen, E., 54
 Pemberton, J., 347
 Peters, S., 139, 216
 Phadke, M.S., 483, 488
 Phillips, A.W.H., 483
 Phillips, G.D.A., 23, 132, 139, 410
 Phillips, P.C.B., 290, 291, 292
 Pierce, D.A., 42, 75, 204, 231, 232, 269, 287, 306, 307
 Pierse, R.G., 78, 145, 154, 327, 328
 Plosser, C.I., 90, 91, 237
 Poskitt, D.S., 262
 Priestley, M.B., 59, 76, 205, 227, 341, 480
 Prothero, D.L., 271, 273
 Pukkila, T., 205, 229
- Quenneville, B., 335
- Reed, D., 89
 Reuter, B.E., 297
 Richard, J.-F., 13
 Robinson, P.M., 321, 329
 Rogers, A.J., 236, 246
 Rosenberg, B., 23, 137, 410
- St Cyr, E., 4
 Sargan, J.D., 146, 213, 237, 328, 370
 Schaefer, S., 410
 Schweppe, F., 22
 Schwert, G.W., 237
 Shenton, L.R., 260
- Shephard, N.G., 213
 Shirayev, A.N., 157
 Shiskin, J., 306
 Silvey, S.D., 234, 246
 Sims, C.A., 437, 450, 468, 469
 Singleton, K., 450
 Smith, J.Q., 350
 Smith, R.L., 350, 351, 362, 419
 Sneek, J.M., 80
 Snyder, R.D., 501
 Souza, R.C., 86
 Sprott, D.A., 183
 Stevens, C.F., 23, 41, 170, 348
 Stock, J.H., 454, 464, 493, 496, 505, 508
 Stone, M., 68
 Stram, D.O., 310
- Takemura, A., 213
 Tanaka, K., 254, 410
 Terrell, R.D., 41
 Theil, H., 22, 268, 286, 413
 Thompson, H.E., 337
 Tiao, G.C., 7, 75, 273, 287, 301, 305, 319, 337, 450
 Todd, P.H.J., 80, 271, 273
 Tong, H., 347
 Tremayne, A.R., 262
 Trigg, J.W., 348
 Trivedi, N.B., 86
 Trivedi, P.K., 358, 418, 420
 Tuckwell, N., 41
 Turkington, D.A., 413
- Ullah, A., 345
- Van Loan, C.F., 484, 504
 Varian, H.R., 224
 Velu, R.P., 450
- Wage, S., 22, 286
 Walker, A.M., 210
 Wallace, T.D., 372
 Wallis, K.F., 271, 273, 300, 301, 468, 469, 473
 Watson, M.W., 49, 188, 189, 303, 306, 454, 455
 Waugh, F.V., 292, 373
 Webb, G.I., 237, 238
 Wecker, W.E., 139, 286
 Wei, W.W.S., 310
 Weiss, A.A., 159
 West, M., 350
 White, H., 130, 381
 Whittaker, E.T., 286
 Whittle, P., 227, 229, 230

546 **Author index**

Wickens, M.R., 413

Wilde, G.J.S., 407

Winters, P.R., 22, 27

Wold, H.O.A., 60

Working, H., 309, 318

Wren-Lewis, S., 394

Wu, C.F.J., 188

Yohai, V.J., 330, 332

Zellner, A., 225, 429

Subject index

- aggregation
 - contemporaneous, 144, 430, 467–8
 - temporal, 10, 145, 154, 313, 318–20, 326–30, 463–4, 479, 484, 492, 505
- airline model, 72–5, 81, 84–6, 218–19, 249–50, 256, 267–8, 270–1, 280–1, 337
- Akaike information criterion (AIC), 80–1, 95, 269–70, 360
- algebraic Riccati equation, *see* Kalman filter, steady state
- aliasing, 311, 324
- amplitude, *see* cyclical functions
- asymptotic theory
 - asymptotic distribution, 210–12
 - asymptotic efficiency, 182, 199, 201
 - asymptotic standard error, 211, 216, 218
 - consistency, 182, 199, 220
- autocorrelation function, 50–2, 55, 66–7, 73, 79, 85, 92, 178, 199, 258, 342, 435
- autocovariance function, 50, 72, 81, 181, 206–9
- autocovariance generating function, 53, 55, 59, 228–9, 427
- autoregressive conditional heteroscedasticity (ARCH) models, 157–8, 160, 241, 260, 342–3, 345, 348
 - ARCH-*M* models, 345
 - generalised ARCH (GARCH) models, 345
- autoregressive disturbances, 48, 238, 239, 292, 415, 463
- autoregressive-integrated-moving average (ARIMA) processes, 12, 17–18, 22–3, 65–70, 75–98, 145, 177–9, 250
- forecast function, 67, 77, 288
 - model selection, 275, 326
 - seasonal ARIMA model, 70–4, 273, 303–6
 - unobserved components ARIMA form (UCARIMA), 65, 74–5, 168, 178–80, 206, 207, 231, 305
 - X-11 ARIMA, 306
 - see also* Bureau of the Census X-11
- autoregressive-moving average (ARMA) models, 12, 65, 206, 292, 315, 330, 483
 - estimation, 124, 220
 - multivariate ARMA models, 410, 429, 432, 434
 - see also* vector autoregression
- autoregressive processes, 33–5, 40, 48, 368
 - continuous time, 480–3, 488
 - continuous time multivariate, 502–5
 - likelihood function, 126
 - state space representation, 102–3
 - see also* vector autoregression
- b*-statistic, 254–5
- basic structural model (BSM), 46, 72–4, 82–5, 93–8, 182, 189, 196, 200, 203, 220, 254
 - autocorrelation function, 56
 - continuous time, 497
 - controllability, 173
 - detectability, 213
 - explanatory variables, 366, 384–5, 391–2
 - identifiability, 207
 - multivariate, 432–3, 447–9
 - observability, 173
 - reduced form, 69, 85, 178, 187
 - spectral generating function, 63–4, 191–2, 197, 213
 - stabilisability, 173, 213
 - state space form, 172–3
 - stationary form, 54
 - steady-state, 177
 - UCARIMA form, 74–5, 231, 305
- Bayes information criterion (BIC), 80, 81, 95, 269–70
- Bayes' theorem, 163, 361
- beta distribution, 351, 354, 357
- beta-binomial distribution, 354
- beta-Pascal distribution, 357
- Beveridge-Nelson decomposition, 289
- bilinear models, 157
- binary data, 349, 354–5
- binomial distribution, 165, 354–6, 418
- Bowman-Shenton test, 360
- Box-Cox transformation, 223
- Box-Ljung *Q*-statistic, *see under* *Q*-statistic

548 Subject index

- Box-Pierce Q-statistic, *see under* Q-statistic
 Brownian motion, 485, 496
 multivariate, 505
 Bureau of the Census X-11, 30, 263, 300, 308
 see also X-11 ARIMA in autoregressive-integrated-moving average (ARIMA) processes
 business cycle, 348
- calendar effects, 98, 304, 326, 333
 moving festivals, 333, 335, 336
 trading day variation, 98, 326, 333, 336
 canonical form, 194, 211
 canonical decomposition, 287–8, 301, 305
see also reduced form
 censored observations, 361
 Cholesky decomposition, 131
 Chow test, 83, 85, 280, 389, 403
 circular process, 192, 195, 201, 211, 377, 378
 coefficient of determination, 240, 263, 268–9, 278, 290, 388, 457, 467
 R^2 , 256, 263, 268, 276, 278, 388–9
 R^2 , 255, 263, 269, 276, 388–9
 co-integration, 9, 390, 428–9, 451, 455, 464, 469, 473
 common trends, *see under* dynamic factor models
 conditional sum of squares (CSS) estimator, 78, 187–8
 conditionally Gaussian models, 113, 155–60, 239, 241, 342, 345, 347, 408
 see also non-linear models
 constructability, 115
 continuous time models, 11, 171, 296–7, 310, 316, 479–509
 continuous forecast function, 285–6
 continuous variables, 350
 see also autoregressive processes and white noise
 control groups, 456, 467
 control theory, 114
 controllability, 115–16, 169, 295
 correlogram, 50, 79, 81, 83–5, 89, 90–2, 181–2, 259, 274–7, 294, 326, 328, 336
 count data, 343, 349, 354, 358, 360, 418–22, 461
 cross-correlation function, 427
 cross-correlogram, 390
 cross-covariances, 424
 cross-sectional data, 7–8, 286, 450
 cross-spectral analysis
 cross-periodogram, 416
 cross-spectrum 377, 428
 cumulative demand, 225
 cumulative periodogram, 260–2, 387
 cumulative sum (CUSUM), 257, 272, 387, 389, 392, 403, 405, 408
 cumulative sum of squares (CUSUMSQ), 257, 260, 261
 cumulator variable, 313, 328, 463, 492
 cycle, 2, 35, 38–40, 60, 86, 198, 220, 275, 276, 278, 312, 390
 autocovariance function, 57
 continuous time, 485–8
 forecast function, 490
 identifiability, 207
 Lagrange multiplier test, 244–5, 251–2
 reduced form, 69–70
 see also cycle plus noise model, cyclical trend model and trend plus cycle model
 cycle plus noise model, 45–6, 57, 69, 121, 215
 cyclical functions
 amplitude, 39
 frequency, 38, 251, 485
 fundamental frequency, 42
 harmonics, 42, 46
 period, 38, 93, 199, 276
 phase, 39
 cyclical trend model, 46, 93, 98, 214, 470
 Lagrange multiplier test, 252, 276–7
 reduced form, 70
 spectral generating function, 64
 state space form, 172
- daily effects, 43–4, 48–9, 70, 81, 98, 169, 173, 334, 409
 continuous time, 486, 488–90
 damped trend model, 46, 298, 308, 456
 forecast function, 149, 289
 state space form, 148
 data-mining, 270, 272, 281
 detectability, 116, 119, 169, 210, 212
 deterministic components, 201–4, 209, 214–15, 258
 detrending, 17, 275, 289–91, 373–4, 469, 472, 507
 Dickey-Fuller tables, 293
 difference equations, 35, 36
 differencing, 12, 17, 49, 66, 76, 79, 81, 102, 181, 274, 295, 373–4, 469
 overdifferencing, 85, 248
 seasonal differencing, 85
 diffuse prior distribution, 121–2, 128, 133, 169, 185, 253, 256, 257, 311, 345, 353, 368, 382, 399, 439, 489
 diffuse prior algorithm, 133–7, 155, 190, 191
 Dirichlet distribution, 356

- discounted least squares, 22–4, 27–9, 30, 38, 175
- distributed lags, 12–13, 368–73, 377, 408
 autoregressive, 371, 376, 471
 polynomial (Almon), 369, 380, 409
 rational, 370, 380
 spectral distributed lag estimator, 380
 unconstrained, 369, 371, 379
see also stochastic difference equations
- distribution (of aggregated observations), 309, 310, 463, 493, 507
- double exponential distribution, 332
- dummy variables, 7, 32, 41, 43, 146, 327, 328, 346, 348, 368, 397–408, 456
 dummy variable seasonal, 10, 46, 232, 301
 dummy variable trap, 232
 Harrison-Stevens dummy variable seasonal, 46
see also intervention analysis
- Durbin *h*-test, 388
- Durbin-Watson *d*-statistic, 238, 245, 256, 299, 388
- dynamic factor models
 common factor models, 9, 286, 396, 429, 449–50
 common cycles, 454–5
 common seasonals, 455
 common trends, 450–4, 464, 473, 475, 505–9
 factor analysis, 449, 451
 factor loadings, 450, 455, 505
 factor rotation, 451
- dynamic regression, 12
see also distributed lags *and* stochastic difference equations
- elasticity, 373, 391
- EM algorithm, 182, 188–90, 216
- encompassing, 13–14, 276, 391, 395
- energy consumption, 95–8, 304, 331
- error-correction mechanism, 13, 372
- exogeneity,
 strong exogeneity, 366, 375, 376
 testing for exogeneity, 376
 weak exogeneity, 366, 374–5, 412, 458, 463–4
see also Granger-causality
- exogenous variables, 201, 455, 471, 474–7
see also explanatory variables
- explanatory variables, 4–7, 9, 10, 12, 32, 81, 190, 231, 264, 304, 333, 335, 343, 350, 365–422, 435, 456, 459–62, 463, 492
see also exogeneous variables
- exponential distribution, 360–2
- exponential smoothing procedures, 24, 174, 440–1
- double exponential smoothing, 28, 38, 94, 177
- single exponential smoothing, 26, 27
- exponentially weighted moving average (EWMA), 22, 25–6, 27, 38, 71, 76, 77, 154, 175, 186, 348, 350, 352, 355, 358, 433, 440, 496
- extended Kalman filter, 160–2, 297, 328, 342
- F*-test, 243, 247
- fast Fourier transform, 205
- filters, 149
 adaptive filtering, 348
 Gaussian sum filter, 162
 moving average filter, 291
 non-linear filters, 162
 optimal filter, 161
see also information filter *and* Kalman filter
- flow variables, 225, 286, 298, 309, 310, 313–17, 318, 321, 333, 479, 483, 492–503, 505, 506
- forecasting, 14–15, 17
ad hoc forecasting procedures, 18, 22, 23–31, 32, 76, 174
 forecast function, 22, 32, 33, 35, 37, 40, 49, 222, 273, 285, 287, 333, 360, 420, 489
see also exponentially weighted moving average, Holt-Winters forecasting procedure *and* prediction
- Fourier transform, 57, 191
- Fourier matrix, 192, 378
- inverse Fourier transform of the periodogram, 244
see also fast Fourier transform
- frequency domain, 10, 23, 168, 182, 188
- frequency-domain estimation, 191–205, 210–17, 295, 376–80
- full information maximum likelihood (FIML), 412, 476
- fundamental frequency, *see* cyclical functions
- gain matrix, *see* Kalman filter
- gamma distribution, 351, 418, 501
- Gaussian sum filter, *see under* filters
- Gauss-Newton algorithm, 197, 199
- general modified exponential function, 296, 298
- generalised least squares (GLS), 130, 133, 137, 151, 238, 377–9, 381, 400, 414, 457, 458, 459
- generalised least squares algorithm, 190, 411, 435, 453
- generalised least squares analogue, 413, 414, 416, 417

550 **Subject index**

- generalised least squares residuals**, 386, 388
generalised least squares transformation,
 139–40, 382, 383, 492
generalised sum of squares function, 184,
 253
generalised recursive residuals, 386, 389, 392,
 400, 403
see also recursive residuals
generalised two-stage least squares (G2SLS),
 413, 414, 477
geometric distribution, 356
Gill-Murray-Pitfield algorithm, *see* quasi-
 Newton algorithm
GLIM models, 349, 358, 418
Gompertz function, 295
goodness-of-fit statistics, 86, 92–3, 263–70,
 276, 277, 278
see also Akaike information criterion,
 Bayes information criterion *and*
 coefficient of determination
Granger-causality, 375, 438
Grenander's conditions, 413
Gumbel distribution, 362
- half-normal distribution**, 213
harmonic frequency, *see* cyclical functions
Harrison-Stevens dummy variable seasonal,
see dummy variables
Hermitean matrices, 505
heteroscedasticity, 130, 344–5, 378, 411
 dependent variable heteroscedasticity
 model, 197
 test for heteroscedasticity, 257, 259–60,
 261, 278, 280, 329, 360, 387
see also autoregressive conditional
 heteroscedasticity (ARCH) models
Holt-Winters forecasting procedure, 27, 31,
 38, 76, 175, 177, 440–1
homogeneity, 101, 169, 435–42, 443, 447, 457,
 458, 459, 460, 464, 466, 467, 471
 autoregressive representation of a
 homogeneous model, 438
 spectral generating function for a
 homogeneous model, 441
 tests for homogeneity, 446–7, 461
hyperparameters, 10, 95, 103, 180, 181, 190
- identifiability**, 49, 66, 78, 205–9, 210, 231,
 250, 251, 263, 275, 287, 305, 320, 450,
 455, 474, 488, 508
identification, 39, 76, 78, 79
information filter, 108
information matrix, 78, 108, 128, 142, 144,
 149, 157, 192, 195–6, 197, 201, 211, 212,
 214, 235, 240, 242, 329, 342, 379, 383,
 385, 388, 446, 491
innovations, 112
 innovation covariance matrix, 113
 standardised innovations, 253, 256
instrumental variables estimator, 385, 411–17,
 477
see also two-stage least squares
interpolation, 309, 310, 311, 463, 490, 507
intervention analysis, 7, 81, 331, 346, 387,
 397–408, 421, 456–62
 pulse variable, 398, 402, 421
 slope change, 398, 402, 421
 step variable, 398, 400, 402, 404, 421
see also dummy variables
inventory control, 499
inverse autocorrelation function, 79, 81, 274
invertibility, 65, 71, 75, 76, 80, 179, 206, 220,
 227, 425
irregularly spaced observations, 11, 479, 483,
 488, 491, 503
- Kalman filter**, 10, 22–3, 38, 78, 104–13
 algebraic Riccati equation, 118, 176, 185
 gain matrix, 106, 113, 152
 prediction equations, 106, 112, 143, 149,
 155, 161, 316, 340
 Riccati equations, 106, 118, 124, 138, 179,
 185, 229
 starting values, 114, 120–5, 127, 137–40,
 169, 205, 257, 314, 340, 488
 steady state, 114, 118–20, 123, 125, 129,
 138, 153, 169, 175, 178, 179, 185–6, 187,
 189, 190, 264, 320, 331, 345, 382, 388,
 401, 415, 433, 440, 457, 496
 updating equations, 106, 112, 143, 161,
 163, 311, 316, 327, 340, 466
see also diffuse prior distribution, extended
 Kalman filter, smoothing *and* state space
 models
Kuhn-Tucker statistic, 236, 246
kurtosis, 260, 266, 274, 331, 342
- lagged dependent variable**, 367, 371, 385, 387,
 388, 389, 393, 408, 414, 418, 471
Lagrange multiplier test, 79, 156, 234–7,
 239–51, 256, 259, 260, 262–3, 275, 276,
 326, 329, 387–8, 394, 410, 443, 446, 492
 asymptotic distribution, 236
 cyclical component, 252, 277–8
 frequency domain, 242–6
 heteroscedasticity, 343, 411
 serial correlation, 250–1, 262–3
see also *F*-test *and* *t*-test
leading indicator, 14, 366

- likelihood function, 10, 125–47, 182, 269, 311, 325, 327, 342, 345, 349, 352, 354, 362
 - ARIMA models, 23, 79, 80
 - concentrated likelihood function, 107, 127, 132, 138, 183, 200–1, 202, 205, 265, 386
 - spectral, 192–5, 202, 379, 383, 434, 441–2
 - see also* maximum likelihood estimation and prediction error decomposition
- likelihood ratio test, 234, 235, 246–51, 275, 420–2
 - asymptotic distribution, 236
- limited information maximum likelihood (LIML), 412, 476–7
- link function, 418, 420
- local level model, 37, 45, 217, 350, 486
 - continuous time, 495, 500–1
 - estimation, 181
 - forecast function, 490, 498
 - local level plus drift, 38, 92, 253–4
 - multivariate, 447, 464, 468
 - multivariate continuous time, 502
 - reduced form, 68, 79–80, 180
 - steady state, 175
 - see also* random walk plus noise model
- local linear trend model, 45, 190, 202, 213, 215, 216, 217, 222, 283, 286, 295, 297, 410, 429, 456
 - autocorrelation function, 56
 - continuous time, 286, 485, 487, 491, 501
 - estimation, 181, 187
 - forecast function, 49, 499
 - identifiability, 207
 - reduced form, 68, 98
 - state space form, 116–17
 - stationary form, 54, 374
 - steady state, 170–1, 175
 - testing, 251–3, 277
- local polynomial trend model, 294–5
- local quadratic trend model, 295
- locally best invariant (LBI) tests, 238, 239, 245
- logarithmic transformation, 223, 225, 267, 274, 278, 280, 328, 349, 391, 393, 447
- logistic curve, 298, 300
- log-normal distribution, 223, 405
- loss functions, 224–5

- macroeconomic time series, 90–3, 271–3
- Markov process, 101, 355
- Maximum likelihood estimation, 10, 23, 31, 78, 82, 84, 86, 94, 100, 125–47, 157, 168, 181–3, 185, 187–8, 190, 315, 338, 391
 - approximate maximum-likelihood type estimates (AM-estimates), 332
 - asymptotic distribution, 248, 266
 - frequency domain, 191, 201, 383–5
 - of the seasonal components, 203
 - of the slope, 202
 - see also* likelihood function
- mean square error, 14, 32, 34, 36, 105, 107, 110–11, 123, 148, 150, 156, 171, 222, 226, 229, 230, 231, 289, 315, 367–8, 399, 433, 439, 489
- measurement equation, *see under* state space models
- measurement error, 326
- minimum absolute deviation (MAD), 332
- minimum extraction, principle of, 287
- minimum mean square estimator (MMSE), 34, 76, 108, 111, 126, 147, 150, 163, 164, 169, 222, 224, 285, 341, 343
- minimum mean square linear estimator (MMSLE), 111, 122–3, 148, 150, 222, 228, 285, 288
- missing observations, 10, 78, 134, 154, 283, 304, 325, 326–30, 368, 407, 463–5, 466, 479, 490, 505
- model selection, 11, 12, 370
 - ARIMA models, 22–3, 76, 78–80, 81, 92
 - count data, 358–60
 - structural models, 82, 98, 273–81, 326, 328, 336
- Monte Carlo experiments, 216
- most-powerful-invariant (MPI) tests, 237–9, 252, 253, 388, 410, 411
- moving average (MA) processes, 22
 - MA disturbances, 239
 - MA parameters, 98, 178, 187, 206
 - seasonal moving average, 263
 - state space form, 103, 117–18
 - steady state, 120, 124–5
- moving festivals, *see under* calendar effects
- multicollinearity, 252, 369, 371
- multinomial distribution, 349, 354–6
 - negative multinomial distribution, 358
- multiplicative-additive models, 174, 178
- multiplicative models, 1, 246
- multipliers, 371, 409
- multivariate normal distribution, 105, 109, 165, 237, 376, 442, 457
- multivariate time series models, 14–15, 128, 423–77, 484
 - see also* autoregressive-moving average models, basic structural model, local level model and random walk
- negative binomial distribution, 349, 352, 356–8, 418, 420
- negative binomial-beta model, 360
- Newton-Raphson algorithm, 199
- Neyman-Pearson lemma, 234–5

552 Subject index

- non-Gaussian models, 18, 45, 98, 155, 162–5,
241, 341, 343, 348–62
normality, testing for, 260, 266, 274, 278,
280, 329, 348, 387, 473
see also Bowman-Shenton test,
conditionally Gaussian models and
Shapiro-Wilk test
- non-linearity, 10, 18, 51, 78, 98, 100, 155–6,
174, 333, 341, 348
non-linear filtering techniques, 162
non-linear least squares, 296
non-linear restrictions, 235, 249
non-linear trends, 283, 294–300
tests, 259, 343
see also autoregressive conditional
heteroscedasticity models, conditionally
Gaussian models, extended Kalman filter
and Gaussian sum filter
- non-parametric estimators, 378–9
- observability, 114–16, 120, 122, 129, 135, 138,
151, 169, 231, 311
observational equivalence, 205, 206
optimal estimator, 105, 106, 110, 227
ordinary least squares (OLS), 27, 32, 39, 42,
94, 175, 214, 238, 269, 298, 373, 378,
381, 383, 437, 438, 458, 459, 465, 468,
503
frequency-domain OLS estimator, 199, 212
OLS residuals, 258, 384, 386
- outliers, 98, 260, 266, 274, 275, 283, 304, 326,
330–3, 346, 348, 407
additive outliers, 330
innovation outliers, 330
- overparameterisation, 80, 85
- Pareto distribution, 361
Parseval's theorem, 194, 246
parsimony, 13, 39, 78, 79, 92, 93, 275, 452,
470
partial autocorrelation function, 79, 81, 89,
274
Pascal distribution, 356
Pearson residuals, 358
periodogram, 59, 86, 191, 195, 204, 205, 261,
266, 380, 381, 384, 387, 388, 417
see also cumulative periodogram
- Pitman efficiency, 238, 253
Poisson distribution, 165, 349, 350–4, 356,
358, 418, 421, 461
Poisson-gamma model, 420
Polynomial trend model, 420
Portmanteau tests, 277, 343
multivariate, 443
see also Q -tests
- post-intervention tests, 403–4
post-sample predictive testing, 82, 83, 271–2,
274, 276, 389, 391, 392, 445–7, 449
 ψ -test, 272, 389
see also cumulative sum
- power spectrum, 57–9, 81, 86–9, 199, 206,
218, 376, 381, 436
multivariate spectrum, 434
sample spectrum, 58–9, 275, 278, 377, 441
see also periodogram
- predetermined variables, 412
prediction, 10, 35, 36, 100, 105
cumulative predictions, 225–6, 498
multi-step predictions, 39, 147, 159, 222–3;
272–3, 276, 298, 339, 342, 353, 358, 367,
368, 389
one-step-ahead predictions, 10, 26–8, 77,
83, 147, 157, 160, 163, 185, 264, 265,
269, 271, 273, 276, 355, 357, 359, 362,
386, 441
optimal predictors, 34, 106, 224, 316
prediction errors, 126, 130, 137, 216, 311
prediction intervals, 14, 31, 32, 78, 223
prediction mean square error, 32, 160, 223,
324
predictive distribution, 159
standardised prediction errors, 271, 272,
389, 445
see also forecasting, post-sample predictive
testing, prediction error decomposition
and prediction error variance
- prediction equations, *see under* Kalman filter
prediction error decomposition, 22, 100, 105,
126, 140, 144, 156, 158, 163, 168, 182–6,
325, 327, 347, 381, 408, 433, 439, 453,
481–2, 491, 493, 505
prediction error variance (p.e.v.), 82, 93, 95,
194, 201, 235, 249, 263–5, 268, 269, 272,
273, 388
asymptotic distribution, 265
generalised prediction error variance, 445
multivariate models, 445
non-parametric estimation, 266–7, 276
pre-whitening, 390
principal components, 450
proxy variables, 391
pseudo-spectrum, 60, 64–5, 275
pulse variable, *see under* intervention analysis
pure variance component model, 192, 196,
197, 204, 212
- QR algorithm, 383
 Q -statistic, 82, 92, 93, 270, 278, 392
Box-Ljung statistic, 79, 83, 89, 259, 260,
262, 329, 336, 387, 394, 402, 462

- Box-Pierce statistic, 79, 259, 329
 multivariate Q -statistic, 443
 qualitative variables, 283, 343, 349
see also dummy variables
 quasi-Newton algorithm, 182, 204, 216–7
- random walk, 19, 34, 37, 41, 44, 83, 229, 268, 278, 284, 286, 287, 290, 297, 309, 318, 320, 331, 374, 408–10, 463, 487, 496
 canonical decomposition, 120
 forecast function, 35, 288
 multivariate, 408, 424, 428
 random walk plus drift model, 38, 93, 104, 170, 255, 268, 276, 277, 290, 291, 472
 random walk plus noise model, 19, 22, 38, 45, 71, 89, 102, 103, 275, 287, 289, 331, 339, 346, 347, 348, 350, 359, 487
 autocorrelation function, 55–6
 different timing intervals, 313, 317, 319, 320
 estimation, 185–6, 199–200, 216
 forecast function, 148, 175, 222, 226, 324
 Kalman filter, 107–8, 119–20, 123–4, 136–9, 400, 440
 testing, 237, 250–1
 multivariate, 429, 431, 432, 435, 438, 441, 450, 456, 457, 459–60, 468, 470, 476
 reduced form, 68, 187, 344
 smoothing, 151, 153–5, 229–30
 spectral generating function, 63, 196, 213, 322–3
see also local level model
- rational expectations, 158
 reachability, 115
 recursive residuals, 258, 386, 400
see also generalised recursive residuals
 reduced form, 12, 65, 73, 89, 171, 178–80, 185, 186–8, 194, 206, 228, 248, 265, 287, 417, 437, 474, 503
- regression models, 10, 12, 24, 32–3, 41, 232, 237, 247, 252, 258, 268, 329, 365, 369, 385, 386, 389, 400, 463, 482
- Riccati equations, *see under* Kalman filter
 robustness, 241, 243
 root mean square error (RMSE), 14, 32, 214, 218, 223, 278, 303, 396
- Rosenberg's algorithm, 137–9, 184, 411, 505
- scoring algorithm, 192, 197–9, 201, 204, 215, 217, 218, 304, 379, 384, 385, 434, 448
 score vector, 140, 142, 240, 446
- seasonal adjustment, 5, 30, 227, 300–9, 333
see also Bureau of the Census X-11 and canonical decomposition
 seasonal component, 1, 10, 29–33, 40–3, 46, 49, 57, 71–2, 82–3, 93, 267, 269, 299, 301–3, 312, 13, 390, 420–1
 continuous time seasonal model, 486, 488
 optimal estimator, 303
 seasonal forecast function, 30, 301, 308, 495
 trigonometric seasonal component, 41–2, 46
see also airline model, dummy variables and seasonal adjustment
- seemingly unrelated regression equations (SURE), 429, 437, 438, 460, 476
- seemingly unrelated time series equations (SUTSE), 429–35, 450, 452, 456, 457, 459, 463–5, 467, 501–2
- autocovariance generating function, 431, 437
 likelihood function, 433
 reduced form, 432
 testing, 442–9
- semi-parametric estimators, 381
- sensitivity analysis, 406–7
- serial correlation tests, 130, 250–1, 258–9, 261–3, 336, 387, 411, 443–5, 449
see also Durbin-Watson test and Q -statistic
- Shapiro-Wilk test, 260
- signal extraction, 227–31
- simultaneous equation model, 9, 12, 411–2, 474–7
- skewness, 260, 274, 278
- smoothing, 105, 149–55, 163, 329, 340, 471
 fixed-interval smoothing, 150, 154–5, 164, 229, 311, 315, 327, 360, 396
 fixed-lag smoothing, 150
 fixed-point smoothing, 150–4, 159, 303, 327
 smoothed estimator, 150–1, 188, 227, 230, 315
 smoothing algorithm, 10, 89, 100, 145, 189, 226, 229–30, 303, 327, 463–4, 490, 493
- smoothing constants, 25, 31, 38, 176, 180, 230, 331, 353, 440
see also exponential smoothing procedures
- specification, 80, 98, 105, 273–6
 misspecification, 216, 256, 258–60, 262–3, 271, 274–5
see also identification and model selection
- spectral density, 58, 195, 200, 228, 248, 264, 266, 428
see also periodogram and power spectrum
- spectral generating function, 59–64, 191, 198, 200–1, 210–11, 252, 261, 264, 321, 417, 432, 434
- spectrum, *see* power spectrum
- square root filter, 108
- square root transformation, 360, 461
- stabilisability, 114, 116, 119, 169, 190, 210–12

554 Subject index

- stability, 114, 119
 standardised plot, 257–8
 standardised residuals, 442
 state space models, 10, 11, 29, 36, 38, 104,
 112, 116–20, 124, 130, 137, 145, 151,
 168–74, 190, 212, 222, 227, 231, 239–40,
 304, 310–11, 314, 320, 325, 338, 341,
 347, 366–8, 399, 408, 424, 432, 453, 483
 measurement equation, 100, 112, 122, 126,
 131, 156, 311, 314, 319, 326–7, 338, 346,
 366, 435, 456, 463, 466, 473, 486–7, 492,
 494, 507
 state vector, 100, 104, 106
 transition equation, 29, 101, 112, 114, 116,
 121–2, 130, 147, 151, 156, 170, 294, 311,
 314, 319, 326–7, 330, 338, 346, 366, 483–
 4, 486, 490, 494, 497, 499, 502, 504, 506
see also Kalman filter
 stationarity, 12, 17, 22, 33, 35, 40, 49–57,
 59–61, 76, 81, 85, 89, 102, 121, 206
 continuous time models, 481, 483, 485
 multivariate models, 424, 426–9
 non-stationarity, 169, 190, 227, 268, 291, 321,
 455, 469, 479
 stationary form, 202
 steady state, *see under* Kalman filter
 step variable, *see under* intervention analysis
 stochastic cycle model, *see* cycle plus noise
 model
 stochastic differential equations, 480
 multivariate, 503
 stock variable, 298, 309–13, 315, 479, 483, 486,
 489, 492, 495, 497, 502, 505–6
 forecast function, 298, 499
 optimal predictor, 324
 spectral generating function, 321
 time-averaged stock variable, 310, 333
 structural change, 10, 81, 91, 257, 274, 275,
 283, 308, 387
 structural form, 12, 474
 sum of squares function, 26–8, 185, 259, 387
 extrapolative sum of squares, 273
 residual sum of squares, 32, 78, 184, 268
 sum of squares of OLS residuals, 238, 253
 sum of squares of first differences around
 the seasonal means (SSDSM), 269
- t*-test, 243, 247–8
 recursive *t*-test, 387
 tapering, 220
 time-varying parameters, 10, 33, 158–9, 341–
 8, 367, 383, 411, 482
 timing intervals, 286, 309–26
 Toeplitz matrix, 192
 transfer function model, 370
 transition equation, *see under* state space
 models
 trend component, 1, 5, 10, 14, 32–3, 37–8, 44,
 48–9, 71–2, 75, 81–2, 93, 284–6, 312, 390
 continuous time, 485
 forecast function, 285–6, 288, 294, 498
 global trend, 24, 27
 linear trend, 29–30, 32
 local linear trend, 22, 24, 290, 294, 308,
 472, 489, 494
 local trend, 23–4
see also cyclical trend model, local level
 model, local linear trend model, local
 polynomial trend model, local quadratic
 trend model, polynomial trend model,
 random walk plus drift model and random
 walk plus noise model
 trend plus cycle model, 46, 92–3, 181, 214,
 276, 470
 Lagrange multiplier test, 251–2
 reduced form, 70
 spectral generating function, 64
 state space form, 171–2
 UCARIMA form, 74
 two-stage least squares (2SLS), 413–4, 477
see also generalised two-stage least squares
 two-step estimators, 199–201, 204
- U*-statistic, 268
 uniform distribution, 355
 unit roots, 64, 80, 213, 267, 283, 291–4, 374,
 396, 471
 unobserved components models, *see under*
 autoregressive-integrated-moving average
 processes
 updating equations, *see under* Kalman filter
- vector autoregressions, 9, 35–7, 39, 46, 57,
 423, 425–9, 501–2, 505–9
 von Neumann ratio, 245
- Wald test, 156, 234–6, 246–51, 275, 329, 492
 weekly data, 48–9, 81, 98
 Weibull distribution, 362
 weighted least squares, 131, 139, 197, 199,
 247, 382, 400
 frequency domain, 262
 white noise, 18, 33, 37, 50–1, 58, 193
 continuous time, 480–1, 483
 Wiener process, 481, 485
 windows (in spectral analysis), 199
 Blackman-Tukey, 379
 Parzen, 88, 379
 Wold decomposition theorem, 76, 424
- Yule-Slutsky effect, 291