

Index

- adiabatic approximation, 61, 135
- Ag, resistivity, 218–19, 289, (T) 290, 291, (T) 292
- Ag–Al, resistivity, (T) 240, 252
- Ag–Au, resistivity, (T) 224, (T) 228
- Ag–Bi, resistivity, 262
- Ag–Ca, resistivity (T), 270
- Ag–Cu–Mg, resistivity, 381
- Ag–Mg, antiphase domain structure, 53
- Ag–Mn
resistivity, 352, 354
spin glass, 85
- Ag–Pd
effects of alloying on band structure, 301–2
resistivity, 315
- Ag–rare earth metallic glasses, resistivity, 389
- Ag–Sn, resistivity (T), 288
- Ag–Zn, resistivity, (T) 240, 253
- Al
band structure, 11
phonon dispersion curves, 63, 66
resistivity of transition metal impurities, 293–4
- Al–Ag
decomposition sequence (T), 47
resistivity, 224, (T) 228, (T) 231, 257–8
- Al–Au, resistivity (T), 228
- Al–Ca, resistivity (T), 226
- Al–Cd, resistivity (T), 231
- Al–Co, resistivity, 262, (T) 270
- Al–Cu
decomposition sequence, 45–6, (T) 47
GP zone sites (T), 46
resistivity, (T) 228, (T) 231, 257–60
- Al–Cu–Mg, decomposition sequence (T), 47
- Al–Fe, resistivity, 262, 268–9, (T) 270, (T) 231
- Al–Ga, resistivity (T), 231
- Al–Ge, resistivity (T), 231
- Al–Mg, resistivity, 224, (T) 226, (T) 231
- Al–Mg–Si, decomposition sequence (T), 47
- Al–Mn, resistivity, 342
- Al–Ni, resistivity, 262, 266, (T) 270
- Al–Si, resistivity (T), 231
- Al–Zn
local mean free path (T), 158
resistivity, 224, (T) 226, (T) 231
resistivity of GP zones, 147, 156–7, 257–9
- Al–Zn–Mg decomposition sequence (T), 47
- alkali metals, resistivity of various alkali impurities (T), 230
- amorphous alloys (*see also* resistivity of amorphous alloys)
atomic structure, 71ff
dynamic radial distribution function, 75
frequency spectrum, 75
pair correlation function, 71
radial distribution function, 71
short range atomic correlations, 72
short range structural correlations, 72
spin–spin correlation function, 388
structure, 69ff
structural models, 72
tunnelling between states, 392
- Anderson and Wolff alloys (T), 346
- Anderson model, 82, 345
- anisotropic scattering and relaxation time, 7, 153 (*see also* anisotropic relaxation time, resistivity calculations, scattering theory)
Ni, Fe and Al impurities in Cu, 297
- antiferromagnet, *see* magnetic structure
- antiphase domains, 50–1 (*see also* atomic LRO, resistivity due to surfaces, resistivity of ordering alloys)
data for different alloys (T), 53
- APW, *see* augmented plane wave method
- atomic clustering (*see also* atomic phase separation, resistivity of phase separating alloys)
atomic distribution, 43
composition waves, 39
computer modelling, 45
diffuse neutron scattering from, 43
GP zones, 45, 143ff
spinodal decomposition, 39
- atomic displacements, 57, 242–6 (*see also* resistivity due to atomic

422 *Index*

- atomic displacements, *continued*
 - displacements, resistivity due to thermal effects)
 - associated with antiphase domain boundaries (T), 61
 - Debye model, 65
 - deformable-ion, 134
 - diffuse X-ray scattering due to, 59
 - displacements due to point defects, 195ff, 227–9
 - displacive phase transitions, 67, 207–8
 - due to different atomic sizes, 58
 - due to long range atomic order, 60, 207
 - dynamic, 61ff (*see also* lattice vibrations)
 - effects on screening, 135
 - Einstein model, 62
 - lattice relaxations around vacancies, 233
 - pseudopotential associated with, 134
 - rigid-ion model, 134
 - rigid muffin-tin potential, 291
 - static displacements in concentrated alloys, 203ff
 - thermally induced displacements, 198ff
- atomic long range order (LRO), 8, 51ff (*see also* antiphase domains, long period superlattice, long range order, resistivity of ordering alloys)
- antiphase domains, 167–8
- bandstructure effects, 164
- Bragg–Williams approximation, 32, 253
- composition waves, 39–40
- conduction electron scattering effects, 160ff
- Cowley parameters, 36
- inhomogeneous order, 167–9
- spinodal ordering, 41
- variation with composition, 162
- atomic ordering (*see* atomic long range order, atomic short range order)
- atomic phase separation, 169ff (*see also* atomic clustering, resistivity of phase separating alloys)
 - models of two phase alloys, 170ff
 - phase separation, 169ff
- atomic short range order (SRO), 8, 36, 49ff
 - atomic configuration, 41ff
 - conduction electron scattering effects, 139
 - effect on resistivity, 139ff (*see also* resistivity of ordering alloys)
 - in conjunction with inhomogeneous LRO, 167–9
 - shell model, 36
 - type I homogeneous (statistical), 49ff
 - type II(a) heterogeneous (microdomain), 50
 - type II(b) heterogeneous (antiphase domains), 50
- atomic structure
 - see* atomic LRO, atomic SRO, atomic phase separation, atomic clustering, atomic displacements)
- atomic volume of various metals (T), 223
- Au
 - resistivity, 218–19, 289, (T) 290
- Au–Ag, resistivity, 252–3, (T) 240, (T) 288
- Au–Co
 - Curie–Weiss temperature, 101
 - resistivity, 348
- Au–Cr
 - resistivity, 352, 354
 - spin glass, 85
- Au–Cu, resistivity, 253
- Au–Fe
 - giant moments and atomic SRO, 106
 - inhomogeneous approach to magnetic LRO, 89
 - magnetic phase diagram, 89–90
 - resistivity, 354
 - spin glass, 85
- Au–Ga, resistivity (T), 288
- Au–Ho, resistivity at T_N , 366
- Au–Mn
 - antiphase domain structure, 53
 - effect of atomic LRO on magnetic structure, 103
 - giant moments and atomic SRO, 106
 - resistivity, 352, 354
 - spin glass, 85
- Au–Pd, resistivity, 252
- Au–V
 - resistivity, 342
 - spin fluctuation temperature, 101
- Au–Zn
 - antiphase domain structure, 53
 - resistivity (T), 288
- augmented plane wave method (APW), 111ff
- average t -matrix approximation (ATA), 306ff
- B_2 structure, 32
- backscattering, 288 (*see also* scattering theory, resistivity calculations)
- band structure
 - Al, 11
 - exchange splitting, 76

- basis states, 113
- Bi–Ag**
resistivity (T), 270
temperature dependence of resistivity anisotropy, 184
- Bi–Cu**, resistivity, 261–2
- Bi–Mn**
resistivity (T), 270
temperature dependence of resistivity anisotropy, 184
- Bi–Sn**, resistivity, 262
- Bi–Tb**, resistivity, 262
- binary alloys, electrical properties, 1
- Bloch wavefunctions, 107
- Boltzmann equation, 17ff, 144 (*see also* distribution function, scattering theory, anisotropic scattering, resistivity calculations)
anisotropic relaxation time solutions, 24, 285
in two sub-band model, 323–4
iterative solution, 257
linearised, 21ff
relaxation time approximation, 22
relaxation to other formalisms, 28–9
- Born approximation**, 286
first, 139, 128
phase shifts, 282
second, 128
t-matrix, 285
T-matrix, 284
- Born expansion**, 284
- Bragg scattering**, 5, 16, 140
from zones, 148–9
in nearly free electron theory, 126
reduced by Debye–Waller term, 200
reduced by pseudo Debye–Waller term, 205, 244
superlattice, 163
superlattice, bandstructure effects, 164
- Bragg–Williams approximation**, 32, 253 (*see also* atomic LRO)
order parameter, 32–4
resistivity, 162
- Brillouin zone**
bcc, 10
fcc, 10, 13
special points, 41
- Cd–Ag**, resistivity (T), 228
- Cd–Au**, resistivity (T), 228
- Cd–Cu**, resistivity (T), 228
- Cd–Pb**, resistivity, 262
- Ce–Al**, resistivity at T_N , 366
- Ce–La–Th**, resistivity, 348
- charge density, about many electron atom, 109
- Co**, resistivity (T), 275
- Co–Pt**, Debye–Waller and pseudo Debye–Waller factors (T), 245
- coherent potential approximation (CPA), 306ff, 315
cluster extensions, 316
in resistivity studies, 310ff
localised moment in alloys, 83
self consistent, 315–16
- collective electron model
see magnetic structure
- composition waves, 39ff
in resistivity expression, 142
- concentration waves
see composition waves
- conduction electrons (*see also* free electrons, resistivity calculations)
mass, 4
mean free path, 7 (*see also* local mean free path)
mean free time, 7–8 (*see also* relaxation time)
number per unit volume, 4
scattering, 1ff (*see also* scattering theory, anisotropic scattering, anisotropic relaxation time, resistivity calculations)
spin state, 16
- conductivity tensor, 23, 26
in Kubo formalism, 28
- conductivity
see resistivity
- conservation of momentum, 15ff
- core radii
alkali metals (T), 214
Cu and various impurities (T), 223
- correlation length, near T_c , 358
- correlation parameters, 30ff
fluctuations near critical point, 356ff
- Ornstein–Zernike, 359–60
pair, 35
scaling, 359–60
variation with distance, 36–7
Warren–Cowley, 35–6
- correlations, short and long range, 8 (*see also* atomic LRO, atomic SRO, atomic clustering, magnetic LRO, magnetic SRO, magnetic structure)
- Coulomb interaction
between electrons and nucleus, 108
between electrons in virtual bound state, 81
effect of local environment, 101
origin of magnetic moment, 101

424 *Index*

- Coulomb interaction, *continued*
 screening of, 121
- Cr
 magnetic structure, 78
 resistivity at T_N , 366
- Cr–Al, temperature derivative of
 resistivity and thermopower, 372
- critical point (*see also* resistivity at
 critical point)
 antiferromagnetic, 365–6
 atomic order–disorder, 366–8
 exponents, 357ff. (T) 357
 ferromagnetic, 363–5
 miscibility gap, 368
 relation of resistivity to specific heat
 and thermopower, 370–1
 renormalisation group, 358
 scaling, 357–8
 universality hypothesis, 356
- crystal momentum, 15, 18
- Cs, resistivity, 213
- Cu
 core radius and atomic volume (T), 223
 Debye frequency spectrum, 65
 resistivity, 218–19, 289, (T) 290–1
- Cu–Ag, resistivity (T), 224, 228
- Cu–Al, resistivity, (T) 240, 252–3, 288
- Cu–Au
 antiphase domain structure, 53
 atomic displacements due to LRO, 60
 Debye–Waller and pseudo Debye–
 Waller factors (T), 245
 diffuse X-ray scattering, 49
 pairwise correlation parameters (T), 38
 resistivity, 224, 228, 236–7, 239–40,
 (T) 248, 253–5, 256–7, 288
 resistivity due to SRO, SE and PDW
 (T), 247
- Cu–Be
 decomposition sequence (T), 47
 resistivity, 257
- Cu–Co
 decomposition sequence (T), 47
 resistivity, 348
 spin fluctuation temperature, 101
- Cu–Fe
 resistivity, 262, (T) 288, 342–3
 spin fluctuation temperature, 101
- Cu–Ge, resistivity (T), 288
- Cu–Mn
 giant magnetic moments and atomic
 SRO, 106
 resistivity, 252
 spin glass, 85
- Cu–Ni
 diffuse neutron scattering, 43
 effect of alloying on bandstructure, 300
 effect of atomic SRO on magnetic
 structure, 104–5
 inhomogeneous approach to magnetic
 LRO, 89
 pairwise correlation parameters (T), 44
 resistivity, 250, 252, (T) 288, 306, 350
 resistivity of magnetic clusters, 336–9
 spin fluctuation temperature, 101
- Cu–Ni–Fe
 small angle neutron scattering, 48
 spin fluctuation temperature, 101
- Cu–P, microstructure, 54
- Cu–Pd, antiphase domain structure, 53
- Cu–Pt, antiphase domain structure, 53
- Cu–Sb, resistivity, 262
- Cu–Ti, diffuse X-ray scattering of
 amorphous, 70
- Cu–Zn
 effect of alloying on bandstructure, 300
 elastic constants, 67
 microstructure, 54
 phonon dispersion curves, 66–7
 resistivity, (T) 240, 252, at T_c , 366–8
 temperature derivative of resistivity
 and specific heat, 371
- Debye model
 atomic displacements, 65
 cutoff frequency, 64
 frequency spectrum, 64–5
 frequency spectrum for Cu, 65
 in alkali metals, 213
 long wavelength cutoff in resistivity
 expression, 202, 375
 phonon energy upper limit, 15
- Debye temperature, 15
- Debye wave number, 16
- Debye–Waller factor, 143, 209, 248
 for various alloys (T), 245
 in highly resistive alloys, 375ff
 in resistivity of amorphous metals, 387
- deformable-ion model, 134
- deformation potential, 134
- density of states, 12
 in s- and d-bands, 14
 local, 82
- deviation (difference) potential
see deviation lattice
- deviation (difference) lattice, 137, 139
 atomic displacements, 195ff
 in long range ordered lattices, 160–1
 potential, 130ff
- dielectric constant, screening, 120–1
- diffuse scattering
 from zones, 149

- diffuse scattering, *continued*
of X-rays and neutrons, 142
- dilute alloys, 30 (*see also* Kondo effect, localised spin fluctuations, spin fluctuations)
effect of magnetic near neighbours, 80
magnetic configuration, 80
magnetic moment, 80, (T) 83
resistivity, 221ff
- Dirac notation, 125
- discontinuous growth
see nucleation and growth, 42
- dislocations, 185
- displacement waves
dynamic, *see* Debye model
static, 68
- displacive transitions, 67ff
- distribution function, 18, 138 (*see also* Boltzmann equation)
and surface scattering, 187
- Drude formula, 4, 24
- Dy, magnetic structure (T), 91
- dynamical matrix, 63, 227
in structure factor, 202
- effective medium theory
in percolation problem, 183–4
resistivity of two phase alloy, 173–4
see also coherent potential approximation
- Einstein model, 61ff
- Einstein temperature, 62
- elastic constants
effect of LRO, 67
effect of precipitation, 67
related to phonon dispersion curves, 66
- electron waves, fundamental concepts, 1
- electron wavefunction, free electron, 13
(*see also* conduction electron)
- electron–electron interactions, 119ff
- electronic structure
at order–disorder interface, 314
determination by APW method, 111
determination by cluster methods, 114
determination by KKR–Green’s function method, 113
determination by OPW method, 111–12
determination by plane wave method, 111
determination by tight binding method, 110
- empty lattice, 116
- energy gaps, due to ordering at T_c , 362
- Er, magnetic structure (T), 91
- eutectic alloys, resistivity, 261ff
- exchange and correlation, 122ff, (T) 123
Hubbard–Sham, 123
Kleinman, 123
Singwi, 123
 $X\alpha$ local statistical approximation, 123
- exchange interaction, 16
- exchange-enhanced alloys, resistivity, 341
- Faber–Ziman theory, 384
- Fe
magnetic correlation (SRO)
parameters, (T) 96, (T) 321
resistivity, (T) 275, (T) 290, (T) 321, 325–6
resistivity at T_c , 363–5
spin wave spectra, 98
temperature dependence of magnetisation, 93
- Fe–Al
antiphase domain structure, 52
effects of LRO on phonon dispersion curves, 66
resistivity, 255–6
resistivity at T_c , 366–8
- Fe–C
decomposition sequence (T), 47
magnetisation of two phase alloy, 104
- Fe–Co
effect of atomic LRO on magnetic structure, 103
resistivity, 256
resistivity at T_c , 366–8
spin density, 79
- Fe–Co–Ni–V, microstructure, 54
- Fe–Cr, resistivity, 325–6
- Fe–Cr–Co
composition profile, 55
effect of phase separation, 103
microstructure, 47
- Fe–Mn
magnetic structure in ordered, 77
resistivity, 325–6
- Fe–Mo–B, resistivity, 391
- Fe–N, decomposition sequence (T), 47
- Fe–Ni
concentration gradient at α – γ boundary, 55
effect of atomic LRO on magnetic structure, 103
resistivity, 325–6
- Fe–Ni–B–Si, resistivity, 388
- Fe–Ni–P–B, resistivity, 390–1
- Fe–Pd, resistivity at T_c , 365
- Fe–Pt, magnetic structure in ordered, 77
- Fe–Rh, magnetic structure in ordered, 77
- Fe–Zn, resistivity, 389

426 *Index*

- Fe_2O_3 , spin wave spectra, 98
 Fermi energy, in relation to phonon energy, 15
 Fermi level, 13 (*see also* Fermi surface and Fermi energy)
 Fermi surface, 2, 11
 fcc in reduced zone scheme, 13
 free electron, 11
 reduced zone scheme, 11
 spherical, 4
 Fermi–Dirac distribution, 19
 ferromagnet
 see magnetic structure
 Flinn occupation parameter, 35
 force–force correlation functions, 29 (*see also* resistivity calculations)
 form factor, 129 (*see also* model potential, pseudopotential)
 Bardeen, 218–19ff
 Borchi & De Gennaro, 219ff
 Moriarty, 219ff, 277
 Fourier transforms, discrete and continuous, 41
 free electrons (*see also* conduction electrons)
 density of states, 12
 Fermi surface, 11
 theory, 4
 wavefunction, 13
 Friedel oscillations, 121
 Friedel sum rule, 280–2

 Ga–Ag, resistivity (T), 228
 Ga–Au, resistivity (T), 228
 Ga–Cu, resistivity (T), 228
 galvanomagnetic effects, 1
 Gd
 magnetic structure (T), 91
 resistivity at T_c , 365
 Ge–Ag, resistivity (T), 228
 Ge–Au, resistivity (T), 228
 Ge–Cu, resistivity (T), 228
 giant polarisation clouds, 102
 golden rule, 2
 GP zone
 see atomic clustering
 grain boundaries (*see also* resistivity due to surfaces)
 reflection coefficient, 185
 transmission coefficient, 185, 194
 Green's functions, 113ff, 287ff

 Hamiltonian, 107
 Hartree self-consistent field approximation
 see screening

 Hartree–Fock, criterion for local magnetic moment, 82 (*see also* spin fluctuations, localised spin fluctuations)
 Heisenberg interaction, 91
 Heusler alloy, effect of atomic LRO on magnetic structure, 103
 Hg–Ag, resistivity (T), 228
 Hg–Au, resistivity (T), 228
 Hg–Cu, resistivity (T), 228
 highly resistive alloys
 bandstructure effects, 377–8
 electron localisation, 378–9
 resistivity, 372ff (*see also* resistivity of amorphous alloys, resistivity of strongly scattering alloys)
 Ho, magnetic structure (T), 91
 Hubbard model density of states, 308
 Hubbard–Sham, exchange and correlation correction, 123
 hybridisation
 in CPA, 308–9
 in transition metals, 275

 impurity interstitial
 see point defects
 impurity level
 see virtual bound state
 In–Ag, resistivity (T), 228
 In–Au, resistivity (T), 228
 In–Cu, resistivity (T), 228
 In–Sb, resistivity, 262
 integrations over \mathbf{dk} , $d\mathbf{S}$, dE and $d\Omega$, 394
 interfaces (*see also* atomic phase separation, antiphase domains, grain boundaries, magnetic domains, magnetic structure, resistivity due to surfaces)
 associated defects, 57
 structure, 54
 intermetallic compounds
 electrical properties, 1
 rare earth, 1
 Ir–Fe, resistivity, 344

 K, resistivity, 213, 215, 217
 KKR–Green's function method, 113ff, 287ff
 localised moment formation, 83
 Kleinman, exchange and correlation correction, 123 (*see also* screening)
 Kondo effect, 339–42 (*see also* localised spin fluctuations, spin fluctuations, spin fluctuation temperature, resistivity calculations)
 Kondo–Nagoaka theory, 102

- Kondo effect, *continued*
 spin glasses, 353
 magnetic clusters, 335
- Kubo formalism, 28
- $L1_0$ structure, 33
- $L1_2$ structure, 33
- lattice distortions (*see also* atomic displacements, resistivity due to atomic displacements)
 effective valency, 283
- lattice potential (*see also* form factor, pseudopotential, model potential)
 in alloys, 130
 periodicity, 107
- lattice vibrations (*see also* atomic displacements, Debye model, Einstein model, phonons, resistivity due to thermal effects)
 effects of alloying, 65
 effects of LRO, 66
 investigated by neutron scattering, 65
- lattice waves
see lattice vibrations
- LCAO method
see tight binding approximation
- Li, resistivity, 213
- Li-Mg
 Debye-Waller and pseudo Debye-Waller factor (T), 245
 resistivity, 271
- Linde-Norbury rule, 222
- Lindhard dielectric function
see random phase approximation (RPA)
- local and non-local pseudopotentials, 115
- local charge density approximation, 123
- local mean free path, 157–8, 187, 335, 359
 determination of, 154ff
 in precipitating systems, 257–61
 with inhomogeneous LRO, 176ff
 with phase separation, 143ff
- local spin density approximation, 123
- localised energy levels
see virtual bound state
- localised moment model
see magnetic structure
- localised moments, Hartree-Fock criterion (T), 83
- localised spin fluctuations, 83, 98ff (*see also* Kondo effect, spin fluctuations)
 effect of atomic interactions, 345–8
 resistivity, 339ff
- long period superlattice, 51 (*see also* atomic LRO)
- long range order (LRO), 8, 50ff (*see also* atomic long range order, magnetic long range order)
 single site average, 32
 sublattices, 32–3
- LRO
see long range order
- magnetic anisotropy, effect on superparamagnet, 85
- magnetic clusters, 87ff (*see also* magnetic structure)
- magnetic domains (*see also* magnetic structure, resistivity of magnetic alloys)
 resistivity, 322
 wall thickness, 94
- magnetic long range order, 89ff (*see also* magnetic structure)
 inhomogeneous approach to, 89
 molecular field approximation, 91–2, 319
 resistivity, 319–20 (*see also* resistivity of magnetic alloys)
 spin-spin correlation function, 92
 temperature dependence, 94
- magnetic short range order (*see also* magnetic structure)
 above T_c , 79, 94
 pairwise correlation parameter, 93
 resistivity, 320 (*see also* resistivity of magnetic alloys)
 temperature dependence, 94
- magnetic structure (*see also* magnetic LRO, magnetic SRO)
 band or itinerant model, 76
 collective electron model, 76
 domains, 94
 effect of atomic order, 77, 103–4
 effect of atomic phase separation, 103
 effect of structural transformation, 103
 giant polarisation clouds, 102
 localised moment model, 76
 magnetic moment density in Ni_3Fe , 77
 of two phase alloy, 103
 spin density, 76
 spin polarisation wave, 93
 spin waves (magnons), 95
 variation of moment with composition, 79
- magnons
see magnetic structure, spin waves
- martensitic transformation, discontinuous transformation, 69
- Matthiessen's rule, 9ff
 as an inequality, 28
 deviations from, 1, 9, 259, 267–8, 325, 328

428 *Index*

- mean free path (*see also* conduction electron)
comparable to lattice spacing, 373
local, 144, 150–1 (*see also* local mean free path)
- metallic glasses
see amorphous alloys
- Mg–Al, resistivity (T), 226
Mg–Cd, resistivity (T), 224
Mg–Li, resistivity (T), 226
Mg–Pb, resistivity, 262
Mg–Sn, resistivity, 262
Mg–Zn, resistivity, 262
Mg–Zn–Cd, resistivity, 389
- microdomains, 50
microscopic reversibility, 22
- mictomagnet
see magnetic clusters, magnetic structure
- Mn, resistivity (T), 275
Mn–As, magnetic structure in ordered, 77
Mn–Au
effect of atomic LRO on magnetic structure, 103
magnetic structure in ordered, 77
Mn–Bi, effect of atomic LRO on magnetic structure, 103
Mn–Cr, magnetic structure in disordered, 77
Mn–Cu, magnetic structure in disordered, 77
Mn–Ni, effect of atomic LRO on magnetic structure, 103
Mn–Se, magnetic structure in ordered, 77
Mn–Te, magnetic structure in ordered, 77
Mo, resistivity, (T) 275, (T) 290, (T) 292
- model potential, 115ff (*see also* form factor, pseudopotential)
as a weak potential, 117
Ashcroft (*see* empty-core)
Dagens resonant, 278
 δ -function (*see* point-ion)
empty-core, 118ff, 213ff
Heine–Abarenkov–Animalu (HAA), 118ff, 213ff
muffin tin, 111, 289ff
point-ion, 117ff, 224ff, (T) 238
resonant, 277–9
rigid muffin-tin, 291
Shaw optimised, 118ff, 215ff
transition metal, 277–9, (T) 279, 291
- molecular field approximation
see magnetic LRO
- Mooij correlation, 312, 372–3, 382
Mott’s rule, 224
muffin-tin potential, 111, 289ff
multiple OPW’s, 249 (*see also* relaxation time anisotropy, resistivity calculations)
multiple scattering, 285, 299 (*see also* resistivity calculations)
- N-scattering
see normal scattering, resistivity due to thermal effects)
- Na, resistivity, 213, 215
Nb, resistivity, (T) 290, (T) 292
nearly free electron theory, 124ff
- Ni
resistivity, (T) 275, 289, (T) 290
resistivity at T_c , 363–5
temperature dependence of magnetisation, 93
- Ni alloys
resistivity (T), 325
resistivity of nearly magnetic alloys, 350
- Ni–Al, resistivity, 256
Ni–Au
Debye–Waller and pseudo Debye–Waller factors (T), 245
variation of magnetic moment with composition, 81
Ni–Co, resistivity, 334
Ni–Cr, resistivity, 252, 334
Ni–Cr–Ti–Al, decomposition sequence (T), 47
Ni–Cu
resistivity, 332–3
resistivity at T_c , 365
Ni–Cu–Sn, resistivity at T_c , 365
Ni–Cu–Zn, resistivity at T_c , 365
Ni–Dy, resistivity, 389
Ni–Fe
effects of LRO on phonon dispersion curves, 66
magnetic moment density, 77
resistivity, 332–3
- Ni–Mn
magnetic structure in ordered, 77
resistivity, 334
Ni–Mo, resistivity, 334
Ni–Ru, resistivity, 334
Ni–Ti, partial radial distribution functions, 73
Ni–V, resistivity, 334
Ni–W, resistivity, 334
noble metal
form factors, 275–7

- noble metal, *continued*
 noble metal alloy resistivities, 218ff,
 (T) 220, (T) 228, (T) 280, (T) 299
 resistivity of various impurities (T),
 232–3
- non-simple metal, 10, 13
 resistivity, 272ff
- Nordheim's rule, 222
- normal scattering, 16 (*see also* resistivity
 due to thermal effects)
- Np, resistivity, 348
- nucleation and growth, 42 (*see also*
 atomic clustering, atomic LRO,
 atomic SRO)
- optical theorem, 29
- OPW
see orthogonalised plane wave method
- ordering wave, 39
- orthogonalised plane wave method
 (OPW), 111ff
- paramagnons
see spin fluctuations
- partial structure factor, 211–12
 in amorphous metals, 383–4
 in inhomogeneous alloys, 152
 of a zone, 148
- Pb–Cd, resistivity (T), 231
- Pb–In, resistivity (T), 231
- Pb–Mg, resistivity (T), 231
- Pb–Sb, resistivity, (T) 231, 262
- Pd
 exchange enhancement, 101
 resistivity, (T) 275, (T) 290, (T) 292,
 348
- Pd–Ag, resistivity, 303–5, 349
- Pd–Au, resistivity, 303–5, 349
- Pd–Cr
 giant moments and atomic SRO, 106
 spin fluctuation temperature, 101
- Pd–Fe, giant polarisation clouds, 102
- Pd–Mn
 antiphase domain structure, 53
 effect of atomic LRO on magnetic
 structure, 103
 resistivity, 354
- Pd–Ni, Curie–Weiss temperature, 101
- Pd–Ni–Fe, spin fluctuation temperature,
 101
- Pd–Pt, resistivity (T), 224
- Pd–Rh, resistivity, 306
- percolation
 in magnetic system, 86
 resistivity, 181–4 (*see also* resistivity in
 phase separating alloys)
- perturbation expansion, 124
- perturbation characteristic, 121
- perturbation theory, 124ff
 use with pseudopotentials, 116
- phase shifts, 279ff (*see also* resistivity
 calculation)
 with *t*-matrix, 285
 with pseudopotential, 282–3
- phase transformations, first and second
 order, 34
- phonons (*see also* Debye model, lattice
 vibrations, atomic displacements)
 creation and destruction, 16
 dispersion curves, 63
 drag, 16
- Planck distribution, 62, 64
- plane wave method, 111
- point defects, 196ff (*see also* atomic
 displacements, resistivity due to
 structural disorder)
- point ion potential (*see also* model
 potential)
 values of β for various alloys (T), 238
- potential
see form factor, model potential,
 pseudopotential
- precipitation (*see also* atomic clustering,
 atomic phase separation)
 decomposition sequences (T), 47
 resultant morphology, 45ff
- projection operators, 31
- pseudo Debye–Waller factors (PDW),
 204–5, 243–6
 for various alloys (T), 245
- pseudo-Schrödinger (pseudopotential)
 equation, 115
- pseudoatoms, 135
- pseudopotential, 115ff
 as a weak potential, 116
 average, 131
 dependence upon atomic environment,
 133
 difference, 131ff
 form factor, 130 (*see also* form factor)
 in alloys, 130ff
 in deformed lattice, 134ff
 local and non-local, 115
 not unique, 155
 relation to phase shifts, 282–3
 transition metal, 274–7
 use with perturbation theory, 116
- Pt, resistivity (T), 275
- Pt–Au, resistivity, 349
- Pt–Cr
 resistivity, 342
 spin fluctuation temperature, 101

430 *Index*

- Pt–Pd, resistivity, 349
 Pu, resistivity, 348
 pure metals, electrical properties, 1
- radial distribution function, 71
 chemical, 73
 partial, 73
 reduced, 71
- random phase approximation (RPA),
 dielectric function, 121 (*see also*
 screening)
- rare earth
 intermetallic compounds, 1
 localised spins, 79
 magnetic structures (T), 91
- Rb, resistivity, 213–15
 Rb–Na, atomic displacements (T), 229
- reciprocal space, composition waves in,
 41
- reciprocal lattice vector, 16
- reflection coefficient
 see grain boundaries, resistivity due to
 surfaces
- relaxation time, 3
 averaging, 27–8, 148–9, 153–4
- relaxation time approximation, 22
 general resistivity expression, 138
 resistivity in, 22ff
- relaxation time anisotropy, 7, 24, 153–5
 (*see also* relaxation time)
 in polyvalent metals, 229–36
 in alkali metals, 213, 216–17
 in precipitating systems, 257–61
 Ni, Fe and Al impurities in Cu, 297
- residual resistivity, 9
- resistivity calculations, 1–2, 138, 249–50
 backscattering, 284, 375
 bandstructure effects, 273ff, 377–8
 cluster method, 289, 296–7, 299
 Cu–Au with various form factors (T),
 239
 CPA techniques, 310ff
 electron–electron interactions, 274
 Faber–Ziman theory, 384
 force–force correlation method, 317
 homogeneous atomic correlations,
 141ff
 in Bragg–Williams model, 162ff
 inhomogeneous atomic correlations,
 143ff
 KKR–Green’s function method, 294–5,
 299
 Kubo–Greenwood formula, 380
 multiple OPW’s, 229–36
 multiple scattering, 285, 299
 phase shift method, 279ff, 294
 polyvalent metals, 229–36
 relativistic effects, 299
 relaxation time anisotropy, 257–61
 simple metals, 137ff
 upper and lower bounds for two phase
 alloys, 170–2
 using pseudopotentials recalculated for
 different environments, 226
 using different pseudopotentials,
 exchange and screening corrections,
 224, (T) 225, (T) 239
 using X-ray scattering data, 259
 virtual bound states, 291ff
- resistivity at the critical point, 356ff
 temperature coefficient near T_c , 358ff
- resistivity due to structural disorder,
 195ff, 203ff
 displacive transitions, 207–8, 271
 lattice distortions around point defects,
 195–8, 227–36
 microvoids, 236
- SRO, atomic displacement and pseudo
 Debye–Waller factor contributions
 (T), 247
 vacancies in various metals (T), 230
 vacancy clusters, 236
- resistivity due to surfaces
 antiphase domain boundaries, 256–7
 external surfaces, 187–9
 foils and wires, (T) 192–3, 187–95
 grain boundaries, 185–6
 multilayer films, 195
 stacking faults, 185
 twin boundaries, 185
- resistivity due to thermal effects, 198ff
 alkali metals, 213–18, (T) 213, (T) 215,
 (T) 217
 anharmonic process in noble metals,
 219
 Debye–Waller terms in amorphous
 alloys, 387
 Debye–Waller terms in highly resistive
 alloys, 375–7
 effect of measuring temperature, 155ff
 effect of phonon cutoff, 387
 effect of phonon induced changes in
 $N(E_F)$, 310–13
 multiphonon and Debye–Waller terms,
 218
 noble metals, 218ff, (T) 220
 phonon scattering, 212ff
 rigid-ion model, 134
 rigid muffin-tin model, 291
 temperature coefficient, 158, 358
 temperature dependence, 165, 199–203,
 259–60, 273–4, 305

- resistivity of amorphous alloys, 380ff (*see also* amorphous alloys)
Debye–Waller term, 387
effect of phonon cutoff, 387
incoherent spinwave scattering, 388–9
minima, 381, 391–2
particular spin–spin correlations, 388–9
spin glass alloys, 389–90
tunnelling between states, 392
- resistivity of disordered alloys
Al alloys, (T) 225, (T) 226
alkali impurities in alkali hosts (T), 230
impurities in polyvalent hosts, 294
monovalent impurities in monovalent hosts, 299
noble metal alloys, (T) 288, (T) 299
noble metal impurities in various solutes (T), 228
point defects, 195–8
random solid solutions, 220ff
transition metal alloys, 303ff
transition metal impurities in Ni, Fe or Co, 329–32
transition metal impurities in noble metals, 295, 300
transition metal impurities in Pd, Pt or Rh, 341
various impurities in noble metal hosts, (T) 232–3
various solutes in Al alloys (T), 231
- resistivity of highly scattering alloys, 213, 372ff (*see also* amorphous alloys)
saturation, 348
- resistivity of ordering alloys
antiphase domain in boundaries, 256–7
coexisting LRO and SRO, 162
combined effect of atomic correlations and displacements, 208ff
combined SRO, atomic displacement and pseudo Debye–Waller factor contributions (T), 247
composition waves, 142–3
effect of atomic LRO, 253ff
effect of atomic SRO in simple alloys, 237ff
effect of atomic SRO in various non-simple alloys, (T) 250
- order dependence in CPA, 313–14
order dependence in force–force correlation method, 317
studies of atomic diffusion, 251–3
- resistivity of magnetic alloys, 318ff, (T) 319 (*see also* amorphous alloys)
clusters, 334ff
domain walls, 322
spin-flip, 324ff
spin glasses, 351ff, 389–90
spin waves, 274, 322, 326–7
- resistivity of nearly magnetic alloys
exchange enhanced alloys, 341ff
local spin fluctuations, 339ff
nearly magnetic Ni alloys, 350
transition from Kondo to exchange enhanced behaviour, 345
- resistivity of phase separating alloys, 261ff
anisotropy in eutectic, 184
effect of particle shape in two phase alloy, 177ff
effects of precipitation, 257ff
electrical analog of two phase alloy, 178ff
eutectics, 261ff
parallel and transverse to fibres, 179–81
percolation in two phase alloy, 181–4
resistivity maximum, 147
spinodal decomposition, 142–3, 261
two phase alloy (T), 175–6
- resistivity relationships
Linde–Norbury rule, 222
Matthiessen’s rule, 9ff
Mooij correlation, 312, 372–3
Mott’s rule, 224
Nordheim’s rule, 222, 236
- resistivity size effect, 264–71
foils and wires, 187–95, (T) 192–3
scale of phases $\sim \Lambda$, 184ff
Rh, resistivity (T), 292
Rh–Fe, resistivity, 344, 354
- rigid band approximation, 300ff
rigid-ion model, 134
rigid muffin-tin model, 291
RKKY interaction, 84, 144
asymptotic form, 85
between magnetic clusters, 87–8
damping by mean free path effects, 85
effect on magnetic ground states, 91
effect on spin fluctuations, 87
in spin glasses, 353–4
Rudermann–Kittel oscillations, 121
- saturation magnetisation, 91 (*see also* magnetic structure)
- scattering theory (*see also* anisotropic scattering, form factor, pseudo-potential, resistivity entries, structure factor)
anisotropy, 7, 24, 153–5
amplitude, 3

432 *Index*

- scattering theory, *continued*
 coherence, 8
 conduction electrons, 1ff
 elastic and inelastic, 15ff
 geometry, 3–4
 potential, 2 (*see also* deviation lattice)
 probability, 2–3, 20
 scattering matrix, 127, 129ff, 145
 wave vector, 2
- scattering by defects, 138 (*see also* resistivity entries, scattering theory)
 antiphase domains, 167–8
 cutoff at small phonon wavelengths, 376–7
 external surfaces, 187–9
 grain boundaries, 185–6
 interfacial, 184ff
 interference between atomic and magnetic, 322
 magnetic, 10, 16
 normal scattering, 16
 phonons, 9
 s–d, 273ff, 303–5
 spin-flip, 17
 Umklapp scattering, 16
- scattering matrix (*see* form factor, model potential, pseudopotential, resistivity entries, scattering theory)
- Schrödinger equation
 nearly free electron theory, 124–6
 phase shift solution, 280
 time independent, 107
- screened Coulomb potential, 121
- screening, 108ff
 adiabatic approximation, 135
 Hartree self consistent field approximation, 108
 in an alloy, 133
 in metals, 120
 Lindhard (RPA), 121
 potentials in transition metals, 275
 Thomas–Fermi, 120, 122
 with atomic displacements, 135
- self-interstitials
see point defects
- short range order (SRO), 8 (*see also* atomic SRO, magnetic SRO)
 correlation parameter, 35
- simple metals, 10, 13
 resistivity of, 137ff
- single site average, 31
- Singwi exchange and correlation correction, 123
- site occupation parameters, 30
- size effect, 144, 167, 184 (*see also* atomic displacements, local mean free path, resistivity due to surfaces)
 foils and wires, 187–95, (T) 192–3
 Slater–Pauling curve, 78
 Sn–Ag, resistivity (T), 228
 Sn–Au, resistivity (T), 228
 Sn–Cu, resistivity (T), 228
 Sn–Te, resistivity, 262
 specularly parameter, 187–9, 194, 265, 267–8
 and surface roughness, 189
 apparent temperature dependence, 187–9
 spin fluctuations, 98ff, 336 (*see also* Kondo effect, localised spin fluctuations, resistivity of nearly magnetic alloys)
 effect of Coulomb interaction, 99
 effects of local environment, 100–1
 enhanced susceptibility, 99
 in collective electron model, 78
 in spin glasses, 87
 mean lifetime, 99
 of magnetic clusters, 87
 rate compared to experimental probe characteristic time, 83
 spin fluctuation temperature, 85, 99ff (*see also* localised spin fluctuations, spin fluctuations)
 characteristic values in dilute alloys (T), 10
 effect of atomic interactions, 345–8
 in spin glasses, 87, 353
- spin glasses, 84ff
 competition between RKKY and Kondo interactions, 353–4
 freezing as cooperative effect, 98
 freezing temperature T_0 , 85
 magnetic susceptibility, 85
 relaxation times in, 85–6
 specific heat, 85
- spin waves (*see also* magnetic structure)
 diffuse, in spin glasses, 351–3
 in amorphous metals, 388
 spectra, 97
- spin-flip resistivity, 324ff (*see also* resistivity of magnetic alloys)
- spinodal decomposition, 41 (*see also* atomic clustering)
 morphology resulting from, 46ff
- spinodal ordering, 41 (*see also* atomic LRO)
- SRO
see short range order
- Stoner enhancement factor, 99 (*see also* localised spin fluctuations, spin fluctuations, spin fluctuation temperature)

- structure factor, 129 (*see also* partial structure factor, resistivity entries, scattering theory, scattering by defects)
- boundaries, 150
- coexisting LRO and SRO, 163–4
- composition wave, 142–3
- dynamical, 201–2, 210
- general, 140–1
- GP zone, 149ff
- homogeneous atomic correlations, 141
- partial, 130
- self-interstitial, 198
- sublattice (homogeneous LRO), 161–2
- substitutional impurity, 197
- thermal displacements, 199, 201–2
- vacancy, 195–6
- zones, 149ff
- sublattices, 32ff (*see also* atomic LRO)
- substitutional impurity
see point defects
- superlattice
see atomic LRO
- superparamagnet, 87 (*see also* magnetic clusters)
- relaxation time as a function of energy (T), 89
- blocking temperature, 85
- T*-matrix, 128, 284ff
- in optical theorem, 29
- t*-matrix, 285ff
- Ta, resistivity (T), 290
- Tb, magnetic structure (T), 91
- temperature, distinction between quench and measuring, 9
- Thomas Fermi screening, 120 (*see also* screening)
- Ti–Al, resistivity, 374
- tight binding approximation, 110ff
- Tm, magnetic structure (T), 91
- transition matrix
see *T*-matrix
- transition metals (*see also* dilute alloys, pseudopotentials, model potentials, resistivity calculation)
- screening and hybridisation, 275
- transmission coefficient
see grain boundaries
- two sub-band model, 323ff
- two-phase mixtures (*see also* atomic phase separation, resistivity due to surfaces, resistivity of phase separating alloys)
- geometrical configuration, 57
- microstructure, 54
- U-scattering
see Umklapp scattering
- Umklapp scattering, 16
- units, 1, 393
- vacancies (*see also* point defects, atomic displacements)
- resistivity in various metals, 195, (T) 234–5, 252
- (*see also* resistivity due to structural disorder)
- lattice relaxation around, 233
- van Hove singularities, 12
- virtual bound states, 80ff
- as a scattering problem, 81–2
- in transition metals, 292
- lifetime, 99
- magnetic moment of, 81
- virtual crystal approximation, 130, 139, 300ff
- W, resistivity (T), 290
- ω -transformation, 68
- as a continuous transformation, 69
- Warren–Cowley SRO parameter (*see also* atomic SRO, correlation parameters)
- in resistivity expression, 142ff
- wavefunctions
- atomic-like, 109
- model, 117
- one electron, 108
- periodicity, 107
- pseudo-, 115
- wavepackets, 17ff
- classical limit, 18
- in highly resistive alloys, 375
- group velocity, 17
- wavevector
- scattering, 115, 139
- Thomas Fermi screening, 120
- Wolff model, 345
- $X\alpha$ local statistical exchange approximation, 123
- Y, resistivity (T), 275
- Y–Ce, resistivity, 342
- Yb, magnetic structure (T), 91
- Young's modulus
see elastic constants
- Ziman approximation, 27
- in *t*-matrix, 286
- Ziman equation, 139
- Zn, core radius and atomic volume (T), 223
- Zn–Ag, resistivity (T), 228

Cambridge University Press

0521408725 - The Electrical Resistivity of Metals and Alloys - Paul L. Rossiter

Index

[More information](#)434 *Index*

Zn–Au, resistivity (T), 228

Zn–Cu, resistivity (T), 228

Zn–Fe, resistivity, 342

Zn–Mn, resistivity, 342

zones (*see also* atomic clustering, GP

zones, resistivity of phase separating

alloys, scattering theory, scattering

due to defects)

effect of measuring temperature on

resistivity, 155ff

zones, *continued*

three dimensional, structure factor,

153–4

two dimensional, structure factor,

153–4

zone boundaries

composition profile, 151

scattering from, 150–1

Zr, resistivity (T), 275