

INDEX

- Acceleration**
 convective, 4
 local, 4
 substantial, 4
 total, 4
- Adams, J.A.**, 173, 353
- Adiabatic wall**, 21, 115, 118, 119, 132, 144, 213
 compressible boundary layer
 flat plate, 225, 228
 hypersonic, 257, 261
 nonunit Prandtl number, 233
 low speed, 224, 225
 mass transfer, 269
 unit Prandtl number, 231
- Couette flow, simple**, 112, 114
 compressible, 203, 204, 206
 temperature, 21, 122
- Adverse pressure gradient**, 77, 92, 95, 185, 187
 compressible boundary layer, 244, 246–249, 264, 265
 hypersonic, 257
- Couette flow, nonsimple**, 115
 velocity profile in, 78
- Asymptotic boundary conditions**, satisfaction of, 299
- Asymptotic boundary value problem**, numerical integration of, 299
- Asymptotic convergence**, 40
- Axisymmetric**
 boundary layer, 84–86
 on thin needle, 88
 Couette flow, 199
 potential flow, 87
 stagnation point flow, 44–51, 72, 88, 89
 solution for (table), 50
- Ball, K.O.W.**, 263
- Baxter, D.C.**, 95
- Beckmann, W.**, 168
- Beckwith, Z.E.**, 262
- Bernoulli equation**, 36
- Bertram, M.H.**, 275
- Blasius equation**, 64, 65, 70, 72, 91, 128, 130, 131, 161, 162, 214, 215, 219, 224–226, 237, 238, 257
 group properties, 69
 results for (table), 71
 series expansion for, 94
 solution of, 60, 74, 79, 88
- Blasius, H.**, 64, 66
- Blow off**, 91
 compressible boundary layer, 264
- Blowing**, 90, 148, 177, 178, 223, 261–263, 265
See also injection; mass transfer
- Body force**, 107, 199
- Boerner, C.J.**, 96–98, 100, 103
- Boundary conditions**
 adiabatic wall, 20
 asymptotic, 98
 axisymmetric stagnation point flow, 45
 compressible boundary layer, 215
 edge, 209
 mass transfer, 262
 nonsimilar, 279
- Crocco coordinates**, 213
- field**, 20, 21
 infinity, 47
 mass transfer, nonsimilar,
 forced convection, 158
 no-mass-transfer, 45, 60, 128, 157, 158, 160, 179, 180, 185, 200
 no-slip, 20, 25, 27, 35, 45, 53, 54, 60, 128, 185, 200, 209

412 *Index*

Boundary conditions (Cont.):

- no-temperature-jump, 20, 53, 54, 200
- suddenly accelerated plane wall, 30, 33
- surface, 20
- two-dimensional stagnation point flow, 37, 39
- von Mises coordinates, 211
- zero heat transfer, 20

Boundary layer

- combined forced and free convection, 183–193
 - nonsimilar 180–193
 - numerical integration of, 186
 - See also* combined forced and free convection; energy equation; heat transfer; momentum equation; shearing stress; temperature profile; three-equation locally nonsimilar method; two-equation locally nonsimilar method; velocity profile
- compressible, 60, 95, 195, 208–281
 - axisymmetric nonsimilar, 277
 - flat plate, 225–230
 - hypersonic, 257
 - nonunit Prandtl number, 232, 233, 257–261
 - low speed, 223–225, 237–241
 - mass transfer 261–269
 - nonsimilar, 276–281
 - mass transfer, 277
 - numerical integration of, 236, 237
 - shock-boundary layer interaction, 270–276
 - transformation of, 210–223
 - unit Prandtl number, 230–232, 241–256
 - equations for, 230
 - See also* adiabatic wall; adverse pressure gradient; blow off;

Boundary layer, compressible (Cont.):

- boundary conditions;
- continuity equation;
- displacement thickness;
- enthalpy;
- energy equation;
- eqmot;
- eqmotcb;
- favorable pressure gradient;
- heat transfer;
- injection;
- iteration;
- locally nonsimilar method;
- mass transfer;
- momentum equation;
- momentum thickness;
- Nachtsheim-Swigert iteration;
- reverse flow;
- shearing stress;
- similarity;
- suction;
- three-equation locally nonsimilar method;
- two-equation locally nonsimilar method;
- viscous dissipation;
- velocity profile
- derivation of equations for, 54–60
- forced convection, 105, 127–147, 162, 164
 - mass transfer, 147–154, 175
 - See also* boundary conditions; continuity equation; energy equation; forced convection; heat transfer; locally nonsimilar method; mass transfer; momentum equation; nonsimilar boundary layer; three-equation locally nonsimilar method; two-equation locally nonsimilar method; velocity profile
- free convection, 105, 159–183
- isothermal vertical flat plate, 164–170

- Boundary layer, free convection (Cont.):
 level curves of error, 310
 nonisothermal vertical
 flat plate, 170–178
 nonsimilar, 182
 numerical integration of, 164
 mass transfer, 173,
 175–178
See also energy equation;
 eqmot;
 eqmotcv;
 free convection;
 heat transfer;
 iteration ;
 locally nonsimilar method;
 mass transfer;
 momentum equation;
 Nachtsheim–Swigert
 iteration;
 nonsimilar boundary layer;
 shearing stress;
 temperature profile;
 three-equation locally
 nonsimilar method;
 two-equation locally
 nonsimilar method;
 velocity profile
 general program, 353
 general two-dimensional
 incompressible, 65
 Görtler series expansion for, 94
 incompressible, on flat plate, 60–64
 mass transfer in, 90, 92–94
 nonsimilar, 93
 free convection, 178
 mass transfer, 182
 Prandtl's, 53, 54
 pressure gradient, 65
 program for, 375–378
 results for (table), 340–342, 344
 mass transfer (table),
 344–350
See also Appendix C
 thermal, 54
 velocity, 54
 Boundary value problem, two-point
 asymptotic, 47
 Brown, W.B., 240, 262
 Bulk heat addition, 106, 123, 200
 Buoyancy force, 105, 107, 108, 128,
 177, 195
 Buoyancy term, 123, 184, 185
 Busemann integral, 224, 226
 Bussmann, K., 91
 Catherall, D., 103
 Cauchy's equations, 5
 Channel flow 26, 68
 Chapman, D.R., 197
 Chapman–Rubesin viscosity law, 197,
 198, 202, 214, 215, 218, 222, 272,
 273, 277
 Chen, K., 262
 Circular cylinder
 nonsimilar boundary layer on, 99
 shearing stress on, 100
 skin friction coefficient for, 100
 Clutter, D.W., 95
 Cohen, C.B., 231, 240, 243
 comb, 237–239, 246, 247, 257, 262,
 276
 Combined forced and free convection,
 124
See also boundary layer, combined
 forced and free convection
 comb1, 376–378
 Compressible boundary layer *See*
 boundary layer, compressible
 Compressive work, 208
 Continuity equation, 3, 19, 22, 24, 25,
 30, 45, 55, 106, 123, 124, 183, 199
 axisymmetric, 84
 axisymmetric stagnation point flow,
 44
 boundary layer, 59
 compressible boundary layer, 208,
 210
 Crocco coordinates for, 212
 Couette flow, simple, compressible,
 200
 cylindrical polar coordinates, 44
 flat plate boundary layer, 60
 forced convection, 128, 137
 mass transfer, 147
 nonsimilar, 154
 incompressible, 21
 two-dimensional stagnation point
 flow, 36

414 *Index*

- convb1, 372–374
 Convergence asymptotic, 40
 Couette flow, 24, 26
 adiabatic wall in, 113, 114, 203, 204, 206
 adverse pressure gradient in, 115
 axisymmetric, 199
 compressible, 195, 199
 continuity equation for, 200
 energy equation for, 200
 enthalpy in, 203, 204
 heat transfer in, 203, 205, 207
 momentum equation for, 200
 nonsimple, 27, 28
 Reynolds analogy for, 208
 temperature effects in, 115–119
 simple, 27
 compressible, 202
 temperature effects in, 110–115
 shearing stress in, 200, 207
 skin friction coefficient for, 207, 208
 temperature profile for, 117, 118
 velocity profile for, 203, 206
 viscous dissipation in 203–206
 Crocco coordinates *See* energy equation, enthalpy, momentum equation
 Crocco equations, 212, 218
 physical coordinate in, 213
 Crocco integral, 224, 226
 Crocco, L., 228
 Crocco transformation, 210, 211,
 See also shearing stress
 Cylindrical polar coordinates, 44
- D**
 Derivative, Eulerian, 4
 Dewey, C.F., 95
 Diffusion coefficient momentum, 125
 Diffusivity, thermal, 160
 Dilatation, 12
 Dilatational viscosity, 12
 Displacement thickness, 77, 79
 compressible boundary layer, 234, 236, 237, 252, 253, 255, 264
 Falkner-Skan solution, 80, 81
 shock-wave boundary layer
 interaction, 270–276
- Displacement thickness (Cont.):
 two-dimensional stagnation point
 flow, 80
 Donoughe, P.L., 240, 262
 Dynamic viscosity, 57
- E**
 Eckert number, 57, 108–110, 121, 129, 136, 139, 141, 156, 184, 195
 Eichhorn, R., 176, 186–188
 Elzy, E., 143, 148
 Emmons, H.W., 91
 Energy, conservation of, 1, 13, 14
 Energy equation, 13, 18, 22, 54, 56, 183, 200
 boundary layer, 59, 122–124, 208, 210, 221
 compressible, 215
 Crocco coordinates, 212
 derivation of, 58, 59
 flat plate, 225
 nonsimilar, 278
 combined forced and free
 convection, nonsimilar, 191
 Couette flow, simple,
 compressible, 200
 forced convection, 128, 129, 137, 219
 nonsimilar, 155–157
 free convection, 162, 164
 nonsimilar, 179, 180
 mass transfer results for (table), 332–336
 Poiseuille flow, 119
 results for (table), 331
 thermal boundary layer, 125, 126
 thermal flows, 106, 108, 109
 two-dimensional stagnation point
 flow, 39
 Enthalpy, 19
 Crocco coordinates, at surface, 213
 overshoot, compressible
 boundary layer, hypersonic, 257
 profile
 boundary layer
 compressible, 240, 241, 244, 248, 250
 hypersonic, 257, 258

- Enthalpy, profile, boundary layer, compressible (Cont.):
 mass transfer, effect of, 265
 $M_e \rightarrow 0$, 204
 Mach number, effect of, 228
 Couette flow, simple
 adiabatic wall, 203
 compressible, 203, 206
 eqmot, 100, 370
 compressible boundary layer, 237
 free convection boundary layer, 186
 eqmot2d, 48, 366
 eqmotcb, 378
 eqmotcv, 374
 eqmotfs, 80, 369
 Equation, continuity *See* continuity equation
 Equation of state, 20, 21, 107
 Euler's equation, 53, 65, 85, 273, 277
 Eulerian derivative, 4
 Evans, H.L., 84, 86, 88, 92, 95, 143, 154
 Experimental data, free convection, 168, 169
 explain, 355
 explain2d, 366
 explaincb, 379
 explaincv, 275
 explainfs, 370
 Falkner, V.M., 67
 Falkner-Skan equation, 65–68, 70–77, 82, 137, 139, 141, 184, 222, 225, 233, 238, 301, 303
 eqmotfs, 369
 main program, 366–369
 mass transfer, 92
 Newton-Raphson iteration, 299
 numerical integration of, 70–77
 physical interpretation, 81–84
 results (table), 322
 mass transfer (table), 323–329
 reverse flow solutions, 76–78
 Falkner-Skan pressure gradient parameter, 224
 Falkner-Skan solution, 70–79, 84, 94, 234
 Falkner-Skan solution (Cont.):
 axisymmetric flow, 86
 displacement thickness, 80
 momentum thickness, 80
 potential flows for, 83
 Fanucci, J.B., 262
 faskan, 70, 72, 75, 76, 80, 91, 100, 103, 130–132, 139, 140, 164, 367–369
 Favorable pressure gradient
 compressible boundary layer, 250, 252, 255, 263–266
 hypersonic, 257, 261
 mass transfer, 267–269
 Field, 1
 Finite difference-differential method, 94, 95
 results for circular cylinder, 100
 Flat plate, shock-wave boundary layer interaction on, 271
 Flow
 axisymmetric
 conical, 86, 87
 Couette flow, 199
 stagnation point, 64, 72, 88
 See also axisymmetric
 between parallel plates, 199
 channel, 26
 with parallel walls, 119
 circular, compressible, 199
 Couette, 24, 26
 compressible, 195
 nonsimple, 27, 28
 temperature effects in, 115–119
 simple, 27
 temperature effects in, 110–115
 See also Couette flow
 flat plate
 Blasius solution, 60–64
 forced convection on, 127
 free convection, 159, 161
 Hagen-Poiseuille, 24
 hypersonic, nonunit Prandtl number, 232
 inviscid
 axisymmetric stagnation point, 45

416 *Index*

- Flow, inviscid (Cont.):
 two-dimensional stagnation
 point, 35
 parallel, 23
 separation, 77
 stagnation point, 66
 suddenly accelerated plane wall, 28
 two-dimensional stagnation point,
 35, 46, 48, 49, 51, 64, 82,
 145, 243
 wedge, 82
- Fluid
 compressible, 20
 continuous, 2–4, 13, 20
 deformation, 8, 9
 element
 deformation of, 9
 rotation of, 9
 translation of, 9
 heat conducting, 20
 homogeneous, 2, 3, 20
 isotropic, 7, 20
 Stokesian, 20
 viscosity, 12
 viscous, 20
- Flügge-Lotz, I., 95
- forcb, 140, 141, 143, 148, 164
- Force
 body, 5
 surface, 5
- Forced convection, 123, 187–189
 boundary layer
 flat plate on, 127
 heat transfer (table), 331
 main program for, 370
 mass transfer in, 175
 nonisothermal surface, 136
 nonsimilar, 154
 numerical integration of, 139
 pressure gradient, 136
 results for (table), 330
See also boundary layer, forced
 convection
- Fourier's law, 18, 207
- Free convection, 124, 159, 187–189,
 237
 boundary layer
 level curves of error, 310
 main program for, 371–374
- Free convection, boundary layer (Cont.):
 results (table), 336–339
- Free parameter method, 65
- freeb, 164, 170, 176, 186, 193, 237,
 308
- G**allo, W.F., 95
- gblpdriv, 70, 100, 353–355, 370
- General boundary layer program,
 353–380
- Gnos, U.S., 95
- Goldstein, S., 64, 86
- Grashof number, 108, 109, 123, 159,
 166, 169, 182, 185
- Gregg, J.L., 162, 170, 186–188
- Gross, J.F., 95
- Görtler, H., 96
- Görtler series expansion for boundary
 layer, 94
- H**agen-Poiseuille flow, 24
- Hansen, A.G., 61, 65, 84
- Hartnett, J.P., 148
- Hartree, D.R., 67, 75, 76
- Hayes, W.D., 271, 273, 276
- header, 357
- Heat addition, bulk rate of, 14
- Heat conduction
 coefficient of, 17
 diffusion of, 30
- Heat conductivity, 21
- Heat transfer, 126, 127, 135
 boundary layer
 combined forced and free
 convection, 187
 compressible, 237, 241, 242,
 247, 248, 252, 264
 flat plate, 225, 229
 hypersonic, 257, 260
 shock-boundary layer
 interaction, 274
 low speed, 225
 mass transfer in, 267
 unit Prandtl number, 232
 von Mises
 coordinates, 211
 forced convection, 132, 143,
 144
 mass transfer, 149–152

- Heat transfer, boundary layer (Cont.):
 free convection,
 nonisothermal wall, 170
 convective, 105
 Couette flow, simple, compressible,
 203, 205, 207
 conduction in, 207
 Heat transfer parameter, 146
 boundary layer
 forced convection, effect of
 viscous dissipation on
 146, 147
 Homann, F., 49
 Howarth, L., 64, 213
 Howarth transformation for
 compressible boundary layer, 213,
 214
 Hypersonic flow, 271
 Hypersonic interaction parameter, 272
 Hypersonic shock-wave boundary layer
 interaction, 269
 Hypersonic strong interaction, 273, 275,
 276
 results for (table), 351
 Illingworth, C.R., 199, 220
 Illingworth-Levy transformation, 220
 Initial, 356
 Injection, 148, 223, 261
 compressible boundary layer, 268
 Inner and outer expansion, 64
 Integral solution, 94
 Inviscid flow,
 axisymmetric stagnation point, 45
 Iteration
 Nachtsheim-Swigert, 40, 42, 43, 49,
 71, 73, 76, 98, 142, 299–319, 353
 boundary layer
 compressible, 311, 312
 zero heat transfer, 313
 zero shearing stress,
 313
 energy equation, 306
 adiabatic wall, 307
 Falkner-Skan equation,
 302–304
 reverse flow, 304
 zero shearing stress, 305
 free convection, 308
 adiabatic wall, 310
 solution determined parameter
 314
 systems of equations, 316
 Newton-Raphson, 72, 299
 Falkner-Skan equation, 300,
 301
 Kinematic viscosity, 125
 Koh, J.C.Y., 148, 151
 Kuethe, A.M., 99
 Laplace's equation, 86
 Lees, L., 95, 275
 Legendre's equation, 86
 Leigh, D., 91
 Levy, S., 220, 231, 234, 240, 262
 Lew, H.G., 262
 Li, T.Y., 215, 221, 231, 275
 Libby, P.A., 76, 262
 Liepman, H.W., 270–272
 Local similarity, 95, 156
 Locally nonsimilar method, 96, 97, 237
 boundary layer, 156–158
 compressible, 279
 forced convection, 156
 free convection, 179
 three-equation model, 98, 99
 mass transfer, 102, 103
 two-equation model, 98, 100
 mass transfer, 102, 103
 Lock, R.C., 91
 Low, G.M., 240, 262
 Lowell, R.L., 173
 Mach number, 57, 201, 207, 221–223,
 227, 229, 231
 Mangler transformation, 84, 86
 Mangler, W., 84–86
 Marvin, J.G., 95
 Mass, conservation of, 1, 2
 Mass flow rate, 21
 Mass transfer
 boundary layer, 90
 compressible, 222, 223, 261,
 264
 forced convection, 147

418 *Index*

- Mass transfer, boundary layer (Cont.):
 free convection
 isothermal wall
 temperature profile
 for, 176
 nonisothermal on vertical
 flat plate, 173, 175
 nonsimilar, 182
 nonsimilar, 101
 shearing stress, 92
 velocity profile for, 94
See also blowing; injection; suction
- Matched asymptotic expansion, 64
- McCroskey, W.S., 270
- Meksyn, D., 95, 96
- Meksyn-Merk method, 95, 154
- Merk, H.J., 95
- Momentum equation, 24, 25, 123, 124, 183, 199
 axisymmetric, 84
 axisymmetric stagnation point flow, 44, 46
 boundary layer, 59
 combined forced and free convection
 nonsimilar, 191
 compressible, 208, 210, 215
 Crocco coordinates, 212
 derivation of, 58
 flat plate, 60, 225
 nonsimilar, 278
 forced convection, 128, 137
 mass transfer, 147
 nonsimilar, 155
 free convection, 162, 164
 nonsimilar, 179, 180
 thermal, 125, 126
- Couette flow, simple, compressible, 200
- cylindrical polar coordinates, 44
- nondimensional, 55
- thermal flows, 106–109
- two-dimensional stagnation point flow, 36, 39
- Momentum thickness, 77, 79, 80
 compressible boundary layer, 234, 236, 238, 253, 255
 Falkner-Skan solution, 80, 81
 two-dimensional stagnation point flow, 80
- Monatomic gas, 195, 274
- Moore, F.K., 75, 95
- Nachtsheim, P.R., 301, 303, 304, 308, 310
- Nachtsheim-Swigert, 40, 42, 193
- Nachtsheim-Swigert iteration, 49, 71, 73, 76, 98, 142, 164, 237, 299–319, 353, 359
 boundary layer
 compressible, 238, 311, 312
 zero heat transfer, 313
 zero shearing stress, 313
- energy equation, 306
 adiabatic wall, 307
- Falkner-Skan equation, 302–304
 reverse flow, 304
 zero shearing stress, 305
- free convection, 308
 adiabatic wall, 310
- solution determined parameter, 314
- systems of equations, 316
See also iteration
- Nagakura, T., 276
- Nagamatsu, H.T., 215, 221, 231, 275
- Naruse, H., 276
- Natural convection, 124, 159
- Navier-Stokes equation, 1–19, 21, 22, 53, 54, 60, 68, 105–107
 compressible, 13, 23, 195, 199
 solutions
 analytical, 23–35
 approximate, 23
 exact, 23, 35–51
 suddenly accelerated flat plate, 28–35
- Newton's law of friction, 26
- Newton's second law, 1, 3–5
- Newton-Raphson iteration, 40, 72, 299
 Falkner-Skan equation, 300–302
- Nikuradse, J., 72
- Nonsimilar boundary layer
 forced convection, 154
 free convection, 178
 with mass transfer, 182
 on circular cylinder, 99

- Nonsimilar boundary layer (Cont.):**
See also locally nonsimilar method;
 three-equation locally
 nonsimilar method;
 two-equation locally
 nonsimilar method
- ns**, 70, 359–361
- Numerical integration, free convection**,
 164
- Numerical solution, two-dimensional**
 stagnation point flow, 41
 table, 42
- Nusselt number**, 126, 127, 136, 152,
 153, 166, 181, 207, 230, 232
 compressible boundary layer, 250
- Order-of-magnitude**, 54–58, 130
- Ostrach, S.**, 160, 166
- output**, 362
- parameter**, 355, 356
- Perfect gas thermal**, 21
- Pohlhausen, E.**, 130
- Poiseuille flow**, 119
- Prandtl, L.**, 53, 54, 64
- Prandtl number**, 56–58, 107–109, 112,
 113, 124, 125, 127, 131–136, 144,
 148, 164, 166, 168, 170, 172,
 186, 189, 198, 207, 219, 222–226,
 229, 231, 232, 237, 240, 241,
 262, 276
- Prandtl-Eckert product**, 113, 114, 117,
 118, 122, 134
- Pressure gradient, adverse**, 77
- Probstein, R.F.**, 271, 273, 276
- Pun, W.M.**, 154
- Punnis, B.**, 143
- Quack, H.**, 96–98, 100, 103
- Rate-of-dilatation volume**, 12
- Rate-of-shearing-deformation**, 11
- Rate-of-strain**, 1, 8
- Rate-of-strain tensor**, 11
- Recovery enthalpy, Couette flow, simple**,
 compressible, 203
- Recovery temperature Couette flow**,
 simple, compressible, 204
- Reeves, B.L.**, 95
- Reshotko, E.**, 240, 243
- Retarded flow, compressible boundary
 layer**, 240, 249, 250
- Reverse flow**
 boundary layer
 compressible, 240, 244, 246,
 250, 263, 266
 hypersonic, 261
 mass transfer in, 267
 for energy equation, 143
- Reverse flow solutions**, 76–78, 93
- Reynolds analogy**, 126, 127, 208, 230
 compressible
 boundary layer, 251, 254
 Couette flow simple, 208
- Reynolds number**, 57, 100, 107–109,
 110, 123–125, 134, 135, 152–154,
 170, 183, 185, 201, 207
- rk**, 70, 358, 359, 370
- Rogers, D.F.**, 76, 231, 240, 257, 261,
 353
- Rosenhead, L.**, 55, 81, 84
- Roshko, A.**, 270–272
- Runge-Kutta integration**, 289–297
 equivalent first-order equation set,
 289
 example, 296
 first-order differential equation, 290
 fourth-order, 293, 353
 graphical explanation, 293,
 294
 simultaneous equations, 295
 recursion formulas, 290
 routine, 358
 second-order, 291, 293
 third-order, 293
- Schlichting, H.**, 73, 91, 243
- Schmidt, E.**, 168
- Schönauer, W.**, 100
- Separated flow**, 77
- Separation**, 84, 101, 185
 boundary layer
 compressible, 240, 247, 248,
 251, 265
 mass transfer, 267
 mass transfer, effect on, 93
- Separation of variables**, 30, 36

420 *Index*

Separation of variables (Cont.):

- axisymmetric two-dimensional stagnation point flow, 46
- Separation point, 77
- Series expansion, 94
- Shearing force, viscous, 15
- Shearing stress, 16, 17, 26–28, 78, 93
 - boundary layer
 - compressible, 237, 241, 246, 248, 263, 264
 - hypersonic, 257, 259
 - mass transfer, 266, 269
 - unit Prandtl number, 231
 - combined forced and free convection, 187
 - flat plate with mass transfer, 102
 - free convection, 166
 - on a nonisothermal wall, 170
 - nonsimilar, 100
 - circular cylinder, 100, 101
 - Couette flow, simple, compressible, 200, 207
 - Crocco transformation, 211
 - hypersonic shock-boundary layer interaction, 274
 - mass transfer, effect on, 92
 - tensor, 5
 - two-dimensional stagnation point flow, 51
 - von Mises coordinates, 211
- Shock wave structure, 199
- Shock-wave boundary layer interaction, 269, 270
- Shooting method, 299
- Similarity
 - analysis, suddenly accelerated plane wall, 31
 - conditions, compressible boundary layer, 219, 221, 222
 - requirements, compressible
 - boundary layer mass transfer, 262
 - solution, suddenly accelerated plane wall, 32
- Sinclair, R.A., 95
- Sisson, R.M., 143, 148

Skin friction, 77

- in Crocco coordinates, 213
 - Skin friction coefficient, 78, 79, 126, 127
 - boundary layer
 - compressible, 240, 250
 - unit Prandtl number, 231, 232
 - Couette flow, simple, compressible, 207, 208
 - circular cylinder, 100
 - Smith, A.M.O., 95
 - Spalding, D.B., 92, 154
 - Sparrow, E.M., 96–98, 100, 103, 162, 170, 186–188
 - Specific heat at constant pressure, 195, 198
 - stag2d, 41, 43, 48, 364–366
 - Stagnation point flow,
 - axisymmetric, 44, 45, 49, 51, 64
 - solution (table), 50
 - two-dimensional, 64, 243
 - Stanton number, 127, 134, 136, 152, 153, 207
 - Stewartson, K., 54, 76, 243
 - Stokes approximation, 12, 17
 - Streeter, L., 197
 - Stress tensor, 5, 8
 - Stress-rate-of-strain relation, 7, 8, 16
 - Suction, 148, 177, 178, 223, 261, 262
 - in boundary layer, 90
 - compressible, 263, 268
 - See also* mass transfer
 - Suddenly accelerated plane wall, 28, 34, 62
 - Sutherland equation, 196, 197
 - Sutherland viscosity law, 218, 228
 - Swigert, P., 301, 303, 304, 308, 310
- T**angent wedge approximation, 271
- Taylor series expansion, 303, 305, 306, 308, 315
 - Runge-Kutta integration, 290
 - in two variables, 292
 - second-order, 291
 - Temperature profile
 - Couette flow
 - simple, adiabatic wall, 117
 - nonsimple, 117, 118

- Temperature profile (Cont.):
 combined forced and free convection, 189
 forced convection, 131, 133–135, 168, 171
 free convection (table), 148, 167
 mass transfer
 isothermal wall, 176
 nonisothermal wall, 177
 Poiseuille flow, 121
 two-dimensional stagnation point flow, 145, 148
 mass transfer, 153, 154
- Terrill, R.M., 100
- Thermal conductivity, 195, 198, 198
- Thermal diffusivity, 160
- Thermally perfect fluid, 125
- Three-equation locally nonsimilar model
 combined forced and free convection, 193
 compressible, 280
 forced convection, 158
 free convection, 180
- Trace, rate-of-strain tensor, 11
- Transformation, Mangler, 85
- Transport properties, 195, 198
- Transverse curvature, 277
- Tsien, H.S., 210
- Two-dimensional stagnation point flow, 35–44, 46, 49, 51, 82, 145, 243
 displacement thickness, 80
 main program, 363–366
 momentum thickness, 80
 numerical solution (table), 42
 temperature distribution for, 148
 viscous dissipation effect of, 147
- Two-equation locally nonsimilar model
 combined forced and free convection, 192
 compressible boundary layer, 280
 forced convection, 156, 157
 free convection, 180
 mass transfer, 182
 results for circular cylinder (table), 330
- Töpfer, C., 64, 69
- Van Dyke M., 64
- Velocity, angular, 8, 10
- Velocity overshoot in compressible boundary layer, 244
- Velocity profile
 adverse pressure gradient, 78
 blowing, effect of, 93
 combined forced and free convection, 188
 compressible boundary layer, 241, 243–245, 264
 adiabatic flat plate, 229
 $M_e \rightarrow 0$, 204
 Couette flow, simple, compressible, 203, 206
 adiabatic wall, 203
 Falkner-Skan, 75
 forced convection boundary layer (table), 140
 free convection, 168, 171
 mass transfer
 isothermal wall, 176
 nonisothermal wall, 177
 table, 167
 mass transfer, effect of, 94
 nonsimilar, 100
 suction, effect of, 93
- Viscosity, 12, 21, 195
 bulk, 12
 Chapman-Rubens law, 197, 198, 202, 214, 215, 218, 222, 272, 273, 277
 dilatational, 12
 dynamic, 12, 13, 57, 272
 kinematic, 125
 Sutherland equation, 196, 197, 218, 228
 variation with temperature, 196
- Viscous dissipation, 18, 54, 108, 125, 143, 145–147, 148, 160, 179
 compressible boundary layer, 208
 Couette flow, simple, compressible, 203–206
 heat transfer, effects of (table), 332
 importance in compressible flow, 210
 unit Prandtl number, 231
- Viscous heating, 195
 simple Couette flow, 112, 113
- Volume coefficient of thermal expansion, 106

422 *Index*

Volume rate-of-dilatation, 12

von Driest, E.R., 228, 229

von Karman, T, 210

von Karman integral technique, 94

von Mises equations, 218

von Mises transformation, 210

Vorticity function, 10

Weast, R.C., 197

Work, 14, 15, 16, 17

Yang, K.T., 170