

Index

- amalgam, 7
- automorphism group, 6
 - classical, 15
- Borel subgroup, 9
- building, 14
- characteristic, 2
- clique, 45
- coclique, 45, 60
 - standard, 60
- code
 - binary linear, 50
 - doubly even, 50
 - even, 50
 - Golay, 50
 - length, 50
 - self-dual, 50
- collineation, 56
- completion, 8
 - faithful, 8
 - universal, 8
- corank, 3
- core, 42
- correlation, 56
- cotype, 3
- cover, 5
- covering, 5
 - of graphs, 46
- cycle, 44
 - contractible, 46
 - non-degenerate, 45
- deleting procedure, 68
- diagram, 13
- diagram automorphism, 6
- direct sum of geometries, 4
- dodecad, 81
- elation, 366
- extended dual polar space, 38
 - affine, 39
- flag, 3
 - standard, 9
- flag-transitive, 6
- frame, 147
- fully normalized subgroup, 42
- generalized polygon, 12
 - classical, 12
 - thick, 12
- geometric presentation, 36
- geometry
 - locally finite, 14
 - thick, 14
 - tilde, 20
 - Tits, 14
 - which is almost a building, 202
- girth, 44
- Golay code module, 95
- graph
 - Baby Monster, 244
 - bipartite, 45
 - collinearity, 23
 - connected, 45
 - derived, 27, 308
 - distance-transitive, 47
 - dual polar, 281
 - edge-transitive, 46
 - Gewirtz, 98
 - Leech, 164
 - line, 45
 - locally Δ , 45
 - locally projective, 28, 359
 - Monster first, 216
 - Monster second, 260
 - Moore, 362
 - multipartite, 45
 - octad, 102

- regular, 45
- s*-arc-transitive, 47
- Schläfli, 202
- sextet, 110
- strictly *s*-arc-transitive, 47
- transposition, 236
- triangulable, 46
- triangular, 200
- vertex-transitive, 46
- Wells, 397
- Griess algebra, 269
- group
 - 3-transposition, 236
 - Bimonster, 332
 - fundamental, 45
 - linear, 43
 - projective, 43
 - translation, 39
 - Weyl, 12
- hexacode, 71
- hexacode module, 71
- hexad, 132
- hexagonal relation, 335
- hyperoval, 65
- incidence defined by inclusion, 17
- incidence graph, 4
- incidence system, 3
 - connected, 3
 - residual, 3
- independent set, 64
- intersection array, 48
- intersection graph of subgeometries, 29
- isomorphism, 6
- isomorphism of geometries, 5
- lattice, 142
 - automorphism, 147
 - basis, 142
 - dimension, 142
 - discriminant, 142
 - dual, 142
 - even, 142
 - integral, 142
 - Leech, 142
 - unimodular, 142
- Leech vector, 153
 - shape, 154
- locally projective line, 367
- minimal weight, 50
- Monster amalgam, 211
- morphism of geometries, 5
- natural module, 43
- normal closure, 42
- octad, 54, 72
- octet, 132
- orbit
 - twisted, 275
 - untwisted, 275
- orbital, 43
- pair, 132
- parabolic geometry, 11
- parabolic subgroup
 - maximal, 6
 - minimal, 9
- parity form, 44
- Petersen geometry, 20
- Petersen graph, 20
- power set, 43
- quad, 102, 281
- quotient, 5
- rank of an incidence system, 3
- representation
 - group, 26
 - module, 25
 - natural, 24
 - permutational, 43
 - universal, 24
- residue, 3
- root, 142
- s*-covering, 5
- s*-simply connected, 5
- sextet, 54
- simply connected, 5
- sporadic group
 - Baby Monster, 222
 - Conway, 159
 - Fischer, 236, 237
 - Harada–Norton, 269
 - Held, 244
 - Higman–Sims, 189
 - Janko, 37
 - Mathieu, 74, 75, 83
 - McLaughlin, 187
 - Monster, 271
 - Suzuki, 40
 - Thompson, 269
- standard double cover, 47
- string diagram, 23
- subconstituent, 47
- subgraph
 - geodetically closed, 45
 - geometrical, 103, 375
 - induced, 45
 - strongly geodetically closed, 45
- suborbit diagram, 48
- subspace, totally singular, 2, 17

408

tetrad, 54
Todd module, 95
transvection, 56
trio, 78

universal cover, 5
universal covering, 5

valencies, 48

Index

weak parabolic system, 19
weakly locally, 337
Witt index, 2

Y-graph, 338
Y-group, 333
 strong, 334