

INDEX

- adjacency matrix 17
- affine
 - design 35
 - plane 8
 - space 13
- arc 132
 - $-(\alpha, n)$ arc 101
 - maximal arc 132
- association scheme 20, 49, 60
- automorphism 23, 30
- auxillary set of matrices 126

- Baer subplane 102
- balanced incomplete
 - block design (BIBD) 4
- biplane 45
- block 1
 - design 4
 - graph 36
 - residual 129
- Bose-Connor property 50, 63
- Bose's method of differences 14
- Bruck-Ryser-Chowla
 - Theorem 8, 125

- Cameron's Theorem 15
- Cauchy interlacing 83
- conference
 - matrix 92
 - graph 93, 94
- code
 - binary 166, 193
 - doubly even 194
 - dual 192, 193
 - Golay 99
 - self dual 193
 - self orthogonal 193
 - ternary 16
- complementary
 - design 38
 - graph 20
- complete
 - design 1
 - graph K_n 21
 - m -partite graph $K(m,n)$ 21
- critical q.s. design 156
- Cvetcovic bound 89

- decomposition
 - graph 87
 - exceptional 93
- design 1
 - block 4
 - complete 1
 - critical 166
 - derived 9
 - dual 6
 - exceptional q.s. 159
 - extendable 9
 - group divisible 62
 - Hadamard 11
 - isomorphic 1
 - Paley 11
 - quasi-affine 127
 - quasi-residual 8
 - quasi-symmetric (q.s.) 34
 - residual 8

- resolvable 13
- symmetric 6
- t - (v, k, λ) 1
- tight 178
- triangle-free q.s. 155
- trivial 1
- Witt 35, 99
- dodecads 117
- eigenvalue 18
- eigenvector 18
- exceptional
 - parameters 47, 48, 144
 - q.s. design 141, 142
- extendable 9
- extension of a
 - symmetric design 16, 41
- Fano plane 2, 11
- Fisher's inequality 6
- flags 4
- i-flats 12
- Frobenius' Theorem 19
- Gaussian coefficient 12
- generalized quadrangle 33
- generator matrix 193
- geometric 31
- Golay code 99
- graph
 - block 37
 - Clebsch 22
 - cocktail party 42
 - complete bipartite
 - $K(m, n)$ 21
 - complete K_n 21
 - connected 26, 77
 - geometric 31
 - Gerwitz 106
 - Higman-Sims 52, 100, 107
 - Hoffman-Singleton 100, 119
 - ladder 42
 - lattice $L_2(n)$ 22
 - line 97
 - m -partite 21
 - McLaughlin 121
 - negative latin square $NL_G(n)$ 56
 - Paley 11, 25, 28
 - Petersen 21
 - pseudo-geometric 31
 - rank 3 24
 - regular 17
 - Schlafli 64
 - strongly regular (S.R.) 17, 20
 - triangular $T(n)$ 22
- group
 - orbits 23
 - dihedral 30
 - Mathieu 99
 - permutation 17
 - rank 3 24
 - transitive 22
- group divisible design (GDD) 62
- Hadamard
 - 2-design 11
 - 3-design 2
 - matrix 11
- Hall-Connor Theorem 8, 46
- Hall's conjecture 152
- Hamada's conjecture 192, 198
- Hasse-Minkowski invariant 7

- Higman-Sims graph 52, 100
 Hoffman coclique bound 89
 Hoffman polynomial 20, 81
 Hoffman-Singleton graph 119
 Hoffman's Theorem 18
 hyperplanes 12
 hyperoval 101

 incidence matrix 1
 intersection numbers 34
 interlacing 83
 irreducible matrix 17

 latin square 56, 97
 lattice graph $L_2(n)$ 22
 line
 -passant 101
 -secant 101
 -tangent 101
 linear programming method 206

 Mathieu groups 99, 100
 matrix
 -adjacency 17
 -auxillary 118
 -conference 92
 -generator 193
 -Hadamard 2, 11
 -incidence 1
 multiplicities of eigenvalues 19
 negative latin square graph
 $NL_g(n)$ 56
 net 31, 32
 orbit 22, 23
 order 23

 orthonormal basis 18
 oval 101

 Paley
 -design 11
 -graph 25
 parallel class 13, 32
 parallelism 163, 164
 parameters 1
 partial geometric design 80
 partial geometry 30
 partial λ -geometry 81
 partially balanced incomplete
 block design (PBIBD) 20, 49, 62
 permutation group
 -regular 22
 -transitive 22
 Perron's Theorem 18
 plane
 -affine 8
 -projective 8
 primitive decomposition 87
 projective space 12

 quadric 64
 quasi-affine design 127
 quasi-symmetric (q.s.) 34
 -2-design 34
 -3-design 56
 -4-design 46

 rank
 -of a group 23
 -of a matrix 6

- rationality conditions 27, 38
- Ray-Chaudhuri and Wilson Theorem 176
- regular
 - graph 17
 - decomposition 87
- regular set (in a graph) 143
- residual 8
- resolvable 13

- s-quasi-symmetric 47
- self orthogonal 193
- semi-regular group divisible design (SRGDD) 63
- semi-symmetric design 81
- special partially balanced incomplete block design (SPBIBD) 49, 73
- Singhi's conjecture 152
- spread 164
- Steiner system $S_1(t, k, v)$ 4
- strongly regular design 85
- strongly regular (SR) graph 20, 51
- symmetric
 - design 6
 - group S_n 24

- t-design 1
- Teirlinck's result 4
- tight designs 178
- threshold symmetric design 125
- transversal design 97
- triangle-free q.s. design 108, 130
- triangular graph $T(n)$ 22
- two-way counting 2, 3, 35

- Wilson's result 4
- Witt designs 99