

Index

- acclimation, cold, 164–80
 adrenal function during, 167t
 basal metabolic rate following, 167t, 168, 169t
 behavioral thermoregulation following, 167t
 brown adipose tissue development following, 166t, 172f
 cardiovascular responses following, 173
 effect on chemical toxicity, 211, 212–13
 central nervous system adaptation following, 166t, 175–7
 insulative adaptations following, 168t, 177
 maximum metabolic rate following, 167t
 nonshivering thermogenesis, 170, 175
 comparative differences in, 173–4
 pancreatic function during, 167t
 renal function during, 167t
 shivering thermogenesis during, 165, 166t
 skeletal muscle adaptations during, 175, 176f
 sympathetic responses during, 167t, 171, 174, 185f
 thyroid function during, 167t, 170
 vasomotor responses following, 179–80
 white adipose tissue, 166t
- acclimation, heat, 180–90
 adrenal function during, 183t
 metabolic rate following, 182, 185, 183t, 184f
 brown adipose tissue development following, 183t
 cardiovascular responses during, 183t
 central nervous system adaptation following, 183t, 187–90
 effects on chemical toxicity, 211, 213
 dehydration during, 181–2
 evaporative heat loss following, 181f, 183t
 insulative adaptations following, 179t, 184t
 effects on organ growth, 185, 186t
 pancreatic function during, 183t
 renal function during, 181t
 salivary gland adaptations following, 186–7
 sympathetic responses during, 185f
 effects on set-point, 188
 thyroid function following, 183t, 185
- acclimation, terminology, 163
- acetylcholine, effects on body temperature, 36t
- activity, motor
 effect of ambient temperature on, 107
 core temperature as a function of, 129f, 131f
 effect on metabolic rate, 61t
 relationship with behavioral thermoregulation, 132f
 as a thermoregulatory effector, 107–8, 192
- adaptation, thermal (*see also* acclimation, cold; acclimation, heat), 163, 164f
- adenosine, effect on metabolic rate, 62
- adrenocorticotropin, effect on body temperature, 36t
- aging 157–62
 decay in brown adipose tissue function during, 159t, 161t
 altered cold tolerance during, 159t, 160f
 central nervous system changes during, 158
 altered circadian temperature rhythm during, 162
 change in core temperature during, 158, 159t
 response to fever during, 159t, 162
 metabolic rate during, 158, 159t
 impairment in nonshivering thermogenesis during, 159t, 160–2, 160t
- ambient temperature (*see also* thermoneutral zone), effect on
 body temperature, 112t, 113–15, 114t
 chemical toxicity, 208t, 210f
 organ growth (*see also* acclimation, heat), 138t

270 *Index*

- metabolic rate, 63f, 63–6, 64f, 65t, 67f
- skin temperature, 75, 77t
- angiotensin II, effects on body temperature, 36t
- aniline hydroxylase, activity during heat acclimation 213
- antipyretics (*see also* fever), 40, 132, 136
- arteriovenous anastomoses (*see* blood flow)
- autonomic thermoregulation, 73
- bacterial flora, gastrointestinal, effect on body temperature, 45–6
- behavioral thermoregulation, 5, 99–107, 149–51, 206f, 216f
 - dominant behavior and, 104
 - effect of hypoxia on, 214, 216f
 - instrumental responses, 99, 102–7
 - integration with autonomic effectors, 99, 106
 - natural responses, 99–102, 101f
 - operant responses, 106–7, 107f
 - in *ob/ob* mice, 200f
 - effect of stress on, 105f
 - temperature gradient responses, 103–6, 103t
 - thermopreferendum, 102
- biotelemetry, recording body temperature by, 128, 129f, 131f, 210f
- blood brain barrier, 34
- blood flow
 - brain, effect on brain temperature, 116
 - skin, 74–80
 - arteriovenous anastomoses, 74
 - in ears and feet during thermal stress, 80
 - infrared imaging of, 77f, 79
 - pulsatile modulation of, 77
 - tail, 74–9, 79f
 - cold-induced vasodilation of, 80–1, 180
 - effect of cold acclimation on, 179–80
 - heat-induced vasoconstriction of, 78
 - threshold ambient temperature to increase, 77t
 - vascular anatomy, 75, 76f
- blood pressure
 - changes during cold acclimation, 173
 - changes during heat stroke, 123
- body heat–balance equation, 8–11
- body mass, effect on
 - hypothalamic thermosensitivity, 23f
 - metabolic rate, 53, 54–5f
 - toxic chemical-induced hypothermia, 211
- body temperature (*see also* temperature, core), 109
 - definition, 110
 - partitioning of, 109
- bombesin, effect on body temperature, 36t
- brain cooling (*see* temperature, brain)
- brain slice, thermosensitive neuron recordings in, 30–2, 31t, 33f
- brown adipose tissue (*see also* nonshivering thermogenesis), 4, 85–90
 - effect of body mass on, 89–90
 - changes during aging, 161t
 - effect of gender on, 194
 - genetic variation in function of, 198t
 - during postnatal development, 151–2, 153f
 - molecular mechanisms of, 87–8, 87f
 - neural innervation of, 85
 - function in pregnancy and lactation, 143–5
 - structure, 85, 87f
 - function in temperature acclimation, 89f, 166t, 172f, 183
 - thermogenic capacity of, 86, 86f
 - roles in thermoregulation, 85
- cadmium chloride, effect on body temperature, 206f
- cafeteria diet, effect on diet-induced thermogenesis, 90, 91f
- calorimetry, 2
 - direct, 49–50, 49f, 110
 - indirect, 49–50, 49f
- capsaicin, effect on brown adipose tissue, 85
- captopril, effect on hypertension, 173
- castration, effect on
 - cold tolerance, 193
 - fever, 195, 196f
- cholecystokinin, effect on body temperature, 36t
- circadian temperature rhythm, 127–32, 129f
 - effect of antipyretics on, 132
 - use of biotelemetry to study, 128
 - comparative differences in, 130t
 - effects of hypothermia on, 127
 - effects on motor activity, 130, 131f
 - and changes in set-point, 131–132
 - effect of stress on, 127
- cold receptor (*see* thermoreceptors, cutaneous)
- cold tolerance, 125–7, 122t
 - carbohydrate metabolism during, 127
 - critical thermal minimum, comparative differences, 122t
 - effects of gender on, 193, 194f
- conductance, thermal, 9, 66–70
 - tissue, 70
 - whole-body, effect of body mass on, 68–9, 69f
- conductive heat transfer, 9
- control systems, 11, 13, 20–5
- convective heat transfer, 9
- convulsion (*see* seizure, hyperthermia-induced)

- corpora lutea, effect of heat stress on number of, 142
 critical ambient temperature, lower (*see also* thermoneutral zone), 62, 63f
 comparative differences in, 65t
 effect of hypoxia on, 215f
 effect of trauma on, 218f
 critical ambient temperature, upper (*see also* thermoneutral zone), 63f
 comparative differences in, 65t
 critical thermal maximum (*see* heat tolerance)
 critical thermal minimum (*see* cold tolerance)
 cutaneous denervation, effect on thermoregulation, 29

 depilation, effect on metabolic rate, 71
 development, fetal, 147–8
 effect of cold stress, 148
 effect of maternal hyperthermia, 147–8
 development, postnatal, 148–57
 autonomic responses, 151–4
 behavioral thermoregulation, 149–51, 155t
 brown adipose tissue function, 151, 152f, 153f
 circadian temperature rhythm, 155
 cold resistance, 149
 comparative differences, 149f
 lower critical temperature, 155t
 metabolic rate, 154, 155t
 nonshivering thermogenesis, 154
 shivering thermogenesis, 153
 maturation of thermal homeostasis during, 149f
 2,4-dinitrophenol, effect on body temperature, 206
 Dioxin, change in toxicity during cold acclimation, 212
 diet-induced thermogenesis (*see* thermogenesis, diet-induced)
 dopamine, effect on body temperature, 36t
 dystrophic hamster, 202
 brown adipose tissue development in, 203
 core temperature in, 203

 ectothermy, 7
 effectors, autonomic, 73, 74f
 ejaculation, effect on brain temperature, 118f
 endogenous pyrogen (*see* interleukin-1)
 β -endorphin, effect on body temperature, 37t
 endothermy, 7
 enkephalin, effect on body temperature, 36t
 endotoxin (*see also* fever), 41
 emissivity, radiant energy, 10
 estrous cycle
 effect of cold stress and food restriction, 144f
 metabolic rate during, 192
 temperature cycling during, 192
 ethanol
 effects of ambient temperature on lethal dose of, 208t
 effects on body temperature, 207
 toxicity during cold acclimation, 213
 evaporative heat transfer, 9
 evaporative water loss (*see also* evaporative water loss, active and passive), 94–9
 effect of temperature acclimation on, 183t
 evaporative water loss, active, 94–9
 effect of ambient temperature on, 97–8, 98t
 comparative differences, 93t
 grooming behavior during, 97
 neural control of, 95, 96f
 partitioning of, 97, 98t, 98f
 evaporative water loss, passive, 92–4
 comparative differences, 93t
 cutaneous, 92
 respiratory, 92
 exercise (*see also* motor activity)
 effect on brain temperature, 117, 119, 118f
 effect on heat tolerance, 124f
 exogenous pyrogen (*see also* fever), 42f
 extrapolation, interspecies
 impact on chemical toxicity, 210–11
 role of metabolic rate in, 54–5f

falga rat, 198–201
 body temperature during postnatal development, 201f
 metabolic rate, 200
 fatty acids, mobilization during cold stress, 171f
 female, thermoregulatory differences in (*see also* gender), 142–7, 192–5
 fever (*see also* antipyretics), 5, 14, 15f
 behavioral thermoregulation during, 44–5, 44f
 comparative differences, 43–6, 43f
 first law of thermodynamics, heat balance and the, 8
 food intake (*see also* hyperphagia)
 effect of ambient temperature on, 99
 effect on metabolic rate, 14f, 52
 Fourier's law of heat flow, 65
 fur (*see* insulation)

 gender, effect on thermoregulation
 brown adipose tissue function, 194
 cold tolerance, 193–5, 194f
 fever, 195
 heat tolerance, 195
 metabolic rate, 193
 gerbil, Mongolian, general thermophysiological characteristics
 cold tolerance, 122t

272 *Index*

- heat tolerance, 121t, 122t
 - limits of normothermia, 114t
 - metabolic rate, 53t
 - selected ambient temperature, 103t
 - temperature, core, 112t
 - thermoneutral zone, 65t
 - grooming behavior (*see also* evaporative water loss, active), 97
 - growth, optimal ambient temperatures for, 137–40, 138t
 - guinea pig, general thermophysiological characteristics
 - cold tolerance, 122t
 - heat tolerance, 122t
 - hypothalamic thermosensitivity, 31t, 34t
 - limits of normothermia, 114t
 - metabolic rate, 54t, 61t
 - respiratory quotient, 52t
 - selected ambient temperature, 44f, 103t, 132f
 - temperature, core, 112t
 - thermoneutral zone, 65t
 - hamster, Syrian, general thermophysiological characteristics
 - circadian temperature rhythm, 130t, 131f
 - cold tolerance, 31t, 34t
 - hypothalamic thermosensitivity, 31t, 34t
 - limits of normothermia, 114t
 - metabolic rate, 53t, 61t
 - respiratory quotient, 52t
 - selected ambient temperature, 103t, 104f
 - shivering, threshold ambient temperature for, 84t
 - temperature, core, 112t
 - thermoneutral zone, 65t
 - harderian gland, role in behavioral thermoregulation, 101
 - heat balance (*see also* body heat–balance equation), 8–11
 - effect of restraint on, 135t
 - heat loss (*see also* metabolic rate), 10, 14f, 55
 - dry, 73
 - evaporative (*see also* evaporative water loss), 91
 - heat production (*see* metabolic rate; thermogenesis)
 - heat storage, 9
 - calculation of, 9
 - changes during restraint, 135t
 - heat stroke (*see also* heat tolerance), 123–24
 - blood pressure during, 123
 - effect of exercise on onset of, 123, 124
 - heat tolerance, 119–25, 120f
 - adaptability of, 124–25, 125t
 - comparative differences, 122t
 - critical thermal maximum, 121–3
 - lethal body temperatures, 121
 - heterothermy, 8
 - human thermoregulation, similarity to rodent, 16, 17t
 - hibernation, 32–4
 - body temperature during, 60
 - metabolic rate during, 60
 - nervous system characteristics, 32, 34t
 - homeothermy (*see also* temperature, core), 3
 - 5-hydroxytryptamine, effects on body temperature, 36t
 - hypergravity, 219–22
 - body temperature during, 220, 221f
 - skin temperature during, 220, 221f
 - hyperphagia, during cold acclimation, 176–7, 178f
 - hyperthermia (*see also* heat tolerance; fever)
 - effect on chemical toxicity, 207–9
 - forced, 12–16, 15f
 - lethal body temperature during, 121–4, 121t, 122t, 124f
 - neurogenic-induced, 38
 - regulated (*see also* fever), 12–16, 15f
 - during restraint, 134–6, 135t, 136f
 - hypothalamus, preoptic area and anterior
 - sensitivity during cold acclimation, 176
 - sensitivity during heat acclimation, 189f
 - sensitivity during hibernation, 32–4, 34t
 - response to lesioning, 37–41
 - response to neuropharmacological stimulation, 35–7, 36t, 37t
 - neurons, thermal sensitive characteristics, 28, 30, 31t
 - sensitivity to thermal stimulation, 19–24, 20t, 21f, 32f
 - thermoafferent processing in the, 27f
- hypothermia (*see also* hibernation; cold tolerance)
 - forced 12–16, 15f
 - during hypergravity exposure, 219–22, 221f
 - hypoxia-induced, 214–17, 215f
 - protective effects on the CNS, 215, 216
 - regulated, 12–16, 15f, 207, 222–3
 - toxic chemical-induced, 205–7, 206f
 - effect on survival to trauma, 218
- hypoxia
 - effect on body temperature, 214–17, 215f
 - behavioral thermoregulation during, 214, 216f
- infrared thermography, 77f, 79
- interleukin-1 (*see also* fever), 41, 42f, 43t
- insulation, 70–1
 - effect of temperature acclimation on, 177–9, 179t
- ischemia (*see* hypoxia)
- lactation, 143–7

- brown adipose tissue function during, 143–5
 - cannibalistic behavior during, 145
 - effect on circadian temperature rhythm, 146
 - lower critical temperature during, 146f
 - metabolic rate during, 145t, 146f, 145–6
- latent heat of vaporization, 92
- lesions, CNS, effect on temperature regulation, 19, 37–41, 39t
 - enhanced survival during ambient cooling, 40
- lipid metabolism, during cold exposure, 170, 171f
- leukocyte, serum levels, effect of ambient temperature on, 139f
- liver, as a site of core temperature, 111
 - effect of ambient temperature on growth of, 138t, 186t
- male, thermoregulatory differences in (*see also* gender), 140–2, 193, 194f, 195, 196f
- medulla oblongata, response to thermal stimulation, 20t
- Meeh coefficient, 58–9
- α -melanocyte stimulating hormone, effect on body temperature, 37t
 - role in recovery from fever, 42
- melatonin (*see also* pineal gland), 142
- mephenesin, effect on metabolic rate, 82, 83t
- metabolic level (*see also* metabolic rate), 56
- metabolic rate (*see also* thermogenesis), 9, 47, 53t, 64, 67f
 - basal, 48, 52
 - dimensions of, 55
 - least-observed, 52–5
 - methods for measuring, 48–50, 49f
 - maximum, 48
 - minimal-observed, 52–5
 - effect of motor activity on, 55
 - partitioning of, 47–8
 - peak, 61–2, 61t
 - resting, comparative differences, 53t
 - scaling of, 55–9, 54–5f
- metabolism (*see* metabolic rate)
- microdialysis, administration of neurotransmitters using, 35
- MK-801, effect on body temperature, 217
- morphine, effects on body temperature, 197t
- Morris water swim task, effect of aging on, 157
- motor activity (*see* activity, motor), 107–8
- mouse, general thermophysiological characteristics
 - circadian temperature rhythm, 130t
 - cold tolerance, 122t
 - heat tolerance, 121t, 122t
 - hypothalamic thermosensitivity, 31t
 - limits of normothermia, 114t
 - metabolic rate, 53t, 61t
 - respiratory quotient, 52t
 - selected ambient temperature, 103t, 104f, 105f
 - shivering, threshold ambient temperature for, 84t
 - temperature, core, 112t
 - temperature, optimal for growth, 138t
 - thermoneutral zone, 65t
- muscular dystrophy (*see* dystrophic hamster)
- nerve conduction, effect of temperature on, 34
- neuron, thermal sensitive, 3, 28f
 - switching, 28–9
- neurotensin, effect on body temperature, 37t
- neurotransmitters, effects on thermoregulation, 19, 34–7, 36t
- Newton's law of cooling, 65
- nickel chloride, effect on body temperature, 206f
- normothermy (*see also* temperature, core)
 - ambient temperature limits of, 113–15
- nonshivering thermogenesis (*see* thermogenesis, nonshivering)
- norepinephrine
 - central neural effects, 35, 36f, 38f, 188f
 - excretion during cold exposure, 171
 - sensitivity during postnatal development, 151, 152f
 - thermogenic response during cold acclimation, 86f, 174
 - turnover during heat acclimation, 185f
- ob/ob* mouse, 198–200
 - behavioral thermoregulation, 199, 200f
 - cold tolerance, 199
 - nonshivering thermogenesis, 199
- organ development, effect of ambient temperature on, 138t, 139, 186t
- organovascular lamina terminalis, 41, 42f, 43
- ovary, role in thermoregulation, 142, 144f, 192–5
 - steroid hormonal effects, 193
 - surgical removal, effect on body temperature, 193
- P 32000 polypeptide (*see* uncoupling protein)
- parotid gland (*see* salivary gland)
- pharmacokinetic modeling, effect of metabolic rate on, 59, 60t

274 *Index*

- piloerection (*see* insulation)
- pineal gland, 142
 melatonin synthesis, 142
 effect on reproduction, 142
 surgical removal, effect on heat stress, 142, 143
- pregnancy, 143–47
 heat tolerance during, 147
 metabolic rate during, 145t
- progesterone
 effect on body temperature, 193
 effect of heat stress on serum levels of, 142
- prolactin, effect of heat stress on serum levels of, 141f
- proportionality constant, control of metabolic rate and the, 21–3, 23f
- propranolol, effect on metabolic rate, 82, 83t
- prostaglandin synthesis
 following brain injury, 38, 40
 and the circadian temperature rhythm, 132
 during fever, 42f
 during microinjection of norepinephrine, 35
 during psychological stress, 136
- pyridostigmine, effect on body temperature during exercise, 207
- pyrogen (*see* interleukin-1)
- Q_{10} , 63
- radiant heat exchange, 10
- raphe nuclei, thermoafferent processing in the, 27f, 28
- rat, general thermophysiological characteristics
 circadian temperature rhythm, 129f, 130t
 cold tolerance, 122t
 heat tolerance, 121t, 122t, 124f
 hypothalamic thermosensitivity, 31t, 34t
 limits of normothermia, 114t
 metabolic rate, 53t, 61t
 respiratory quotient, 51f, 52t
 selected ambient temperature, 103t, 104f, 132f
 shivering, threshold ambient temperature for, 84t
 temperature, core, 112t, 113f
 temperature, optimal for growth, 138t
 thermoneutral zone, 64f, 65t
- renal system
 failure, hypothermia following, 219
 function in temperature acclimation, 184t
- renin-angiotensin, function in temperature acclimation, 182
- reproduction, female, effects of thermal stress on, 142–3
 estrous cycle, 142–3, 144f
 ovarian function, 142
 uterine weight, 144f
- reproduction, male, effects of thermal stress on, 140–2
 scrotal thermal homeostasis, 140–1
 spermatogenesis, 140, 143
 testosterone, serum levels, 141f
- respiratory frequency, 92–4
 effect of ambient temperature on, 94t
 comparative differences, 94t
- respiratory quotient, 50–2
 calculation of, 50t
 effect of cold acclimation on, 170
 change during short-term cold exposure, 51f
 effect of food deprivation on, 51–2, 52t
- restraint (*see* stress, psychological)
- rodent, frequency of species used in thermoregulation, 6, 7f
 suitability as an experimental model, 16–17, 17t, 41, 210–11
- salivary gland (*see also* evaporative water loss, active), 29
 β -receptor density of, 99
 muscarinic receptor density of, 187
 submaxillary, 97
 parotid, 98–9
- seizure, hyperthermia-induced, 156, 157f
- set-point, thermoregulatory, 12–16, 15f, 22
 following exposure to chemical toxicants, 207
 and control of circadian temperature rhythm, 131–2
 definition of, 12, 22
 during fever, 14, 15f, 41–2
 during trauma, 218
- shivering, 29, 81–4
 during cold acclimation, 165, 168, 166t
 comparative differences in activation of, 83, 84t
 comparison to muscle tremor, 82
 efficiency of, 81–2
- shock (*see also* trauma)
 heat (*see* heat stroke)
 hemorrhagic, influence of hypothermia on, 219
 insulin, influence of hypothermia on, 219, 220f
- sleep, thermoregulatory responses during, 132–4
 effect of cold acclimation, 133
 deprivation, 134
 paradoxical, 132, 133f
 sodium-potassium ATPase, function in cold acclimation, 169

- spinal cord, response to thermal stimulation, 20t, 28
- spontaneously hypertensive rat, 201
 core temperature, 202
 heat tolerance, 202
- Stefan-Boltzmann constant, 10
- strain, genetic, thermoregulatory differences
 brown adipose tissue function, 198t
 morphine sensitivity, 197t
 pigmented and albino rat, 197
- stress, psychological, 134–6
 effect of antipyretics on, 136
 body temperature during, 136f
 effects of restraint, 134, 135t
- suprachiasmatic nucleus, role in circadian temperature rhythm, 127
- surface area, skin
 comparative differences in, 59
 effect on fever, 43–4
 effect on metabolic rate, 58–60
- tachymetabolism (*see also* metabolic rate), 7
- tail (*see* blood flow, tail)
- temperature, brain, 115–19
 during ejaculation, 117, 118f
 during feeding, 116
 during nasal occlusion, 118f
 independence from trunk temperature, 116–17, 118f
- temperature, core, 109, 111–13
 effect of ambient temperature on, 113–15, 114t
 circadian oscillation in, 127–31
 comparative differences, 112t
 definition of, 109
 frequency distribution of, 113f
 measurement of, 111–13
 effect of psychological stress on, 112
- temperature, elevated
 defended, 120, 121t
- temperature gradient (*see* behavioral thermoregulation)
- temperature, mean body, calculation of (*see also* heat storage), 110–11
- temperature, skin (*see also* blood flow, skin), 10, 109–11, 179–80, 221f
 effect of ambient temperature on, 75, 77–81
 measurement by infrared thermography, 77f, 79
- temperature regulation
 definition of, 1
 history of study, 1–3
 models of, 11–12, 11f, 13f
 use of rodents in the study of, 5–6, 7f
 stability of, 3
 terminology of, 6–8
- testosterone, serum levels, effect of heat stress on, 141f
- thalamus, thermoafferent processing in the, 27f, 28
- thermal comfort (*see* behavioral thermoregulation)
- thermal shell (*see also* temperature, skin), 109–10
- thermal stress (*see also* cold tolerance; heat tolerance), 73, 93, 140, 147, 163
- thermode, stereotaxically implanted, 2, 19
- thermoafferent system
 anatomy of, 27f
 electrophysiological characteristics of, 28
- thermogenesis, diet-induced, 90–1
 relationship to cold acclimation, 91f
- thermogenesis, nonshivering (*see also* brown adipose tissue), 84–90
 effects of aging on, 160
 effect of cold acclimation on, 83f, 86f, 89f, 170–5
 comparative differences in, 89f, 173–4
 role of skeletal muscle in, 176f
 changes during lactation and pregnancy, 145, 146f
- thermogenesis, postprandial, 48
- thermoneutral zone (*see also* critical ambient temperatures, lower; critical ambient temperatures, upper), 62–4, 63f, 64f, 65t
 behavioral thermoregulation in the, 103, 104f, 106
 comparative differences in the, 65t
- thermopreferendum (*see* behavioral thermoregulation)
- thermoreceptors, cutaneous, 25, 26f
 effect of denervation 29
- thermosensitivity
 of the preoptic/anterior hypothalamus (*see* hypothalamus)
 total body, 24, 24t
- thyroid hormones, role in cold acclimation, 167t, 170
- thyrotropin-releasing hormone, effects on body temperature, 37t
- thyroxine 5'-deiodinase, function in brown adipose tissue, 88
- tolerance (*see* cold tolerance; heat tolerance)
- toxicity, chemical
 effect of ambient temperature on, 208t, 208–9
 effect on behavioral thermoregulation, 206f, 207
 effect on body temperature, 205, 206f, 210f
 mechanism of action, 211f
 temperature acclimation and, 211–13, 212t

Cambridge University Press

978-0-521-41426-5 - Temperature Regulation in Laboratory Rodents

Christopher J. Gordon

Index

[More information](#)276 *Index*

- trauma, 217
 - effect on lower critical ambient temperature, 218f
 - metabolic rate following, 218f, 218–19
 - effect on the set-point, 218
- trigeminal nuclei, thermoafferent processing in, 27f, 28
- uncoupling protein, role in brown adipose tissue thermogenesis, 87–8
- vasoactive intestinal peptide, effect on body temperature, 37t
- vasomotor tone (*see also* blood flow, skin), 73–81
- vasopressin
 - effect on body temperature, 37t
 - role in recovery from fever, 42
- warm receptor (*see* thermoreceptors, cutaneous)