

Index of Notation

- $(-1)^\pi$, 39
 $(M : N)$, 118
 (Ξ) , 44
 $A(\leq \lambda)$, 46
 filtration thereof, 47
 $A_K(n) = A(n)$, 9
 $A_K(n, r)$, 9
 basis for, 10
 $A_q(n)$, 161
 basis for, 163
 $A_q(n, r)$, 162
 basis for, 164
 A_r , 9
 $A_{R,q}(n)$, 161
 $A_{\mathbf{C}}(n)$, 2
 $A_{\mathbf{C}}(n, r)$, 3
 basis for, 4
 $B_S(\lambda)$, 132
 $B_\Gamma(\lambda)$, 132
 $C^\lambda(i : j)$, 43
 C_0 , 134
 D^λ , 97
 $D_{\lambda, K}$, 64
 D_λ , 97
 E , 21
 $E^{\otimes r}$, 26, 165
 $F(n)$, 161
 G , 4
 G_i , 4, 14
 $H^0(\lambda)$, 66, 217
 $I(n, r)$, 4
 I^λ , 16
 $I_k(\lambda)$, 119
 I_n , 4
 K , 4
 $K[V]$, 212
 K^* , 17
 K^Γ , 9
 $L(\lambda)$, 69, 74, 217
 $M(\lambda)$, 63
 M^λ , 95
 $M_q(\lambda)$, 169
 M_q^λ , 175, 176
 bilinear form on, 178
 \mathbb{Q} , 84
 R , 84
 $R[\Gamma_q]$, 196
 antipode of, 197
 basis for, 199
 $S^r(E)$, 22
 $S^\lambda(E)$, 22
 $S_K(n, r)$, 36, 37
 S_K^λ , 96
 S_q^λ , 203
 S_r , 27
 $S_r(\Gamma)$, 27
 $S_{\mathbf{C}}(n, r)$, 6
 $S_{\lambda, K}$, 97
 T , 17
 T^λ , 105
 $T^\lambda(i : j)$, 38
 T_i^λ , 16
 $T_{n,r}$, 27
 $V(\lambda)$, 63
 V° (contravariant dual), 79
 V^λ , 18
 $V_q(\lambda)$, 188
 W_p , 216
 $W_q(\lambda)$, 190
 $X = X(D)$, 214
 $X^+ = X^+(D)$, 215
 $X_{\mathbf{R}}$, 215
 $[M : N]$, 85
 $[\lambda : \mu]$, 137
 $\Delta(\lambda)$, 69
 Γ_K , 9
 $\Gamma_{\mathbf{C}}$, 2

$\Lambda(n, r)$, 13	$c_{\alpha\beta}$, 9
$\Lambda^+(n, r)$, 13	f_e , 91
$\Lambda^+(r)$, 13	f_ℓ , 77
$\Lambda^r(E)$, 21	$g_{i,j}$, 10
$\Lambda^{(p)}(r)$, 13	k , 116
$\Lambda^\lambda(E)$, 22	s^λ , 60
$\Lambda_{(p)}(r)$, 13	s_α , 215
Ω , 4, 10	s_λ , 7
$\Omega(p, q)$, 54	$w_0(\lambda)$, 135
Φ , 215	w_λ , 186
Φ^+ , 215	x_λ , 175
Π , 215	y_λ , 187
Σ_X , 4	z_λ , 188
Σ_r , 4	$\mathcal{D}_{\lambda\mu}$, 162
Σ_λ , 14	\mathcal{D}_λ , 162
\mathbf{n} , 2	$\mathcal{F}(\Delta)$, 69
δ , 216	$\mathcal{F}(\nabla)$, 69
ℓ , 40	\mathcal{H}^T , 95
λ' , 13	\mathcal{H}_q , 174
$\nabla(\lambda)$, 69	semisimple, 204
ω , 90	$\mathcal{H}_{R,q}(G)$, 174
ω_λ , 74	\mathcal{H}_λ , 175
\overline{C}_0 , 134	$\mathcal{P}'(n)$, 12
ρ , 216	$\mathcal{P}'(n, r)$, 12
τ^λ , 162	$\mathcal{P}(n)$, 12
\tilde{S}_q^λ , 203	$\mathcal{P}(n, r)$, 12
$\tilde{\lambda}$, 133	$\mathcal{P}_q(n, r)$, 200
ξ_λ , 33	$S_{n,r}$, 19
$\xi_{i,j}$, 30, 164	\mathcal{U}_q , 196
	ν^T , 95

Index of Terms

- adjoint isomorphism theorem, 65
 admissible lattice, 84
 affine algebra, 212
 affine variety, 212
 affine Weyl group, 133, 216
 Akin *et al.*, xii, 45, 72, 74
 alcove, 216
 algebraic group, 212
 connected, 213
 module for, 213
 rank of, 214
 reductive, 213
 unipotent, 213
 augmentation, 11
 Auslander, 92
 automorphism \sharp , 203
- basic algebra, 148
 basic combinatorial lemma, 49
 basic tableau, 15
 basic transposition, 162, 215
 belonging to (a block), 131
 BGG reciprocity, 118
 bideterminant, 39
 standard, 40
 blocks, 131
 of G , 132
 of S_r , 133
 of GL_n , 134
 Borel subalgebras, 64
 Borel subgroup
 lower, 213
 upper, 213
 Brauer, 8
 Brauer tree, 152
 Brauer-Humphreys reciprocity, 118
- canonical form, 143
 Capelli, 45, 54
 Carter and Lusztig, x, 8, 38
 Carter's Criterion, 114
 Carter-Lusztig lemma, 41
 cf, *see* coefficient space
 ch, *see* character
 $ch_{\lambda,p}$, 23
 character
 formal, 19, 168, 214
 natural, 20
 of $R[\Gamma_q]$ -comodule, 199
 of T , 17
 unipotent, 24
 characteristic
 describing, 24
 non-describing, 24
 Chevalley, 217
 Clausen, 45, 54, 57
 Cline, Parshall and Scott, xi, 67
 codeterminant, 43
 standard, 43
 coefficient functions, 9
 coefficient space, 12, 200
 column removal, 115
 column stabiliser, 15
 column standard tableau, 16
 completely reducible, 3
 component, 116, 148
 composition, 13
 length of, 13
 comultiplication, 11
 contravariant dual, 79
 contravariant duality, 80
 contravariant forms, 79
 Jantzen's, 82
 coordinate functions, 9
 coordinate ring, 212
 core class, 132
 coroot, 216
 costandard module, 70
 costandard object, 69
 CPS, 38

- decomposition number, 85
 DeConcini, 45
 defined over R , 84
 defining sequence, 68
 deflating Schur functor, 109
 degree of homogeneity, 3
 dense subalgebra, 38
 Deruyts, 39
 Désarménien matrix, 56
 \det_q (q -determinant), 193
 Dipper and James, xii, 159, 209
 distinguished coset representative,
 162
 distributions, 38
 Donkin, xii, 72, 117, 133, 134
 dot action, 133, 216
 Doty and Walker, 24, 103
 Doty's Conjecture, 105
 dual space, 79
 dual Specht module, 97
 basis for, 97

 \sim (equivalence of monomials), 4
 equivalence (of invariant matrices), 3
 Erdmann, xii, 152
 Ext, 72, 115
 exterior powers, 21

 filtration
 Δ -good, 70, 117
 C -good, 69
 ∇ -good, 70, 117
 good, 117
 finite (representation) type, 152
 Fong and Srinivasan, 159
 Frobenius, x
 map, 105, 213
 fundamental filtration, 47
 fundamental representation, 22

 Garnir relations, 42
 general linear group scheme, 218
 generic algebra, 175
 generic case, 171
 $GL_n(K)$, 9
 global dimension, 72
 Grabmeier, 125
 Green, xi, 24, 26, 71, 94
 Green Correspondence for Young
 modules, 125
 group
 general linear, 1
 special linear, 217
 symmetric, 4
 group-like element, 192

 Hecke algebra, 91, 174

 free basis for, 174
 heredity chain, 68
 heredity ideal, 68
 highest weight, 18
 highest weight category, 69
 Hom functors, 92
 homogeneous component, 167
 hyperalgebra, 38
 hyperplane, 134, 216

 ideal of relations, 153
 induced module, 217
 inflation, 119
 initial double index, 163
 initial index, 163
 integral matrices, 8
 invariant matrix, 2, 12
 involution on partitions, 128
 irreducible, 3
 irrelevance argument, 7

 James' theorem, 113
 James-Donkin theorem, 126
 Jantzen, 82

 Klyachko, 125
 Klyachko Multiplicity Formula, 125
 Kostka duality, 104
 Krop, 104

 Laplace duality, 45
 leading term, 22
 length function, 162
 Lie rank, 214
 linear extension, 28
 linkage, 131
 Linkage Principle, 134
 Lusztig Conjecture, 218

 Macdonald, 20
 maximal torus, 213
 \mathbf{mod}_S (category of f.d. right
 S -modules), 4
 \mathbf{smod} (category of f.d. left
 S -modules), 4
 modular Kostka number, 105
 modular reduction, 85
 modular reduction for S_r , 111
 module category, 2
 monomials, 4
 Mullineux Conjecture, 102
 quantum version, 205
 Mullineux symbol, 101
 multi-indices, 4
 multiplicity, 118
 composition, 85
 filtration, 118

- Nakayama Rule, 132
 natural module, 21
- order
 \succeq , 14
 \preceq , 164
 \triangleright , 13
 Clausen, 55
 dictionary, 14
 dominance, 13
 for tableaux, 17
 lexicographic, 14
 on $I \times I$, 163
 reverse lexicographic on
 conjugates, 47
 ordinary quiver, 153
 Ore localisation, 195
- p -adic valuation, 114
 p -blocks, 131
 p -core, 132
 p -weight, 133
 Parshall, 72
 partial tilting modules, 24
 partition, 13
 p -regular, 13
 p -restricted, 13
 p -singular, 13
 conjugate, 13
 length of, 13
 notation for, 13
 parts of, 13
 Steinberg, 74
 path algebra, 153
 permutation module on Σ_λ , 95
 PIM, 71
 polynomial comodule for $A_q(n)$, 200
 polynomial functions, 9
 polynomial module, 12
 polynomial representation, 1, 2
 homogeneous, 3
 over K , 12
 positive system, 215
 primitive block, 133
 primitive core class, 139
 Product Rule
 Green's, 35
 no analogue in quantum case, 177
 Schur's, 6, 32
- q -Schur algebra, 164, 176
 free basis for, 177
 is quasi-hereditary, 201
 semisimple, 191
 q -Schur modules, 192
 q -Specht module, 203
 dual, 203
 q -Weyl module, 188
 q -Young module, 205
 q -exterior power, 165
 q -hyperalgebra, 196
 q -permutation module, 175
 q -tensor space, 184
 quantum GL_n , 196
 quasi-hereditary algebra, 68
 quiver, 153
- R -defined, 84
 R -form, 84
 R -order, 84
 rational representation, 2
 reducible, 3
 reducing mod p , 85
 refinement, 14
 reflection, 215
 Ringel, 117
 root system, 214
 Rota, 39, 45
 row removal, 114
 row semistandard tableaux, 16
 row stabiliser, 15
- saturation
 decreasing, 60
 increasing, 60
 Schur, x , 2
 thesis topic, 6
 Schur algebra, 27
 basis for, 30
 blocks of, 133
 complex, 6
 is quasi-hereditary, 71
 notation for, 38
 semisimplicity of, 31
 simple modules for, 76
 Schur function, 7, 23
 Schur functor, 91
 Schur module, 63, 217
 characterised as induced module,
 67
 James', 67
 quantum, 192
 socle of, 74
 Structure theorem for, 74
 Schur weight, 90
 Schur's Commutation Theorem, 28
 Scopes' Equivalence, 147
 self-dual, 79
 semi-invariants, 54
 semisimple, 215
 sign of permutation, 39
 sign representation, 100
 simple roots, 215
 simply connected, 216

- $SL_n(K)$, 217
 Specht module, 96
 basis for, 96
 specialisation, 175
 standard alcove, 217
 standard module, 70
 standard object, 69
 standard tableau, 16
 Stanley, 53
 Steinberg, 24
 Steinberg module, 74
 Straightening Formula, 45
 Submodule Theorem, 190
 symmetric functions
 complete, 22
 elementary, 20
 fundamental theorem of, 19
 monomial, 19
 ring of, 19
 symmetric powers, 22
 truncated, 105

 tableau, 15
 canonical, 40
 tabloid, 18
 \otimes (tensor), 4
 tilting module
 full, 117
 partial, 117
 torus, 213
 translation, 9
 truncated symmetric power, 105

 unipotent radical, 213
 unipotent representation, 174

 Verma's Conjecture, 38

 weight
 degree, 214
 dominant, 15, 17, 215, 216
 highest, 18
 multiplicity of, 18
 of multi-index, 14
 polynomial, 17, 214
 polynomial dominant, 216
 weight elements, 18
 weight lattice, 214
 weight poset, 69
 weight space, 18, 199, 214
 weight vectors, 214
 weighting, 133
 Weyl, x , 26, 27
 Weyl group, 215
 affine, 216
 Weyl module, 63, 218
 Carter-Lusztig, 77
 Green's, 77
 Jantzen's, 67
 quantum, 188
 Structure theorem for, 77

 Young, 45
 Young diagram, 15
 Young module, 122
 Young subalgebra, 175
 Young subgroup, 14
 Young vertex, 124