

Cambridge University Press

978-0-521-41758-7 - The Ecology of Insect Overwintering

S. R. Leather, K. F. A. Walters and J. S. Bale

Index

[More information](#)

Index

- acclimation
 - effect on glycerol accumulation, 131
- Acyrthosiphon pisum*
 - costs of overwintering, 161
 - effect of scotophase on, 28
- Adalia bipunctata*
 - colour variation in, 173–5
 - effects of photoperiod on, 30, 46, 58
- Adalia decempunctata*
 - colour variation in, 173
- Adelges piceae*
 - predicting outbreaks of, 199
- Aedes atropalpus*
 - diapause development in, 48
- Aedes impiger*
 - thermotaxis in, 22
- Aedes nigripes*
 - thermotaxis in, 22
- Aedes vexans*
 - diapause termination in, 56
- Aelis acuminata*
 - diapause termination in, 52
 - re-entry to diapause, 60
- Aeshna mixta*
 - diapause regulation in, 53
- aestivation
 - in *Drepanosiphum platanoidis*, 56–7, 176
- aggregation
 - in *Hippodamia convergens*, 74
- Aglaia urticae*
 - effect of contact moisture
 - on supercooling ability, 119
 - lipid content of, 170
- Agonum assimile*
 - phototaxis in, 20
 - re-entry to diapause, 60
- Agriotes fusicollis*
 - overwintering depth in, 167
- Agromyza frontella*
 - diapause development in, 48
 - temperature effects on, 48
- Agrotis ipsilon*
 - effects of thermoperiod on, 37
- Agrotis orthogonia*
 - effect of feeding on supercooling, 114
- Agrotis segetum*
 - prediction of outbreaks in, 198
 - air mass stagnation, 8
 - alanine, 102
- Alaskozetes antarcticus*
 - acclimation effects in, 131
 - dehydration rates in, 122–3
 - glycerol accumulation in, 131
 - glycerol production in, 133
 - polyols in, 104
- Aleurochiton complanatus*
 - effect of host quality on diapause induction, 41
- Allonemobius fasciatus*
 - water absorption by eggs, 38
- altitude
 - effect on diapause induction, 68–9
- Amblyseius potentillae*
 - diapause induction in, 41
 - second diapause in, 59
- amino acids in *Rhagium inquisitor*, 102
- Anasa tristis*
 - effect of photoperiod on, 43–4
- anhocyclic overwintering in
 - Aulacorthum solani*, 15
 - Pemphigus bursarius*, 35–6
 - Macrosiphum euphorbiae*, 15
 - Myzus persicae*, 15
 - Rhopalosiphum padi*, 159
 - Sitobion avenae*, 16
- Anomala testaceipes*
 - overwintering depth, 167

Index

241

- Anthocoris nemorum*
desiccation in, 170
- Anthonomus grandis*
prediction of outbreaks in, 199
survival overwinter, 163
- antifreeze proteins, 94
critical temperature for induction of, 136
in *Dendroides canadensis*, 134–5
in *Eleodes blanchardi*, 113
in *Iphthimus laevissimus*, 113
in *Meracantha contracta*, 134–5
purification of, 111
- Anurida maritima*
response to temperature of, 54
- Aphidoletes aphidimyza*
effect of photoperiod on, 58–9
- Aphidius nigripes*
diapause induction in, 65
- aphids, see under specific names
- Aphis citricola*
predicting outbreaks of, 199
- Aphis fabae*
costs of overwintering, 161
eggs, 2
failure to lay, 72
mortality of, 155
predicting outbreaks, 178–9
supercooling
effect of feeding on, 117
- Aphis farinosa*, 1
- Aphis pomi*
costs of overwintering, 161
- Apis mellifera*
thermoregulation in, 17, 66
preparation for winter in, 66
- Archisotoma brucei*
dehydration rates in, 122–3
- Ascia monuste*
response to photoperiod in, 61
- Aulacorthum solani*
anhocyclic overwintering in, 15
suction trap catches of, 184
- Astroicetes cruciata*
egg hatch responses in, 54
- Banchus flavescens*
life cycle synchronisation, 73
- Barbara colfaxiana*
diapause in, 41–2
- basking behaviour
in *Diabrotica undecimpunctata*, 157
- behavioural adaptations
in *Boreus brumalis*, 157–8
- Belgica antarctica*
optimal cooling rate in, 139–40
- Bibio rufiventris*
depth of overwintering site, 166–7
- Boettcherisca* spp.
evolution of pupal diapause in, 70
- Bolitophagus reticulatus*
ice nucleators in, 101
supercooling point of, 101–2
- Bombus* spp., 22
- Bombyx mori*
eggs of, 106
glycerol in, 103
- Boreus brumalis*
behavioural adaptations in, 157–8
- Boreus hyemalis*
supercooling in, 157
- Boreus westwoodi*
supercooling in, 157
- Brachycaudus helichrysi*
egg laying sites of, 158
- Brachycolus asparagi*
control by cultivation of, 202–4
- Bracon cephi*
haemolymph osmolality, 121
metabolic costs in, 167
supercooling in, 121
- Bupalus piniaria*
colour of pupae in, 175–6
predicting outbreaks of, 2, 187–8
- Cataloacus aeneoviridis*
effect of host's diapause on, 65
- Cephus cinctus*
dehydration in, 120
exposure to low temperatures in, 125–6
- Ceratitis capitata*
sexual differences in survival of, 62
- Chaoborus americanus*
prey availability in, 57
- Chaetosiphon fragafolii*
prediction of outbreaks in, 194–5
- Chartophila brassicae*
pupal diapause in, 35

- Chesias legatella*
diapause regulation in, 53
- Chilicorus bipustulatus*
re-entry into diapause in, 60
- Chiona araneoides*
supercooling point of, 157
- Choristoneura fumiferana*
possible control of, 201
- Choristoneura rosaceana*
diapause in, 73
- Chortohippus bornhalmi*
effects of photoperiod on, 31
- Chymomyza costata*
responses to crowding, 40
responses to photoperiod, 33
responses to temperature, 33
- Chrysopa* spp.
responses to photoperiod, 45
- Chrysoperla carnea*
colour variation in, 174
- diapause
development in, 48
re-entry into, 59
termination in, 57
- prey availability in, 57
- Chrysoperla plorabunda*
colour variation in, 174
- Cletus punctiger*
diapause termination in, 53
hiding behaviour in, 58
- climate, regional, 5–6
- Cloeon dipterum*
thermotaxis in, 23–4
- Coccinella septempunctata*
second period of diapause in, 59
- cold acclimation, 75
definition of, 77
in *Rhynchaenus fagi*, 131
- cold-hardiness
definition of, 76
of eggs, 98
ecophysiological approach to, 143–7
environmental triggers for, 129–37
geographic variation in, 171–2
- cold shock
in *Eurosta solidaginis*, 140
- cold tolerance
in *Macrosiphum albifrons*, 15
- Coleomegilla fusilabris*
phototaxis in, 20

- Coleomegilla maculatus*
hygrotaxis in, 22
thigmotaxis in, 22
- Coleotechnites starki*
and air mass stagnation, 8
- colour
and predation, 175–6
of eggs of
Pieris brassicae, 174
- of pupae of
Bupalus piniaria, 175–6
Panolis flammea, 174
- variation in
Adalia bipunctata, 173–5
Adalia decempunctata, 173
- Chrysoperla carnea*, 174
- Chrysoperla plorabunda*, 174
- Macrosiphum rosae*, 174
- Sitobion avenae*, 173–5
- contact moisture
effect on supercooling ability
in
Aglais urticae, 119
Myzus persicae, 119
- Contarinia sorghicola*
diapause termination in, 56
- Contarinia tritici*
diapause in, 56
- control of
Choristoneura fumiferana, 20, 201
- Operophtera brumata*, 200–1
- Panolis flammea*, 201
- Rhopalosiphum padi*, 200–1
- by cultural practice
Brachycolus asparagi, 202–4
Mamestra configurata, 202–3
Ostrinia nubilalis, 202
Schizaphis graminum, 204
- cooling methods, 96–97
- cooling rate
in *Belgica antarctica*, 139–40
- costs of overwintering in
Acyrthosiphon pisum, 161
Aphis fabae, 161
Aphis pomi, 161
Rhopalosiphum padi, 161
Schizolachnus piniradiate, 161
- costs of overwintering
metabolic, 166–70
physical, 165–6
reproductive, 172–3

Index

243

- Cotesia koebelei*
effect on diapause of *Euphydryas editha*, 64
- Cotesia rubecula*
effect of photoperiod on, 29
crickets, nymphal development in, 73
critical cell volume, 80
crowding
effects on
 Chymomyza costata, 40
effects on diapause in
 Diprion pini, 39–40
 Drepanosiphum platanoidis, 56–7
 Ephestia cautella, 39
 Plodia interpunctella, 39, 56
 Trogoderma variabile, 57
- cryoprotectants
in freezing intolerant insects, 103–4
multicomponent systems, 104
synthesis in
 aphids, 131
 Eurosta solidaginis, 132–3
 Pieris brassicae, 106
- Cryptopygus antarcticus*
dehydration rates in, 122–4
overlapping generations in, 164
supercooling
 effects of feeding on, 115
 seasonal changes in, 127
 effect of temperature on, 132
survival overwinter of, 128
- Cucujus clavipes*
cold-hardiness strategies in, 137–8
- Cydia pomonella*
diapause termination in, 53
effects of latitude on critical
 photoperiod, 68
prediction of outbreaks of, 199
reproductive costs in, 172
weight on entering diapause, 42
- Danaus plexippus*
metabolic costs in, 168–9
thigmotaxis in, 21
- daylength, *see* photoperiod
- dehydration in
Alaskozetes antarcticus, 122
Archisotoma brucei, 122–3
Cephus cinctus, 120
Diplolepis radicum, 120
- Cryptopygus antarcticus*, 122–4
Halozetes spp., 122
Melanoplus bivittatus, 120
Parisotoma octooculata, 121
Pytho spp., 121
Synchroa punctata, 120
Xylophagus spp., 121
- Delia antiqua*
pupae, 12
- Delia coarctata*
prediction of outbreaks of, 192
- Delia radicum*
supercooling points in, 99, 160
- Dendroides canadensis*
antifreeze proteins in, 134
 critical temperature for induction
 of, 135–7
cold-hardiness strategies in, 137–8
length of life cycle in, 138
supercooling points in, 138
- desiccation
in *Anthocoris nemorum*, 170
in *Danaus plexippus*, 171
in *Panolis flammea*, 171
- developmental stage
in British moths, 151–2
familial constraints, 150–2
in Finnish macrolepidoptera, 150
in *Isotoma klovstadi*, 163
in relation to life style, 152–4
in North American insect pests, 154
in *Pararge aegeria*, 149–51
in *Parisotoma octooculata*, 164
in *Pterostichus brevicornis*, 163
in *Scolytus multistriatus*, 99
in *Vespa germanica*, 163
in winter inactive insects, 149–56
- Diabrotica longicornis*
egg mortality of, 204
survival in soil, 12
- Diabrotica undecimpunctata*
basking behaviour of, 157
behavioural thermoregulation in, 17
- Diabrotica virgifera*
egg mortality of, 204
survival in soil, 12
- diapause
in *Barbara colfaxiana*, 41–2
in *Chartophila brassicae*, 35
in *Choristoneura rosaceana*, 73
in *Megastigmus spermotrophus*, 53
in *Orchesella cincta*, 29, 52

- diapause (*cont.*)
 in *Pegomya geniculata*, 59
 effect of crowding on in
 Diprion pini, 39–40
 Drepanosiphum platanoidis, 56–7
 Ephestia cautella, 39
 Plodia interpunctella, 39, 56
 Tomocerus minor, 29, 52
 Trogoderma variabile, 57
 development in
 Aedes atropalpus, 48
 Agrimyza frontella, 48
 Chrysoperla carnea, 48
 Melanoplus bivittatus, 48
 Plantia stali, 52
 Teleogryllus spp., 48
 effect of drought on
 in *Tettigonia caudata*, 56
 evolution
 in *Boettcherisca* spp., 70
 effect of geographic origin on
 in *Drosophila auraria*, 70
 in *Drosophila subauraria*, 70
 in *Drosophila triauraria*, 70
 in *Zygaena trifolii*, 68–70
 induction
 in *Aleurochiton complanatus*, 41
 effect of altitude on, 68
 in *Amblyseius potentillae*, 41
 in *Aphidius nigripes*, 65
 effect of host quality on, 41
 in *Leptinotarsus decemlineata*, 41
 in *Sphecocephala burra*, 64
 in *Wyeomia smithi*, 68–9
 in *Zygaena trifolii*, 68–70
 inheritance of ability, 61
 intensity of
 in *Drosophila biauraria*, 70
 in *Drosophila funebris*, 61
 length in
 Aphidoletis aphidomyza, 58–9
 maintenance of in
 Leptinotarsus decemlineata, 52
 effect of moisture on
 in *Contarinia tritici*, 56
 in *Sitodiplosis mosellana*, 56
 effect of nutrition on
 induction, 64
 regulation, 64
 termination, 56
 effect of parasitism on in
 Euphydryas editha, 64
 effect of photoperiod on in
 Mesocomys pulchriceps, 65
 in Queen ants, 66
 re-entry to in
 Aelis acuminata, 60
 Agonum assimile, 60
 Amblyseius potentillae, 41
 Chilocorus bipustulatus, 60
 Chrysoperla carnea, 59
 Coccinella septempunctata, 59
 Leptinotarsus decemlineata, 59
 Oedipoda miniata, 60
 regulation in
 Aeshna mixta, 53
 Chesias legatella, 53
 Lestes sponsa, 53
 Lymantria dispar, 53
 Melittobia chalybii, 64
 parasitoids, 62–3
 sexual differences in strength of
 diapause, 61
 effect of temperature on in
 Ostrinia nubilalis, 33–5
 Pyrrhocoris apterus, 52–3
 termination in
 Aedes vexans, 56
 Aelis acuminata, 52
 Chrysoperla carnea, 57
 Cletus punctiger, 53
 Contarinia sorghicola, 56
 Cydia pomonella, 53
 Dolycoris baccarum, 52
 Euxoa sibirica, 56
 Holcothorax testaceipes, 49–51
 Leptinotarsus decemlineata, 56, 70
 Musca autumnalis, 48–9, 51
 Myrmeleon formicarius, 57
 Ostrinia nubilalis, 56
 Phyllonorycter blanchardella, 49
 Plagiodera versicolora, 51
 Plodia interpunctella, 58
 Psila rosae, 50–1
 Rhagoletis indifferens, 51
 Tettigonia caudata, 56
 weight on entering in *Cydia pomonella*, 42
 X-chromosome control of in
 Drosophila spp., 62
 Diatraea grandiosella
 response to photoperiod in, 31–2, 60
 response to temperature in, 60
 response thresholds, 60

Index

245

- Diplolepis radicum*
dehydration in, 120
- Diprion pini*
effect of crowding on diapause,
39–40
- Diprion similis*
effect of snow depth on survival, 18
- Dolycoris baccarum*, 52
- Drepanosiphum platanoidis*
aestivation in, 176
effect of crowding on summer
diapause, 56–7
egg mortality in, 155, 161
- Drosophila auraria*
effect of geographic origin on
diapause, 70
- Drosophila biauraria*
intensity of diapause in, 70
- Drosophila funebris*
genetic difference in intensity of
diapause in, 61
- Drosophila littoralis*
X-chromosome control of diapause
in, 62
- Drosophila lummei*
X-chromosome control of diapause
in, 62
- Drosophila subauraria*
effect of geographic origin on
diapause, 70
- Drosophila transversa*
effects of photoperiodic and
temperature interactions on
diapause in, 53
- Drosophila triauraria*
effect of geographic origin on
diapause, 70
sexual differences in strength of
diapause, 61
- drought and diapause termination, 56
- Dysaphis devecta*
sexual morph production, 40
- ecdysterone, 63
- ecophysiological approaches, 143–7
- eggs
of aphids, 2, 4
colour, 174
failure to lay, 72
mortality in, 155, 161–2
prolongation of laying in, 72–3
- cold-hardiness of, 98
of *Bombyx mori*, 106
of *Diabrotica longicornis*, 204
of *Diabrotica virgifera*, 204
of *Entomoscelis americana*, 74
hatching of, 54
of *Lymantria dispar*, 16, 149, 162
of *Malacosoma disstria*, 149
of *Melanoplus bivittatus*, 120
mortality of in
Lymantria dispar, 162
Mantis religiosa, 162
Neodiprion sertifer, 162
oviposition sites of, 158
of *Panolis flammea*, 174
of *Petrobia harti*, 42
of *Simulium pictipes*, 16
supercooling of in *Locusta*
migratoria, 98–9
water absorption by, 38
- Ephestia cautella*
effect of crowding on diapause, 39
- Elatobium abietinum*
prediction of outbreaks of, 196–7
- electrolyte imbalance theory, 80
- Eleodes blanchardi*
antifreeze proteins in, 113
haemolymph ice nucleators in,
81–2, 134
- embryogenesis in
Entomoscelis americana, 74
Leptophyes punctatissima, 37
- Endothenia daeckeana*, 18
- Entomobrya multifasciata*
avoidance of low temperatures by,
58
- Entomoscelis americana*
eggs of, 74
embryogenesis in, 74
- environmental variability, 59
- Ephestia cautella*
effects of crowding on diapause, 39
- Ephestia kuhniella*
effect of feeding on supercooling
ability, 114
- Epiblema scudderiana*
glycogen reserves in, 168–9
supercooling ability of, 126
- Epilachna admirabilis*
depth of overwintering site of,
167
- Epirrita autumnata*, 7–8

- Euceraphis punctipennis*
 egg laying in, 72–3
 egg mortality in, 155, 161
- Euphydryas editha*
 effect of parasitism on diapause in, 64
- Eurema hecabe*
 diapause morph of, 61
 response to photoperiod in, 61
- Eurosta solidaginis*
 cold shock in, 140
 cryoprotectants
 multicomponent system of, 104
 synthesis of, 132–3
 freezing survival in, 120
 long term effects of cold exposure, 142–3
 supercooling in, 82
 vitrification in, 94
- Euxoa sibirica*
 diapause termination in, 56
 evolution of pupal diapause, 70
 extracellular freezing, 81
- familial constraints in use of overwintering stages, 150–2
- feeding
 effects on supercooling in
Agrotis orthogonia, 114
Alaskozetes antarcticus, 115
Aphis fabae, 117
Cryptopygus antarcticus, 115
Ephestia kuhniella, 114
Hypogastrura spp., 115–17
Rhynchaenus fagi, 115
Tetracanthella wahlgreni, 115
- food
 effect of reduction on hiding behaviour, 58
 effect on photoperiodic response, 40
 effect of quality on diapause termination, 58
- freeze avoidance
 definition of, 77
 by supercooling, 95–129
- freezing
 ability to survive when frozen, 120
 death by, 79
 extracellular, 81
 inoculative, 118–20
- intolerance
 definition of, 76–7
 designation of species as, 138–41
- site of, 79
- tolerance
 cryoprotectants involved in, 85
 definition of, 76
 designation of species as, 138–41
- frost susceptible, 75
also see freezing intolerance
- Galleria melonella*
 ecdysteroid levels in, 63
- Gastrophysa atrocyanae*
 overwintering depth of, 166–7
- genetic differences
 effect on diapause intensity, 61, 62
- geographic origin
 effect on diapause, 70
 effect on response to latitude, 67
- geographic variation
 in cold-hardiness of
Metopolophium dirhodum, 172
Neodiprion sertifer, 171–2
Rhopalosiphum padi, 172
- Gerris* spp.
 wing length in, 173
- Gillettellia cooleyi*
 overwintering mortality in, 155–6
- glycerol
 in *Bombyx mori*, 103
 in *Pytho americanus*, 90
 in *Pytho deplanatus*, 84
 in *Phyllolecta laticollis*, 88
 in *Pterostichus brevicornis*, 86–7, 129–31
 in *Sarcophaga crassipalpis*, 140–1
 in *Vespa maculata*, 134
 in *Xylophagus* spp., 90
 accumulation, 96
 in *Alaskozetes antarcticus*, 131
 in *Bombyx mori*, 103
 in *Hyalophora cecropia*, 103
 in *Tetracanthella wahlgreni*, 131
 depression of supercooling point by, 107–8
- as an energy source, 108
- production in *Alaskozetes antarcticus*, 133

Index

247

- glycogen
 - exhaustion of reserves in *Epiblema scudderiana*, 168–9
- Gynaephora groenlandica*
 - multiple stage overwintering in, 164
- grasshoppers
 - predicting outbreaks of, 189–91
- gut evacuation, 117–18
 - in *Cryptopygus antarcticus*, 127
 - and non-feeding, 154
- gynoparae of *Rhopalosiphum padi*, 71

- haemolymph
 - ice nucleators, 82–5
 - in *Eleodes blanchardi*, 81–2, 134
 - in *Parasystates elongatus*, 83
 - in *Phyllodecta laticollis*, 83, 87–8
 - in *Vespa maculata*, 83–4, 134
 - osmolality in
 - Bracon cephi*, 121
 - Rhabdophaga strobilooides*, 121
 - structure of, 83–4
- Hagenomyia migans*
 - critical photoperiod in, 47
- Halozetes* spp.
 - dehydration in, 122
- hibernation sites
 - of *Ips acuminatus*, 159
- hiding behaviour in *Cletus punctiger*, 58
- hiemalis, 36
- Hippodamia convergens*
 - aggregations in, 74
 - hygrotaxis in, 22
 - phototaxis in, 21
- Hippodamia quinquesignata*
 - phototaxis in, 21
- Holcothorax testaceipes*
 - diapause termination in, 49–51
- host plant manipulation, 20
- host quality
 - effect on diapause induction
 - in *Aleurochiton complanatus*, 41
 - in *Leptinotarsa decemlineata*, 41
 - effect on sexual morph production
 - in *Dysaphis devecta*, 40
 - and ovary maturation in *Pissodes strobi*, 57
 - and winter morph production in *Psylla pyri*, 42

- humidity
 - as cue for diapause induction, 64
 - as cue for diapause termination, 64
 - effect on glycerol production, 133
- Hyalophora cecropia*
 - glycerol levels in, 103
 - production of polyols in, 106
- hydroxyl equivalents, 108
- hygrotaxis
 - in *Coleomegilla maculatus*, 22
 - in *Hippodamia convergens*, 22
 - in *Hypera postica*, 22
- Hypera postica*
 - hygrotaxis in, 22
 - thermotaxis in, 23
- Hypogastrura socialis*
 - effect of feeding on supercooling in, 115–17
 - low temperature avoidance by, 158

- ice
 - crystals in glycerol solutions, 85
 - nucleating agents, 8–85, 101–3, 113, 133–7
 - nucleators in
 - Bolitophagus reticulatus*, 101
 - Eleodes blanchardi*, 81–2, 134
 - Parasystates elongatus*, 83
 - Pterostichus brevicornis*, 88
 - Rhagium inquisitor*, 84, 102
 - Seneciobius kenyanus*, 83
 - surface, 12
- Inachis io*
 - lipid content of, 170
 - supercooling ability, 119
- inheritance of diapause ability, 61
- inoculative freezing, 118–20
- inversion effects, 7
- Iphthimus laevissimus*
 - antifreeze proteins in, 13
- Ips acuminatus*
 - cold-hardiness in, 159
 - hibernation sites of, 159
- Isotoma hiemalis*
 - avoidance of low temperatures, 158
- Isotoma klovstadi*
 - overwintering stages of, 163

- larvae
overwintering in *Scolytus multistriatus*, 99
- larval development in *Psila rosae*, 54
- Lasioglossum duplex*
overwintering depth of, 167
- Lasioglossum problematicus*
overwintering depth of, 167
- Laspeyresia strobilella*
supercooling points, 105
- latitude, 6–7
effect on critical photoperiod, 67–8
- Leguminivora glycinovorella*
overwintering depth of, 167
- Leptinotarsus decemlineata*
diapause
maintenance, 52
re-entry into, 59
seasonal progression of, 70
termination of, 56
effect of host quality on diapause induction in, 41
- Leptophyes punctatissima*
embryogenesis in, 37
- Lestes sponsa*
diapause regulation in, 53
- Limentes archippus*
accumulation of polyols in, 106
- Limothrips cerealium*
thigmotaxis in, 22
- lipid content of
Aglais urticae, 170
Inachis io, 170
- Lissorhoptrus oryzophilus*, 13
- Locusta migratoria*
supercooling of eggs of, 98–9
- lower lethal limit in
Phyllodecta laticollis, 88, 93
Pytho depressus, 93
Xestia c-nigrum, 166
- low temperature avoidance by
Entomobrya multifasciata, 58
Hypogastrura socialis, 158
Isotoma hiemalis, 158
Strophosoma melanogrammum, 159
- LT_{50}
in *Mamestra persicaria*, 125
in *Myzus persicae*, 128, 132, 142
- Lucilia sericata*
effect of parasitism on diapause, 63–4
- Lymantria dispar*
diapause regulation in, 53
- eggs
mortality of, 162
oviposition sites, 16
supercooling points, 149
prediction of outbreaks of, 197–8
- Macrosiphum albifrons*
cold-tolerance in, 15
- Macrosiphum euphorbiae*, 65
anhocyclic overwintering, 15
date of first capture in suction traps, 184
- Macrosiphum rosae*
colour variation in, 174
- Malacosoma disstria*
overwintering eggs, 149
prediction of outbreaks, 199
- Mamestra brassicae*
overwintering depth of, 167
- Mamestra configurata*
control by cultural practice, 202–3
effect of latitude, 67–68
low temperature effects, 127–8, 143
parasitism by *Banchus flavescens*, 73
prediction of outbreaks of, 195
response to photoperiod, 32, 67
snow cover effects, 13
survival of larvae and pupae, 13, 128
response to temperature, 34, 67
- Mamestra persicaria*
seasonal changes in LT_{50} , 125
- Manduca sexta*, 65
effect of photoperiod on, 58
- Mantis religiosa*
egg mortality of, 162
- Megastigmus spermotrophus*
diapause and temperature responses, 53
- Melanoplus bivittatus*, 10
dehydration of eggs of, 120
diapause development in, 48
- Melittobia chalybii*
effect of host on diapause regulation in, 64
- Meracantha contracta*
overwintering site of, 135
thermal hysteresis proteins in, 109–10, 134–5

Index

249

- Mesocomys pulchriceps*
effect of photoperiod on diapause
in, 65
- metabolic costs in
Braccon cephi, 167
Danaus plexippus, 168–9
- Meteorus trachynotus*
adaptation to life cycle of host by,
73
- Metopolophium dirhodum*
geographic variation in
cold-hardiness of, 172
prediction of outbreaks of, 193
- Microlophium carnosum*
effect of cold exposure on survival
in, 142
- moisture, 38–9
effects on diapause, 55–6
effects on freezing, 118–20
- moths
developmental stage and
overwintering success, 151–2
- Musca autumnalis*
diapause termination in, 48–9,
51
- Musca domestica*, 11
overwintering sites of, 159
- Muscidifurax zaraptor*, 11
- Myrmeleon formicarius*
prey availability and diapause
termination in, 57
- Myrmica rubra*
induction of overwintering state,
65–6
- Myzus persicae*
anhocyclic overwintering, 15
effect of contact moisture on
supercooling ability, 119
- long term effects of cold on
survival, 142
- LT_{50} in, 128, 132, 142
decline in overwintering
populations, 145
predicting outbreaks of, 182–6
- Nasonia vitripennis*
response thresholds in, 35–6
effect of thermoperiod on, 37
- Nemapogon personellus*
alanine concentration in, 102
- Neodiprion sertifer*
cold-hardiness, 171–2
egg mortality in, 162
prediction of outbreaks of, 196
- nucleating agents, *see* ice nucleators
- Nuculaspis californica*
as pest of *Pseudotsuga menziesii*, 8–9
- nutrition
effects on diapause induction, 64
effects on diapause regulation, 64
effects on diapause termination, 56
- nymphal development in crickets, 73
- Nymphaea vau-album*
negative phototaxis in, 21
- Oedipoda miniata*
re-entry into diapause by, 60
- oligopause, 3
- Operophtera brumata*
control of, 200–1
- Orchesella cincta*
reproductive diapause in, 29, 52
- Orgyia pseudotsugata*
prediction of outbreaks of, 188–9
- Ostrinia nubilalis*
control by cultural practice, 202
diapause termination in, 56
ecdysterone levels in, 63
photoperiod, critical, 70
effects of predation on, 19
effect of temperature on diapause
in, 33–5
- Oulema melanopus*
predicting outbreaks of, 198–9
- outbreaks
prediction of in
Adelges piceae, 199
Agrotis segetum, 198
Anthophonus grandis, 199
Aphis citricola, 199
Aphis fabae, 178–9
Bupalus piniaria, 2, 187–8
Chaetosiphon fragaefolii, 194–5
Cydia pomonella, 199
Delia coarctata, 192
Elatobium abietinum, 196–7
grasshoppers, 189–91
Lymantria dispar, 197–8
Malacosoma disstria, 199
Mamestra configurata, 195

- outbreaks (*cont.*)
 prediction of in (*cont.*)
Metopolophium dirhodum, 193
Neodiprion sertifer, 196
Myzus persicae, 182–6
Orygia pseudotsugata, 188–9
Oulema melanoplus, 198–9
Rhyacionia buoliana, 199
Rhopalosiphum insertum, 193
Rhopalosiphum padi, 2, 179–83,
 193–5
Sitobion avenae, 193
Sitobion fragariae, 193
 Tipulids, 191–2
 ovary maturation in *Pissodes strobi*,
 57
 overwintering
 advantages of, 3
 disadvantages of, 3
 overwintering sites of
Meracantha contracta, 135
Musca domestica, 159
 selection by *Panolis flammea*, 1,
 165–6
Stomoxys calcitrans, 159
Xestia c-nigrum, 167
- Panolis flammea*
 control of, 201
 dehydration in, 171
 egg colour of, 174
 overwintering mortality of, 155,
 165, 171
 phototaxis in, 20
 pupae of, 2, 165, 171, 175–6
 selection of overwintering site by, 1,
 165–6
 parasitism
 effect on diapause, 64
Panonychus ulmi
 effect of variable photoperiod on,
 30
Papilio glaucus
 sexual differences in response to
 photoperiod by, 62
Pararge aegeria
 mixed overwintering strategy,
 149–51
 parasitoid–host interactions, 62–5
Parasytates elongatus
 haemolymph ice nucleators in, 83
- Parisotoma octooculata*
 dehydration in, 122
 mixed strategy overwintering in, 164
Pegomya geniculata
 prolonged diapause in, 59
Pemphigus bursarius
 anhocyclic overwintering in, 35–6
 hiemalis of, 36
Periplaneta americana
 supercooling points in, 113
Petrobia harti
 eggs of, 42
 photoperiod
 critical length
Hagenomyia migans, 47
Ostrinia nubilalis, 70
 effect of latitude on, 67–8
 effect on
Adalia bipunctata, 30, 46, 58
Anasa tristis, 43–4
Aphidoletes aphidomyza, 58–9
Chortohippus bornhalmi, 31
Chrysopa spp., 45
Chrysoperla carnea, 31, 45, 58, 59
Chymomyza costata, 33
Cotesia rubecula, 29
 diapause, 27–32, 43–7, 49
 diapause length, 58–9
Diatraea grandiosella, 31–2, 60
Drosophila transversa, 53
Eurema hecabe, 61
Mamestra configurata, 32, 67
Manduca sexta, 58
Mesocomys pulchriceps, 65
Panonychus ulmi, 30
Polygonia c-album, 31
Pteromemobius nitidis, 46
Pyrrhocoris apterus, 45
Rhopalosiphum padi, 28
Sarcophaga bullata, 45
Tetrastrichu julis, 45
Tipula spp., 45
Wyeomyia smithi, 40, 45–6
 interactions with temperature, 52–3
 modification by food availability, 40
 sexual differences in response to,
 61–2
- phototaxis in
Agonum assimile, 20
Coleomegilla fusilabris, 20
Hippodamia convergens, 21
Hippodamia quinquesignata, 21

- Nymphalis vau-album*, 21
Panolis flammea, 20
Pyrella serena, 20
Scoliopteryx libatrix, 21
Triphosa dubitata, 21
Phyllococta laticollis
 glycerol levels in, 88
 haemolymph ice nucleators in, 83,
 87–8
 lower lethal limit of, 88, 93
 supercooling point of, 87–8
Phyllonorycter blancardella
 diapause termination in, 49
Pieris brassicae
 cryoprotectants synthesis of, 106
 egg colour of, 174
 response threshold, 35
Pissodes strobi
 host quality and ovary maturation
 in, 57
Plagiodesma versicolora
 diapause termination in, 51
Plantia stali
 diapause development in, 52
Plodia interpunctella
 effects of crowding on diapause, 39,
 56
 effects of food quality on diapause
 termination, 58
Plutella xylostella
 reproductive costs in, 172
Polygonia c-album
 response to photoperiod by, 31
polyols (also see glycerol)
 in *Alaskozetes antarcticus*, 104
 in *Hyalophora cecropia*, 106
 in *Limentis archippus*, 106
 loss of in *Retinia resinella*, 107
 role as antifreezes, 92
 seasonal changes in concentration,
 105
 synthesis in *Scolytus ratzebergi*,
 106
Popillia japonica
 overwintering strategy in, 166–7
 postdiapause development in
 Rhagoletis indifferens, 47
 potato leaf roll virus, 2
 predation
 and colour, 175–6
 on *Ostrinia nubilalis*, 19
 predicting outbreaks, *see* outbreaks
 prey availability
 in *Chrysoperla carnea*, 57
 and diapause termination, 57
 in *Myrmeleon formicarius*, 57
Prionus laticollis, 11
 protein catabolic mechanism, 102
Pseudoperichaeta nigrolineata
 effect of ecdysterone on
 development, 63
Pseudotsuga menziesii, 8–9
Psila rosae
 diapause termination in, 50–1
 larval development of, 54
 response to temperature, 54
Psylla pyri
 winter morph production in, 42
Pteromemobius nitidus
 response to photoperiod in, 46
Pterostichus brevicornis
 developmental stage in, 163
 glycerol, 86–7
 seasonal variation in, 129–31
 ice nucleators in, 88
 spreading the risk in, 163
 survival at low temperatures in, 142
 supercooling points in, 87
 winter feeding in, 157
 pupae, 2
 colour of, 175–6
 mortality of, 165, 171
 pupal diapause evolution, 70
Pyrella serena
 phototaxis in, 20
Pyrrhocoris apterus
 response to photoperiod by, 45
 effects of temperature on diapause
 in, 52–3
Pytho americanus
 dehydration in, 121
 glycerol levels in, 90
 supercooling points in, 84–5
 water content in, 91–2
Pytho deplanatus
 dehydration in, 121
 glycerol levels in, 84, 90
 supercooling points in, 85, 89–90
 water content in, 91–2
Pytho depressus
 lower lethal limit, 93
 quiescence, 3

252

Index

- recrystallisation, 80, 92, 94
- reproductive costs in
 - Cydia pomonella*, 172
 - Plutella xylostella*, 172
 - Rhopalosiphum padi*, 172–3
- reproductive diapause in
 - Anasa tristis*, 29
 - Orchesella cincta*, 29, 52
 - Tomocerus minor*, 29, 52
- response thresholds in
 - Diatraea grandiosella*, 35
 - Nasonia vitripennis*, 35–6
 - Pieris brassicae*, 35
- Retinia resinella*
 - loss of polyols by, 107
 - seasonal changes in polyol concentrations, 105
- Rhabdophaga strobilooides*
 - haemolymph osmolality in, 99
 - supercooling point in, 99
- Rhagium inquisitor*
 - amino acids in, 102
 - nucleating agents in, 84, 102
 - seasonal changes in supercooling ability in, 100
 - supercooling in adults, 99
 - thermal hysteresis in, 111–13
- Rhagoletis pomonella*
 - postdiapause development in, 47
 - diapause development in, 51
- Rheumaptera hastata*
 - effect of snow depth on survival, 18
- Rhopalosiphum insertum*
 - predicting arrival of, 193
- Rhopalosiphum padi*
 - anhocyclic overwintering by, 159
 - capture of first male, 174
 - control of, 200–1
 - costs of overwintering, 161
 - eggs, 2, 4
 - colour, 174
 - mortality of, 4, 155, 162
 - geographic variation in
 - cold-hardiness, 172
 - gynoparae of, 71
 - life cycle synchronisation in, 71–2
 - mixed strategy overwintering in, 163–4
 - predicting outbreaks of, 2, 179–83, 193–5
 - response to photoperiod, 28
 - reproductive costs, 172–3
- Rhyacionia buoliana*
 - predicting outbreaks of, 199
 - effect of winter severity on survival, 165, 199
- Rhynchaenus fagi*
 - effect of cold acclimation on, 131
 - sexual differences in response to diapause, 60–1
- supercooling
 - in adults, 99–100, 144
 - effect of contact moisture, 119
 - seasonal changes, 100
- Sarcophaga bullata*
 - response to photoperiod by, 45
- Sarcophaga crassipalpis*
 - cold shock in, 140–1
 - role of glycerol in, 141
- Schizaphis graminum*
 - control by cultural practice, 204
- Schizolachnus piniradiate*
 - costs of overwintering, 161
- Scoliopteryx libatrix*
 - phototaxis in, 21
- Scolytus multistriatus*
 - overwintering larvae of, 99
 - supercooling points in, 99
- Scolytus ratzeburgi*
 - sugars in, 104
 - temperature dependent polyol synthesis in, 106
- Scolytus scolytus*, 59
- seasonal changes in
 - cryoprotectant levels, 105
 - glycerol (see glycerol)
 - LT₅₀ of *Mamestrina persicaria*, 125
 - supercooling points (see supercooling)
- selection pressure
 - in aphids, 172
 - in *Neodiprion sertifer*, 171–2
- Senecio vulgaris*
 - as overwintering host of *Myzus persicae*, 15
- Seneciobius kenyanus*
 - haemolymph ice nucleators in, 83
- sex and response to overwintering cues, 60–1

Index

253

- sexual differences
 - in diapause strength, 61
 - in photoperiodic responses, 60–2
- sexual morph production
 - in *Dysaphis devecta*, 40
- Simulium pictipes*
 - eggs of, 16
- Sitobion avenae*
 - anholocyclic overwintering, 16
 - decline of winter populations of, 145–6
 - colour variation in, 173–5
 - geographic variation in
 - cold-hardiness of, 172
- Sitobion fragariae*, 16
- Sitodiplosis mosellana*
 - effects of moisture on diapause in, 56
- snow
 - insulating properties of, 17–18
 - temperature effects, 12–13
- snow depth
 - and survival in *Diprion similis*, 18
 - and survival in *Mamestra configurata*, 13
 - and survival in *Rheumaptera hastata*, 18
- social insects, 65–6
- soil
 - depth, 10–11
 - moisture, 12
 - and snow cover, 12–13
 - type, 11–12
 - temperatures, 11–12
- Spalangia cameroni*, 11
- Sphecocephala burra*
 - effect of nutrition on diapause, 64
- Stilbosis quadricustatella*
 - pupal mortality in, 165
- Stomoxys calcitrans*, 11
 - overwintering sites of, 159
- storm fronts, 9
- Strophosoma melanogrammum*
 - behavioural avoidance of low temperatures, 159
- suction traps
 - date of capture in of
 - Macrosiphum euphorbiae*, 184
 - Rhopalosiphum padi*, 174
- sugars in *Scolytus ratzebergi*, 104
- supercooling, 75, 82–3, 95–147
 - capacity of a system, 107
- effect of contact moisture on
 - in *Aglais urticae*, 119
 - in *Inachis io*, 119
 - in *Rhynchaenus fagi*, 119
- definition of, 77
- effect of dehydration on
 - in *Cephus cinctus*, 120
 - in eggs of *Melanoplus bivittatus*, 20
 - in *Xylophagus* spp., 121
- effect of feeding on in
 - Agrotis orthogonia*, 114
 - Aphis fabae*, 117
 - Cryptopygus antarcticus*, 115
 - Ephestia kuhniella*, 114
 - Rhynchaenus fagi*, 114, 154
 - Tetracanthella wahlgreni*, 115
- measurement of, 96–7
- points in
 - Bolitophagus reticulatus*, 101–2
 - Boreus* spp., 157
 - Bracon cephi*, 121
 - Chiona araneoides*, 157
 - Delia radicum*, 160
 - Dendroides canadensis*, 138
 - Epiblema scudderiana*, 126
 - Eurosta solidaginis*, 82
 - Locusta migratoria* eggs, 98–9
 - Periplaneta americana*, 113
 - Phyllodecta laticollis*, 87–8
 - Pytho americanus*, 84–5
 - Pytho deplanatus*, 84–5, 89–90
 - Rhabdophaga strobilooides*, 99
 - Rhagium inquisitor*, 99
 - Rhynchaenus fagi*, 99–100, 144
 - Scolytus multistriatus*, 99
- seasonal changes in
 - Cryptopygus antarcticus*, 127
 - Laspeyresia strobillela*, 105
 - Rhagium inquisitor*, 100
 - Rhynchaenus fagi*, 100
 - Yponomeuta evonymellus*, 105
- survival overwinter of
 - Cryptopygus antarcticus*, 128
 - Diabrotica longicornis*, 12
 - Diabrotica virgifera*, 12
 - Diprion similis*, 18
 - Gillettella cooleyti*, 155–6
 - Mamestra configurata*, 13, 128
 - Panolis flammea*, 155, 165
 - Rhyacionia buoliana*, 199
- Synchroa punctata*
 - dehydration in, 120

Cambridge University Press

978-0-521-41758-7 - The Ecology of Insect Overwintering

S. R. Leather, K. F. A. Walters and J. S. Bale

Index

[More information](#)

254

Index

- synchronisation of overwintering stage with season, 71–4
- tar oils, 200
- Teleogryllus* spp.
and diapause development, 48
- temperature
and aphid suction trap catches, 185
effects on
Agriotes frontella, 48
Agrmyza frontella, 48
Anurida maritima, 54
Chymomyza costata, 33
Cryptopygus antarcticus, 132
diapause, 32–8, 48–54
Diatraea grandiosella, 60
Drosophila transversa, 53
Mamestra configurata, 34, 67
Megastigmus spermotrophus, 53
Ostrinia nubilalis, 33–5
polyol synthesis, 106
Psila rosae, 54
Pyrrhocoris apterus, 52–3
Scolytus ratzebergi, 106
interactions with photoperiod, 52–3
postdiapause responses to, 55
sexual differences in response to, 61
variation in, 145
vertical stratification of, 14
- Tenebrio molitor*
thermal hysteresis proteins in, 109, 113
- Tetracanthella wahlgreni*
effect of feeding on supercooling in, 115
glycerol accumulation in, 131
- Tetranychus urticae*
inheritance of diapause ability in, 61
- Tetrastichus julis*
response to photoperiod by, 45
- Tettigonia caudata*
drought and diapause termination, 56
- thermal hysteresis, 101
as antifreeze phenomenon, 109–14
definition of, 72
measurement of, 111
proteins in
Meracantha contracta, 109–10, 134–5
- Rhagium inquisitor*, 111–13
- Tenebrio molitor*, 109, 113
- Uloma impressa*, 110–11
- thermoregulation in
Apis mellifera, 17, 66
Diabrotica undecimpunctata, 17, 157
- thermotaxis
in *Aedes impiger*, 22
in *Aedes nigripes*, 22
in *Cloeon dipterum*, 23–4
in *Hypera postica*, 23
- thermoperiod
effects of
on *Agrotis ipsilon*, 37
on *Chymomyza costata*, 33
on *Nasonia vitripennis*, 37
- thermoregulation in
Apis mellifera, 17
Diabrotica undecimpunctata, 17
- thermotaxis in
Aedes impiger, 22
Aedes nigripes, 22
Cloeon dipterum, 23
Hypera postica, 23
- thigmotaxis
in *Coleomegilla maculata*, 22
in *Danaus plexippus*, 21
in *Limothrips cerealium*, 22
- Tingis ampliata*
changes in body composition in, 168
- Tipula pagana*
response to photoperiod in, 45
- Tipula paludosa*
prediction of outbreaks of, 191–2
- Tipula subnudicornis*
response to photoperiod by, 45
- Tomocerus minor*
reproductive diapause in, 29, 52
- topography, 7
- Trichiocampus populi*
freeze tolerance in, 83
- Triphosa dubitata*
negative phototaxis in, 21
- Trogoderma variabile*
effects of crowding on diapause, 57
- Tuberolachnus annulatus*
egg mortality in, 155, 161
- Uloma impressa*
antifreeze proteins in, 110

Cambridge University Press

978-0-521-41758-7 - The Ecology of Insect Overwintering

S. R. Leather, K. F. A. Walters and J. S. Bale

Index

[More information](#)*Index*

255

- glycerol levels in, 110
thermal hysteresis proteins in, 110–11
- Urtica urens*
as host of *Aulacorthum solani*, 15
- Urolepis rufipes*, 11
- vegetation, microclimatic effects, 19
- Vespa germanica*
developmental stage in, 163
- Vespa maculata*
glycerol content of, 134
haemolymph ice nucleators in, 83–4, 134
- Vitamin A and diapause induction, 41
- vitrification
definition of, 76
in *Eurosta solidaginis*, 94
- water content in
Pytho americanus, 91–2
Pytho deplanatus, 91–2
Xylophagus spp., 91–2
- wind, 6
- wing length in *Gerris* spp., 173
- winter
avoidance, 158–60
severity, 15
- winter feeding in *Pterostichus brevicornis*, 157
- winter inactive insects developmental stage in, 149–56
- winter morph production in *Psylla pyri*, 42
- Wyeomyia smithii*
altitude effects, 7, 68–9
diapause in, 68–9
food availability effect on photoperiodic response, 40
response to photoperiod, 45–6
- Xestia c-nigrum*
depth of overwintering site, 167
lower lethal temperature of, 166
- Xylophagus* spp.
dehydration in, 121
glycerol content of, 90
water content of, 91–2
- Yponomeuta evonymellus*
seasonal changes in supercooling ability of, 105
- Zygaena trifolii*
effect of geographic origin on diapause induction, 68–70