

## Contents

Preamble	xiii
Notation	xxv
<b>I Hypotheses, automorphic forms, constant terms</b>	
I.1 Hypotheses and general notation	1
I.1.1 Definitions	1
I.1.2 Description of $\mathbf{G}$	2
I.1.3 The covering $\mathbf{G}_v \xrightarrow{\text{pr}} G(\mathbb{A})$ ; hypotheses and properties	3
I.1.4 Levi subgroups and characters	4
I.1.5 Description of $\mathbf{G}$ continued	8
I.1.6 Roots and coroots	10
I.1.7 The Weyl group	12
I.1.8 Decomposition into elementary symmetries	14
I.1.9 A composition lemma	15
I.1.10 Decomposition of $\text{Re } \mathfrak{a}_M$	15
I.1.11 Return to the coroots	16
I.1.12 The scalar product	17
I.1.13 Measures	18
I.2 Automorphic forms: growth, constant terms	18
I.2.1 Siegel domains	18
I.2.2 Heights	20
I.2.3 Functions with moderate growth	24

I.2.4	An upper bound lemma	25
I.2.5	Construction of functions with moderate growth	26
I.2.6	Constant terms	27
I.2.7	Approximation of a function by its constant term, function field case	27
I.2.8	Corollary	28
I.2.9	Corollary	29
I.2.10	The number field case	30
I.2.11	Corollary	34
I.2.12	Rapidly decreasing functions	34
I.2.13	Truncation	35
I.2.14	Lemma	36
I.2.15	Lemma	36
I.2.16	Lemma	36
I.2.17	Automorphic forms	37
I.2.18	Cuspidal forms	39
I.3	<b>Cuspidal components</b>	<b>40</b>
I.3.1	$A_M$ -finite functions	40
I.3.2	Decomposition of an automorphic form	41
I.3.3	Exponents of cuspidal automorphic forms	43
I.3.4	Cuspidal components	45
I.3.5	Cuspidal components and automorphic functions	47
I.3.6	The function field case: independence of the choice of $v_0$	48
I.4	<b>Upper bounds as functions of the constant term</b>	<b>49</b>
I.4.1	Lemma	49
I.4.2	Exponential polynomial functions	51
I.4.3	Uniform upper bounds for automorphic forms	56
I.4.4	Sequences of automorphic forms	59
I.4.5	Proof of I.4.4(a)	60
I.4.6	Partial proof of I.4.4(c)	62
I.4.7	Proof of I.4.4(b)	63
I.4.8	End of the proof of I.4.4	66
I.4.9	Fréchet spaces and holomorphic functions	66
I.4.10	Automorphic forms depending holomorphically on a parameter	68
I.4.11	Exponents of square integrable automorphic forms	74

*Contents*

vii

**II Decomposition according to cuspidal data**

<b>II.1 Definitions</b>	<b>78</b>
II.1.1 Equivalence classes of irreducible subrepresentations of the space of automorphic forms and complex analytic structure	78
II.1.2 Paley-Wiener functions	80
II.1.3 Fourier transforms	81
II.1.4 The spaces $P_{(M,\mathfrak{P})}^R$	84
II.1.5 Eisenstein series	85
II.1.6 Intertwining operators	87
II.1.7 Constant terms of Eisenstein series	91
II.1.8 Adjunction of intertwining operators	93
II.1.9 Euler expansions of intertwining operators	94
II.1.10 Pseudo-Eisenstein series	95
II.1.11 Relation between pseudo-Eisenstein series and Eisenstein series	99
II.1.12 Density of pseudo-Eisenstein series	99
<b>II.2 Calculation of the scalar product of two pseudo-Eisenstein series</b>	<b>100</b>
II.2.1 Statement	100
II.2.2 Calculation of constant terms of pseudo-Eisenstein series	101
II.2.3 End of the calculation of the scalar product	105
II.2.4 Decomposition of $L^2(G(k)\backslash G)_\xi$ along the cuspidal support	106
II.2.5 Lemma	107

**III Hilbertian operators and automorphic forms**

<b>III.1 Hilbertian operators</b>	<b>109</b>
III.1.1 A family of operators	109
III.1.2 Operations on pseudo-Eisenstein series	110
III.1.3 Transformations of Hilbert spaces	111
III.1.4 Bounded operators	112
III.1.5 Adjunction of non-bounded operators	112
III.1.6 Spectral projections	113
III.1.7 Transformations of $L^2(G(k)\backslash G)_\xi$	115

<b>III.2</b>	<b>A decomposition of the space of automorphic forms</b>	<b>115</b>
III.2.1	Operators on the space of automorphic forms	115
III.2.2	Cuspidal components	116
III.2.3	Remark	120
III.2.4	A subalgebra of operators	120
III.2.5	Proof of Proposition III.2.1	123
III.2.6	Decomposition of the space of automorphic forms	128
<b>III.3</b>	<b>Cuspidal exponents and square integrable automorphic forms</b>	<b>129</b>
III.3.1	The result	129
III.3.2	Definition of $N(G)$	130
III.3.3	Reduction of the problem	131
III.3.4	Proof of Proposition III.3.1	131
<b>IV</b>	<b>Continuation of Eisenstein series</b>	
<b>IV.1</b>	<b>The results</b>	<b>135</b>
IV.1.1	The spaces	135
IV.1.2	The representations	136
IV.1.3	Holomorphic functions	136
IV.1.4	Holomorphic operators	137
IV.1.5	Rationality	138
IV.1.6	Singularities along hyperplanes	138
IV.1.7	Holomorphic property of Eisenstein series	138
IV.1.8	Continuation of Eisenstein series	140
IV.1.9	Properties of Eisenstein series	140
IV.1.10	The functional equation	141
IV.1.11	Singularities of Eisenstein series	141
IV.1.12	The function field case	141
<b>IV.2</b>	<b>Some preparations</b>	<b>141</b>
IV.2.1	Transformation of the problem	141
IV.2.2	Choice of functions in the Hecke algebra	142
IV.2.3	Compact operators	143
IV.2.4	Truncation is an orthogonal projection	144
IV.2.5	Upper bound of a truncated kernel	145
IV.2.6	Compactness of truncated operators	147
IV.2.7	A geometric lemma	147
IV.2.8	Remark	148

*Contents*

ix

<b>IV.3</b>	<b>The case of relative rank 1</b>	<b>149</b>
IV.3.1	The situation of relative rank 1	149
IV.3.2	An auxiliary series	149
IV.3.3	Truncation of auxiliary series	153
IV.3.4	The functional equation for truncation of Eisenstein series	153
IV.3.5	Resolution of a functional equation	154
IV.3.6	A decomposition of Eisenstein series	156
IV.3.7	Corollary	156
IV.3.8	An injectivity lemma	156
IV.3.9	Proof of Theorem IV.1.8	157
IV.3.10	Proof of Proposition IV.1.9	158
IV.3.11	Proof of Theorem IV.1.10	160
IV.3.12	Proof of Proposition IV.1.11	161
IV.3.13	Proof of Proposition IV.1.12(b)	162
IV.3.14	Proof of Proposition IV.1.12(a)	163
<b>IV.4</b>	<b>The general case</b>	<b>165</b>
IV.4.1	Continuation of intertwining operators	165
IV.4.2	The auxiliary series	165
IV.4.3	Continuation of Eisenstein series	166
IV.4.4	End of the proof	167
IV.4.5	Remark	168
<b>V</b>	<b>Construction of the discrete spectrum via residues</b>	
<b>V.1</b>	<b>Generalities and the residue theorem</b>	<b>169</b>
V.1.1	Affine subspace	169
V.1.2	Meromorphic functions with polynomial singularities on $\mathfrak{S}_{\mathfrak{X}}$	171
V.1.3	Residue data	173
V.1.4	Remark on the choices made in V.1.3	174
V.1.5	The residue theorem	175
<b>V.2</b>	<b>Decomposition of the scalar product of two pseudo-Eisenstein series</b>	<b>180</b>
V.2.1	Notation	180
V.2.2	Statement of the theorem	182
V.2.3	Beginning of the proof: first step	183
V.2.4	Second step	185
V.2.5	Corollary	186

## x

*Contents*

V.2.6	Corollary	187
V.2.7	End of the proof of V.2.2	187
V.2.8	Remark on the number field case	188
V.2.9	Lemma	188
V.2.10	Lemma	191
V.2.11	Sublemma	192
<b>V.3</b>	<b>Decomposition along the spectrum of the operators <math>\Delta(f)</math></b>	<b>195</b>
V.3.1	Hypotheses and notation for this part	196
V.3.2	Statement	197
V.3.3	Definition of the family of projections	199
V.3.4	Plan and beginning of the proof	200
V.3.5	Lemma	202
V.3.6(a)	Remark	203
V.3.6(b)	Remark	207
V.3.7	Proof of the assertions of V.3.2(4) for every $\phi \in P_{\mathfrak{C},T}^{R,\mathfrak{F}}$	208
V.3.8	Another lemma	209
V.3.9	Proof of V.3.2(5)(i) for general $\pi$	210
V.3.10	Remark	214
V.3.11	Spectral decomposition of $L_{\mathfrak{C},T}^{2\mathfrak{F}}$	214
V.3.12	Proof of V.3.2	217
V.3.13	Decomposition of $q_T L^2(G(k)\backslash G)_{\mathfrak{X},\mathfrak{F}}$	221
V.3.14	Decomposition of $L^2(G(k)\backslash G)_{\mathfrak{X}}$	226
V.3.15	Adjunction formula for residues of intertwining operators	227
V.3.16	Cuspidal exponents of residues of Eisenstein series	229
V.3.17	Generalisation: decomposition of $L^2(U_L(\mathbb{A})L(k)\backslash G)_{\xi_L}$	230
<b>VI</b>	<b>Spectral decomposition via the discrete Levi spectrum</b>	
<b>VI.1</b>	<b>Discrete parameter</b>	<b>234</b>
VI.1.1	The standard Levi associated with an element of $S_{\mathfrak{X}}$	234
VI.1.2	Singularities of residues of Eisenstein series	234
VI.1.3	Corollary	240
VI.1.4	Reduction to the Levi subgroup	242
VI.1.5	Functional equation for residues of Eisenstein series	250
VI.1.6	Positivity property of the origin of singular planes	251
VI.1.7	Association classes of standard Levis attached to an element of $[S_{\mathfrak{X}}]$	255

*Contents*

xi

VI.1.8	'Reality' of the origin of elements of $\text{Sing}^G$	256
VI.1.9	Discrete parameter	257
<b>VI.2</b>	<b>Spectral decomposition</b>	<b>259</b>
VI.2.1	The most general statement	259
VI.2.2	A more technical but more precise statement	260
VI.2.3	Proof of VI.2.1(i)	263
VI.2.4	Description of $A_{\mathfrak{C}, \pi}$ (for general $\pi$ )	265
VI.2.5	Proof of the spectral decomposition of VI.2.2 (number field case)	269
VI.2.6	Proof of the spectral decomposition of VI.2.1 (number field case)	271
VI.2.7	The function field case	272
<b>Appendix I Lifting of unipotent subgroups into a central extension</b>		<b>273</b>
<b>Appendix II Automorphic forms and Eisenstein series over a function field</b>		<b>278</b>
1.	<b>Derivatives of Eisenstein series</b>	<b>278</b>
1.1	Some reminders	278
1.2	Eisenstein series	279
1.3	Derivations	279
1.4	Derivatives of Eisenstein series	280
1.5	Function fields	280
2.	<b>Relations between constant terms of automorphic forms</b>	<b>281</b>
2.1	Notation	281
2.2	Calculation of a scalar product	282
2.3	Vanishing of a pseudo-Eisenstein series	284
2.4	The global sections generate the local sections	285
2.5	A linear system	286
2.6	Resolution of the system	287
2.7	Expression of an automorphic form as the derivative of an Eisenstein series	290
2.8	Theorem	292
2.9	Remarks	292

xii	<i>Contents</i>	
3.	<b>Proof of Proposition 2.4</b>	293
3.1	Transformation of the problem	293
3.2	Calculation in the completion	294
3.3	End of the proof	295
<b>Appendix III On the discrete spectrum of <math>G_2</math></b>		<b>298</b>
1.	The result	298
2.	Explicit calculations for $G_2$	299
3.	Reminder of the method	302
4.	Calculation of a residue	303
5.	Calculation continued	305
6.	Expression of the scalar product	307
7.	The Hecke algebra	308
8.	Intertwining operators	310
9.	The final calculation	312
<b>Appendix IV Non-connected groups</b>		<b>314</b>
1.	Definitions	314
2.	Levi subgroups	315
3.	The Weyl group	317
4.	The compact subgroup	318
5.	Coverings, centres	319
6.	Automorphic forms	320
7.	Cuspidal components	322
8.	Eisenstein series	323
9.	The functions $m_P$ and trivialisation of fibre bundles	324
10.	Paley-Wiener functions, $P_{(M,\mathfrak{P})}$ and $P_{(M,\mathfrak{P})}^R$	327
11.	Pseudo-Eisenstein series	327
12.	Constant terms of pseudo-Eisenstein series; scalar product	328
13.	The operators $\Delta(f)$	330
14.	Spectral decomposition	331
<b>Bibliography</b>		334
<b>Index</b>		337