

Index

algebraic

bordism category

- $\Lambda = (\mathbb{A}, \mathbb{B}, \mathbb{C})$, 51
- $\Lambda^q(R)$ ($q = p, h, s$), 55
- $\Lambda_+(R)$, 59
- $\Lambda^*(K)$, 75
- $\Lambda_*(K)$, 75
- $\Lambda(R)_*(K)$, 97
- $\Lambda(R, K)$, 97
- $\Lambda(R)_*(K, w)$, 308
- $\Lambda(R, K, w)$, 309
- connected, 61
- functor, 53

mapping cone, 25

normal complex, 40

surgery, 33

exact sequence, 148

twisted, 316

$\alpha(F, \pi)$, $\alpha_D(F, \pi)$

simple factors in $F[\pi]$, 225

$\alpha^k(F, \pi)$

F -multisignature components, 232

assembly

- $\mathbb{A}^*(K) \rightarrow \mathbb{A}$, 63
- $\mathbb{A}_*(K) \rightarrow \mathbb{A}$, 63
- $\mathbb{B}(\mathbb{A})^*[K] \rightarrow \mathbb{B}(\mathbb{A}^*(K))$, 64
- $\mathbb{B}(\mathbb{A})^*[K] \rightarrow \mathbb{B}(\mathbb{A}_*(K))$, 64
- $\mathbb{B}(\mathbb{A})_*[K] \rightarrow \mathbb{B}(\mathbb{A}_*[K])$, 64
- $\Lambda_*(K) \rightarrow \Lambda$, 80
- $\mathbb{A}(R, K) \rightarrow \mathbb{A}(R[\pi])$, 94
- $\mathbb{B}[R, K] \rightarrow \mathbb{B}(R[\pi])$, 94

$\alpha_{C,D}: C \otimes_{(R,K)} D$

$\rightarrow C(\tilde{K}) \boxtimes_{R[\pi]} D(\tilde{K})$, 100

$H_*([C][*]) \rightarrow H_*(C(\tilde{K}))$, 109

$A: \mathbb{H}.(K; \mathbb{F}) \rightarrow \mathbb{F}$, 130

$A: \mathbb{H}.(K; \{\mathbb{F}\}) \rightarrow \mathbb{F}(K')$, 131

$A: \mathbb{H}.(K; \{\mathbb{F}\{*\}\}) \rightarrow \mathbb{F}(K)$, 132

$A: H_*(K; \mathbb{L}(R)) \rightarrow L_*(R[\pi])$, 148

$A_\pi: H_*(B\pi; \mathbb{L}(\mathbb{Z})) \rightarrow L_*(\mathbb{Z}[\pi])$, 271

\bar{A} , 286

$\alpha_{C,D}: C \otimes_{(R,K^w)} D$

$\rightarrow C(\tilde{K}) \boxtimes_{R[\pi]^w} D(\tilde{K})$, 309

$A: H_n(K, w; \mathbb{L}(R))$

$\rightarrow L_n(R[\pi]^w)$, 310

$A: \mathbb{H}.(K, w; \mathbb{F}) \rightarrow \mathbb{F}$, 312

$A: \mathbb{H}.(K, w; \{\mathbb{F}\}) \rightarrow \mathbb{F}(K', w')$, 313

$A: \mathbb{H}.(K, w; \mathbb{F}(\{*\})) \rightarrow \mathbb{F}(K, w)$, 314

based object, 63

boundary

dual cell $\partial D(\sigma, K)$, 68

normal complex, 45

quadratic complex, 34

symmetric complex, 34

canonical fundamental class

manifold $[X]_{\mathbb{L}}$, 186

normal complex $[X]_{\mathbb{NL}}$, 181

transversality structure $[Z]_{\Pi}$, 186

canonical orientation

spherical fibration \hat{U}_ν , 174

topological bundle $U_{\hat{\nu}}$, 174

category, R -module

based f.g. free $\mathbb{A}^s(R)$, 55

f.g. projective $\mathbb{A}^p(R)$, 28

f.g. free $\mathbb{A}^h(R)$, 28

f.g. free $\mathbb{A}(R)$, 29

\mathbb{C} -contractible

chain complex, 51

quadratic complex, 51

symmetric complex, 51

\mathbb{C} -equivalence, 51

Čech complex, 73

Čech-deRham complex, 73

chain bundle (C, γ) , 39

chain complex category

$\mathbb{B}(\mathbb{A})$, 26

$\mathbb{C}(\mathbb{A})$, 51

$\mathbb{B}(R)$, 56

$\mathbb{C}(R)$, 56

$\mathbb{B}_+(R)$, 59

$\mathbb{C}_+(R)$, 59

- chain complex
 - dimension, 25
 - dual TC , 27
 - finite, 25
 - highly connected, 60
 - highly \mathbb{B} -connected, 60
 - homogeneous, 110
 - n -dual $\Sigma^n T(C)$, 27
 - pair, 137
 - suspension SC , 25
 - 0-dimensional, 27
- chain duality, 27
- closed subcategory, 51
- cobordism
 - cycle, 126
 - quadratic Poincaré complex, 32
 - symmetric Poincaré complex, 32
- codimension q
 - Poincaré transversality
 - obstruction, 260
 - splitting obstruction, 259
- cohomology groups
 - $H^*(K; \mathbb{F})$, 122
 - $H^*(K, w; \mathbb{F})$, 311
- cohomology spectrum
 - \mathbb{F}^{K_+} , 122
 - $\mathbb{F}_{\mathbb{Z}_2}^{K_+}$, 311
- combinatorial diagonal
 - approximation, 317
- compactly supported
 - Čech–deRham complex, 73
 - cohomology groups $H_c^*(K; \mathbb{F})$, 122
 - cohomology spectrum $\mathbb{F}_c^{K_+}$, 122
- 1/2-connective
 - algebraic bordism categories
 - $\Lambda\langle 1/2\rangle(R, K)$, $\widehat{\Lambda}\langle 1/2\rangle(R, K)$, 164
 - normal
 - complex, 164
 - L -groups $NL^*\langle 1/2\rangle(R, K)$, 164
 - \mathbb{L} -spectrum $\mathbb{NL}^*\langle 1/2\rangle(R)$, 164
 - visible symmetric
 - L -groups $VL^*\langle 1/2\rangle(R, K)$, 164
 - \mathbb{L} -spectrum $\mathbb{VL}^*\langle 1/2\rangle(R, K)$, 165
 - signature, 179
- \mathbb{C} -Poincaré
 - quadratic complex, 51
 - symmetric complex, 51
- cycle, 125
 - $\{\mathbb{F}\}$ -cycle, 131
 - relative, 127
- degree $d_j(F, \pi)$, 225
- Δ -map, 118
 - compactly supported, 119
 - homotopy, 118
 - simplicial complexes, 77
- Δ -set, 117
 - finite, 119
 - function, 118
 - geometric product, 118
 - Kan, 118
 - locally finite, 117
 - loop, 120
 - mapping fibre, 120
 - pointed, 119
 - realization, 117
 - spectrum, 121
- derived Hom, 87
- derived product \boxtimes , 86
- dissection, 71
- division algebra $D_j(F, \pi)$, 225
- double skew-suspension, \overline{S}^2 , 32
- dual cell $D(\sigma, K)$, 67
- dual cell $D(\sigma, \tau)$, 70
- geometric Thom class, 93
- global equivalence, 97
- global 1-equivalence, 179
- highly \mathbb{B} -connected
 - quadratic complex, 60
 - quadratic pair, 60
- homogeneous envelope, 110
- homology groups

- $H_*(K; \mathbb{F})$, 122
- $H_*(K; \{\mathbb{F}\})$, 131
- $H_*(K, w; \mathbb{F})$, 311
- $H_*(K, w; \{\mathbb{F}\})$, 313
- homology spectrum
 - $K_+ \wedge \mathbb{F}$, 122
 - $\mathbb{H}_*(K; \{\mathbb{F}\})$, 131
 - $K_+^w \wedge_{\mathbb{Z}_2} \mathbb{F}$, 311
 - $\mathbb{H}_*(K, w; \{\mathbb{F}\})$, 313
- homotopy colimit, 125
- homotopy equivalence
 - normal complexes, 41
 - quadratic complexes, 30
 - symmetric complexes, 30
- homotopy invariant functor, 132
- idempotent $e_j(F, \pi)$, 228
- involution, 27
- L*-groups
 - connective symmetric
 - $L^*(R)$, 60
 - highly \mathbb{B} -connected
 - $L_n(\Lambda)^{hc}$, 60
 - hyperquadratic
 - $\widehat{L}^*(\mathbb{A})$, 45
 - normal
 - $NL^*(\mathbb{A})$, 41
 - $NL^*(\Lambda)$, 52
 - $NL^*(R, K)$, 98
 - $\widehat{L}^*(X)$, 173
 - $NL^*(R, K, w)$, 310
 - quadratic
 - $L_*(\mathbb{A})$, 32
 - $L_*^q(R)$ ($q = p, h$), 33
 - $L_*(\Lambda)$, 52
 - $L_*(R, K)$, 98
 - $L_*(R, \epsilon)$, 219
 - $L_*(X)$, 258
 - $L_*(R, K, w)$, 310
 - reduced quadratic
 - $\widetilde{L}_*(\mathbb{Z}[\pi])$, 253
- round
 - $L_*^r(R)$, 235
 - $L_r^*(R)$, 235
- symmetric
 - $L^*(\mathbb{A})$, 32
 - $L^*(\mathbb{A}^q(R))$ ($q = p, h$), 33
 - $L^*(\Lambda)$, 52
 - $L^*(R, K)$, 98
 - $L^*(R, \epsilon)$, 219
 - $L^*(R, K, w)$, 310
- visible symmetric
 - $VL^*(R, K)$, 98
 - $VL^*(R[\pi])$, 99
 - $VL^*(X)$, 173
 - $\overline{VL}^*(X)$, 286
 - $VL^*(X; \Lambda)$, 303
 - $VL^*(R, K, w)$, 310
 - $VL_b^*(K)$, 329
- link, 67
- local equivalence, 97
- locally Poincaré
 - quadratic complex, 89
 - symmetric complex, 89
- locally q -Poincaré
 - simplicial complex, 157
 - symmetric complex, 156
- LS*-groups $LS_*(\Phi)$, 258
- \mathbb{L} -spectrum
 - normal
 - $N\mathbb{L}^*(\Lambda)$, 138
 - $N\mathbb{L}^*(R)$, 145
 - $N\mathbb{L}^*(R, K)$, 145
 - $\widehat{\mathbb{L}}^*$, 173
 - quadratic
 - $\mathbb{L}(\Lambda)$, 138
 - $\mathbb{L}(R)$, 145
 - $\mathbb{L}(R, K)$, 145
 - \mathbb{L} , 173
 - $\overline{\mathbb{L}}$, 286
 - symmetric
 - $\mathbb{L}^*(\Lambda)$, 138
 - $\mathbb{L}^*(R)$, 145

- $\mathbb{L}(R, K)$, 145
- \mathbb{L} , 173
- $\overline{\mathbb{L}}$, 286
- visible symmetric
 - $\mathbb{V}\mathbb{L}(R, K)$, 145
- map
 - algebraic normal complexes, 40
 - chain bundles, 39
 - quadratic complexes, 30
 - symmetric complexes, 30
- mapping cofibre, 121
- multirank $r_*(P)$, 226
- multisignature
 - K -theory, 224
 - L -theory, 232
- nerve, 71
- normal
 - complex
 - algebraic, 40
 - geometric, 42
 - invariant
 - normal map $[f, b]_{\mathbb{L}}$, 196
 - TOP reduction $t(b)$, 196
 - homotopy equivalence $t(f)$, 197
 - 4-periodic $[f, b]_{\overline{\mathbb{L}}}$, 294
 - 4-periodic $\tilde{t}(i, b)$, 295
 - map, algebraic, 49
 - pair, algebraic, 40
 - pseudomanifold, 180
 - structure, algebraic (γ, χ) , 40
- Novikov
 - conjecture, 271
 - group, 275
- number of embeddings of field F
 - complex $n_{\mathbb{C}}(F)$, 248
 - involution $n_{\mathbb{C}}(F, \mathbb{Z}_2)$, 248
 - negative $n_{\mathbb{R}}^-(F_0, a)$, 248
 - positive $n_{\mathbb{R}}^+(F_0, a)$, 248
 - real $n_{\mathbb{R}}(F)$, 248
- open star, 68
- Poincaré complex
 - geometric, 42
 - quadratic (C, ψ) , 30
 - symmetric (C, ϕ) , 30
 - topologically reducible, 181
- Poincaré duality group, 275
- Poincaré pair
 - quadratic, 31
 - symmetric, 31
- Poincaré transverse, 185
- preassembly, 320
- pseudomanifold, 91
- q -connective
 - algebraic bordism category
 - $\Lambda\langle q \rangle(R)$, $\widehat{\Lambda}\langle q \rangle(R)$,
 - $\Lambda\langle q \rangle(R, K)$, $\widehat{\Lambda}\langle q \rangle(R, K)$, 157
 - complex
 - chain, 156
 - normal, 156
 - quadratic, 156
 - symmetric, 156
 - cover $\mathbb{F}\langle q \rangle$, 151
- L -groups
 - normal $NL^*\langle q \rangle(\Lambda)$, 151
 - quadratic $L_*\langle q \rangle(\Lambda)$, 151
 - symmetric $L^*\langle q \rangle(\Lambda)$, 151
 - $VL^*\langle q \rangle(\Lambda)$, 163
- \mathbb{L} -spectrum
 - normal $N\mathbb{L}^*\langle q \rangle(\Lambda)$, 151
 - quadratic $\mathbb{L}_*\langle q \rangle(\Lambda)$, 151
 - symmetric $\mathbb{L}^*\langle q \rangle(\Lambda)$, 151
 - visible symmetric $\mathbb{V}\mathbb{L}^*\langle q \rangle(\Lambda)$, 163
- spectrum, 151
- structure groups
 - quadratic $\mathbb{S}_*\langle q \rangle(R, K)$, 158
 - symmetric $\mathbb{S}^*\langle q \rangle(R, K)$, 159
- structure spectrum
 - quadratic $\mathbb{S}\langle q \rangle(R, K)$, 159
 - symmetric $\mathbb{S}'\langle q \rangle(R, K)$, 159

- Q -groups
 hyperquadratic $\widehat{Q}^*(C)$, 38
 quadratic $Q_*(C)$, 30
 symmetric $Q^*(C)$, 30
 twisted quadratic $Q_*(C, \gamma)$, 39
 visible symmetric $VQ^*(C)$, 99
 quadratic kernel, 49

 rank of Witt group $r^k(D)$, 231
 relative \mathbb{F} -homology, 127
 resolution, 283
 (R, K) -modules, 85
 $[R, K]$ -modules, 85
 (R, K, w) -module, 308

 signature, 232
 bounded visible σ^* , 329
 codimension n
 global, 277
 local, 277
 quadratic, 277
 symmetric, 277
 higher, 269
 hyperquadratic $\widehat{\sigma}^*$, 47
 normal $\widehat{\sigma}^*$, 47
 normal, 105
 quadratic σ_* , 49
 quadratic, 105
 symmetric σ^* , 47
 visible symmetric σ^* , 99
 visible symmetric, 104
 4-periodic $\overline{\sigma}^*$, 292
 simple factor $S_j(F, \pi)$, 225
 stable
 algebraic bordism subcategory, 58
 closed subcategory, 58
 star, 67
 structure group
 quadratic
 $\mathbb{S}_*(R, K)$, 148
 $\mathbb{S}_*(X)$, 190
 $\mathbb{S}_*^p(Y)$, 263
 $\overline{\mathbb{S}}_*(X)$, 286
 $\mathbb{S}_*(R, K, w)$, 315
 symmetric
 $\mathbb{S}^*(R, K)$, 149
 structure invariant $s(f)$, 197
 4-periodic $\overline{s}(f)$, 295
 structure set $\mathcal{S}^{TOP}(X)$, 195
 Λ -coefficient $\mathcal{S}^{ATOP}(M)$, 303
 structure spectrum
 quadratic
 $\mathbb{S}_*(R, K)$, 148
 $\mathbb{S}_*(R, K, w)$, 315
 symmetric
 $\mathbb{S}^*(R, K)$, 149
 supplement, 123
 surgery exact sequence
 algebraic, 169
 geometric, 195
 Λ -coefficient, 304
 q -connective algebraic, 159
 suspension
 chain complex SC , 25
 spectrum ΣK , 121
 (symmetric, quadratic) pair, 43

 topological reducibility obstruction
 difference element $t(\tilde{\nu}, \tilde{\nu}')$, 175
 homotopy equivalence $t(f)$, 197
 Poincaré complex $t(X)$, 181
 spherical fibration $t(\nu)$, 174
 total complex, 25
 total surgery obstruction $s(X)$, 190
 bounded $s^b(K)$, 329
 4-periodic $\overline{s}(X)$, 292
 Λ -coefficient $s(X; \Lambda)$, 303
 lower $s^{(-i)}(X)$, 325
 projective $s^p(X)$, 324
 totally
 imaginary, 248
 real, 248
 transfer, 215
 transversality structure, 185