

Index of spectra illustrated

- copolymer of
 ethylene and propylene
 IR fig 6.2 232; various compositions, CH_2 rocking region, $660\text{--}900\text{ cm}^{-1}$
 ethylene and vinyl acetate
 IR fig 6.1 230; $\nu(\text{C}=\text{O})$ region, $1690\text{--}1770\text{ cm}^{-1}$, resolved into triads
- normal paraffin $\text{C}_{12}\text{H}_{26}$
 IR fig 5.2 170; $700\text{--}1500\text{ cm}^{-1}$, sample at -196°C
- Novolak resin IM184
 IR fig 5.17 212; cast film, $400\text{--}3800\text{ cm}^{-1}$
- Nylon 6,6
 IR fig 5.18 213; cast film, $400\text{--}3700\text{ cm}^{-1}$
- polybutadiene
 IR fig 1.8 14; 1,2-polybutadiene, $650\text{--}3500\text{ cm}^{-1}$
 R fig 5.19c 220; $1600\text{--}1700\text{ cm}^{-1}$
- polyethylene
 IR and R fig 5.1 164; $400\text{--}4000\text{ cm}^{-1}$
 IR fig 5.13a 207; h.p. type, $400\text{--}4000\text{ cm}^{-1}$, compared with PIB and PP
 IR fig 6.8 248; branched PE, methyl absorption region, $1200\text{--}1700\text{ cm}^{-1}$
 IR fig 6.10 253; Phillips, l.d. and Ziegler–Natta polymers, $800\text{--}1100\text{ cm}^{-1}$
 R fig 6.15 268; $\gamma(\text{CH}_2)$ doublet, $1290\text{--}1300\text{ cm}^{-1}$, effect of temperature
 IR fig 6.20 285; $\delta(\text{CD}_2)$ region of mixed PED/PEH crystal, $1067\text{--}1104\text{ cm}^{-1}$
 R fig 6.22 289; LAM region, $8\text{--}30\text{ cm}^{-1}$, effect of thermal history
- poly(ethylene terephthalate)
 IR fig 4.5 121; oriented sample, polarized spectra, $770\text{--}1070\text{ cm}^{-1}$
 IR and R fig 5.11 201; $200\text{--}3200\text{ cm}^{-1}$, showing interference fringes in IR
- polyisobutene
 IR fig 5.13c 207; compared with PE and PP spectra, $400\text{--}4000\text{ cm}^{-1}$
- poly(methyl methacrylate)
 IR fig 5.15 209; cast film, $400\text{--}3700\text{ cm}^{-1}$
 IR fig 5.21 222; overtone region showing 6135 cm^{-1} monomer peak
- polypropylene
 IR fig 5.13b 207; atactic, $400\text{--}4000\text{ cm}^{-1}$, compared with h.p. PE and PIB
 IR fig 6.3 236; iso-, syndio- and atactic, polarized spectra, $700\text{--}1600\text{ cm}^{-1}$
- polystyrene
 IR and R fig 5.9 195; atactic sample, $400\text{--}4000\text{ cm}^{-1}$
 R fig 5.19a 220; $1500\text{--}1700\text{ cm}^{-1}$, compared with sample toughened with PBD
 toughened with polybutadiene
 R figs 5.19b 220; $1500\text{--}1700\text{ cm}^{-1}$, compared with pure PS spectrum
- polytetrafluoroethylene
 IR and R fig 5.7 189; $70\text{--}1500\text{ cm}^{-1}$, polarized IR in region $350\text{--}1500\text{ cm}^{-1}$
- poly(vinyl acetate)
 IR fig 5.14 209; cast film, $400\text{--}3800\text{ cm}^{-1}$
- poly(vinyl chloride)
 IR and R fig 3.7 102; $\nu(\text{CCl})$ region, $540\text{--}720\text{ cm}^{-1}$, correlation splitting
 IR and R fig 5.3 174; $400\text{--}3700\text{ cm}^{-1}$, R spectrum shows ‘fluorescence’
 res. R fig. 5.22 225; thermally degraded sample, $50\text{--}4000\text{ cm}^{-1}$
 IR fig 6.5 241; $\nu(\text{CCl})$ region, $590\text{--}720\text{ cm}^{-1}$, samples polymerized at $+50$, -78°C
 R fig 6.7 243; $\nu(\text{CCl})$ region, $500\text{--}800\text{ cm}^{-1}$, showing fitted Lorentzian peaks

Index of group modes

309

poly(vinylidene chloride)

IR and R fig 5.6 183; single crystals and quenched sample, 50–3300 cm^{-1}

polyurethane

IR fig 6.12 260; $\nu(\text{NH})$ region, 3200–3600 cm^{-1} , for $[(\text{CH}_2)_8\text{OCONH}(\text{CH}_2)_6\text{NHCOO}]_n$

Index of point groups

C_i	54, 66, 88, 118, 128–30, 201	D_3	127
C_s	54, 66, 88, 90–3, 118, 127, 178, 181–5	D_6	96–7
C_n	54, 62–3, 65–6, 88, 95–7, 127, 151	D_9	271–3
C_1	54, 88, 90, 93, 118	D_{13}	187–94
C_2	88, 93, 95, 118, 182, 194, 276–7	$D(12\pi/13)$	187–94
C_3	127, 199, 235	D_{nd}	54
C_{13}	187–8	D_{2d}	54, 107
$C(12\pi/13)$	187–9	D_{3d}	120
C_{nh}	54, 62–3	D_{nh}	54, 65
C_{2h}	88, 95, 103, 105, 118, 128–30, 169	D_{2h}	54, 66, 77, 84–8, 90–3, 95, 100–6, 107, 118, 128–30, 154–6, 163–73, 265–7, 274–5, 276, 298–9
C_{nv}	54, 65	D_{4h}	116–17
C_{2v}	72–3, 88, 90–3, 95, 100–1, 107, 110, 118, 127, 169, 174–9, 181–2, 195–8, 237	D_{6h}	128–30, 197–8
C_{3v}	55–6	$D_{\infty h}$	54, 114
C_{4v}	59–60, 64, 118–19	S_n	54, 62–3, 65–6
$C_{\infty v}$	54	S_2	54
D_n	54, 63, 65, 88, 95–7, 127	S_6	54
D_2	54, 66, 88, 95–7, 107, 118, 127, 181–4, 235, 271–4	T_d	55

Index of group modes

- See, in addition*, fig 4.9, p 133 and fig 5.12, p 204
- amide I, II, III modes, 204, 212–4, 223, 258
- backbone
see skeletal below
- benzene
 for modes of benzene or modes involving a substituted benzene ring, *see main index: benzene*
- C—C stretching
 in a terpolymer, 280
 in polyethylene, 298
 in polypropylene, 208, 235–8
 in poly(vinyl chloride), 226
see also skeletal modes below
- C=C stretching
 in allyl alcohol, 218
 in ethylene, 77–8
 in polybutadiene, 218–9
- C=C stretching (*continued*)
 in poly(vinyl chloride), 226, 255
 in unsaturated hydrocarbons, 206
 in unsaturated polyethylene, 254
- C—C—C bending
 in polypropylene, 237
see also skeletal modes below
- C—C—Cl bending
 in poly(vinyl chloride), 275
- C—(CH₃) stretching
 in polypropylene, 208, 237
- C—C—O bending
 in poly(ethylene terephthalate), 202–3
- C—Cl bending
 of —CCl₂— groups
 in poly(vinylidene chloride), 186
 of lone CCl groups
 in poly(vinyl chloride), 176, 179, 240
- C—Cl₂ rocking
 in poly(vinylidene chloride), 186

310 *Index of group modes*

- C—Cl stretching
 in carbon tetrachloride, 149
 of —CCl₂— groups
 in poly(vinylidene chloride), 181–5
 of lone CCl groups
 in poly(vinyl chloride), 102–3, 176,
 178–9, 240–5, 275
- C—Cl₂ twisting
 in poly(vinylidene chloride), 186
- C—Cl wagging
 of —CCl₂— groups
 in poly(vinylidene chloride), 186
 of lone CCl groups
 in poly(vinyl chloride), 176, 179
- CD₂ bending
 in deuterated polyethylene, 283–6
- CF₂ bending
 in polytetrafluoroethylene, 192–4
- CF₂ rocking
 in polytetrafluoroethylene, 194
- CF₂ stretching
 in polytetrafluoroethylene, 192–4
- CF₂ twisting
 in polytetrafluoroethylene, 192–4
- CF₂ wagging
 in polytetrafluoroethylene, 194
- C—H bending
 of —CH₂— groups
 in polyethylene, 85–7, 154–5, 165–9,
 173, 199, 266–8, 270–1, 283–6
 in poly(ethylene terephthalate), 239
 in polyoxymethylene, 274
 in polystyrene, 199
 in poly(vinyl chloride), 175, 177–8, 217
 240
 in poly(vinylidene chloride), 186
 of =CH₂ groups
 in ethylene, 77–8
 of CH₃ groups
 in polyethylene, 247–50
 in polyisobutene, 208
 in polypropylene, 207
 of lone C—H groups
 in polypropylene, 208, 235–8
 in polystyrene, 199
 in poly(vinyl chloride), 175, 177–8
- =CH₂ out of plane deformation
 of vinylidene end group, 252–4
- CH₂ rocking
 in adipic and sebacic acids, 214
 in ethylene/propylene copolymers,
 231–3
 in polyethylene, 85–7, 155–8, 165–9, 171,
 199, 206, 265–7, 269, 283–5, 298
 in polyoxymethylene, 274
- CH₂ rocking (*continued*)
 in polypropylene, 237
 in polystyrene, 199
 in poly(vinyl chloride), 175, 178
 in poly(vinylidene chloride), 186
 of ethyl branches in polyethylene, 250
- (CH₂)₂ modes
 and trans/gauche isomerism in
 poly(ethylene terephthalate), 239–40, 278
 trans 1,4 polybutadiene, 278
 in h-h poly(vinyl chloride) and
 polypropylene, 251
- CH₃ rocking
 in polyethylene branches, 249, 252
 in polyisobutene, 208
 in polypropylene, 208, 237
- C—H stretching
 and early IR instruments, 23
 influence of nearby oxygen atom, 203
 in methane, 135, 149
 of —CH₂— groups
 in polyethylene, 85–7, 154–5, 165–7,
 173, 176, 199
 in poly(ethylene terephthalate), 203
 in polyoxymethylene, 274
 in polystyrene, 199
 in poly(vinyl chloride), 175–7
 in poly(vinylidene chloride), 184–6
 of =CH₂ groups
 in ethylene, 77–8, 131–2
 of CH₃ groups
 in polypropylene, 206–7
 of lone CH groups
 in poly(vinyl chloride), 175–7
- CH₂ twisting
 in polyethylene, 85–7, 106, 136–7, 155–8,
 165, 167–71, 206, 267, 271
 in polystyrene, 199
 in poly(vinyl chloride), 175, 178
 in poly(vinylidene chloride), 186
- CH wagging
 of —CH₂— groups in
 polyethylene, 85–7, 136–7, 155, 164–5,
 167–9, 171–3, 199, 247, 267, 269,
 271, 298
 poly(ethylene terephthalate), 239
 polystyrene, 199
 poly(vinyl chloride), 175, 178
 poly(vinylidene chloride), 186
 of lone CH groups in
 poly(vinyl chloride), 175, 177–8
- C—N stretching
 in polyamides, 213
- C≡N stretching
 in acrylonitrile copolymers, 218

Index of polymers

311

- C—O stretching
 in acetates, 208–9
 in acrylates, 210
 in aliphatic carbonates, 208
 in cellulose acetate, 208
 in poly(ethylene terephthalate), 202–3, 210
 in polymethacrylates, 209–10
 in polyoxymethylene, 274
 in polyurethanes, 214
 in saturated esters/polyesters, 208–10
 in terephthalates, 202–3, 210
- C=O rocking
 in poly(ethylene terephthalate), 202
- C=O stretching
 and hydrogen bonding, 259–64
 in aromatic polyesters, 210
 in biopolymers, 264
 in carbonyl compounds, 223
 in carboxylic acids, 223–4
 in cellulose acetate, 208
 in COO⁻ ion 223–4
 in dilauryl thiodipropionate, 223
 in oxidised polyalkenes, 223–4
 in polyamides, 213
 in poly(ϵ -caprolactone) blends 230–1
 in poly(ethylene terephthalate), 202–3, 301
 in poly(methyl methacrylate), 209
 in polyurethanes, 214, 259–61
 in poly(vinyl acetate), 229–30
 in saturated aldehydes, 224
 in saturated esters/polyesters, 202–3, 208–10, 301
 in saturated ketones, 224
 in vinyl acetate copolymers, 217, 229–30
 of acetate groups in polyoxymethylene, 255
- C=O stretching (*continued*)
 variation of freq. with environment, 203–4
- C=O wagging
 in PET 202
- C—O—C bending
 in poly(ethylene terephthalate), 202–3
 in polyoxymethylene, 274
- C—O—C stretching
 in an aliphatic ether, 212
 in polyurethanes, 214
 in resole resins, 212
- N—H in-plane deformation
 in polyamides, 213
- N—H stretching
 and early IR instruments, 23
 and hydrogen bonding, 257–64
 in biopolymers, 262
 in Nylon 6, 6 and Nylon 10, 258
 in polyamides, 213, 257–8
 in polyurethanes, 258–61
- O—H stretching
 and early IR instruments, 23
 and hydrogen bonding, 257
 in novolak resins, 211–12
 in phenolic antioxidants, 222
 in resole resins, 212
 of end groups in polyoxymethylene, 255
- out-of-plane deformation
 of unsaturated groups in polyethylene, 252–4, 269
 vibrations in polybutadiene, 218–19
- skeletal modes in
 polyethylene, 85–7, 155, 165, 167–71, 173, 267
 polyisobutene, 208
 polypropylene, 208, 235–8
 poly(vinyl chloride), 176–9, 226
- YX₂ stretching vibrations, 166, 184

Index of polymers

See in addition table 5.10, p. 205, for a polymer classification scheme by characteristic infrared frequencies.

amino resins, 7

biopolymers, 3, 32, 213, 256, 262–4

blends of polymers, 15–6, 214, 216

polybutadienes, 218–19

poly(ϵ -caprolactone) and PVC, 230–1

cellulose, 256

cellulose acetate, 208

collagen, 262–4

copolymers of

ethylene and 1-alkenes, 248

ethylene and propylene, 231–3

ethylene and vinyl acetate, 217–18, 229–30

ethylene, propylene and dicyclopentadiene, 280

Nylons, 214

styrene and acrylonitrile, 218

312 *Index of polymers*

- copolymers of (*continued*)
 styrene and butadiene, 219
 vinyl chloride and vinyl acetate, 217
 vinyl chloride and vinylidene chloride, 233–4
- DNA, 264
- elastomers, 31
- epoxy resins, 255–6
- gutta percha (trans 1,4-polyisoprene), 10
- novolak resins, 210–12
- Nylons, 5–6, 212–14, 220–1, 257–8
- perspex: *see* poly(methyl methacrylate)
- phenolic resins, 7, 210–12
- plexiglass: *see* poly(methyl methacrylate)
- polyacetates, 208–9
- polyacetylene, 4, 226
- polyacrylates, 208–10
- polyacrylonitrile, 3–4
see also copolymers
- poly(alkylene oxide)s, LA modes, 292
- poly(alkylene sulphide)s, LA modes, 292
- polyamides, 5–6, 204, 212–14, 220–1, 257–8
- polybutadiene, 4, 218–19, 278, 292
see also copolymers
- poly(butyl methacrylate), 210
- polycaprolactam (Nylon 6), 6, 214, 220–1
- poly(ϵ -caprolactone), 230–1
- poly(decamethylene sebacate), 292
- polydicyclopentadiene, 280
- polydienes, 4, 10
see also individual polymers
- poly(diethylene glycol bisallyl carbonate), 208
- polyenes, low MW, 226
- polyester polyurethanes, 6, 214–15, 259, 261
- polyesters, 5–6, 208–10, 214
see also individual polymers
- polyether polyurethanes, 6, 214–15, 259–61
- polyethers, 4
see also individual polymers
- polyethylene
 additives, defects, end groups and degradation, 11–12, 163, 167–8, 172, 222–4, 246–50, 252–4, 269
 chain dimensions, 187
 copolymers; *see* copolymers
 cross linking, 254, 269
 crystal structure and symmetry, 103–6, 166, 265
 crystallinity, morphology and chain folding, 13, 156, 163, 246, 280–92
 deuterated, 136–7, 166, 267, 281–6
 polyethylene (*continued*)
 discovery of, 166
 dispersion curves; finite chains, 154–8, 168–72, 192, 287, 290
 effects of crystallinity in, 103–6, 156–7, 163, 166–8, 171, 173, 231, 247, 265–71, 276, 281–6, 298
 longitudinal acoustic mode, 34, 286–92
 model compounds, 157, 166–73, 247–8, 269
 molten, 166, 271
 non-crystalline chains, 166, 168, 172, 247, 269, 271
 orientation, 166–7, 172, 266, 269, 290, 298–9
 overtones and combinations, 163, 167–8, 170, 222, 267
 perfect single chain, 81–91, 154–6, 163–73
 polymerization and types, 3, 172, 246–7, 249, 250, 252–4
 sample thickness for IR, 29
 single crystal texture, 172–3
 single crystals, 13, 280–6, 288, 291–2
 vibrational calculations, 154, 166–8, 170–2, 267, 276
- poly(ethyl methacrylate), 210
- poly(ethylene adipate), 214
- poly(ethylene oxide), 214, 292
- poly(ethylene terephthalate), 7
 assignments and recognition, 200–3, 210
 model compounds, 134, 202–3, 240, 299
 orientation, 121, 240, 298–301
 polymerization; structure; symmetry, 6, 128, 200–1
 rotational isomerism and amorphous regions, 11, 202–3, 239–40, 278, 299
 vibrational calculations, 203
- polyisobutene, 207–8
- polyisoprene, 4, 10
- polymethacrylates, 208–10
- poly(methyl acrylate), 210
- polymethylene, 247
see also polyethylene
- poly(methyl methacrylate), 4, 13, 29, 208–10, 221–2
- poly(α -methyl styrene), 4
- polyoxymethylene, 4, 252, 255, 271–4, 279, 292
- polypeptides, group frequencies, 213
- polypropylene, 3–4
 additives, defects, end groups and degradation, 223–4, 251, 254
 configurational isomerism and spectrum, 234–8
 copolymers; *see* copolymers

Main index

313

- polypropylene (*continued*)
 group frequency approach, 206–8
 polymerization, 3–4, 234
 structure and symmetry, 3–4, 231, 234–5, 279
 vibrational calculations, 208, 235, 237
 poly(propylene oxide), 214, 233
 polyribo-adenylic acid, 264
 polyribo-uridylic acid, 264
 polystyrene, 3–4, 31, 194–200, 218–20, 251, 292
see also copolymers
 polyterephthalates, 210
see also poly(ethylene terephthalate)
 polytetrafluoroethylene, 4, 185–94, 276–8, 292
 polytetrahydrofuran, 259, 261, 292
 poly(tetramethylene adipate), 261
 polythene, *see* polyethylene
 polyurethanes, 5–6, 206, 214–15, 258–62
 poly(vinyl acetate), 3–4, 208–9, 230
see also copolymers
 poly(vinyl alcohol), crystallinity, 280
 poly(vinyl chloride)
 blend with poly(*ε*-caprolactone), 230–1
 copolymers; *see* copolymers
 defects, end groups and degradation, 224–6, 246, 250–1, 255, 279
 deuterated, 173, 177–8, 240
 poly(vinyl fluoride), 8
 poly(vinylidene chloride), 4, 180–6
see also copolymers
 poly(vinylidene fluoride), 8
 resole resins, 210–12
 Rigidex9, 247
 rubber, natural (cis 1,4-polyisoprene), 10
 vinyl polymers, 3–4, 8–10, 16
 symmetry and vibrational modes, 89–93
 symmetry and selection rules, 126–8
see also individual polymers
 vinylidene polymers, 3–4, 8–9
see also individual polymers

Main index

- absorbance, infrared
 definition, 20
 determination, 23, 26
 for oriented samples, 296
 ratios in analysis, 217–18, 247, 256, 269
 absorption coefficient, 20, 215, 218–19, 248
 absorptivity, molar, 215, 259–60
 acceptor group, in H-bonding, 256, 259–60
 acetate end groups in POM, 255
 acetylacetone, 202
 acetylene, 4, 227
 acoustic modes: *see* modes, acoustic
 activated species, 3
 activity, spectral, 2, 65, 81–4, 100–1, 105–6
 and crystal field, 98–100, 105–6, 265
 for model ‘polymer’ chain, 154
see also selection rules
 addition polymerization, 3–4, 8
 additives, 219–20, 222–3
 adipic acid, 5, 214
 adjacent re-entry, 13, 280–6
 aldehydes as oxidation products, 224
 aliphatic alcohols, 214
 aliphatic amides, 223
 aliphatic carbonates, 208
 aliphatic polyesters, 214
 alkanes; *see* paraffin
 1-alkenes, 246, 248, 252
 alkyl benzenes, 200
 alkyl chlorides; *see* chlorides
 allyl alcohol, 218
 allyl chloride, 227
 allylic chlorine group, 224, 255
 amide group/linkage, 5–6, 204, 212–14, 223, 256–8
 amino resins, 7
 ammonia molecule, symmetry of, 55, 65
 amorphous regions; *see* non-crystalline regions
 amplitude of vibration, 85, 139, 221

314 *Main index*

- analysis
 chemical, 218
 spectroscopic, 15–16, 133
 qualitative, 162, 203–15
 quantitative, 215–26, 242, 247, 252–6
- angular momentum, 74–5
- anharmonic vibrations, 136, 158–61, 221
- anisotropy
 of tensor, 123–4
see also orientation
- annealing and lamellar thickness, 288, 290
- antioxidants, 220, 222
- antisymmetric species, 52, 65–6, 74
- antisymmetric stretching modes, 46, 74–5, 275
see also index of group modes
- application of known assignments, 162
 various applications, 215, 301
- areas under peaks, 229–30, 242, 271, 275
- aromatic isocyanates, 214–15
see also benzene
- assignment, 162
 for various polymers, 163–203
 meaning and methods, 122, 125–38, 149, 292
- associative law and group elements, 53
- asymmetric carbon atom, 233
- asymmetric peaks, 161, 229
- atactic polymer, definition, 8
- atomic radius, 8, 181
- atomic structure and nucleus, 42–4
- ATR, attenuated total reflection, 20, 30–1
- axes
 choice of orientation
 and symmetry species designation, 66, 74, 81, 85–6, 92–3, 100, 103, 237, 271
 within structural unit, 294
 symmetry, definitions and types, 47–52, 65, 81, 93
- axial glide; *see* glide, axial
- axial point group, 54, 65, 118–20
- back-biting, 12, 254
- basis for representation, 58–63, 67, 70, 77, 117–19
- Beer's law; *see* Lambert–Beer law
- bending; *see* modes, bending; *index of group modes*
- benzene, 128
 fundamental and symmetry modes, 195–8
 ring
 monosubstituted, 195–200
 paradisubstituted, 128, 201–2
see also: phenolic resins; polyesters; polystyrene; polyurethanes *in index of polymers*
- biaxial orientation, 266, 293, 301
- binding energy of molecule, 42
- biopolymers, 3, 32, 213, 256, 262–4
- birefringence, 300–1
- bis(2-hydroxy ethyl) terephthalate, 299
- blends (of polymers), 15–16, 216, 219, 230–1
- blowing, 223
- Boltzmann factor, 113
- bond
 angle, 1, 75–7, 147–8, 181–2
 chemical, nature of, 1, 42
 dipole, 109–11, 265–6
 double
 and cis/trans isomerism, 10
 and resonance Raman, 224–6
 in monomers, 4, 221
 electrostatic; *see* hydrogen bond(ing)
 hydrogen; *see* hydrogen bond(ing)
 length, 76, 147–8
 rotation around and trans/gauche, 9–10
- bonding, tetrahedral, 8, 47
- Born's cyclic boundary conditions, 150
- borrowing of intensity, 197
- branch/branching
 and degradation in PVC, 224, 246
 as defect structure, 8, 11
 effect on
 crystallinity, 246
 longitudinal acoustic mode, 288
 mechanism for, 11–12
 studied by spectroscopy, 246–50
see also methyl group(s)
- breathing mode of methane, 135
- bridged structures, 7, 210
- broadening of peaks
 asymmetric, 161, 229
 in copolymer, 229, 233
 in the melt, 279
 involving non-factor group modes, 161
see also width of peaks
- bromination of polymers, 252–5
- 1,4-butanediol in polyurethanes, 259
- calculation of frequencies; *see* vibrational calculations
- calibration
 for analysis, 247, 252, 255
 for crystallinity determination, 280
- caprolactam, 6, 220–1
- carbamate groups, 214
- carbon
 dioxide, normal modes, 45–6
 disulphide, 218, 223
 tetrachloride, 47–8, 149, 221

- carbonyl compounds/group, 202–3, 223
 and hydrogen bonding, 256, 259–64
see also C=O in index of group modes
- carboxylic acids, 223–4
- casting of samples, 29
- catalyst, 233, 234, 246, 254
- cellulose, 256
- cellulose acetate, 208
- central force field; *see* force field
- centre of inversion, 49
- centrosymmetric molecule, 81–9, 114–16, 200–1
- chain
 folding, 13, 280–6, 288, 291
 transfer during polymerization, 12
 terminating groups; *see* end groups
 number per unit cell, 98–106, 264–5; *see also* splitting, correlation
 regular, 7, 15, 80–96; *see also*: order; isolated regular chain
- character
 of a representation matrix, 63–5
 contribution of each atom, 71–2, 84
 table, 64–7, 72–3, 79, 84–5, 109, 118, 168
- chemical analysis, 218
- chemical repeat unit, 2, 15, 81, 95
- chirality, 94–5
- chlorides, secondary
 as models for PVC, 134, 240–2
 as models for PVDC, 185
 force constants, 173–4, 185
- chlorine atom, diameter, 181
- chloromethyl branches in PVC, 227, 250
- chloroparaffins
 2-chlorobutane, 174, 242
 2-chloropropane, 241
see also chlorides
- chromatography, 30, 220
- CH₃ group; *see* methyl group
- CH₄ (methane), 135, 149
- cis configuration/conformation, 10–12, 181–4
- class of operation, 64–5, 71, 72, 95
- coatings, 20, 31, 36
- collagen and hydrogen bonding, 262–4
- coloured samples, 33
- column matrix; *see* matrix, column
- comb, in dispersive, IR, 23
- combination; *see* overtone/combination frequencies
- combination rule in group theory, 53–6, 57
- commutation of elements/operators, 53, 56
- complex eigenvectors, 63, 143, 150–1, 154
- complex matrices, 62–3, 119, 143
- composite material, 258
- computers and IR, 21, 26–7, 247, 255
- concentration; *see* analysis
- condensation reactions, 5–7, 214
- configuration; *see* isomer/isomerism
- conformation; *see* isomer/isomerism
- conformer; *see* isomer/isomerism, conformational
- conjugated double bonds, 224–6
- convolution, 40–1
- cooling; *see* temperature
- coordinates
 Cartesian, 67–8, 138–9, 152
 complex, 63, 143
 for helical molecule, 150–1
 generalized, 139–41
 internal, 76–7, 139, 146–8
 internal symmetry, 77, 130–1, 146
 mass weighted, 69, 141
 normal, 69–70, 75, 111–14, 142–3, 145
 rotational and translational, 146
 symmetry, 74–8, 139, 145–6, 178
- copolymer
 analysis, 16, 216–19, 227–31
 and crystallization, 227
 and polymerization mechanisms, 227–8
 block, 217, 228, 258
 definition, 2, 8
 distribution of units, 227, 229–34
 interactions in, 217, 228–31
 random, 217, 228–9, 231
 segmented block, 258
see also index of polymers
- correlation
 splitting; *see* splitting
 tables for descent in symmetry, 92
- coupled oscillators, 1, 156, 168, 192
- coupling of group vibrations, 133, 154
see also mixing
- cross-linking, 7, 210–12, 218, 254, 256, 269
- crystal
 field; *see* field, crystal
 size and spectrum, 156–7
 structure
 hexagonal, 271
 monoclinic, 276
 orthorhombic, 100, 103, 265, 271
 spectroscopic study of, 99, 264, 276–8
- crystallinity
 and isomerism, 234, 240, 250, 278
 and order, 278–80
 degree of, 163, 246, 275
 determination of degree of by
 density measurement, 269, 279–80
 spectroscopy, 264, 269–71, 275, 278–80
 X-ray diffraction, 269, 279–80

316 *Main index*

- crystallinity (*continued*)
 effects on
 properties, 13, 234
 spectrum, 97–106, 126, 166–7, 264–80;
 see also splitting, correlation; field,
 crystal
 peaks, 278–9
 crystallization
 and polymer morphology, 12–13
 effect of branching on, 246
 in copolymers, 227, 231
 crystallites
 dimensions of, 13–14, 270, 280, 288
 lamellar, 13–14, 270, 280–6, 288–92
 crystals
 and regular chains, 15, 80
 single, 13–14, 266, 280–1, 288, 291
 vibrational modes and activity, 17,
 97–106, 113, 156–7, 264–5
 cubic groups and symmetry, 55, 66, 125
 cubic terms in potential energy, 159, 161
 curing of resins, 210, 256
 curve fitting, 39–40, 215, 229–30, 240–3,
 261, 275, 285–6, 289
 cyclic boundary conditions, 150
 cyclohexane, 257
 damping, 225–6
 data processing and IR, 26–7, 247, 255
 deconvolution, 40–1
 defect structure(s), 8
 and copolymerization, 227
 effect on LAM, 288, 290–1
 quantitative information on, 217
 see also: branch/branching; end groups;
 isomer/isomerism
 degeneracy
 accidental, 58, 161
 lifting/loss of, 265, 272; *see also* splitting,
 crystal field
 degenerate modes; *see* modes, degenerate
 degradation, 223–7, 246, 251, 252, 255,
 279
 degrees of freedom, 44
 denaturation of proteins, 262–4
 density and crystallinity, 269, 279–80
 depolarized Raman peaks, 125, 180
 depolarization ratio, 123–5, 299
 derivative spectra, 40
 descent in symmetry, 89–93, 99, 105
 detectors
 for IR spectroscopy, 27–8
 for Raman spectroscopy, 35–6, 167
 deuterated polymers
 polyethylene, 136–7, 166, 267, 281–6
 other polymers, 173, 177–8, 199, 202, 240
 deuterium substitution, 135–7
 di-phenyl methane-4,4'-di-isocyanate, 214
 diagonal glide, 104
 diagonal matrix, 61, 70; *see also* matrix
 diagonal plane, 49
 diatomic molecule, 42–4, 49
 dibutyl tin dilaurate, 224
 α,ω -dichloroalkanes, spectra, 172
 dichroism/dichroic ratio, 120–2, 296,
 298–9
 see also polarization
 difference
 frequency, 161; *see also*
 overtone/combination frequencies
 spectroscopy, 39, 221, 223, 224, 247, 253,
 255
 diffraction, electron, 13, 277
 diffraction grating, 17, 24, 34–5, 288
 dihedral axis/plane, definitions, 49
 dihydroxyethylene terephthalate, 202
 dilauryl thiodipropionate, 223
 dimethyl terephthalate, 6, 202
 dimethylhexatetracontane, 247
 diphenylmethane di-isocyanate, 214, 259
 dipole (moment), electric, 107–12
 addition and IR, 110–11, 175, 265–6
 and IR selection rule, 109–11
 and orientation studies, 294
 of bond or segment, 109–11, 121, 265–6
 direct product group, 66
 direction cosines, 108, 123
 disorder, spatial, 265
 disordered structures and group modes, 15,
 206
 dispersion curves, 150–8
 for model 'polymer' system, 152–4
 for PE, 154–8, 168–72, 191–2, 287, 290–1
 for PTFE, 192–4, 277
 non-crossing and repulsion, 154–6
 dispersive spectrometers, 21–4, 34–6
 distearone, 224
 distortion of oriented samples, 292
 distribution
 of lamellar thicknesses, 289, 291–2
 of orientations of units, 293–301
 DNA, 264
 donor group, in H-bonding, 258
 double bond; *see* bond, double
 double helix of DNA, 264
 drawing (stretching), 120, 240, 242, 273,
 292, 298, 301
 dynamic studies, 27, 36
 eigenvector(s)
 and symmetry, 47, 52–3, 70, 74
 and vibrational calculations, 138–45

Main index

317

- eigenvectors (*continued*)
 as sum over symmetry mode vectors, 74–5, 145
 assignment to, 125, 130, 134
 approximate, symbols for, 85, 163
 complex, 63, 143, 150–1, 154
 definition, 45–7
 for degenerate modes, 46, 57–63, 70
 for modes in crystals, 98–9, 103, 265–6, 268
 for PE 171
 normalization, 69, 142–3
 orthogonality of, 69, 141–3
- elastic rod model and LAM, 287, 291
- elastomers and ATR, 31
- electric dipole; *see* field
- electric field; *see* field
- electromagnetic spectrum, 17–18
- electron diffraction, 13, 277
- electron microscopy, 280–1
- electron volt, definition, 18
- electronegative atom, 256
- electronic states/transitions, 43, 44, 224–5
- electrostatic bond; *see* hydrogen bond(ing)
- element of group, 53
- elevated temperatures, 160–1
see also temperature
- end groups
 as defect structures, 8
 concentration by spectroscopy, 251–6
 effects on modes and activity, 156–7
 in various polymers, 224, 251–6, 269
see also methyl group(s)
- energy
 kinetic, 42, 140–3
 levels, 17–18, 112–13, 159–60
 of isomeric forms, 10, 13, 239, 278
 potential, 42–5, 52–3, 140, 142–4, 158–9
 distribution (PED), 144, 175–9
 thermal, 18
- enthalpy and protein stability, 262
- entropy and protein stability, 262
- environment and group frequency, 203
- environmental health, 219
- epoxy resins, 255–6
- equations of motion, 45, 58, 74, 138, 140, 152
- equilibrium, thermal, 113
- esterification reaction, 5–6
- esters, saturated, 208–10; *see also* polyesters in *index of polymers*
- ethanol, 257
- ether bridges in phenolic resins, 7, 210
- ether linkage in polyurethanes, 214
- ethers, cyclic, polymerization of, 4
- ethylene, vibrational modes, 77–8, 131–2
- ethylene dibenzoate, 240
- ethylene glycol, 6, 128
- excited states, 113
- external modes; *see* mode(s), external
- extinction coefficient, definition, 215
- extrusion, 223
- F matrix, 139–48
- factor group; *see*: group, factor; mode(s), factor group
 analysis for various polymers, 81–93, 100–6, 163–203, 235–8, 271–3
- far infrared region, definition, 17
- Fellgett advantage in FTIR, 26
- Fermi resonance, 161, 167–8, 267–9
- fibres and Raman spectroscopy, 37
- field
 crystal, 53, 98–9, 100, 105–6
 electric, 295–6
 and induced dipoles, 107–12
 internal, 298
- films as samples for IR, 28–30
- 'finger print', spectrum as, 162
- finite chains, vibrations of, 156–8
- fitting of spectra; *see* curve fitting
- 'fluorescence' and Raman spectra, 32, 37, 174 (fig 5.3)
- fluorine atom, radius, 8
- folding of chains, 13–14, 280–6, 288, 291
- force constant(s), 44–5, 76–8, 134, 135, 138–50, 152–4
 derived from small molecules, 148–9, 154, 167, 171–2, 173–4, 184–5, 200
- for non-bonded atom interactions, 148
- interaction force constants, 148
- no. of independent, 146, 148
- refinement of, 149–50
- transferability of, 148–9
- force field, 146–50
 central and general central, 147
 for hydrocarbons, 171, 200
 for monosubstituted alkyl benzenes, 200
- intermolecular, 264, 275
 Urey–Bradley–Shimanouchi, 148, 154
- valence/simple valence, 148–9, 171, 184–5
- forces
 interatomic, 42–5, 52, 76–8, 80, 98–9, 136, 148, 267; *see also* force field
- interlamellar, 290
- intermolecular, 80, 98–9, 265, 267, 275;
see also splitting, correlation
- van der Waals, 8, 148, 262
- formic acid as solvent for Nylon 6, 221

318 *Main index*

- Fourier
 series, 159
 transform, 26
 transform IR, 24–7, 255
 free energy, 10, 13, 239
 freedom, degrees of, 44
 frequency
 angular, 62–3, 138, 152–4
 of electromagnetic wave, 17
 of modulation in FTIR spectroscopy, 26, 28
 range for normal modes, 17
 frequency-phase-difference curves; *see*
 dispersion curves
 frequency/structure correlations, 203
see also mode(s), group
 fringes, interference, 201 (fig 5.11)
 FTIR; *see* Fourier transform IR
 fundamental frequencies of unit cell, 170
 fundamental frequencies/modes for various
 polymers, 163–203
 fundamental frequency, 136, 158–61
 fundamental LAM, 286–8
- g (*gerade*) species defined, 66
 G matrix, 139–46
 gamma-irradiation, 254, 269, 277
 gauche; *see* isomer/isomerism
 Gaussian line shape, 39, 261
 generalized coordinates, 139–41
 generalized position, 58, 67–76
 generating operations, 55
 genuine normal mode, 44, 74, 77, 84–5, 146
 geometry, molecular, 58, 134, 135
 Gibbs free energy, 10, 13, 239
 glasses, polymeric, 13
 glide
 plane, 81, 100, 152
 axial, 81, 104
 diagonal, 104
 glycols, 5–6, 128
 ground state, 113, 159–61
 group
 axial point, 54, 65
 crystal space, 97–9, 100, 103, 166, 272, 276
 direct product, 66
 factor
 and local symmetry, 126–31
 for helix, 95, 151
 of line group, 80, 84, 91, 98–9, 151
 of site group, 103, 105
 of space group, 97–9
see also factor group
 frequency; *see* mode(s), group
 homomorphous, 56–7
 group (*continued*)
 isomorphous; *see* isomorphous groups
 line, 83, 151, 167; *see also* factor above
 mathematical, definition, 53
 mode; *see* mode(s), group; *for specific*
types see index of group modes
 multiplication table, 55–6, 60, 84
 point, 53–6, 84, 85, 89
 pseudo-factor, 151
 representation; *see* representation
 site, 103, 105
 space, 97–9, 100, 103, 166, 272, 276
 theory, 52, 53–74, 79
 vibration; *see* mode(s), group
 gutta percha, 10
- halo-alkanes, 172, 239
see also chlorides
 hard segment, 258–62
 harmonic approximation, 44–5, 158
 harmonic functions, 159
 harmonic oscillator, 1, 43–5, 112–13
 harmonic vibrations, 136
 harmonic wave, 17
 head-to-head/tail addition, 8, 231–3, 250–1
 health, environmental, 219
 heat treatment, 126
see also annealing and lamellar thickness
 helical molecules
 biopolymers, 262–4
 $\text{CF}_3(\text{CF}_2)_{12}\text{CF}_3$, 194
 symmetry and normal modes, 93–7,
 150–2
 various polymers, 10, 154, 185–94, 199,
 234, 235, 271, 276–7, 279
- hexadecane, 269
 hexagonal unit cell, POM, 271
 hexamethylene diamine, 6
 hexamine, in novolak resins, 211
 1-hexene, 246
 highly symmetric molecules, 206
 hindrance, steric, 4, 8
 homomorphous groups, 56–7
 homopolymer, definition, 2
 horizontal mirror plane, definition, 49
 hot bands, 160–1
 hydrocarbons, force constants, 154, 200
see also paraffin
 hydrochlorides, 214
 hydrogen bond(ing), 222, 256–64
 in biopolymers, 262–4
 in polyamides, 257–8
 in polyurethanes, 258–62
 temperature dependence, 257–8, 261
 hydrogen chloride, 224
 hydrolysis of Nylons, 214

Main index

319

- hydroperoxides, 223
 hydroxyl group, 222, 256–7, 262
see also index of group modes, OH
- icosahedral group/symmetry, 55, 66, 125
- identification; *see analysis*
- identity
 element of group, 53–5
 operation, definition, 49
 period, 185–7; *see also translational period*
 representation, 57, 65, 117–18
- impact strength, 227
- improper rotation, definition, 48
- inclusions, study by Raman, 32, 36, 254
- infinite chain, modes of, 15, 80–97
- infrared
 absorption mechanism, 109
 frequency range, 17
 selection rules, 107, 109–11
- inhomogeneity, study by Raman, 254
- initiation site for degradation, 224
- initiation step in polymerization, 3
- instrumental line shape, 40
- intensity ratios in Raman, 32, 216, 219, 268
- interaction force constants; *see force constants*
- interactions
 between repeat units, 15, 199; *see also coupled oscillators*
see also forces
- interatomic distances, non-bonded atoms, 148
- interatomic forces; *see forces, interatomic*
- interchain interaction; *see intermolecular forces*
- interference fringes, 201 (fig 5.11)
- interferogram, 26
- interferometer, Michelson, 24–7
- intermolecular forces; *see forces*
 in various polymers, 163, 239, 274, 277, 281
see also hydrogen bond(ing)
- internal coordinates; *see coordinates*
- internal field, 298
- internal mode, 98–9, 131
- internal standard, 32, 256, 269, 271
- interpretation of polymer spectra, 162
 for various polymers, 163–215
- intramolecular bonding, 256
- invariant, of tensor, 124
- inverse
 of group element or operator, 55
 of block matrix, 146
- inversion, centre of, definition, 49
- irradiation with X- or γ -rays, 254, 269, 277
- isobutane, 171
- isocyanurate ring, 206
- isolated regular chain, 80–99, 150–6
 examples, 163–203, 234–8, 271–4
- isomer/isomerism
 cis/trans, definition, 10
 configurational/conformational, 8–11
 and determ. of crystallinity, 278
 and group vibrations, 133
 characterization of, 234–45, 297
 config., examples, 179, 218–19, 275
 conform., examples, 179, 200–3, 275, 278, 298–9
 trans/gauche, definition, 10; *see also conformational above*
 sequence; *see head-to-head/tail addition*
- isomorphous groups, 56–7
 examples, 84, 89, 91–2, 95, 97, 99, 100, 103, 127, 271, 272; *see also section 5.2*
- isotactic chain, definition, 8–9
- isotope substitution, 134–7
see also deuterated polymers
- iteration, 149–50
- Jacquinot advantage in FTIR, 27
- ketones, 202, 224
- kinetic energy, 42, 140–3
- KRS5, 29
- LAM, 34, 286–92
l and d sequence distribution, 233
- Lagrange's equation of motion, 140
- Lambert–Beer law/equation, 215, 217
- lamellar crystals, 13, 270, 280–6, 288–92
- laser
 for IR spectroscopy, 21
 for Raman spectroscopy, 18, 33–4, 36–7, 124
 for resonance Raman, 226
- lattice modes, 17, 98–9, 113, 131, 265, 276–7
- least squares fit, 171
- Legendre polynomials, 294–7, 301
- librational modes, 98–9, 277
- light, velocity of, 17
- light scattering; *see scattering*
- line group; *see group, line*
- linear molecule, 44, 46, 114–15
- linear momentum, 74–5
- line shape, 39–41
see also shape of peak

320 *Main index*

- linkages, amide, ester, urethane, 5, 258
see also: amide group; esters; urethane group
- liquid cell, 217
- liquid nitrogen, 157, 286
- liquid paraffinic hydrocarbon, 269
- local symmetry, 126–31, 194–200, 200–3
- lone CH group, 179, 199
see also index of group modes
- longitudinal acoustic modes, 34, 286–92
- Lorentzian line shape, 39–41, 243
- low frequency modes, 17, 160, 276–7
- low temperature, 276–7
- macroconformations and morphology, 12
- maleic anhydride, 6
- mass
 reduced, 135, 137
 spectrometry, 220
 weighted coordinates, 69, 141
- mathematical techniques, 38–41
- matrix effects on vibrations, 229–30
- matrix (mathematical), 79
 character of; *see* character
 column, 58–62, 67–9, 108, 139–45, 150–1
 complex, 62–3, 119, 143, 150–1
 diagonal, 61
 diagonal block, 70, 145–6
 of direction cosines, 123
 of force constants, 139–50
 representation
 of group elements, 57
 of operator, 57–63
 of tensor, 108
 Wilson **G** and **F**, 139–48
- mats of single crystals, 291
- mechanical properties, 227, 234, 246, 292, 301
- melamine and amino resins, 7
- melt crystallization, 13, 280–6, 291
- member of group, 53, 55
- methane, 135, 149
- methanol, 223
- methyl acetate, 202
- methyl group(s), 172, 246
 as end groups
 in paraffins, 156, 172
 in PE, 167, 168, 250, 252
 in/as branches, 167, 207–8, 246–50, 252
- methyl laurate, spectrum, 172
- methyl methacrylate in PMMA, 221–2
- methylene
 bridges in phenolic resins, 210
 ether group in phenolic resins, 210–12
 group, definition, 81
 sequences, as branches in PE, 246
see also index of group frequencies
- methylol group, 7, 212
- Michelson interferometer, 24–7
- microconformations and morphology, 13
- microscope and Raman spectroscopy, 36
- microstructure of copolymers, 227–34
- microtome, for preparing IR samples, 30
- mirror plane, definition, 47–9
 influence on dispersion curves, 154–6
- mixed crystals of PED and PEH, 281–6
- mixing or coupling of symmetry or group modes in various polymers, 133, 154, 156, 168, 171, 175, 177, 185, 192, 194, 197, 200, 202–3, 206, 208, 212–13
- mixtures of polymers; *see* blends (of polymers)
- mode(s)
(for specific group modes, see index of group modes)
 acoustic, 17, 153–4, 157, 161
 longitudinal acoustic, 34, 286–92
 bending, 74–8, 110, 115
 breathing, methane, 135
 conformationally-sensitive, 200, 239–45, 297
 degenerate, 57–65, 69, 70, 98
 accidental degeneracy, 58
 defn. of symmetry determined, 45, 58
 eigenvectors for, 46–7, 58–63
 for helical molecules, 96–7
 overtones and combinations of, 160
 Raman tensors for, 119–20
 with 1-dim. representations, 62–3
see also splitting, crystal field
- external, 77, 98–9
- factor group
 for helix, 95–7, 151
 for model ‘polymer’ system, 153
 of crystal space group, 97–9, 100, 103, 105
 of line group of isolated regular chain, 80–9
see also main heading ‘factor group’
- genuine normal, 44, 74, 77, 84–5, 146
- group, 15, 131–3, 137, 203–15
 and orientation, 133, 293
 interaction in copolymers, 229
 symbols for simple named types, 85–7
see also mixing
- internal, 98–9, 131
- lattice, 17, 98–9, 113, 131, 161, 265, 276–7
- librational, 98–9, 277
- low frequency, 17, 160, 276–7
 non-factor group, 150–8, 161, 206; *see also* dispersion curves

Main index

321

- mode(s)** (*continued*)
 non-genuine, 136; *see also* mode(s), genuine normal
 normal, 1, 14–5, 44–7, 52–3, 57–64, 66–78
 for helical molecule, 96–7, 150–1
 for model ‘polymer’ system, 152–4
 no. of for each symmetry species, 70–4
 simple description of, 78
 see also: factor group *above*;
 eigenvectors; vibrational calculations
 optical, 153–4, 161
 skeletal, 85; *see also index of group modes*
 stretching, 74–8, 110–11
 symmetry, 74–8, 85–9, 131, 137
 for helical molecule, 96–7
 mixing of; *see* mixing
 torsional, frequency range, 17, 113
 true vibrational; *see* mode(s), genuine normal
 twisting, 85, 87
 zero frequency, 69, 73; *see also*: mode(s), non-genuine; rotational modes; translation
- model compounds**, 130, 134
 for various polymers, 157, 166–72, 185, 189, 194, 202–3, 240–2, 248, 259, 266, 269, 299
- model ‘polymer’ system**, vibrations of, 152–4
- models for molecular orientation**, 301
- modulation frequency in FTIR**, 26, 28
- molar absorption coefficient**, 215, 248, 259–60
- molecular weight**, 217, 252, 254, 255
- molten polymers**, 239, 271, 278, 279
- moment of inertia**, 98, 136
- momentum, angular and linear**, 74–5
- monochromators**, 21–4, 33, 34–6
- monoclinic crystal**, 276
- monomer**, 3, 12
 determination of residual, 219–21
- monomeric OH vibration**, 257
- monosubstituted benzene**; *see* benzene
- morphology**, 12–13
see also lamellar crystals
- motion, equation(s) of**, 45, 58, 74, 138, 140, 152
- mulls for IR spectroscopy**, 28–30
- multicomponent mixtures, analysis**, 215–16
 examples, 217–26
- multidetector arrays and Raman**, 36
- multiplex advantage in FTIR**, 26
- multiplication (combination)**
 in group theory, 53–6, 57
 table, 55–6, 60, 84
- mutual exclusion rule**, 113–16, 201
- N atom, electronegative**, 256
- N atom in hydrogen bonding**, 256
- near infrared**, 17, 221
- neopentane**, 171
- neutron scattering**, 1, 151, 158, 286, 290–2
- Newman projection**, 242 (fig 6.6)
- NH group and hydrogen bonding**, 256–64
- nitric acid degradation and LAM**, 291
- nitrogen-containing polymers**, 212–15
see also index of polymers
- nitrogen, liquid**, 157, 286
- NMR spectroscopy**, 211, 212, 217, 218, 219, 229–30, 248, 250, 251, 255
- node in LAM**, 286
- noise**, 23, 27, 41
- non-crystalline region**, 13, 80
 between lamellae, 288, 290–1
 concentration of; *see* crystallinity
 conformational content, 238–45
 effect on spectrum, 100, 126, 265
 of PE, 168, 247, 269–71
 of various polymers, 179, 194, 202
- non-factor group modes**, 150–8, 161, 206
- non-harmonic vibration**, 136, 158–61, 221
- normal coordinate calculations**; *see* vibrational calculations
- normal coordinates**, 69–70, 75, 111–14, 142–3, 145
- normal mode**; *see* mode(s), normal
- notation**
 for symmetry
 operations, 47–52, 81–3, 93
 species, 65–6
 used in tables, 162–3
see also symbols
- novolak resins**, 210–12
- nucleus of atom**, 42–4
- null balance in dispersive IR**, 23, 27
- number of normal modes for species**, 70–4, 84–5
- Nylons 5–6**, 212–14, 220–1, 257–8
- O atom, electronegative**, 256
- O atom in hydrogen bonding**, 256
- o-o and o-p linkages in novolaks**, 210–11
- oleamide in polyethylene**, 223
- opaque samples**, 36
- operations**, 47–52, 55, 81–3, 91–3, 104
- optical modes**, 153–4, 161
- order**
 of a group, 53, 71, 98–9
 of a symmetry element, 52, 54
- order (regularity)**
 chain order and crystallinity, 264–80

322 *Main index*

- order (regularity) (*continued*)
 intermediate, 269–71, 279
 loss of, 231, 235
 peaks characteristic for, 229, 235–8, 264, 278–80
- orientation
 averages, 294–301
 molecular
 and assignment, 120–2, 126–30, 276, 292; *see also* section 5.2 (163–203) *for various examples*
 and conformational content, 240, 297
 and IR spectroscopy, 28, 120–2, 127
 and polymer processing, 16–7
 and Raman spectroscopy, 34, 125
 and Young's modulus, 290
 characterization of, 133, 242, 292–301
 corrections for, 240, 269, 279, 296
 of axes; *see* axes, choice of orientation
- orthogonality
 of eigenvectors, 69, 141–3
 of Legendre polynomials, 294
- orthorhombic crystal, 100, 103, 265, 271
- oscillator, harmonic; *see* harmonic oscillator
- overlapping peaks, 126, 247
see also curve fitting
- overtone/combination frequencies, 17, 158–61
 for PE, 163, 167, 168, 170, 222
 for various polymers, 191, 197, 213, 274
 for vibrations involving H atoms, 221
- oxidation, degree of, 223–4
- oxirane ring, 255
- oxygen-containing groups, 200–3, 210–12
see also polyesters *in index of polymers*
- oxygen, direct determination of, 217
- paradisubstituted benzene; *see* benzene
- paraffin
 branched, 171, 247
 normal
 crystal structure, 173
 definition, 156, 166
 deuterated, 171, 283–5
 force constants, 171–2
 in liquid state, 269
 LAM, 286–90, 292
 models for PE, 156–8, 166–72, 266, 269
 selection rules and spectra, 168–71
 single crystals, 172, 266
- parallel (π) mode, definition, 121
- partially polarized Raman peaks, 125
- peak
 area, 229–30, 242, 271, 275
- peak (*continued*)
 broadening; *see* width of peaks
 shapes, 39–41, 229, 233, 241, 289, 291–2
 shift; *see* shift of peak
 splitting; *see* splitting
 width; *see* width of peaks
- PED (potential energy distribution), 144, 175–9
- 1-pentadecene, 252
- perfect isolated chain; *see* isolated regular chain
- perpendicular (σ) mode, definition, 121–2
- perspex; *see index of polymers*
- phase (of vibration) relative
 of atoms in normal modes, 45–7
 of chains
 in correlation splitting, 99, 100, 102–3, 106, 265–6
 in lattice modes, 99
 of groups within repeat unit, 103, 154, 174–6
 of masses for model 'polymer', 153–4
 of methylene groups in normal paraffins, 168–9
 of units in helical molecules, 96–7, 151, 188, 192, 194
- phase (type of structure)
 in polyethylene, 264, 269–71, 298
 in polytetrafluoroethylene, 187, 276–7
 in polyurethanes, 258–62
- phenolic antioxidants, 222
- phenols and phenolic resins, 7, 210–12
- phenyl group; *see* benzene
- N-phenylurethane, 259
- Phillips process, 246, 252, 254
- photochemical decomposition, 223–6
- photographic recording for Raman, 167
- photon, 112
- phthalic anhydride, 6
- physical properties/structure, 227
 and spectroscopy, 16–17
see also mechanical properties
- pi (π) mode, definition, 121–2
- planar square molecule, 115–16
- planar zig-zag, 8–10, 13, 82, 89–92, 100, 127, 173, 177–80, 185, 199, 235, 237, 240
- plane, *see* mirror plane
- plasticizers, 226
- plexiglass; *see index of polymers*
- point group and symmetry, 47–56
- polar groups, 163; *see also* hydrogen bond(ing)
- polarizability
 in longitudinal acoustic mode, 286
 derivative, 113; *see also* tensor, Raman

Main index

323

- polarizability (*continued*)
 molecular, 107–9, 111–15, 160, 225
see also tensor
- polarization
 and infrared spectra, 28, 67, 109–11,
 120–2, 127; *see also* 266, 276–7 and
 section 5.2 (163–203) for various
examples
 and orientation, 292–301; *see also*
 orientation, molecular
 and Raman spectroscopy, 33–5, 37, 67,
 122–5, 127; *see also* 267 and section
 5.2 (163–203) for various *examples*
 instrumental, 28, 34, 122, 269
- polylene
 low MW, 226
 sequences in PVC, 224–6
- polymer, definition of, 2
- polymerization and polymerization
 mechanisms, 3–7, 227–8, 233, 234,
 240, 246, 271
- position, generalized, 58, 67–76
- potassium bromide disks, 29, 30
- potential energy; *see* energy
- powder samples, 28–30, 36, 37, 275
- prediction of frequencies, 149–50, 172
- preferred orientation around axis, 294
- pressing, hot for IR samples, 29
- principal axes of a tensor, 108
- principal axis of a molecule, 49, 65
- principal polarizabilities, 107–8
- prisms in IR spectrometers, 23
- processing of polymers, 16, 223, 292
- product rule, Teller–Redlich, 136–7
- propagation step in polymerization, 3
- propylene glycol, 6
- propylene oxide, polymerization, 233
- proteins, hydrogen bonding in, 262–4
- pseudo-baseline technique, 38–9, 215
- pyramid, square, molecule, 59
- pyrolysis of novolak resin, 211
- qualitative analysis; *see* analysis
- quantitative analysis; *see* analysis
- quantum mechanics, 17–18, 43, 112–13,
 159–61
- quartic terms in potential energy, 159
- Raman; *see* scattering, Raman
- random re-entry, 280, 283, 286
- randomly coiled chains, 13
- Rayleigh scattering, 2, 32, 33, 112, 288
- ratio recording IR spectrometer, 23
- ratios
 of absorbances, 217–18, 247, 256, 269
 of Raman intensities, 32, 216, 219, 268
- reactivity ratios, 228
- reduced mass, 135, 137
- reflection
 loss, correction for, 20, 298
 operation, 47–9
 spectroscopy, IR, 20, 30–1
- refractive index, 301
- regular polymer chain; *see* chain
- regularity peaks, 229, 235–8, 264, 278–80
see also order (regularity)
- relaxation of orientation, 292
- repeat unit(s)
 chemical, 2, 15, 81, 95, 180, 235
 dimensions, 15, 180, 187
 interactions between, 15, 199; *see also*:
 coupled oscillators; phase
 physical, 15, 95, 97, 150–2, 235
 translational, 81–3, 90–1, 103, 151–2,
 185–7, 238
- representation of a group
 based on 2nd order functions, 117–20
 by matrices, 57–63
 reducible, irred. & equiv. reps, 60–3
 3*n*-dimensional, 84
 3*N*-dimensional, 67–70
- repulsive forces, 148
- resole resins, 210–12
- resolution, spectral, 18, 21, 27
- resonance, Fermi, 161, 167–8, 267–8
- resonance Raman, 18, 43, 224–6
- rigidity, 234
- rotation
 around bonds, 9–10; *see also*
 isomer/isomerism
 axes/operations, definitions, 47–9, 65,
 81, 93
- rotational isomerism; *see*
 isomer/isomerism, conformational
- rotational modes/motion, 42, 44, 69, 73–5,
 77, 84–7, 98, 110, 146, 192
- rotatory mode (libration), 98–9, 277
- rubber, natural, 10
- rule of mutual exclusion, 113–16, 201
- S_{HH} , S'_{HH} and S_{CH} structures, 241–5
- sample preparation, 28–30, 36–7
- Santonox R, 220–1
- scattering
 neutron, 1, 151, 158, 286, 290–2
 of light, 33
 by gratings and mirrors, 34
 by spherulites, 13
- Raman, 2, 18
 anti-Stokes, 112–13
 ease of sampling, 32, 36, 254, 264
 efficiencies, 242
 first polymer spectrum, 31

324 *Main index*

- scattering (*continued*)
 Raman (*continued*)
 for model 'polymer' chain, 154
 intensities, 112–13, 120
 origin of, 111–13
 selection rules, 107, 113–20
 Stokes, 2, 18, 112–13
 Rayleigh, 2, 32, 33, 112, 288
 resonance Raman, 18, 43, 224–6
 scission of chains, 224
 screw axis/operation, 81, 93, 150, 154
 see also helical molecules
 sebacic acid, 6, 214
 second order functions, 117–20
 secondary amide group, 213; *see also* amide group/linkage
 secondary chlorides; *see* chlorides
 secular equation, 139–40, 152
 segregation in mixed crystals, 285
 selection rules, 81, 101, 107, 113–20, 129
 applications; *see* section 5.2 (163–203)
 infrared, 109–11
 for overtones and combinations, 160
 Raman, 107, 113–20
 sequence length, copolymers 227–8, 231–4
 shape of peak, 39–41, 229, 233, 241, 289, 291–2
 sharpening of peak
 by cooling, 157, 267–8
 by crystallization, 265
 shift of peak
 by isotope substitution, 134–7
 in copolymers, 229, 230, 233
 with temperature, 277; *see also* temperature
 side groups; *see* branch/branching
 sigma (σ) mode, definition, 121–2
 signal-to-noise ratio, 23, 27, 41
 similarity transformation, 62
 simple harmonic; *see under* harmonic
 single crystal texture PE, 172–3
 single crystals, 13, 266, 280–6, 288, 291–2
 site group, 103, 105
 skeletal modes, 85
 see also index of group modes
 slip agents, 223
 small samples and Raman, 32, 254
 soft segment, 258–62
 solid angle, 294, 297
 solubility of polymers, 254, 256
 solute/solvent interactions, 229–30
 solution
 crystals from, 13, 280–6, 288, 291–2
 of polymer, 29, 221, 278
 solvents for polymers, 29, 217, 218, 221, 223
 sound waves; *see* mode(s), acoustic
 sources for IR/Raman spectroscopy, 27, 33
 see also laser
 space group; *see* group, space
 spectrometer(s), 18–28, 31–6, 113
 spherical harmonics, 118–19, 297
 spherical part of tensor, 123
 spherulites, 13
 splitting of modes/peaks, 16
 correlation, 99–100, 265, 279
 in PE, 105–6, 167, 173, 265–70, 281–6
 in various polymers, 100–3, 184, 272–6
 crystal field, 98–100, 265
 due to isomerism, 239–45, 278
 obscured by amorphous peaks, 100, 265
 of group modes by order, 206
 spring, 42, 152, 154
 square molecule, planar, 115–17
 square pyramidal molecule, 59
 stability; *see* degradation
 stabilizers, 224, 226
 standard, internal, 32, 256, 269, 271
 stereoregular polymer(ization), 8, 233, 234
 steric hindrance, 4, 8
 stress crack resistance, 227, 246
 stress/strain measurements, 290
 stretching, 273; *see also* drawing
 modes, 46, 74–8, 275; *see also*: mode(s),
 stretching; *index of group modes*
 structural defect; *see* defect structure
 sub-units and assignment, 128–30, 200–3
 subspectrum, 126
 substitution of isotopes, 134–7
 see also deuterated polymers
 subtraction of spectra; *see* difference
 sulphur-containing materials, 220–1
 summation frequency, 161
 see also overtone/combination
 frequencies
 superfolding in PE crystals, 286
 superposition of spectra, 126, 228–9
 surface coatings, 20, 31, 36
 switchboard model of chain folding, 280
 symbols
 and electromagnetic waves, 17–18
 for types of group vibrations, 85–7
 see also notation
 symmetric species, 52, 65–6
 symmetric stretching modes, 46, 74–8, 275
 see also index of group modes
 symmetry
 and nature of normal modes, 47, 52–3
 and spectral activity, 15, 67, 81, 180–5;
 see also selection rules
 coordinates, 74–8, 139, 145–6, 178
 descent in, 89–93, 99, 105

Main index

325

- symmetry (*continued*)
 elements and operations
 definitions, 47–52, 55, 81–3, 91, 93, 104
 local, 126–31, 200–3
 lowering of, 98, 172
 mode; *see* mode(s), symmetry
 species, 53
 definitions and symbols, 53, 64–6
 no. of normal modes for each, 70–4, 84–5
 of dispersion curve, 154–6
 translational, 81, 90, 278
 symmetry-related set of atoms, 136
 syndiotactic chain, definition, 8–9

 tacticity, definition, 8–9
 tail-to-tail addition, 8, 231–3, 250–1
 Taylor series, 111
 Teller–Redlich product rule, 136–7
 temperature
 and intermolecular interactions, 267, 277, 286
 and structural transitions, 185–7, 273, 276–7
 effect on
 H-bonding, 257–8, 261, 262–4
 LAM peak, 290–2
 peak position/width, 157, 267–8, 277
 high and
 degradation, 246
 excited states, 113, 160–1
 of polymerization and tacticity, 240–1
 tensile strength, 227
 tensor, 161
 anisotropy of, 123–4
 derivative polarizability, 113; *see also* Raman *below*
 invariant of, 124
 molecular polarizability, 107–9, 111–15, 160, 225
 principal axes and components, 108
 Raman, 113, 116–20, 122–5, 225, 297, 299
 second rank, 108
 spherical part of, 123
 spherically symmetric, 124–5
 symmetric, 108
 terephthalates, 202, 210
 see also polyterephthalates *in index of polymers*
 terephthaloyl residue or group, 128, 134
 terminating group; *see* end groups
 termination of polymerization, 3
 tetrahedral angle/bonding, 8, 47, 181
 tetrahydrofuran, as solvent, 29–30, 217

 thermal contraction, 267, 277
 thermal decomposition/degradation, 223–6, 251, 262–4
 thermal equilibrium, 113
 thermal excitation, 160–1
 thermodynamic equilibrium, 239
 throughput advantage in FTIR, 26–7
 tilt of chains in lamellar crystals, 290
 toluene as solvent for PE, 223
 torsional vibrations, 17, 113
 totally polarized Raman modes, 125
 totally symmetric mode/species, 65, 124–5, 135, 149, 226
 trans; *see* isomer/isomerism
 trans-in-chain groups, 253–4
 transformation, similarity, 62
 transition
 moment, 265, 269; *see also* dipole structural, 185–7, 273, 276–7
 translation/translational
 modes/motion, 42, 44, 69, 73–5, 77, 84–6, 109–10, 146, 153, 192
 period, 81, 95; *see also* repeat unit(s)
 symmetry operation/element, 81, 91, 278
 transmittance, 20, 23, 26
 transparency and polymer morphology, 13
 transverse isotropy, 293
 triad units in copolymers, 229–30
 triatomic molecule
 bent, 67–8, 72–7, 110–11
 linear, 46, 114–15
 triple helix of collagen, 262–3
 true vibrations; *see* mode(s), genuine normal
 turbidity, of PTFE, 189
 twisting modes, 85, 87
 see also index of group modes

 u (*ungerade*) species defined, 66
 UBS force field, 148, 154
 ultraviolet/visible region, 43, 224, 225
 uniaxial orientation, 293
 unit
 monomer, 3
 repeat; *see* repeat unit
 structural, 7, 294
 unit cell
 definition, 97
 examples; *see* crystal structure
 fundamental modes of, 170; *see also* mode(s), factor group
 no. of chains through, 98–9, 264–5; *see also* splitting, correlation
 units and electromagnetic waves, 17–18
 unsaturated groups, 206, 224, 253–5; *see also* vinyl and vinylidene end group

326 *Main index*

- 'unzipping' in PVC, 224
 uracil base, 264
 urea and amino resins, 7
 urea clathrate, 179, 240, 275
 urethane group/linkage 5–6, 214
see also polyurethanes *in index of polymers*
 Urey–Bradley–Shimanouchi f.f., 148, 154
 valence force field (VFF), 148–9, 171, 184–5
 van der Waals forces/radius, 8, 148, 262
 vector
 basis, 58–62
 displacement, 58
 velocity
 of light, 17
 of mirror in FTIR, 26
 vertical axis/mirror plane defined, 49
 vibrational calculations, 135–56
 and assignment, 126, 137–8, 149
 and 'prediction' of frequencies, 149–50, 172
 arbitrariness, 149–50
 for mixed PED/PEH, 283
 for polymers, 150–6
 for PE, 154, 166–8, 170–2, 267, 276
 for PVC, 173, 177–9, 240, 275
 for various polymers, 183–5, 193–4, 200, 203, 208
 procedure, 149
 use of computers, 171
 vibrations/vibrational frequencies
 coupled; *see* mixing
 see also mode(s)
 vinyl chloride, 227
 vinyl end group in PE, 224, 250, 252–4, 269
 vinyl fluoride, 8
 vinyl polymers, 3–4
 and head-to-head addition, 8
 conformational/configurational isomerism, 8–10, 234–45
 examples
 atactic, 194–200;
 isotactic, 199–200, 234–6
 syndiotactic, 100–3, 173–80, 235–8
 vinyl polymers (*continued*)
 symmetry of chains, 89–93, 126–7
 tacticity, definition, 8–9
 see also index of polymers
 vinylidene end groups, 252–4
 vinylidene fluoride, 8
 vinylidene polymers, 3, 8
 see also index of polymers
 visible region of spectrum, 18, 43, 224, 225
 water, 67
 and hydrogen bonding, 256, 262–4
 and Raman spectroscopy, 32, 264
 in poly(methyl methacrylate), 221–2
 wave-function, 43, 160–1
 wavelength
 of electromagnetic wave, 17
 typical for IR or Raman, 15, 17, 18
 wavenumber of electromagnetic wave, 17
 waves, certain vibrational modes as, 63
 width of peaks, 15, 16, 18, 157, 267, 270, 271
 and mathematical techniques, 38–41
 effect on resolution, 100, 265, 267
 for LA mode, 289, 291–2
 influence of crystallinity on, 271
 Wilson G and F matrices, 139–48
 X-rays
 and crystal structure, 173, 179, 185–7, 200–1, 234, 239, 240, 276–7
 and crystallinity determination, 269, 279–80
 and orientation, 293, 301
 and Young's modulus, 288
 irradiation of PE with, 254
 small angle diffraction of, 288, 290, 292
 Young's modulus and LAM, 287–92
 and X-ray diffraction, 288
 zero-frequency modes, 69, 73
 see also: mode(s), non-genuine;
 rotational modes; translational modes
 Ziegler–Natta catalysts, 234, 246, 254
 zig-zag, planar; *see* planar zig-zag