

INDEX

acid phosphatases, 16 acid tolerance: of phytoplankton, 50, 272 akinetes (of Cyanobacteria), 264, 297, 302–4, 411–12 alkaline phosphatase, 16, 113, 330–1 allelopathy, 216, see also competition alpine lakes: phytophankton of, 20, 32, 109, 183, 195–6 ammonium: metabolism of, 16, 286; uptake of, 319, 329 arctic lakes: phytoplankton of, 20, 30–1, 32, 109, 182–3, 416 assimilation, see nutrients, carbon auxospores (of diatoms), 246–7 auxotrophy, 15

Bacillariophyceae, *see* diatoms bacteria, 151; ingestion of by algae, 16–17, 114; ingestion of by zooplankton, 300; interaction of with cyanobacterial metabolism, 291–7, resource partitioning by, 337 bicarbonate, 295, 321; utilization of by chrysophytes, 48–50 bicarcorraphic distribution of

biogeographic distribution of phytoplankton, 412-21; of Chlorophyta, 181-8; of chrysophytes, 18-28; of cryptomonads, 108-10, 120-1; of cyanobacteria, 262-4, 272, 277-8, 278-9; of diatoms, 228; of dinoflagellates, 134

biomass of phytoplankton: relationship to phosphorus loading, 27, 334; relationship to zooplankton biomass, 67, 69; seasonal cycles of, 28, 32, 33, 34, 110

blooms, 182; of cryptomonads, 108; of cyanobacteria, 261, 271, 296–7; of dinoflagellates, 139 blue-green algae, *see* cyanobacteria

al o

bouyancy regulation: in cyanobacteria, 263, 273, 408

C-strategist phytoplankton, 391–2, 393, 400, 403, 407, 408, 410, 412–26 Ca:Mg ratio, 52

calcium: as biogeographic factor, 52; see also cationic ratios

carbon: assimilation of by phytoplankton, 157, 195, 216, 324, 328; as a biogeographic factor, 48–50, 278–9, 411; as a growth limiting factor, 48–50, 295, 389, 411; to phosphorus ratio of algal biomass, 342; uptake kinetics of 319

carbon dioxide, 295, 334; as carbon source for chryosphytes 48–50, 411 carbon nutrition, see nutrition, listings under various algal groups carbonic anhydrase, 48–50 cationic ratios: as biogeographic and

growth limiting factor, 52-3 cell contents, of phytoplankton, 11, 107, 135, 261; see also listings under various algal groups

cell coverings: of phytoplankton cells, 12, 106, 135, 228

cell density, 238–9, 408 cell division, 73, 148, 157, 162, 378;

phasing and synchrony of, 115, 148, 249

cell generation (doubling) time, see growth rates

cell morphology, 395–8; as a metabolic scaling factor, 394; see also cell shape, cell size, morphological diversity of phytoplankton, shape of phytoplankton, size of phytoplankton

cell motility, see bouyancy regulation, flagella



Index 435

cell nutrient quotas, 61, 231-2, 389; of phosphorus, 62-4, 402-3; as related to nutrient uptake, assimilation and growth, 321, 324-9, 340-2, 378-82, 402-3; as related to resource competition, 342-5; of silicon for diatoms, 229 cell shape, 136-8, 378, 384, 395; see also colonial growth forms, shape cell size, ranges of, 136-8, 177, 227, 395; see also size of phytoplankton cell volumes: of chrysophytes, 62-3; of phytoplankton, 395 centric diatoms, see diatoms chelating agents, 16, 280-1, 295; as factor in biogeographic and seasonal distribution, 60-1, 281; as growth limiting factor, 55-61 chloride: as biogeographic factor for phytoplankton, 53 Chlorococcales (see also Chlorophyta), 205-10; carbon nutrition of, 216; growth rates of, 194, 205, 208-9, 395; growth strategies of, 208-10; light requirements of, 208-9; photosynthetic efficiency of, 399-400; population dynamics of, 209; phosphorus physiology of, 403-4; seasonal periodicity, 205, 421-5; sensitivity of to hydraulic mixing, 205-8, 408-9; survival strategies of 218-19; vertical distribution of, 189-90 Chlorophyceae, see Chlorophyta chlorophyll: cell contents of, 157, 216, 399-400 Chlorophyta (green algae), 175–226; allelopathic effects of, 216; biogeographical distribution of, 176, 181-8; cell organization of, 175, 176; growth rates of, 194, 205, 208-9, 212-13, 395; horizontal patchiness of, 176-7; morphological diversity of, 190-4; parasitism of, 217; phosphorus physiology of, 403-4; photosynthetic efficiency of, 399-400; reproduction and resting stages of, 181, 214, 411; seasonal periodicity of, 181-8; sinking and bouyancy of, 408-9; survival strategies of, 214-20; taxonomic position of, 176; use of bicarbonate by, 48; vertical distribution of, 181, 186, 188-90; see also Chlorococcales, desmids, filamentous green algae, micro-green algae chrysomonads, see chrysophytes Chrysophyta or Chrysophyceae, see chrysophytes

chrysophytes, 9-104; acid phosphatases of, 16; biogeographic distribution of, 18-28, 86-7; carbon dioxide utilization by, 47-50, 411; cell organization of, 11; effect of N:P supply ratios on, 55-9; as a food source for zooplankton, 67-73; growth in relation to diatom blooms, 60; growth rates as function of temperature, 42-5; growth strategies of, 35, 86; maximum growth rates of, 62-4, 395; metalimnetic populations of, 14, 15, 35-6; morphological diversity of, 11-13; nutrition of, 15-18, 36; phosphorus physiology of, 62-7, 86, 403-4; phosphorus toxicity problem of, 53; physiological tolerances of, 42-54; population dynamics of, 30-5, 41; reproduction of, 73–83; resting stages of, see statospores; seasonal periodicity of, 28-36, 87; sensitivity of to hydraulic mixing, 36; taxonomic position of, 11; vertical migration of, 14-15 chytrids: parasitic attacks on algae by, 41, 119-20, 152-3, 213 ciliates: food selection by, 119, 152, 375 cladocerans, planktonic, 370; feeding efficiency of, 249, 382-4, 408; filtering mechanism of, 377; filtering (clearance) rates of, 67, 372-3; food selection by, 67-8, 118-19, 298-9, 408-10; nutrient regeneration by, 2, 68, 119, 186, 375–7; reproduction of, 371; see also filter feeding, grazing, zooplankton clear phase: in phytoplankton seasonal periodicity, 34, 373 coenobial colonies, 380 colonial growth forms, 13, 263-4 colony formation: as adaptive strategy, 301–2, 395–8; significance of in grazer avoidance, 68-9, 301-2, 370, 375, 410 color, see water color competition, 179-81, 194, 252, 276, 392, 421; and interactions between resource continua, 349-51; interference, 68, 215; interspecific, 153-6, 194; for light, 208-9; for nutrients, 61-7, 113, 151 208-9, 233-8, 286, 316-18, 334, 402, 411; and resource variability (patchiness), 236-7, 352-8; role of specific chelators in, 60-1, 280-1, 295, 330-1; for single resource, 335-9; for several potentially limiting resources, 339-49 competitive exclusion principle, 391, 421 conductivity: as biogeographic factor, 22-3, 51-2, 271



436 Index

copepods, 370; feeding efficiency of, 249;

feeding mechanism of, 249, 377; food selection by, 118-19, 249, 299-300; reproduction of, 371 Cryptomonadida, 105-33; biogeographical distribution of, 108-10, 120-1; bloom formation in, 108; cell division of, 107; cell organization of, 107-8; as food source for zooplankton, 111, 118-19, 120, 374, 382; growth rates of, 395; parasitism of, 119-20; nutrition of, 113-14; physiological tolerances of, 114–18, 121-2; population dynamics of, 110. 121, 122; reproduction of, 107, see also cysts; resting stages of, 107, 114, 121; seasonal periodicity of, 41, 110-12, 119; sensitivity of to hydraulic mixing, 111, 119; survival strategies of, 121-3; vertical migration of, 14, 111, 115 cryptomonads, see Cryptomonadida Cryptophyceae or Cryptophyta, see

Cryptomonadida cyanobacteria, 261-317; biogeographic distribution of, 262-4, 272, 277-8, 278-9; blooms of, 261, 271, 274, 296-7; carbon nutrition of, 278-82, 292-7; cell organization of, 261; competitive and trophic interactions of, 65-7, 236-7, 276, 297-301, 348-9; as a food source for zooplankton, 299-301, 301-2; growth rates of, 348-9, 395; heterocysts of, 287-9, 291-3; metalimnetic populations of, 274-6; morphological diversity of, 262-4, 302; nitrogen fixation by, 264, 287-91, 293, 348-9, 411; nitrogen nutrition of, 279, 286, see also nitrogen fixation; phosphorus nutrition of, 264, 283-6, 403-4; photoxidative losses of, 271, 274; photosynthetic efficiency of, 399-400; physiological tolerances of, 264-72, 296-7; population dynamics of, 296-7; reproduction of, 302-4, 411; resting cysts of, see akinetes; seasonal periodicity of, 252-3, 297; sensitivity

of, 274, 408–9, 417 Cyanophyta or Cyanophyceae, see cyanobacteria cyclopoids, see copepods, zooplankton cysts: of chrysophytes, see statospores; of cryptomonads, 107, 114, 121; of

of to hydraulic mixing, 253-4, 271, 272-8, 297; survival strategies of, 297,

301-2, 304; symbiotic association of

distribution of, 276; vertical migration

with bacteria, 293-7; vertical

cyanobacteria, *see* akinetes; of diatoms, 247, 411, *see also* auxospores; of dinoflagellates, 139, 152, 156–9, 411; *see also* zygospores

daphnids, see cladocerans

death, of phytoplankton cells, see loss processes, physiological death of phytoplankton decomposition of phytoplankton, see physiological death of phytoplankton demography, see population dynamics density, of phytoplankton, 238-9, 240-2; physiological regulation of, 242-4, see also bouyancy regulation; relevance of to sinking rates, 237, 238-40, 408 desmids (see also Chlorophyta), 211-14; biogeographic and seasonal distribution of, 211-14; as food source for zooplankton, 213; growth rates of, 212-13, 395; parasitism of, 213; reproduction and recruitment of, 211, 219; sensitivity to hydraulic mixing of, 211-13; survival strategies of, 219 Desmophyceae, see desmids diatoms, 227-60; biogeographic distribution of, 228; cell density of, 238-9; competition of with other phytoplankton, 236-8, 348; effect of nutrient supply ratios on, 233-8; as food source for zooplankton, 245; growth rates of, 231-3, 395; growth strategies of, 227, 228; morphological diversity of, 227; parasitism of, 250-1; phosphorus and silicon metabolism of, 403-4, 229-31; photosynthetic efficiency of, 230, 399-400; population dynamics of, 246-7; reproduction and resting stages of, 246-8, 411, see also auxospores; seasonal periodicity of, 33, 421-5; sensitivity of to hydraulic mixing, 33, 252-5, 407-8; sinking losses of 238-44, 249-50, 408-9 dimictic lakes: chrysophyte periodicity in. 32-5 dinoflagellates, 134-74; biogeographic distribution of, 141; bloom formation in, 139-42; cell division in, 148, 153, 162; cell organization of, 135; chlorophyll content of, 157; competitive interaction of with nannoplankton, 153-6, see also competition; as food source for zooplankton, 152; growth rates of, 148-50, 395; horizontal patchiness of, 140-2, morphological diversity of, 135; nutrition of, 155-6; nutrient



Index 437

physiology of, 153–6; parasitism of, 152–3; photosynthetic efficiency of, 156–7, 399–400; physiological tolerances of, 144–8; population dynamics of, 139–42; reproduction and resting stages in, 137, 156–65, 411; seasonal periodicity of, 139–40, 257; sensitivity of to hydraulic mixing, 139–40; size and shape variability of, 136–7, 162; survival strategies of, 165–7; vertical migration of, 135–9, 408–9, 416–17

Dinophyceae, see dinoflagellates dormancy, see akinetes, cysts, statospores, zygospores Droop model, of nutrient limited growth, 231, 325, 334, 339, 389, 402 dynamics, see population dynamics, reproductive dynamics dystrophic lakes, 32

EDTA, 55, 60

encystment, of phytoplankton, *see* akinetes, cysts, statospores, zygospores endosymbiosis, 106–7, 120–1, 277, 332 environmental variability: effect on competition among phytoplankton, 66, 236–8, 352–3; effect on growth rates, 236–7, 271, 272, 276, 390, 405–7; effect on species diversity, 358; physiological adaptations to, 353–7; *see also* turbulence

euphotic depth, 389; relative to mixed depth, 399, 416, 417

eutrophic lakes: definition of, 30; species characteristic of, 417-18, see also biogeographic distribution of phytoplankton; species successional sequences in, 28, 184-6, 421-6

eutrophication: response of chrysophyte biomass to, 25

excretion, 330-1; of chelators by phytoplankton, 16, 295; of nutrients by zooplankton, 2, 353, 375-7, 378-84; of organic carbon by phytoplankton, 16, 291-3, 295; of toxins, 297-9

exponential growth rates, 398; calculation of, 62, 231–2, 324–7; of Chlorophyta species, 65–6, 208–9; of chrysophytes, 62–4; of cyanobacteria, 65–6, of diatoms, 65–6, 232; of dinoflagellates, 148–50

extracellular products: as allelopathic substances, 215; as chelators, 16, 293, 330; as enzymes facilitating nutrient uptake, 16, 133, 330–1; and flocculation of diatom cells, 244; as organic carbon sources for bacteria, 151, 291-3; as toxins, 16, 297-9

filamentous green algae (see also Chlorophyta), 214; survival strategies of, 219

filter feeding in zooplankton: anatomical adaptations for, 2, 377; efficiency of, 382-4; as factor in phytoplankton seasonal periodicity, 68-9, 118-19, 410; particle size selection by, 67-8, 204, 216, 372-3, 408-10; rates of, 249; see also cladocerans, grazing, zooplankton

filtering rates, of zooplankton, see filter feeding

fish, 2, 67, 152, 302 flagella, 135, 154, 155

flotation, of phytoplankton, see bouyancy regulation, density

foodwebs, 1-2, 121

form resistance, of phytoplankton, 238– 9; see also cell shape, shape of phytoplankton

fulvic acids: and chelation of natural waters, 61; as related to cyanobacterial abundances, 271-2

functional morphology, of phytoplankton, 388-426

fungi: parasitic on phytoplankton, see chytrids

germination, of resting stages, see akinetes, cysts, statospores, zygospores grazing, of zooplankton on phytoplankton: efficiency of, 382-4; as factor in seasonal periodicity of phytoplankton, 68-9, 111, 216-17, 416; loss rates of phytoplankton resulting from, 249, 299-300; mechanisms of, 2, 300-1, 377 modeling the impact of, 378-82; and nutrient recycling, 2, 68, 186, 301; resistance of algae to, 68-9, 152, 154, 204, 213, 214, 216, 298-9, 378, 394 green algae, see Chlorophyta growth, of phytoplankton, 316–17, 389, 407; Grime's adaptive strategies for, 389, 390-1, 425; Healey ratio for, 62, 64; kinetics of, 62, 231-2; limitation of, see grazing, nutrients, turbulence; mathematical models describing, 248-52, 324-9, 334-5, 400-2; see also competition, growth rates

growth rates, of phytoplankton, 62–5, 148–50, 205, 208–9, 212–13; calculation of, 62, 231–2, 233, 324–7,



438 Index

growth rates, of phytoplankton (Cont.) 373-4; as part of survival strategy, 64-7, 153, 156, 217–19, 337–9, 402–3; in relation to cell size, 64, 338, 394, 395; in relation to light, 46-7, 114-17, 208, 403-7, 410; in relation to dynamics of resting stage production, 75-9, 412; in relation to temperature, 42-5, 114-17, 149, 403-7; in response to environmental variability, 66, 117, 118, 149, 204, 236-7, 271, 272, 276, 390, 405-7; in response to zooplankton-regenerated nutrients, 353, 378-82; see also competition, exponential growth rates growth strategies, of phytoplankton, 36, 153-5, 165-7, 214-15, 217-19, 227, 228, 304, 316-17, 370, 380-82; see also functional morphology of phytoplankton, survival strategies of

habitats, see biogeographic distribution of phytoplankton herbivores, see zooplankton herbivory, see filter feeding, grazing, zooplankton heterocysts, of cyanobacteria, 287–9; bacteria associated with, 291–3 heterotrophy, 16, 113, 216, 278–80 horizontal patchiness, of phytoplankton, 142–4, 190–4 humic acids: and chelation of natural waters, 61; and abundances of cyanobacteria, 271–2

phytoplankton

hypnozygotes, 73, 162

indicator species, of phytoplankton, 18 inocula, of phytoplankton species, 252, 410; sources of, 162, 177–81, 206, 211, 303; *see also* resting stages iron: as growth limiting nutrient, 55–8, 60–1; and siderophores, 60–1, 280, 330 irradiance, *see* light

K-selection, see r- and K-selection

in response to, 50, 117 life history strategies, of phytoplankton, 3-4 (*see also* survival strategies of phytoplankton) light: cell size dependence of utilization

lake acidification: indicator species of,

11, 117; phytoplankton species shifts

of, 394, 400; cycles and phased cell division, 115, 148, 249; and germination of resting stages, 83, 162,

247; morphological and physiological adaptations to low or high levels of, 46-7, 271, 399-400, 410; as a regulator of phytoplankton periodicity, 47, 208, 254-6, 388-9, 398, 417, 418-20, 421-2; requirements of phytoplankton for, 46-7, 111, 114-17, 146, 208, 254-6, 376, 394, 405-7 light harvesting strategies, of phytoplankton, 398-400 light saturation: of growth rate, 46; of photosynthesis, 400, 405 light/temperature interactions in phytoplankton growth, 46-7, 115-16, 403-7 limiting nutrients, see nutrient limitation loss processes, 1, 41, 151-3, 205, 231, 407; see also loss rates loss rates: resulting from encystment, 79-80, 152, 246-7; resulting from grazing, 119, 152, 249, 372-3, 380-2; resulting from nutrient limitation, 231, resulting from parasitism, 152-3, 213, 250-1; resulting from physiological death, 151-2, 166, 250, 296; resulting from sinking, 166, 203-4, 205-8, 240-2, 249-50, 415, 416; resulting from washing out, 251; incorporated into mathematical models of net growth, 248-52, 373-4 luxury storage coefficient for nutrients, 61, 329 luxury uptake of nutrients, 329, 356,

magnesium: as biogeographic factor for phytoplankton, 52; see also cationic

ratios mesotrophic lakes: definition of, 30; species successonal sequences in, 28, 184–6, 421–6

metalimnetic populations, 14, 15, 35-6, 111, 183, 184, 263, 274-6

Michaelis-Menten kinetics: applied to nutrient uptake, 317-19, 334; see also nutrient uptake

micro-green algae, 194-200 (see also Chlorophyta); survival strategies of, 214-15, 217-18

micrometals: effects on cell morphology of limitation by, 139; growth limitation by, 60-1; in relation to chelating agents, 295, see also iron; requirements of phytoplankton for, 15

mineral nutrition, see nutrition mixed depth: and epilimnetic recycling of silicon, 244-6; as factor in phytoplankton seasonal periodicity, 2,



Index 439

36, 203, 206-8, 242, 247, 254-5; and photosynthetic efficiency, 399; in relation to sinking losses, 239, 408 mixing cycles, of lakes, see dimictic lakes, monomictic lakes, thermal stratification MLD (maximum linear dimension) of algal cells, 395-7, 398; see also shape of phytoplankton, size of phytoplankton mixotrophy, 1, 16-18, 114 Monod growth model, 62, 231-3, 325-7, 334-5, 339, 389, 400-2 monomictic lakes: chrysophyte periodicity in, 30-2 monovalent/divalent cation ratio, see cationic ratios morphological diversity of phytoplankton: as it affects biogeographic distribution, 11, 412-21; as it affects nutrient uptake and growth rates, 331-2, 402-3; as it affects seasonal periodicity, 11, 215-16, 337-8, 395-8; of Chlorophyta, 176-7; of chrysophytes, 11-13; of cryptomonads, 107-8; of cyanobacteria, 262-4; of dinoflagellates, 135 motility: as adaptation for sequestering light and nutrients, 115, 135-9, 338, 394, 402; see also, flagella, vertical migration of phytoplankton mucilage: role in colony formation, 395; role in herbivore avoidance, 410 Myxophyta, see cyanobacteria nannoplankton: definitions of, 30, 177; growth rates of, 153, 157 netplankton: definitions of, 30, 177; growth rates of, 153, 157 niche width, 41 nitrate: growth limited by, 201-2; metabolism of, 16, 156; uptake kinetics of, 319-20 nitrogen: fixation of by cyanobacteria, 263, 279, 280, 287-91, 293, 411; growth limitation by, 55, 201-2, 324; interaction with phosphorus of, 54-9, 342, 348-9; uptake kinetics of, 156, 319-20, 321; utilization of in algal metabolism, 16, 113, 286, 329-30 nitrogen fixation, by cyanobacteria, see cyanobacteria, nitrogen nitrogen to phosphorus ratio in phytoplankton growth, 1, 55-9, 342, 348–9

nutrient assimilation, 321-4, 400-3;

relationship of to growth, 324-9, in heterogeneous environments, 354

nutrient availability, see nutrient loading nutrient competition, see competition nutrient limitation: and cell quotas, 324-9; hierarchy of adaptations to, 332-4; as related to diatom sinking losses, 242, 408; and induction of resting stages, 75, 77, 114, 162, 202, 247, 303, 332, 411; as factor regulating phytoplankton seasonal periodicity, 151, 390, see also nitrogen, phosphorus; effects of growth on, 54-61, 230–8, 324–5, 334–5, 389, 400, 410-11, 418 nutrient loading: as biogeographic factor for phytoplankton, 22-7, 54, 151, 196, 271, 415, 417, 418; as factor in phytoplankton seasonal periodicity, 30-5, 215, 418, 421-5; relationship of to phytoplankton biomass, 26-7 nutrient partitioning, along resource continuum, 335-9, 352 nutrient physiology: of chrysophytes, 62-6; of cryptomonads, 115-16, 121-2; of diatoms, 63-6, of dinoflagellates, 154-5; of Volvocales, 63-6 nutrient quotas, see cell nutrient quotas nutrient recycling, see nutrient regeneration nutrient regeneration: by bacteria, 295; by zooplankton, 2, 68, 119, 186, 375–7, 378, 382-4 nutrient resource ratios, 340-9; effects of on intespecific competition, 1, 55-9, 233-8, 245, 286, 342-8 nutrient sequestering strategies, 64–7, 233, 319-21, 328, 332-4, 392, 402, 403 nutrient storage, 394; of phosphorus, 62-4, 154-5, 283, 285, 328; of silicon by diatoms, 232-3; see also cell nutrient quota nutrient transport, see nutrient uptake nutrient uptake, 317-24, 378, 394, 400-3; Healey ratio for, 62, 319; kinetics of, 231-2, 302, 317-21; in patchy environments, 353; of phosphorus, 62-4, 116, 155-6, 319, 321, 403; selective and nonselective processes of, 329-30 nutrition: of chrysophytes, 15-18; of cryptomonads, 113-14, 120-1, 122; of cyanobacteria, 278-97; see also auxotrophy, carbon, heterotrophy, phagotrophy

oligotrophic lakes: definitions of, 30; species successional sequences in, 28, 184-6, 421-5; species characteristic of, 417-18, see also biogeographic distribution of phytoplankton



> 440 Index

opportunistic: growth of phytoplankton, 37, 110, 112, 198-200, 304, 391, 394; nutritional strategies, 86, 398; reproductive strategies, 87 orthophosphate, see phosphorus

paleolimnology, 11, 20, 25 palmelloid stages, 12, 107, 121 paradox of the plankton, 338, 358, 421 parasitism, 41, 119-20, 152-3, 213, 250-1, 407; relationship of to thermal stratification, 217

patchiness, see environmental variability, horizontal patchiness of phytoplankton, vertical distribution of phytoplankton

periodicity, see seasonal periodicity of phytoplankton, seasonal periodicity of zooplankton

pH: as biogeographic factor for phytoplankton, 20-3; physiological tolerances of phytoplankton for, 47-50, 111-12, 117-18, 122, 147, 211, 272 phagotrophy, 16-18, 36, 114, 120-1 phased cell division, 115, 148, 249 phosphatases, 16, 113, 330-1 phosphorus: as biogeographic factor for phytoplankton, 22-5, 26-7, 54, 151, 417; cell storage of, see nutrient storage; competition for, 64-7, 113, 151, 233-8; growth limitation by, 55-9, 64-5, 116, 283, 324; as indicator of eutrophication, 22-3; interactions of with nitrogen in limiting growth, 54-9, 286, 342, 348-9; relationship of to phytoplankton biomass, 26-7, 334; selective interactions of with silicon, 233-8; as toxic factor for chrysophytes, 53; uptake of, 62-5, 155, 283, 319, 321, 403; see also nutrient physiology photosynthetic efficiency, 156, 302, 399-

photosynthetic rates, 146, 156, 388, 398; effect of silicon limitation on for diatoms, 230

phototaxis, 14, 15, 135

physiological adaptation strategies, 64-7, 398-407; see also nutrient sequestering strategies, growth strategies of phytoplankton

physiological death, of phytoplankton, 151-2; and decomposition of cells, 151, 296; causes of, 149; rates of loss due to, 152, 250

physiological responses: to small scale environmental variability, 236-7, 353-7 physiological tolerance limits: of C-, S-, R-strategist phytoplankton species,

414-21; of chrysophytes, 42-54, 86; of cryptomonads, 109-10, 111-12, 114-18, 121-2; of cyanobacteria, 264-72, 296; of diatoms, 252-6; of dinoflagellates, 144–8 picoplankton: green algae, 194-200 (see also micro-green algae); cyanobacteria, 262 - 3

planozygotes, 73, 162 polar lakes, see arctic lakes population dynamics, 422; balanced versus unbalanced growth dynamics, 36-7, 394; in relation to lake productivity, 28-35; 198; opportunistic growth patterns, 37, 110, 112, 198-200, 394; see also listings under various algal groups

potassium: as biogeographic factor for phytoplankton, 15-16, 53-4; see also cationic ratios

primary production: levels of as biogeographic factor for phytoplankton, 19-23; rates of as biogeographic factor for zooplankton, 67; rates of by picoplankton, 200, 262-3; rates of used to define lake trophy, 30

primary productivity, see primary production protozoan grazers, 371, 375 Pyrrophyta, see dinoflagellates

 Q_{10} values: for growth, 42, 405; for photosynthesis and respiration, 405 quotas, see cell nutrient quotas, nutrient storage

r- and K-selection, 110, 333-4, 337-8, 356, 392 R-strategist phytoplankton, 391-2, 393, 400, 403, 407, 408, 412-26 raptorial feeding, by copepods, 249 recruitment, of phytoplankton, 410-12; see also akinetes, cysts, reproductive strategies of phytoplankton, statospores, zygospores relative niche width, 41 reproduction, of phytoplankton, see reproductive strategies of phytoplankton, sexual reproduction of phytoplankton reproduction, of zooplankton, 370-1

reproductive dynamics, 75-81, 165, 246-7 reproductive rate, see growth rates of phytoplankton

reproductive strategies, of phytoplankton, 81, 85, 135, 166-7, 302-4, 332, 356, 410-12



Index 441

resource competition, see competition resource-based competition theory, 61, 233 - 8respiration rates, 405; effect of cell size and shape on, 354, 394 resting stages: of chrysophytes, 73-85, 411; of cryptomonads, 107, 114; of cyanobacteria, 264, 297, 302-4, 411; of diatoms, 247, 411; of dinoflagellates, 135, 156-64, 411; of Volvocales, 202; see also akinetes, cysts, statospores, zygospores retention time, 187, 194 reversions, in phytoplankton periodicity, 34, 255 rotifers, 370; feeding mechanism of 300; reproduction of, 370-1; size selective feeding of, 67, 118-19, 152, 300

S-strategist phytoplankton, 391-2, 393, 400, 403, 407, 408, 410, 412-26 salinity, phytoplankton tolerances of, 118, 147; as factor regulating cyanobacteria seasonal periodicity, 271 seasonal periodicity, of phytoplankton, 390, 416-17, 421-5; biomass trends produced by, 28, 32, 33, 34; classification of species sequences for, 28, 184-6, 394; mechanisms forcing, 1-2, 337-9, 421-6; in relation to mixing cycles, see thermal stratification, turbulence; in relation to algal morphology, 1-2, 11, 30, 36, 215-16, 338, 394, 412-26; of Chlorophyta, 181-8, 201-2; of chrysophytes, 28-36; of cryptomonads, 110-12; of cyanobacteria, 276, 286; of diatoms, 228, 247; of dinoflagellates, 139-40, 166-7 seasonal periodicity, of zooplankton, 28, 371 - 2sedimentation of algae, see loss processes, loss rates self-shading, of phytoplankton, 154, 208 sexual reproduction, of phytoplankton, 73-81, 107, 159-64, 202, 246-7, 411 shape, of phytoplankton, 395-8; effect of on form resistance, 238; effect of on grazing losses, 11, 370, 394; effect of on light absorption, 399-400, 405; effect of on nutrient uptake, 331-2, 402; effect of on seasonal periodicity, 11 412-26; effect of on sinking rates, 407-

8; see also surface area/volume ratio

siderophores, 60, 281, 293, 330

silicon: chemical forms and

silica, see silicon

concentrations of in natural waters, 228-9; in metabolism of diatoms, 233-8; effect of on diatom cell density, 238-9, as limiting nutrient for diatoms, 230-1, 233-8; recycling of in natural waters, 244-6 sinking losses, of phytoplankton, 205, 239; effect of cell morphology on 154, 238-9, 407-8; effect of growth rate on, 241; effect of mucilage on, 218, 219; effect of physiological condition on, 241, 242-4, 410; effect of silicon content of diatoms cells on, 238; field determinations of, 240-2, 408; theoretical calculations of, 238-9, 240, size, of phytoplankton, 2, 11-13, 136, 177, 395-8; changes of in response to light and temperature, 116, 399; effects of on cell nutrition and reproduction, 136-7, 162, 394; effects of on losses to herbivory, 67–8, 118–19, 122, 152, 154, 204–5, 245, 301–2, 370, 373, 394, 410; effects of on photosynthetic efficiency, 399, 400; effects of on sinking rate, 238, 243, 394, 407-8 sodium: as biogeographic factor for phytoplankton, 53 solar radiation, see light spatial distribution, of phytoplankton, see biogeographic distribution of phytoplankton, environmental variability, horizontal patchiness, vertical distribution of phytoplankton statospores (of chrysophytes), 73-85, 411 stratification, see thermal stratification succession, see seasonal periodicity of phytoplankton surface area/volume ratio, 136, 198, 302, 395-7, 398; effects of mucilage on, 395; relationship of to growth and nutrient uptake rates, 198, 331-2, 338, 354, 376, 402 survival strategies of phytoplankton, 2-4, 9, 332-4, 353-7, 358, 388, 390-5, 410-2, 415; evolutionary effect of zooplankton grazing on, 369-85; of Chlorophyta, 214–19; of chrysophytes, 85-8; of cryptomonads, 121-3; of cyanobacteria, 304; of diatoms, 246-8; of dinoflagellates, 153-4; see also growth strategies of phytoplankton, nutrient sequestering strategies, reproductive strategies of phytoplankton survivorship, of resting stages, see

akinetes, cysts, statospores,

zygospores



442 Index

symbiosis, *see* bacteria, endosymbiosis synchronized cell divsion, *see* phased cell division

temperature: as biogeographic factor for phytoplankton, 19–23, 415–16; effects of on germination and formation of resting stages, 77–9, 83, 162, 165; as growth limiting factor, 42–5, 109–10, 116–17, 147–8; interactions of with light on phytoplankton growth rates, 46–7, 115–16, 394, 403–7, 418–21; and phytoplankton cell size, 116, 137–9; as regulator of phytoplankton seasonal periodicity, 36, 47, 112, 115–16, 147–8, 271, 398, 403–5, 418–26

temporal distribution, of phytoplankton, see seasonal periodicity of phytoplankton

thermal stratification: relationship of to phytoplankton seasonal periodicity, 30-5, 36, 110-11, 139-40, 166, 188, 200-1, 203, 205-8, 273-6, 410, 416, 421-4

thermal tolerances, of phytoplankton, *see* physiological tolerance limits, temperature

toxins, of phytoplankton, 16, 297 trace elements, see micrometals

transparency: as biogeographic factor for phytoplankton, 19, 22, 111, 209, 254–6, 415, 417, 418–21

trophic cascade, 2, 167

trophic interactions, of phytoplankton, 1-2; see also grazing, loss processes, zooplankton

tropical lakes: phytoplankton composition of and seasonal periodicity in, 20, 30, 108, 186-7, 423-4

turbulence: effects on phytoplankton growth and nutrient uptake of, 149, 204, 205-7, 389, 407-8, 410, 418-21; incorporation of into phytoplankton growth strategies, 390-2, 415; effects of on phytoplankton seasonal periodicity, 36, 111, 139-40, 142-4, 148, 166, 200, 203, 205-8, 211, 271, 272-8, 390, 398, 417, 418-21; effects of on vertical migration of phytoplankton, 14-15, 142-4, 190

uptake, see carbon, nitrogen, nutrient uptake, phosphorus urea, utilization of by phytoplankton, 16, 113, 156, 329-30

vertical distribution, of phytoplankton, 35-6, 111, 142-4, 154, 186, 188-9, 200, 263; see also metalimnetic populations

vertical migration, of phytoplankton, 14–15, 111, 115, 135, 142–4, 190, 203, 274, 285, 408, 416–17

Volvocales (see also Chlorophyta), 200–5; phosphorus growth and uptake kinetics of, 65–6; sexual reproduction of, 181, 411; survival strategies of, 181, 218; vertical distribution of 189–90, 200–1; vertical migration of, 190, 203

water blooms, *see* blooms water color: as biogeographic factor for phytoplankton, 18, 19–23; as factor in phytoplankton seasonal periodicity, 36, 111; *see also* transparency

wind: effects on horizontal distribution of phytoplankton, 142, 190-4; see also turbulence

zooplankton: competitive interactions of, 67; and evolution of phytoplankton morphology and physiology, 11, 120, 301–2, 369–85; growth rates of, 371, 376; measurement of grazing rates by, 372–5; life histories of, 370–1; and phytoplankton seasonal periodicity, 73, 122, 152, 376, 408–10; as regenerators of nutrients, 2, 68, 186, 353, 375–7, 378–4; seasonal periodicity of, 28, 371–2; selective feeding of, 2, 67–8, 118–19, 122, 152, 154, 204, 213, 214, 216, 298–301, 372, 373, 394, 408–10; see also cladocerans, copepods, filter feeding, grazing, rotifers

zooplankton biomass: as related to phytoplankton biomass, 67, 69 zygospores: of Chlorophyta, 181, 202, 214, 411; of chrysophytes, 73–4, *see also* statospores; of dinoflagellates, 159–62

zygotic cysts, see zygospores