

Cambridge University Press

0521436125 - Morphogenesis: The Cellular and Molecular Processes of Developmental Anatomy

Jonathan Bard

Index

[More information](#)

Index

- α*-actinin, 102, 115
- actin
 - effect of cytochalasin B, 34, 43, 102, 105, 108, 112, 160, 190, 192–5, 199, 204, 219, 225, 248
 - gel contraction, 34, 38, 112, 204
 - interaction with integrins, 66, 77, 84
 - locale, 101, 192
 - role in rearrangement, 248
 - see also* purse-string closure and microfilaments
- actin–myosin cables, *see* stress fibres
- actinotrichia, 133
- adherens junction, 87
- adhesion
 - making and breaking, 97, 128, 146, 171, 182, 219, 227, 258
 - substrate adhesion, 13, 68, 72, 84, 141, 183, 236
 - see also* cell adhesion
- adrenergic differentiation, 73
- aggregation in *Dictyostelium*, 18, 124, 154
- alarm clocks, 246
- algae (*Volvox*), 110
- alignment of cells, 133, 135, 173
- allantois, 213
- Ambystoma* gastrulation, 123
- aminopterin, 114
- ammonia, use in precipitating collagen, 80
- amnion, 213, 220
- amphibian development, an overview, 25, 28
- amputated* mutant in mouse, 253
- anchordin, 66, 69, 75
- angiogenesis factors, 124, 207, 212
- animalcule, 8
- antenna, 194
- antibodies, 73, 90, 163, 171, 234
- anti-L-CAM, 90
- anti-N-CAM, 91, 92, 98, 169, 258
- anurans, 171
- aorta, 92
- apodemes, 191
- arc-1 adhesion molecule, 85
- archenteron formation
 - in sea-urchin gastrulation, 28, 64, 138
 - in *Xenopus* gastrulation, 28, 229, 232
- arg–gly–asp peptides, 74, 234
- associative movement, 146, 250
- astrocytes, 104
- ATP, 102
- axolotl, 60, 72, 135, 139, 173, 232
- axon, 87, 97, 98, 105, 114, 118, 124, 133, 135, 141, 179
- basal lamina
 - composition, 67
 - function, 66, 69, 74, 77, 90, 183
 - turnover in ducted-gland morphogenesis, 44
- bending of epithelia, 18, 191, 193
- bifurcation
 - blood vessels, 209, 211, 245
 - ducted-gland morphogenesis, 43–8, 209, 211, 245
- biogenetic law, 7, 10
- birds, 37, 191, 207
- blastemal cells in kidney, 261
- blastocoel, 26, 30, 33, 138, 203, 222, 228, 253
- blastoderm, 8, 114, 220, 234
- blastodisc
 - in birds, 62
 - in frogs, 60
- blastomeres, 123, 217
- blastopore, 26, 37, 133, 228, 229–37
- blastula
 - cell movements over, 213, 220
 - Fundulus*, 124, 217, 222
 - sea urchin, 29–33, 92, 138, 183, 192
 - Xenopus*, 228–34
- blebbing, 107, 124
- blood-vessel morphogenesis, 8, 77, 124, 207–9, 211, 245, 260
- BM-1 glycoprotein, 44
- bone formation
 - in vitro*, 23, 69, 73, 79, 121, 151, 159, 173, 246, 256

- mechanisms of morphogenesis, 23, 121, 157, 159, 173, 253, 259
- ossification process, 157, 260
- bottle cells, 106, 231, 233
- boundaries
 - as constraints, 118, 141, 239, 242, 251, 252
 - role in morphogenesis, 3, 5, 63, 117, 118, 147, 151, 165, 213, 239, 241, 242, 251
- brain morphogenesis
 - closure of folds, 201–5
 - involvement of heperan sulphate, 205
 - role of buckling, 199
- branching, 46, 172, 209
- bridges, cytoplasmic in *Volvox*, 110
- buckling, 32, 193, 196, 199, 204, 246, 249
- butterfly
 - ripple formation, 223
 - scale formation, 223, 224
 - wing morphogenesis, 8
- cables, *see* stress fibres
- cadherins, 85–92, 165, 171, 182, 187, 266
- calcification, 260
- calmodulin, 102
- c-AMP, 124
- canalisation, *see* chread
- capillary
 - bifurcation in, 207, 208
 - formation of, 207
 - in ciliary body morphogenesis, 197
- capping, 99
- capsule, 81, 117
- cardiac cushion, 74, 132
- cartilage formation, 28, 69, 77, 81, 151, 156–61, 178
- catastrophe theory, 246
- caterpillar, 8, 10
- cDNA, 88
- ced-2* and *ced-3* mutant, *see C. elegans*
- C. elegans*, 179, 265
 - ced-2* and *ced-3* mutant, 178
 - cell death, 178
 - nerve deposition, 179, 265
- cell
 - adhesion, 3, 13, 20, 32, 54, 63–77, 84, 87–93, 96–8, 124, 126–47, 154, 160–71
 - death, 18, 122, 125, 173
 - detachment, 92, 124
 - division, 12, 16, 20, 25, 33, 43, 122, 173–5, 209–12
 - junctions, 13, 84, 87, 90, 104
 - lineage effects, 135
 - shape change, 22, 29, 34, 38, 100–10, 121, 146, 161, 171
 - substratum interaction, 48, 69, 71, 75, 77, 128–37, 154–6, 169, 175
 - surface, 15, 17, 26, 30–2, 37–40, 43, 56, 58, 63, 66, 70–4, 79, 82–99, 171
 - thinning, 107
- cell movement
 - in vitro*, 20, 75–84, 104, 113, 114, 122–45, 155, 212–24, 258
 - in vivo*, 52, 75, 84, 113, 115, 121–45, 212–24, 258
 - of neural-crest cells, 52, 74, 75, 123, 126, 132, 136, 141, 257
 - mechanisms, 112
- cell rearrangement, *see* epithelial rearrangement
- cell-adhesion molecules (CAMs), 84, 89, 96, 133, 165, 168, 189, 190
- cell-CAM 105, 87
- chalones, 209
- chemo-attractants, 124
- chemotaxis
 - angiogenesis factors, 124, 207, 212
 - in *Dicystostelium*, 124
 - in newts, 125
 - negative, 75, 125
 - of rat nerves, 124
 - positive, 124, 207
- chick
 - cornea, 17, 24, 49–59, 61, 63, 70, 73, 76, 80, 123, 141, 144, 184, 245, 251, 257, 260
 - epiboly, 114, 213, 220, 257
 - gut, 9, 16, 90, 192, 228
 - limb development, 18, 79–81, 154, 158
 - neural-retina, 76, 90, 96
 - oviduct, 8, 192
 - scaleless* mutant, 161
 - Talpid* mutant, 18, 19, 54, 141
 - tooth development, 36, 77
- chlorcyclizine, 76
- chondrocytes, 72, 73, 89, 121, 158
- chondrogenesis, 71, 73, 154, 157–61, 168, 243
- chondroitin sulphate, 45, 56, 70, 75, 76, 80, 81
- chondronectin, 71, 72
- choroid, 49, 57, 213
- chread, 239, 252, 253
- chromosome, 102, 105, 263, 264
- ciliary body
 - absence of N-CAM, 92, 190, 197
 - formation in chick eye, 17, 61, 76, 92, 196–9, 212, 246, 253, 256
- cleavage, 166, 169, 191
- cleft formation in ducted glands, 43–8, 64, 77, 165, 173, 209, 211
- clocks, 246, 263
- closure of neural tube, 200–5
- coelom, 171
- colcemid, 110
- colchicine, 30, 103, 105, 106, 107, 108, 110, 114, 199
- collagen
 - fibrils, 49, 52, 56, 63, 68, 70, 77–81, 118,

304 *Index*

- collagen (*cont.*)
 133, 135, 156
 gels, 75, 81, 113, 121, 132, 142, 155, 168, 256
 type I, 69, 77, 158
 type II, 69–73
 type III, 46, 48, 64, 69, 77
 type IV, 44, 68, 69, 72
 type V, 69
 type VII, 69
 type IX, 70
 type XI, 70
 stroma, *see* cornea
 collagenase, 45, 73, 77, 90, 132, 147, 164, 172, 175
 columnarisation, 38, 189
 community effect, 158
 compaction of mouse preimplantation embryo, 23, 56, 58, 73, 87, 108, 128, 154, 158, 245
 computer models, 14, 21, 37, 38
 concentration gradient, 97, 124
 condensation
 formation of cartilage, 18, 121, 151, 154, 157
 feather rudiments, 23, 61, 154, 155, 161, 163, 164, 194
 nephrons, 172, 260, 264
 somites, 154, 155, 164, 165, 168, 172, 259, 264
 cone cells, lengthening and shortening, 97, 105, 132, 258
 confocal microscope, 15
 constraints on morphogenesis, 17, 54, 60, 64, 76, 118, 132, 141, 145, 220, 239, 242, 251–9
 constriction in gut morphogenesis, 35, 193
 contact inhibition of movement (CIM)
 assay of transformation, 142
 encouraging colonisation of space, 144, 152
 limited role *in vivo*, 128, 214
 maintenance of tissue stability, 214, 257
 phenomenon, 142–5
 role *in vitro*, 128, 144
 role in wound healing, 214, 215
 contact guidance, 20, 74, 132, 133, 135, 252, 263, 264
 contact-mediated interaction, 175
 convergent extension in *Xenopus*
 gastrulation, 228, 232, 236
 cooperative properties
 mesenchyme, 145–51
 rearrangement of epithelial cells, 223–7
 cornea
 development in mouse, 59
 endothelial morphogenesis in chick, 53, 56, 58, 184, 212
 formation of stroma in chick, 52–8
 formation of stroma in mouse, 59
 growth, 58
 neural-crest migrations of chick, 49, 52, 56, 61, 63, 76, 117, 123, 141, 245, 251, 257
 ‘cortical-tractor’ model, 33, 40, 62, 189, 201, 226, 227
 CSAT antibody, 73, 171
 cuticle, 206, 207, 223, 225
 cyclohexamide, 96
 cytochalasin, 34, 43, 102, 105, 108, 110, 160, 190, 192–5, 199, 204, 219, 225, 248
 cytokeratin, 104, 172, 187
 cytokinesis, 105
 cytoplasmic bridges in *Volvox*, 110
 cytoskeleton, 5, 21, 41, 64, 71, 84, 99–117, 128, 131, 170, 182, 248, 263
 death of cells
 and Hox-7 expression, 179
 axon invasion of limbs, 179
 in limb development, 18, 179, 180
 in Mullerian duct, 179
 in optic cup, 178
 denticle, 150
 dermal condensations, 23, 61, 154, 161, 163
 dermal–epidermal interaction, 161
 dermatan sulphate, 70
 dermatoglyphics, 150
 dermis, 28, 36, 48, 72, 90, 121, 154, 161–4, 182, 210, 212–17
 dermotome, 171
 desmin, 104
 desmosome, 104, 108, 114, 182, 219
 detachment
 ciliary body, 92, 197
 epithelial cells, 92, 124, 247
 neural-crest cells, 92
 determination, 60, 165
 deuterostomes, 29
 Dictyostelium discoideum
 aggregation of, 18, 124
 mutations in, 18
 differential-adhesion hypothesis, 93, 98
 differential equations, 22
 metaphor for morphogenesis, 240
 model of condensation formation, 157
 Turing kinetics, 57, 159, 178, 232, 243, 249
 differential growth as a morphogenetic force, 18, 159, 178, 194–7, 199
 diffusion, 159, 177, 243
 digits
 formation, 19, 178
 in *Talpid* mutant, 19
 role of cell death, 178

- directive interaction in induction, 36, 65, 84, 89, 135
- Discoglossus*, notochord elongation, 38
- dorsal lip of blastopore, role in *Xenopus* gastrulation, 26, 228, 232, 233
- Drosophila melanogaster*
 - cell rearrangement, 224–7
 - disc eversion, 194–6, 224, 245, 246
 - limb elongation, 224–7
 - PS antigens, 85
 - segmentation, 172
 - wing development, 18, 108
- ducted-gland morphogenesis, 44, 46, 48
- B-D-xyloside, 163, 205
- dyes, use of, 105, 215, 222
- dynamics of morphogenesis, 2, 20, 22, 84, 88, 103, 233, 238, 244–58
- dynein, 102
- ear
 - morphogenesis, 190
 - wounds in rabbit, 207
- E-cadherin, 85, 87, 88, 89, 182, 187, 266
- ecdysteroid, 224
- ectoderm
 - and invertebrate cell rearrangement, 223–7
 - of sea urchin blastula, 29–34, 63, 138
 - growth, 211
 - inducible by growth factors, 174
 - in *Xenopus* gastrulation, 228–37
 - origin of eye, 49
 - role in NCC migration, 132
 - role in neurulation, 26, 35–41, 201–7, 215
 - shape changes, 191–6
- egg cortex, movement in, 93, 105
- electric fields, 135
- elongation
 - epithelial cells, 34, 40, 43, 106, 115, 161, 191, 205, 223, 226, 231
 - insect limb, 191, 205, 225, 226, 227
 - lens cells, 107, 108, 189
 - nephric duct, 28, 59, 141
 - notochord, 38, 40, 43, 205, 223
 - tubule, 30, 40, 43, 207
- emboitement principle, 8, 9
- endoderm
 - interactions with mesenchyme, 26, 35, 41, 183, 191, 236
 - in *Xenopus* morphogenesis, 26, 106, 183, 228, 232
- endothelium
 - blood capillary
 - morphogenesis in chick cornea, 49, 52–61, 63, 73, 117, 133, 141, 184, 251, 257
- energy requirements for morphogenesis, 40, 60–2, 91, 137, 193, 197, 220, 227
- entactin, 68
- Entwicklungsmechanik*, 11
- epiblast, 220
- epiboly
 - in chick, 114, 213, 220, 257
 - in *Fundulus*, 34, 114, 213, 217, 219, 220, 222, 232, 248
 - in *Xenopus*, 222, 232, 248
- epidermal–dermal interactions, 35
- epidermis
 - feather formation, 36, 161, 163
 - interactions with dermis, 36, 48, 72, 161, 163, 182, 215, 223
 - placoding, 106, 161–3, 189–91, 196
 - role of L-CAM, 161, 163, 182
 - wound repair, 72, 182, 212, 214, 215, 223
 - wrinkle formation, 48
- epigenesis, 7, 8, 9
- epithelialisation, 187
- epithelial–mesenchymal interactions, 41, 43
- epithelial movement
 - active, 213, 220, 223
 - bounded, 213, 220, 222, 224
 - feet, 224
 - in *Fundulus*, 213, 220, 222
 - in wound healing, 212–14
 - in *Xenopus*, 222, 224
 - mechanism, 112–14
 - passive, 213, 222, 223, 224
 - unbounded, 213, 220–4
- epithelial rearrangement
 - in *Drosophila*, 34
 - in *Fundulus*, 34, 219
 - in *Hydra*, 224, 227
 - in *Xenopus*, 224, 227
- epithelium
 - bilayering, 50, 108, 215
 - columnarisation, 188–91
 - evagination, 191, 194, 195, 196, 205, 212, 219, 222, 224
 - fusion of sheets, 205
 - growth, 58, 182, 194, 199, 209–12, 220, 249, 256
 - invagination, 32, 33, 191, 194–6, 205, 222, 256
 - palisading, 107, 188, 190, 196
 - polarisation, 182, 254
 - rearrangement, 194, 219, 223–5, 227
 - summary of properties, 181
 - topological constraints on
 - morphogenesis, 187, 225, 254, 256
- evagination, 106, 184, 191–4, 203, 205–7, 212, 219, 222, 224
- eversion of wing disc, 194, 224, 226, 245, 246
- evolution, 10, 11, 13, 19, 36, 85, 262, 265
- exogastrulation, 31
- extracellular matrix (ECM)
 - driving morphogenesis, 246, 249, 254

306 *Index*

- extracellular matrix (ECM) (*cont.*)
 - growth, 46, 144, 151, 159, 173, 175, 182, 205, 246, 249, 260
 - role in differentiation, 25, 121, 172, 254
 - role in migration, 53, 56, 132, 144, 154, 263
 - space formation, 52, 65, 121, 144, 175, 181
 - tissue stability, 21, 44, 46, 66, 114
- extrusion, 201, 203
- eye, 7, 12, 17, 20, 26, 49–59, 73, 76, 79, 89, 141, 150, 196–200, 212, 245, 249
- fallacies, 2, 177
- feather
 - formation of rudiments, 23, 36, 61, 90, 161, 163, 194
 - role of CAMs, 90, 91, 194
- fertilisation, 7, 105
- fibrils, *see* collagen
- fibrinogen, 85
- fibroblast
 - division, 25, 172–8, 212, 266
 - movement, 25, 52, 56, 72, 81, 112, 113, 114, 115, 121–46, 151, 155, 176, 237, 248, 252, 257, 264
 - see also* mesenchyme
- fibronectin, 29, 44, 56, 66, 68, 71–7, 80, 85, 87, 118, 126, 131–3, 163–5, 171, 182, 187, 234, 237–9, 245
- field
 - bounded, 252, 257, 264
 - electric, 135
- filaggrin, 104
- filamin, 102
- fimbrin, 102
- fin morphogenesis, 74, 123, 133
- finger-print patterns
- fish
 - cone movement, 105
 - epiboly, 217–20
 - fin development in, 74, 123, 133
 - neural-tube formation, 184
 - see also* *Fundulus*, teleosts
- fission yeasts, 211
- flagellae, 109
- fluorescein-labelling, 99
- focal adhesions, 115
- fold formation, 200, 201
- follicles, 36
- forces in morphogenesis, 16, 32, 37–40, 48, 62, 73, 126, 128, 135, 155, 191, 195, 199, 219, 222, 227, 232, 236, 238, 247–57
- fossil record, 265
- framework for morphogenesis, 20, 163, 238, 240, 244
- frog, *see* *Gastrothecus* and *Xenopus*
- Fundulus*
 - deep cells, 124, 232, 246
 - epiboly, 34, 114, 213, 217, 219, 222, 232, 248
 - wound healing, 213
- ganglia, 92
- gap junction, 90, 182
- Gastrothecus*, disc embryogenesis, 60
- gastrulation
 - chick, 24, 60, 62, 74, 97, 114, 213, 220, 228, 257
 - honey bee, 220
 - sea-urchin, 28, 29, 32, 183, 213
 - Xenopus*, 26, 28, 183, 222–4, 227–37, 248
- gel, *see* collagen
- gelsolin, 102
- genome-based interactions, 6, 9, 46, 77, 240, 244, 262, 264–6
- geometry, role in morphogenesis, 56, 147, 159, 195, 199, 248, 251–6, 262–6
- germ-cell migration, 74, 115, 133
- glial cells, 88, 121
- glial-filament protein, 104
- global forces in morphogenesis, 17, 37, 196, 200
- global models of morphogenesis, 21–3
- glomeruli, 184, 260–2
- glucose, 62
- glycoprotein GP80, 113
- glycosaminoglycans (GAG), 70, 72–9
- gradient of adhesivity
 - in pronephros morphogenesis, 136–9
 - in chick retina, 97
 - in rat retina, 97
 - in scale formation, 224
 - in vitro*, 30, 91, 136
- grafts, 141
- grey-crescent movement in *Xenopus*, 105
- grey mutant in the mouse, 18
- grip of cells to their substratum, 108
- growth
 - control, 43, 45, 48, 58, 69, 124, 159, 173–9, 196, 209–12, 246, 258–62
 - differential, 159, 178, 194, 196, 197, 199, 240
 - factors, 124, 174, 175, 176, 178, 180, 209, 210, 211, 212, 259, 262
 - inhibitors, 194, 206, 209
 - regulation, 144, 175, 211
 - role of cell contact, 43, 59, 124, 146, 175–8, 193, 213, 259, 264
- gut morphogenesis, 9, 16, 28, 90, 183, 192, 212, 221, 228
- haemoglobin, 4, 19
- haemolymph, 205, 206, 207, 225
- hair, 17, 36, 147, 161, 189

- haptotaxis, 132, 135–7, 139, 252
- Haversian system, 151
- heart morphogenesis
 - migration of cells, 74, 75, 144
 - role of cell thinning, 194
- heat-shock effects, 165, 170
- heparin, 72, 205, 212
- heperan sulphate, 70
- heperan-sulphate-rich proteoglycan, 85
- homeobox genes, 19, 172, 180
- homeostasis, 256–8
- honey bee, epithelial movement in, 220
- hormones, 183
- housekeeping genes and activities, 99, 102, 182
- hyaline layer in sea-urchin blastula, 28, 29, 32, 33
- hyaluronic-acid (hyaluronan), 44, 45, 52, 56, 59, 63, 66, 68, 70–7, 133, 158, 168, 205, 245
- hyaluronidase, 44, 45, 46, 48, 52, 56, 73, 75, 77, 158, 205, 245
- hybridisation *in situ*, 14, 133
- hybridomas, 171
- hydrostatic forces in morphogenesis, 223, 232
- hydrostatic pressure, 17, 76, 104, 194, 199, 203, 204, 206, 207, 219, 222, 225
- 20-hydroxyecdysone, 194, 245
- hypertrophy, 151
- hypoblast, locations of epitope, 97, 220
- imaginal discs
 - limb morphogenesis, 191, 199
 - mechanism of eversion, 194, 196
 - wing morphogenesis, 199
- induction
 - directive, 36
 - dermal, 35, 41
 - ducted gland, 35
 - feather, 36, 90, 91
 - neural, 24, 26, 35–7, 41, 64, 85, 90, 104, 245
 - permissive, 36, 90, 104
- inherently precise machines, 258
- inhibitors
 - chalone, 209
 - of microfilaments, 105, 106, 112, 115, 194
 - of microtubules, 105, 106, 107, 112, 115
 - of mitosis, 105, 110, 206
- initiation of morphogenesis, 46, 107, 121, 128, 215, 233, 236, 238, 244–7
- innervation, 174
- insect
 - gastrulation, 191, 213, 220, 224
 - limb development, 191, 195, 206, 213, 224
 - neural migration, 141
- ripple formation in cuticle, 223
- role of epithelial feet, 224
- wing formation, 141, 206, 219, 224, 249
- instability, role in morphogenesis, 46
- integrins, 66, 71–7, 84, 90, 101, 114, 160, 171, 257
- integrity of tissues, 17, 20, 34, 44, 66, 69, 84, 89, 114, 128, 182, 203, 214, 226, 260
- integument, 150
- intercalation, 232, 234
- intermediate filaments, 103, 114, 118, 182, 187
- invagination
 - in sea-urchin morphogenesis, 32, 34, 60, 192, 222
 - mechanisms of, 3, 32, 34, 60, 191, 194
 - property of epithelia, 3, 32–4, 60, 191–6, 205, 222, 247, 256
- invasion
 - by neural-crest cells, 74, 144, 221
 - of cornea, 74, 144
 - of endocardial cushion, 74, 144
- inversion of *Volvox*, 108, 246
- irradiation and cell death, 43, 180
- jaw-bone formation, 256
- jelly-fish, cleavage in cells, 191
- junction, *see* cell junctions
- keratan sulphate, 70
- keyhole shape formation in neurulation, 22, 26, 37, 38
- kidney
 - growth, 97, 210, 213, 256, 260
 - medulla, 260, 261, 262
 - metanephros, 184, 262
 - morphogenesis, 25, 35, 72, 104, 172, 184, 187, 213, 256, 262
 - nephrogenesis, 35
 - possible role of traction, 104, 172, 187
 - pronephric (Wolffian) duct formation, 59, 139
 - stem cells, 261
 - ureter, 35, 85, 172, 184–7, 260
- kinematic waves, 155, 164, 168
- kinesin, 105
- kinetics, 48, 243
- L2 epitope, 97
- lamellipodia, 215, 219
- laminin, 44, 66–9, 72, 77, 85, 131, 165, 182, 187, 205
- laser ablation of cells, 30, 180
- lateral adhesion, 92, 106, 146, 151, 226, 227, 250, 253
- latex beads, 74, 126, 131
- L-CAM, *see* E-cadherin

308 *Index*

- lectins, 87, 163
 lens formation, 107
 leucocytes, 124, 129, 132
 limb formation, 195, 213
 in chick, 18, 79–81, 154, 158
 in mouse, 157
 lineage effects, 135
 lithium-induced exogastrulation, 31, 236
 lizard, pigment-cell migration in, 36, 125
 locomotion of cells *in vivo*, 123
 locusts, contact guidance of nerves, 133
 long-range order
 possible role of traction, 81
 role of boundaries, 60, 114, 138, 141,
 148, 239, 251
 lumen formation, 184, 187, 205, 207, 212,
 229
 lung
 development, 11, 144, 175
 fibroblasts *in vitro*, 144, 175, 176, 178
 MAG adhesion molecule, 87
 maintenance of tissue structure, 46, 91, 98,
 124
 mammals
 dermal condensations, 191, 201
 ducted-gland morphogenesis, 191
 ectodermal folds, 202
 kidney formation, 184, 260
 neurulation, 37, 191, 201, 207
 mammary-gland
 morphogenesis, 48, 183, 246, 256
 self-assembly of cell *in vitro*, 256
 tubule elongation, 48, 206, 211, 256
Manduca
 adhesions in wing, 141, 227
 role of boundaries, 141
 melanocytes, 73
 melanophores, 73
 membrane
 movement, 98
 proteins, 5, 69, 70, 84, 85, 87, 90, 99–102
 recycling, 99
 mesenchymal lamina and tendon
 formation, 80
 mesenchyme
 cooperative effects, 145–51
 definition, 66, 121, 191
 death, 173, 178, 179, 262
 growth, 43–8, 144, 173–8, 211, 249, 259
 movement, 46, 122–45, 236, 245
 morphology, 121
 behaviour, 120
 mesenteries, formation of, 213
 mesoderm
 inducing factor, 174
 origin, 139, 184
 metanephros, *see* kidney
- micro-environment, 63, 64, 66
 microfilament
 bundles, 34, 101, 108, 113, 115, 192, 201,
 251, 256
 contraction, 38, 43, 102–7, 112, 115,
 189–96, 201–5, 227, 239, 248, 251, 254
 purse-string contraction, 34, 106, 190–6,
 201, 205, 231, 254, 256
 microscope
 confocal, 15
 nature of theory, 10, 12, 13, 147, 151,
 240, 244
 principles, 1, 2, 238
 robustness, 239, 252
 termination, 60, 165, 263
 morphogenetic toolkit, 5, 275
 moth
 Manduca, 141, 227
 Philosamia, 206
 scale pattern formation, 141, 223
 wing endothelial cells, 141, 206, 223, 227
 motility
 intrinsic, 124, 128, 257
 stochastic nature, 117
 moulting hormone, 194, 245
 mouse
 amputated mutant, 253
 compaction of pre-implantation embryo,
 87, 108, 128
 corneal morphogenesis, 53, 57, 59
 Mov13 mutant, 46, 77
 palate formation, 76
 submandibular-gland morphogenesis, 24,
 36, 41, 46
Mov13 mutant, 46, 77
 movement
 associative, 146, 250
 initiation of, 121, 128, 215, 233, 236, 245,
 247
 mechanism, 110, 112–14
 of nuclei, 217
 within egg cortex, 93, 105
 see also epithelial and mesenchymal
 movement
 Mullerian-inhibiting factor, 179
 muscle
 morphogenesis and traction, 79, 81, 102,
 104, 156, 164, 191, 203
 role of integrins, 73, 85, 171
 myoblast behaviour, 73, 171
 mutation
 amputated in mouse, 253
 ced-3 in *C. elegans*, 179
 grey lethal in mouse, 18
 Mov13 in mouse, 46, 77
 scaleless in chick, 161
 Talpid in chick, 18, 54, 141
 myoblast

- differentiation, 73, 171
 elongation, 168
 interaction with CSAT, 73, 171
 movement, 131, 171
 myocardial folds, 191
 myosin, 102, 113, 115, 248
 myotome, 28, 165, 171
 N-cadherin, 87, 89, 91, 92, 165, 171, 182
N-CAM
 adhesion molecule, 85–92, 98, 108, 132,
 163–5, 169, 171, 187, 190, 257
 pathways, 91
neck
 nematode, *see C. elegans*
 nephrogenesis, *see kidney*
 nerve movement
 in amphibian tail, 123
 in *C. elegans*, 135
 over tectum, 133
 nerve-growth factor, 174
 neural-crest cells
 activation, 52, 89, 124
 CAM expression, 89, 128, 132
 differentiation, 25, 72, 117, 128, 139, 265
 cessation of movement, 129
 chemotaxis, 125
 in cornea, 53, 56, 63
 initiation of movement, 128, 245
 migration, 53, 56, 61, 63, 70, 72, 74, 139,
 141, 264, 265
 role of fibronectin in NCC movement, 131
 neural plate, 22, 26, 37, 38, 40, 41, 108,
 189, 201, 203, 204, 205, 213, 223
 neural retina
 folding in ciliary body, 199
 interaction with N-CAM, 190, 199
 neural tube morphogenesis, *see* neurulation
 neuroepithelial folding, 133
 neurofilaments, 104
 neurons, 88
 neurulation
 in chick, 36, 62, 70, 201, 204
 in fish, 36, 191, 207
 in rat, 204
 in newts, 36
Ng-CAM, 87–9
 nidogen, 68
 N-myc oncogene, 261
 nocadazole, 30, 106–18, 114, 190
 notochord
 extension, 37, 203, 205, 211, 223
 limited role in neurulation, 22, 38, 40, 223
 nuclear movement, 32, 104, 184, 217
 Nucleopore filters, 35, 36, 72
 oncogene N-myc, 261
 optic nerve movement, 91, 96, 265
 orthogonal arrays
 collagen fibrils in cornea, 49, 52, 57–9,
 80, 118, 133, 260
 in cultured fibroblasts, 49, 52, 57, 59,
 118, 147, 151
 ossification, *see* bone
 osteoblasts, 121, 260
 osteoclasts, 121, 260
 otic vesicle
 morphogenesis, 190, 194
 role of CAMs, 190, 194
 ovarian duct formation, 179
 oxygen uptake in chick development, 62
 palate formation in the mouse, 76, 206, 249
 palisading of epithelia, 106, 188, 190, 191,
 196
 palladium gradient, 137
 pancreas morphogenesis, 35, 192, 194, 197,
 212
 parallel arrays of fibroblasts, 252
 pattern-formation
 underlying mechanisms, 3, 13, 23, 61, 84,
 118, 159, 171, 266
 2-D fibroblast patterns, 146–50, 258
 3-D fibroblast patterns, 151–3
P-cadherin, 87
 perichondrium, 157, 159
 periodic patterns, 81
 peripodial membrane, role in wing-disc
 eversion, 194
 permissive interactions in induction, 36, 65,
 74, 84, 90, 104, 117, 158
 phage self-assembly, 4
 phagocytosis, 105
 phalloidin, 102
Philosamia, 206
 physical models, 11
 pigment cells
 formation, 26, 122, 169
 movement, 72, 122, 126
 negative chemotaxis, 125
 placode formation, 106, 161–4, 189–91, 196
 platelet-derived growth factor, 174
Pleurodèles waltlii, 234, 253
 Poisson effect, 199, 204, 250
 polarisation
 in morphogenesis, 182, 254
 of epithelia, 136, 182, 254
 preformationism, 7–9, 12
 preformationist/epigenetic dichotomy, 9
 pre-patterns, 166, 169
 pressure, role in morphogenesis, 17, 20, 32,
 56, 76, 104, 193, 199, 203, 206, 219,
 222, 225, 238, 246, 249
 primary induction, *see* neural induction
 primitive-streak formation, 74, 97, 136
 principles of morphogenesis, 238

310 *Index*

- pronephros, *see* kidney
- porteoglycans, roles in morphogenesis
 - movement, 25, 56, 70, 182
 - neurulation, 36, 70
 - swelling, 56, 76, 118, 199
- proto-oncogene, 261
- proximal-distal gradient of adhesivity, 224
- PS antigens in *Drosophila*, 85
- pseudopodial movement, 30
- pumping of water, role in morphogenesis, 52, 136, 247, 249, 252
- pupillary ring, role in ciliary-body morphogenesis, 246
- purse-string constriction, 34, 38, 106, 190–6, 201, 205, 231, 254, 256
- quail
 - neural-crest cells, 125
 - somatic cells, 136
- rabbit-ear wound, 207
- Rana*, 171
- somitogenesis, 171
- rat embryogenesis
 - molecular gradient in retina, 97
 - nerve chemotaxis, 124
 - pancreas formation, 35, 192
- reaction-diffusion kinetics, 57, 159, 178, 232, 243, 249
- rearrangement, *see* epithelial rearrangement
- receptors in cell membranes, 66, 71, 74, 84, 90, 105, 131, 158, 174, 178, 183, 210, 234, 237
- regeneration
 - in *Hydra*, 224
 - in retinal-tectal interactions, 91, 97
 - of epithelial polarity, 184
 - of sponge organisation, 82
- regulative embryos, 9, 253, 265
- repair, *see* wound healing
- reptiles, 191
 - dermal differentiation, 191
- repulsion, *see* chemotaxis
- retina
 - N-CAM localisation, 90–2, 98, 133, 190, 197, 199, 258
 - gradient in, 97, 98, 252
- retinal-tectal interactions, 97, 98
- Rhodnius*, role of epithelial feet, 227
- ribs and sclerotome differentiation, 264
- ring-shaped cells in blood capillaries, 207
- ripple formation in insect cuticle, 223
- ruffling membranes
 - in cell movement, 142, 213
 - role in contact inhibition of movement, 142
- salivary gland, *see* submandibular gland
- San Serife, island of, 265
- scalar entities, 63, 118
- scaleless* mutant, 161
- scales, 36, 103, 161, 191
- scatter factor, 125
- sclerotome formation, 28, 73, 75, 141, 165, 171, 263
- sea-urchin
 - cell movement, 123, 248
 - gastrulation, 28–34, 62, 64, 224, 248
 - invagination, 32, 34, 60, 192, 222
 - primary mesenchyme cells, 29
- segmentation, *see also* somites, 19, 172
- self-assembly
 - basis of morphogenesis, 4, 117, 239, 254
 - of cells, 4, 117, 239, 254, 256
 - of collagen, 4, 57, 80, 118, 239, 256
 - of phages, 4
- serosal movement in the honey bee, 221
- simulations, *see* models
- size regulation
 - and mitotic regulation, 211
 - the problem of size invariance, 253
- skin
 - dermal condensations, 23, 161, 163
 - dermotone movement, 91, 182, 214, 215
- somites
 - amputated* mutant in mouse, 253
 - mechanism of morphogenesis, 28, 74, 92, 164–72, 253
 - multiple rows, 169
 - possible role of traction, 81, 164–72, 259
 - reorganisation, 165, 171
- somitomeres, 165, 169
- sorting out
 - in retinal-tectal adhesions, 93, 98
 - in sponges, 265
 - models of, 93
 - morphology of epithelia, 5, 184, 224, 249
 - significance in normal development, 184, 253
 - the phenomenon, 93, 98, 224
- space creation, 53, 55, 70–3, 118, 175, 245
- sperm
 - magical contents of, 8
 - significance of entry point, 105, 228
- sponge, 5, 20, 82, 258, 265
 - cell movement in, 20, 258, 265
 - self-assembly of, 5
- sprouts in blood capillaries, 212
- stability
 - of chreods, 239, 253
 - of tissues, 66, 77, 89, 96, 114, 239, 241, 253, 256–8
- steric constraints, 54, 141
- stem cells
 - in mammary glands, 206
 - in the metanephros, 261
- stickiness of substratum, 129

- stochastic behaviour, 9, 64, 117, 239, 248, 251, 254, 263–6
- stopping morphogenesis, 46, 54, 256–8
- strain as a response to stress, 199
- stress
- fibres, 102, 107, 115, 257
 - role in morphogenesis, 16, 17, 77, 102, 110, 115, 118, 159, 196, 204, 256, 231, 257
- stroma, *see* cornea
- subcortex movement after fertilisation, 105
- submandibular-gland morphogenesis
- in Mov13 mutant*, 46
 - mechanism of induction, 24, 41–8, 245
 - possible role of traction, 43, 190, 192
 - role of collagen III, 46
- substrate–adhesion interactions, 126–32
- substrate-adhesion-molecules (SAMs), 68, 71, 84, 114, 128, 141–5, 183
- supergene family, 85, 87
- surface tension, 93
- role in morphogenesis, 93
- swelling as a morphogenetic force, 33, 56, 71, 76, 118, 199, 245, 249, 263
- symmetry, 18
- syncytium, 29, 217, 224
- Fundulus* enveloping layer, 217
 - precursor of sea-urchin skeleton, 29
- tadpole, 214
- tail
- movement of cells, 123
 - resorption, 73
- Talpid* mutant, 18, 54, 141
- Taricha tarosus*
- neurulation, 37–40
 - pigment-cell movement, 125
- tarsometatarsal epidermis, 36
- taxol, 103, 108
- teleost fin morphogenesis, 123
- tenascin, 72, 80, 132, 141, 187
- in kidney development, 72, 187
 - in tooth development, 72
 - role in cell movement, 72, 132, 141
- tendon formation, 69, 79–81, 121, 191, 260
- tension, role in morphogenesis, 10, 57, 62, 81, 118, 151, 204, 213, 223, 227, 248, 263
- TGF factor, 174, 179
- thalassaemia, 19
- thermodynamics, 2
- thyroxin, 58, 245
- time-lapse cinemicrography, 29, 138, 144, 213, 215, 217, 222, 236
- timing of morphogenetic events, 18, 58, 93, 103
- tonofilaments, 104, 114
- toolkit for morphogenesis, 5
- tooth development, 36, 72, 77, 85
- topology
- catastrophes, 246
 - and kidney organisation, 187
 - rules constrain morphogenesis, 184, 254, 264
 - use in analysing cell patterns, 147–50
- trachea, 205
- tracks, *see* contact guidance
- traction, possible roles in morphogenesis
- and contact guidance, 81, 135, 156
 - cell guidance, 135
 - cell movement, 30, 38, 81, 122, 135, 155, 168, 182, 196, 232, 236, 249
 - cartilage formation, 79, 81, 156–61
 - dermal condensations, 23, 36, 161–4
 - ducted-gland morphogenesis, 48
 - possible role in nephrogenesis, 172, 187
 - somitogenesis, 81, 154, 164–73, 259
- tractoring, 33, 40, 62, 189, 201, 226, 227
- trails, *see* contact guidance
- trajectories, *see* chreod
- transalar arrays in *Drosophila* wings, 108
- transformation, 26, 88, 142, 150
- treadmilling
- microfilaments, 101
 - microtubules, 103
- trichomes, 108
- Triturus*, *see* *Taricha*
- tropomyosin, 102, 115
- tube formation
- blood vessels, 205, 209
 - ducted glands, 43–8, 206
 - neurulation, 205
 - wing veins, 206
- tubulin, 102, 114
- tumours, 124, 212
- Turing kinetics, 57, 159, 178, 232, 243, 249
- ulna development, 161
- ureter, *see* kidney
- urodeles
- homeostatic sorting out, 184, 253
 - gastrulation, 234
 - somitogenesis, 171, 253
 - see also* *Pleurodeles waltlii*, *Taricha*
- uvomorulin, 85
- vein formation
- angiogenesis factors, 207
 - in insect wing, 18, 206
 - in mammals, 207
- vertebra development, 164, 171
- villin, 102
- vimentin, 104, 187
- vinblastine, 103
- vinculin, 101, 110
- vitronectin, 85
- Volvox* inversion, 108, 109, 246

Cambridge University Press

0521436125 - Morphogenesis: The Cellular and Molecular Processes of Developmental Anatomy

Jonathan Bard

Index

[More information](#)312 *Index*

- water uptake, 17, 103, 106
wavelength of repeated pattern elements, 52, 155, 159, 169
wing development
 and nerve migration, 141
 and vein formation, 205
 genetic basis, 18
 microtubule activity, 108
 scale formation, 223
Wolffian duct, *see* kidney
worms, *see* *C. elegans*
wound healing
 in epithelia, 207, 212–15, 227
 in frog skin, 214
 in *Fundulus* 213
 in neurulation, 207, 212

in vitro, 212–15
wrinkles
 in mouse skin, 48
 in silicone membranes, 132, 155, 168

xanthophores, 73
Xenopus
 epiboly, 222, 224, 232, 248
 gastrulation, 26–8, 222, 227–37, 248
 somitogenesis, 92
 β -D-xyloside, 163, 205

yolk, 28, 60, 182, 217, 220–4, 232

zonulae adherens, 219

Cambridge University Press

0521436125 - Morphogenesis: The Cellular and Molecular Processes of Developmental Anatomy

Jonathan Bard

Index

[More information](#)

Brief index of morphogenetic systems

- amphibian development (summary), 25
- blood-vessel formation, 207, 212
- chondrogenesis, 157
- ciliary body formation, 93, 196
- corneal morphogenesis (chick), 49
- corneal morphogenesis (mouse), 59
- disc elongation (*Drosophila*), 224
- disc eversion (*Drosophila*), 195
- epiboly (*Xenopus*), 222
- epiboly (chick), 220
- epiboly (honey bee), 221
- epiboly (teleost), 217
- feather-rudiment formation, 161
- fertilization movement (*Xenopus*), 105
- fibroblast pattern formation, 145
- fin formation (teleosts), 134
- gastrulation in *Xenopus*, 227
- gastrulation in sea-urchin, 26
- inversion in *Volvox*, 111
- metanephric (kidney) development, 184, 260
- neural-crest cell migration, 123
- neurulation (amphibia), 37, 201
- neurulation (chick), 203
- neurulation (mammals), 204
- optic-nerve migration, 97
- pancreas formation, 192
- pronephros migration (*Ambystoma*), 139
- somitogenesis, 164
- submandibular gland, 41
- tendon formation, 79
- wing formation (invertebrate), 108, 206
- wing-scale formation, 223
- wound healing, 214