

Cambridge University Press

978-0-521-43737-0 - Genes, Crops and the Environment

John Holden, James Peacock and Trevor Williams

Index

[More information](#)

Index

NB 1. Organisations beginning with 'International' or 'National' are listed under the first proper name, others under the country or other title. 2. Page numbers in **bold face** refer to whole chapters. 3. Passing references to topics such as gene banks are not included.

- accession *see* germplasm collections
- Aegilops* spp. *see* wheat
- Agricultural Research Centers, International, 70
- Agricultural Research, Consultative Group on International (CGIAR), 33, 35
- agriculture origins, 12–14
- agro-ecosystems *see* landraces
- alfalfa, 14
- All Union Institute of Plant Industry (Leningrad), 33
- alleles
 - collection, 65, 79
 - definition, 64
 - disease-resistance, 90, 124–5, 137
 - frequencies, 64, 91–2; and selection pressures, 91
 - rare, 65–6
 - 'useful', 65
 - see also* genes; germplasm collections
- Allium* genus, taxonomy, 132
- almond, 14
- anchovy fisheries, 8
- apricot, 14
- Asian Vegetable Research and Development Center, 46, 47
- aubergine, 71
- avocado, 14, 71, 79, 85
- bacterial blight, 42
- banana
 - clones, 18
 - domestication, 16–17
 - epidemic risks, 19
 - female sterility, 16–17, 78
 - genomic formulae and combinations, 16–18
 - germplasm, 71, 85
 - Musa acuminata*, 16–17
 - Musa balbisiana*, 17
 - narrow genetic base, 18–19
 - origin and evolution, 14, 16–19, 27
- banana wilt, 19
- barley
 - germplasm, 71, 127
 - inbreeding, 30
 - origin, 14
- Triticale as replacement? 57
- wild ancestors and relatives, 95
- beans, 71 *see also* individual types
- beetroot, 55
- Beta* spp., 71 *see also* sugar beet
- Bhopal, 7
- Biological Programme, International, 7
- biosphere
 - conservation, 2, 8, 144, 145–6, 147–8
 - exploitation, 8
 - problems, 144
- black rot disease, 46
- blast (rice disease), 42
- brassicas, 71, 84
- bread quality, 57
- breadfruit, 14, 94
- breeding *see* alleles; crop improvements; crop plants; germplasm collections
- broad bean, 14, 110
- Brown, A. D. H., 67
- brown plant hopper, 42, 43
- buckwheat, 14, 71
- bunchy top, 19
- cabbage, 14
- cassava
 - domestication changes, 15
 - germplasm, 71
 - origin, 14
 - tissue culture, 87
- Centro Agronómico Tropical de Investigación y Enseñanza, 145
- Centro Internacional de Agricultura Tropical, 87
- Centro Internacional de Mejoramiento de Maíz y Trigo, 48
- Centro Internacional de la Papa, 46
- Chernobyl, 7
- chick pea, 14, 71
- chromosomes *see* alleles; crop plants; genes
- citrus, 14
- climatic changes
 - and crop plants, 32
 - and ecosystem instability, 2, 3, 98
 - man-induced, 6, 8
- cocoa, 14, 79, 85

Cambridge University Press

978-0-521-43737-0 - Genes, Crops and the Environment

John Holden, James Peacock and Trevor Williams

Index

[More information](#)

158

Index

- coconut, 14, 79, 80, 85
- coffee, 14
- collections *see* germplasm collections; seed collecting
- common bean, 14
- Commonwealth Potato Collection, 40, 85
- conservation *see* biosphere; crop plants; germplasm collections; seeds
- Conservation of Nature, International Union for the, 8
- Consultative Group on International Agricultural Research (CGIAR), 33, 35
- cotton
 - diploid species, 19
 - Egyptian, 21
 - genomic formulae and combinations, 19
 - germplasm, 71
 - Gossypium arboreum*, 19
 - Gossypium barbadense*, 19, 20
 - Gossypium herbaceum*, 19
 - Gossypium hirsutum*, 19, 20
 - New World, 21
 - origin and evolution, 14, 19–21, 29
 - Sea Island, 21
 - species types, 19
 - tetraploid species, 19
 - upland, 21
 - wild origins, 19–20
- cow pea, 14
- crop diversity
 - conservation, 74, 94–5
 - and genetic diversity, 29, 32
 - history, 29–30
 - see also* germplasm collections
- Crop Ecology and Genetic Resource Unit (FAO), 35
- crop improvements
 - artificial fertilisers, 30
 - breeding techniques, 31
 - disease-resistance breeding, 39, 46
 - edibility, 15
 - and genetic erosion, 30
 - harvest efficiency, 15
 - hybridisation, 31
 - irrigation, 30
 - mass selection, 30, 31
 - new crops, 54–5, 60, 94–5
 - sustainable development, 150–2
 - tillage, 30
 - see also* germplasm collections; seeds; *and under individual crops*
- crop plants
 - adaptation, 15
 - allelic diversity, 66
 - ancestral origin, 88–9
 - antiquity, 15–16
 - breeding systems, 109–12
 - centres of origin, 14, 34
 - chromosome studies, 16
 - disease epidemics, 34, 38–9, 51, 52
 - disease resistance, 32, 51, 52, 129; screening, 137–8
 - domestication, 12, 15
 - genetic control of disease, 40–1, 54, 151
 - genetic structure changes, 102
 - genetic variability, 32
 - high-yielding varieties, 4, 50
 - minor crops, conservation of, 94–5
 - new varieties, 31
 - selection pressure, 28, 51
 - weedy components, 14
 - wild relatives, 94–5, 129
 - see also* crop improvements; genetic diversity; landraces; pathogenic organisms; *and under individual crops*
- crop variability destruction, 30
- cross-pollination *see* sexual reproduction
- cryopreservation *see* germplasm collections
- Daruma *see* wheat
- date palm, 14, 94
- deforestation, 3, 7, 92, 98
- desertification, 4, 7, 92, 98
- diseases *see* alleles; crop plants; genetic control; germplasm; pathogenic organisms
- DNA *see* genes
- dormancy, 91, 106
- durian, 94
- Durum *see* wheat
- ecosystems
 - climax communities, 2
 - ecotype differentiation, 28
 - endangered, 92–3
 - exploitation, 5, 6
 - instability causes, 2, 4
 - irrigation schemes damage, 98
 - Mediterranean, 97
 - vegetation changes, 3
 - see also* biosphere; crop plants; plant communities
- eelworm *see* potato cyst eelworm
- eggplant, 14
- Einkorn *see* wheat
- embryos *see* germplasm
- Emmer *see* wheat
- Environment and Development, World Commission on, 8
- environmental problems, 7, 8–9, 54 *see also* biosphere
- European Barley Collection, 127
- Exxon Valdez, 7
- Field genebanks *see* germplasm collections
- fig, 14
- flax, 14
- flooding and environment, 7
- fodder beet, 55
- Food and Agriculture Organisation, of the UN, 7, 35
- food production *see* crop improvements; crop plants
- gene changes, 3–4
- gene exchange, 12
- gene-pool *see* germplasm collections
- genebanks *see* germplasm collections
- genes, 64 *see also* alleles

Cambridge University Press

978-0-521-43737-0 - Genes, Crops and the Environment

John Holden, James Peacock and Trevor Williams

Index

[More information](#)

Index

159

- genetic control of disease, 40–1, 52–4, 151
- genetic diversity of crop plants
 - and biosphere protection, 144, 147–50
 - conservation, 2, 33
 - and crop spread, 14, 32
 - erosion, 70
 - organisational levels, 64
 - at risk, 9
 - rubber, 60
 - safeguarding, 81–99
 - and sustainable development, 150
 - see also* alleles; germplasm; germplasm collections
- genetic emasculator, 52
- genetic erosion, 4, 30, 31, 97
 - causes, 97–9
- genetic material exchange *see* sexual reproduction
- genetic monoculture, 32
- genetic potential, 4
- Genetic Resources Accession Assessment Score, 101, 125–6
- genetic resources conservation *see* germplasm collections
- genetic resources of crop plants
 - definition, 11
 - exchange benefits, 51
 - origin, 35
- Genetic Resources Early Warning System, 97
- genetic shift *see* seeds
- genetic stability *see* germplasm collections
- genetic uniformity
 - crop plants, 5
 - and epidemic diseases, 52
- germination, 102, 105, 106–8
- germplasm, 33
 - in disease control, 54
 - genetic erosion, 31, 97
 - loss, 34
 - networks, 78, 98–9, 126–8, 133
 - regeneration, 129
 - sugar beet, 55
 - Triticale, 57
 - use of embryos, 12, 80, 87
- germplasm collections/collecting
 - accession identifiers and data, 76–7, 116–17
 - Active genebanks/collections, 82, 101, 108
 - Base collections, 101, 115
 - characterisation data, 101, 117–18, 121
 - collecting strategy, 70, 129
 - Commonwealth Potato Collection, 40
 - Core collections, 101, 121–3, 134
 - costs, 77
 - and crop breeding systems, 110–11, 129, 135
 - crop plants, 32–3
 - cryopreservation, 86, 87, 135
 - data gaps, 74–5, 101, 123
 - databases, 115–16, 132–3
 - descriptors, 35, 69, 116
 - difficulties, 63, 65, 68–9
 - distribution, 135–7
 - embryos/embryo culture, 12, 80, 87
 - European Barley Collection, 127
 - evaluation data, 117–18
 - ex-situ* storage, 82, 88; and evolution, 89
 - Field genebanks, 85, 88
 - and genetic erosion, 97–9
 - genetic stability, 82, 134
 - history, 9, 34–5
 - in-situ* reserves, 92, 96–7
 - in-vitro* genebanks, 82, 86–8, 134
 - knowledge gaps, 130, 134–5
 - legislation, 96, 136
 - management, 77, 96–7, 100–28
 - necessity for, 54
 - non-destructive testing, 106, 137
 - Nordic genebank, 84–5
 - numbers of collections and accessions, 71–3
 - Passport data, 101, 103, 116–17, 118–20
 - political aspects, 145–8
 - progressive genetic change, 87
 - qualitative analysis, 76–7
 - regeneration, 82, 92, 108, 129
 - renewal, 108–9
 - rescue collecting, 97
 - research programme defined, 138–42
 - Reserve collections, 78, 95, 122
 - rice varieties, 43
 - samples and lists, 71–3, 75–6
 - sampling, 67
 - storage conditions, 103–6, 129, 135
 - sweet potato, 46
 - theoretical aspects, 67
 - vegetative material collecting, 78–80
 - viability testing, 105, 106–8, 134
 - and wild species, 67–8
 - see also* seeds; taxonomy
- Gossypium* spp. *see* cotton
- grape, 14
- grassy stunt virus, 42, 43, 44
- grazing, intensive, 3, 98
- green leaf hopper, 42
- green revolution, 41, 48
- greenhouse effect, 3, 32
- groundnut, 71, 136
- Haynaldia* spp. *see* wheat
- hemp, 14
- Hevea* *see* rubber
- Hooker, Sir Joseph, 58
- human activity
 - and ecosystem instability, 2, 3, 4, 8, 98
 - and population control, 152
- industrialisation, 3, 6
- insect resistance screening, 124, 129
- International *see under keyword*
- Ipomoea* spp. *see* sweet potato
- irrigation schemes and ecostability, 98
- landraces, 5, 13, 30
 - disappearance of natural, 34
 - equivalence to ecotypes, 28
 - genetically heterogeneous, 38, 117
 - see also* crop plants; wild plants
- Law of Homologous Series, 34
- leaf spot *see* sigatoka
- legislation *see* germplasm collections

Cambridge University Press

978-0-521-43737-0 - Genes, Crops and the Environment

John Holden, James Peacock and Trevor Williams

Index

[More information](#)

160

Index

Legume Database and Information Service,
International, 132
lentil, 14, 71
lima bean, 14

maize

germplasm, 71, 127
origin, 14
pathogens in, 136
world distribution, 13

Man and the Biosphere Programme, 147

mango, 14, 85, 95

mangosteen, 117

Markham, Sir Clements, 58

Marshall, D. R., 67

Mediterranean ecosystems, 97

millet, 14, 71

monoclone culture, 19

multiplication *see* seeds*Musa* spp. *see* banana

museum farms, 90

National *see under* keyword

nematodes, 45

spread with crop, 51

see also potato cyst eelworm*Nicotiana* spp., 31

Nordic Genebank, 84–5

oats

germplasm, 71
inbreeding, 30
origin, 14
wild relatives and ancestors, 95

oil palm, 94

oilseed rape (edible), 94

olive, 14

onion, 14

Oryza spp. *see* rice*Our Common Future*, 8, 147Panama disease *see* banana wilt

papaya

origin, 14

plant data, 117–20

parthenocarpy, 16–17

pathogenic organisms

biology of, 51

constant genetic change, 44

in germplasm distribution, 135–6

horizontal resistance, 52–3

non-destructive testing for, 137

specificity, 38

spread of new strains, 51, 52

vertical resistance, 52

see also alleles; crop plants; genetic control;
germplasm collections

pea, 14, 71

peach, 14, 71, 136

peach palm, 94

peanut, 14

pear, 14, 71

pearl millet, 14

photosynthates, 47

pigeon pea, 14, 71

pineapple, 14

plant communities, 2, 3

adaptation to habitat, 28

daylength influence, 29

genetic flux, 4

see also crop plants; ecosystems

Plant Genetic Resources Commission

(UN/FAO), 128

Plant Genetic Resources, International Board for
(IBPGR), 11, 35, 98, 129

Plant Germplasm System, National (US), 123

Plant Protection Convention (FAO), 136

plants

adaptation, 4, 17

evolution, 4, 14

genetic composition, 3

genetic potential, 4

sexuality theory, 31

see also crop plants; ecosystems; germplasm
collections; wild plants

plants, ancestral

collection, 88–9

genetic composition, 3

see also crop plantspolitics *see* germplasm collections

pollen profiles, 3

pollination *see* crop plants

pollution, 3, 6, 7

population control (human), 152

potato

domestication changes, 15

eelworm-resistant gene, 40–1

germplasm, 40, 71, 86

late blight, 44, 51

origin and evolution, 14, 29

pathogens in, 136

Solanum tuberosum sub-species *andigenum*, 40*Solanum vernei*, 138

potato blight, 44

Potato Collection, Commonwealth, 40, 85

potato cyst eelworm

biology of, 40, 41

genetic diversity, 41

resistance, 53; gene, 40; horizontal, 53; testing,
138; vertical, 53

quarantine controls, 80, 129, 135–6

quinoa, 13, 94

ragged stunt, 44

regeneration, 82, 105, 108

rescue collecting *see* germplasm collections

resistance *see* pathogenic organisms
rice

breeding programmes, 122

genetic disease resistance, 43–4

genetic diversity, 43

genetic variability, 27

genomic formulae, 24

germplasm, 71, 122

green revolution, 41, 48

Cambridge University Press

978-0-521-43737-0 - Genes, Crops and the Environment

John Holden, James Peacock and Trevor Williams

Index

[More information](#)

Index

161

- high-yielding varieties, 41
- insect-resistance screening tests, 124
- IR varieties and epidemic diseases, 41–4
- non-brittle, 27
- origin and evolution, 14, 24–7, 29
- Oryza glaberrima* (African), 24, 25
- Oryza nivara*, 26–7, 43
- Oryza perennis*, 24
- Oryza rufipogon*, 26
- Oryza sativa* (Asian), 24, 25, 43
- pest-resistant varieties, 42–3
- wild ancestors, 24, 26, 43
- Rice Research Institute, International, 41, 43, 48, 124
- Ridley, H. N., 59
- Rockefeller International Wheat Improvement Project, 48
- rubber
 - bud grafting, 59–60
 - epidemic diseases, 60
 - genetic diversity loss, 60
 - genetic resources, 59
 - Hevea brasiliensis*, 58, 59
 - history, 58–60, 94, 95
 - seed collecting, 79, 85
 - species types, 58
- rusts (wheat), 44
- rate of spread, 51
- rye
 - crop improvement, 30
 - germplasm, 71
 - origin, 14
- Secale* spp. *see* rye; Triticale
- seeds
 - adaptation for easier sowing, 15
 - ancient, 105
 - collecting immature, 129, 133–4
 - dormancy, 15, 91, 106, 134
 - genetic stability, 129
 - germination, 102, 105–8
 - low-temperature storage, 83–4
 - multiplication, 108–9, 112–15
 - national collections, 70
 - official approved varieties, 31
 - recalcitrant, 79, 85, 87
 - regeneration, 82, 105, 108
 - storage life and factors, 83–4, 105–6, 134
 - sugar beet, 56
 - taxonomy, 31
 - 'true', 86
 - ultra-low moisture content, 84
 - uniform germination, 15
 - viability, 82–4, 102–3, 105–7
 - see also* germplasm collections
- Seed Storage Laboratory (US), National, 106
- selection pressure, 28, 51, 91
- sesame, 14
- sigatoka, 19
- sexual reproduction (plants)
 - genetic material exchange, 4
 - inbreeding, 109
 - outbreeding, 109–10
- Solanum* spp. *see* potato
- somaclonal variation, 135
- sorghum, 14, 71
- Southern African Development Coordination Conference, 145
- southern corn blight, 52
- soybean, 14, 71
- squashes, 14
- stem borer, 42
- Stockholm Conference on the Human Environment, 7
- subsistence farming, 60
- sugar beet
 - Beta maritima*, 55
 - Beta vulgaris*, 55
 - domestication, 13, 94
 - origin and evolution, 14, 55–6
- sugar cane
 - origin, 14
 - pathogens in, 136
- sunflower, 14
- sweet potato
 - black rot disease, 46
 - crop improvement, 45–7
 - germplasm, 71, 79, 85
 - hybrids, 45, 46
 - Ipomoea batatas*, 45
 - Ipomoea littoralis*, 45
 - Ipomoea trifida*, 45
 - non-tubering, 45
 - origin and evolution, 14, 45–6
 - sweet potato weevil, 46
 - wild species and resistant genes, 45, 46
- taro, 14
- taxonomy, 31
 - definition, 130–2
 - schemes, 68–9, 132–3
 - wild relatives of crops, 130
- tea, 14
- teff, 71
- Three Mile Island, 7
- tissue culture, 86–8, 134
- tomato, 14
- Torrey Canyon*, 7
- Triticale
 - characteristics, 56–7
 - economics, 57–8, 94
 - history, 56–7
 - new hybrids, 57
- Triticum* spp. *see* wheat
- tropical tree fruits
 - domestication, 13, 15
 - origin, 14
 - seed collecting, 79
- tungro, 42
- UN Environment Programme, 8
- Vavilov, Nicolai Ivanovich, 33
- vegetables, germplasm of, 71
- vegetational changes, 7

- vegetative material collection, 76–7, 78–80, 85
- viability, 82–4, 102–3, 105–7
- wheat
 - Aegilops* spp., 21
 - characteristics, 23
 - brittle/non-brittle, 23
 - Daruma, 48–9
 - Durum, 49
 - dwarf/semi-dwarf varieties, 47
 - dwarfing genes, 48–51
 - Einkorn, 23
 - Emmer, 23
 - genetic mutants, 23
 - genomic constituents, 16, 22–4
 - germplasm, 71
 - harvest index, 47, 50
 - Haynaldia* spp., 21
 - hexaploid species (bread), 24
 - lodging, 48, 49
 - Norin-10, 49–50
 - origin and evolution, 14, 21–4, 29, 89
 - pathogens in, 136
 - short-strawed varieties, 48–9
 - single selection, 30
 - tetraploid species (modern Durum), 24
 - Triticum aestivum*, 23
 - Triticum monococcum* var. *boeoticum*, 22–3
 - Triticum monococcum* var. *monococcum* (Einkorn), 23
 - Triticum speltooides*, 23
 - Triticum tauschii*, 23
 - Triticum turgidum* var. *dicoccoides*, 23
 - Triticum turgidum* var. *dicoccum* (Emmer), 23
 - wild relatives and ancestors, 23, 95
 - winter, 47
 - world distribution and production, 13, 24, 25, 50
 - yield reductions, 52
 - see also* crop plants; wild plants
- Wickham, H. A., 58
- wild plants
 - genetic diversity, 28, 47
 - genetic variability, 4, 14
 - geographical distribution, 93
 - preservation, 94–5
- World Conservation Strategy, 8, 147
- world population, 5
- World Resources Institute, 147
- yam
 - germplasm, 71, 79, 85
 - origin and domestication, 14, 15