

## Index

- adjoining quadratic pairs, 116  
 $A$ -finite structure, 159  
 algebraically significant  
   injection in  $K_1^{iso}(A[z, z^{-1}])$ , 88  
   splitting of  $K_1^{iso}(A[z, z^{-1}])$ , 87  
   splitting of  $L_n(A[z, z^{-1}])$ , 144  
  
**B**-contractible, 18  
**B**-isomorphism, 18  
 $b$ -neighbourhood  $\mathcal{N}_b(Y, X)$ , 15  
 boundary quadratic complex, 114  
 bounded  
   morphism, 14  
   object, 14  
  
 category  
   based f.g. free,  $\mathbf{B}^f(A)$ , 9  
   based  $X$ -graded,  $\mathbf{G}_X(A)$ , 13  
   based  $\mathbf{Z}$ -graded,  $\mathbf{G}_1(A)$ , 63  
   bounded  $X$ -graded,  $\mathbf{C}_X(A)$ , 14  
   idempotent,  $\mathbf{P}_X(A)$ , 14  
   bounded  $(X, Y)$ -graded,  
    $\mathbf{C}_{X,Y}(A)$ , 16  
   idempotent,  $\mathbf{P}_{X,Y}(A)$ , 45  
   bounded  $\mathbf{Z}$ -graded,  $\mathbf{C}_1(A)$ , 63  
   bounded  $\mathbf{Z}^m$ -graded,  $\mathbf{C}_m(A)$ , 101  
   idempotent,  $\mathbf{P}_m(A)$ , 101  
   countably based,  $\mathbf{B}(A)$ , 70  
   f.g. projective,  $\mathbf{P}(A)$ , 9  
   filtered, 13  
   finite Laurent extension,  
    $A[z, z^{-1}]$ , 71  
   infinite Laurent extension,  
    $\mathbf{G}_1(A)[[z, z^{-1}]]$ , 74  
   locally finite  $X$ -graded,  
    $\mathbf{F}_X(A)$ , 118  
   locally finite  $\mathbf{Z}$ -graded,  $\mathbf{F}_1(A)$ , 141  
    $m$ -fold Laurent extension,  
    $A[\mathbf{Z}^m]$ , 105  
   neighbourhood,  $\mathbf{N}_Y(A)$ , 17  
   polynomial extension,  $A[z]$ , 64  
    $X$ -graded,  $\mathbf{G}_X(A)$ , 12  
    $(X, Y)$ -graded,  $\mathbf{G}_{X,Y}(A)$ , 16  
  
    $\mathbf{Z}$ -equivariant  $\mathbf{R}$ -bounded,  
    $\mathbf{C}_{\mathbf{R}}(A)^{\mathbf{Z}}$ , 68  
   chain complex  
    $(A_2, A_0)$ -finitely dominated, 18  
   band  
   in  $\mathbf{C}_X(A)$ , 37  
   in  $A[z, z^{-1}]$ , 78  
   class,  $[C]$ , 8  
   finite, 8  
   homotopy  $A$ -finite, 9  
    $n$ -dimensional, 8  
   round, 10  
   suspension,  $SC$ , 8  
   chain homotopy projection, 9  
   class at 0, 57  
   contracted functor, 103  
    $CW$  complex  
   band, 157  
   bounded  $X$ -graded, 14  
    $X$ -graded, 14  
  
   domain  
   fundamental, 79  
   subfundamental, 79  
   domination,  $A$ -finite  $(D, f, g, h)$ , 9  
  
   end invariant  
   chain complex,  $[C]_+$ , 19  
    $\mathbf{C}_{X \cup \cup X}-(A)$ -isomorphism,  
    $[f]_{\pm}$ , 39  
    $\mathbf{G}_{X,Y}(A)$ -isomorphism,  $[f]_+$ , 23  
   negative,  $[E]_-$ , 37  
   positive,  $[E]_+$ , 37  
   reduced,  $[C]_+$ , 19  
    $\epsilon$ -transposition, 153  
   even symmetric complex, 154  
   exact sequence, 8  
  
   fibered obstruction  
   algebraic,  $\Phi^{\pm}(E)$ , 161  
   geometric,  $\Phi^{\pm}(X)$ , 158  
   filtration degree,  $\delta(f)$ , 13  
   finite

- element in  $\mathbf{N}$ , 76
- element in  $\mathbf{N}(E)$ , 77
- structure, 157
- finitely balanced cobordism, 142
- flasque structure,
  - $\{\Sigma, \sigma, \rho\}$ , 48
  - natural, 49
  - $x$ -based, 55
- fundamental
  - quadratic cobordism, 142
- geometrically significant
  - injection in  $K_1^{iso}(A[z, z^{-1}])$ , 88
  - splitting of  $K_1^{iso}(A[z, z^{-1}])$ , 88
  - splitting of  $L_n(A[z, z^{-1}])$ , 144
  - germ away from  $Y$ ,  $[f]$ , 16
- homogenous
  - morphism in  $\mathbf{G}_1(A)$ , 70
  - morphism in  $\mathbf{G}_1(A)[[z, z^{-1}]]$ , 74
- idempotent completion,  $\mathbf{P}_0(A)$ , 8
- induction,  $i_!$ , 73
- involution, 112
- isomorphism torsion
  - chain complex, 46
  - chain equivalence, 47
- $K$ -groups
  - class,  $K_0(A)$ , 8
  - isomorphism torsion,  $K_1^{iso}(A)$ , 46
  - lower,  $K_{-m}(A)$ , 103
  - reduced class,  $\tilde{K}_0(\mathbf{P}_0(A))$ , 8
  - reduced isomorphism torsion,
    - $\tilde{K}_1^{iso}(A)$ , 47
  - reduced lower,
    - $\tilde{K}_{-m}(\mathbf{P}_0(A))$ , 146
  - reduced torsion,  $\tilde{K}_1(A)$ , 47
  - relative,  $K_1(F)$ , 11
  - $S^1$ -transfer invariant,
    - $K_1(A[z, z^{-1}])^{INV}$ , 108
  - $T^m$ -transfer invariant,
    - $K_1(A[\mathbf{Z}^m])^{INV}$ , 112
- torsion,  $K_1(A)$ , 10
- Laurent extension ring
  - finite,  $A[z, z^{-1}]$ , 70
  - infinite,  $A[[z, z^{-1}]]$ , 70
- $L$ -group
  - $\epsilon$ -quadratic,  $L_n(A, \epsilon)$ , 154
  - $\epsilon$ -symmetric,  $L^n(A, \epsilon)$ , 154
  - intermediate,  $L_n^S(A)$ , 118
  - intermediate lower,  $L_n^S(A)$ , 148
  - lower,  $L_n^{(-m)}(A)$ , 145
  - lower  $\epsilon$ -symmetric,
    - $L_{(-m)}^n(A, \epsilon)$ , 155
  - quadratic,  $L_n(A)$ , 114
  - round,  $L_n^r(A)$ , 118
  - $S^1$ -transfer invariant,
    - $L_n(A[z, z^{-1}])^{INV}$ , 151
  - $T^m$ -transfer invariant,
    - $L_n(A[\mathbf{Z}^m])^{INV}$ , 153
  - ultimate lower
    - quadratic,  $L_n^{(-\infty)}(A)$ , 148
    - $\epsilon$ -symmetric,  $L_{(-\infty)}^n(A, \epsilon)$ , 156
- linear morphism
  - in  $\mathbf{G}_1(A)[[z, z^{-1}]]$ , 74
- mapping torus, 157
- Mayer-Vietoris
  - presentation
    - in  $A[z, z^{-1}]$ , 74
    - finite, 75
    - torsion, 75
    - universal
      - chain complex, 77
      - object, 75
  - in  $\mathbf{C}_X(A)$ , 33
  - in  $\mathbf{G}_1(A)[[z, z^{-1}]]$ , 76
  - finite, 76
  - torsion, 76
  - sequence,  $\mathbf{M}$ , 32
- mixed torsion-class, 158
- nilpotent
  - category  $\text{Nil}(A)$ , 81

- class group,  $\text{Nil}_0(\mathbf{A})$ , 81
- endomorphism, 81
- reduced class group,  $\widetilde{\text{Nil}}_0(\mathbf{A})$ , 81
- open cone,  $O(X)$ , 53
- projective class
  - chain complex, 9
  - chain homotopy projection, 9
- proper eventually Lipschitz map, 15
- $q$ -fold transfer,
  - in  $C_1(\mathbf{A})$ ,  $q^!$ , 107
  - in  $K$ -theory,  $q^!$ , 108
  - in  $L$ -theory,  $q^!$ , 151
- $Q$ -fold transfer  $C_m(\mathbf{A})$ ,  $Q^!$ , 111
- $Q$ -groups
  - $\epsilon$ -quadratic,  $Q_*(C, \epsilon)$ , 153
  - $\epsilon$ -symmetric,  $Q^*(C, \epsilon)$ , 153
  - quadratic,  $Q_*(C)$ , 113
- quadratic
  - Poincaré complex, 113
  - Poincaré pair, 114
- quotient object, 20
- restriction,  $i^!$ , 73
- round quadratic complex, 117
- sign,  $\epsilon(L, M)$ , 46
- splitting
  - chain homotopy projection, 9
  - quadratic complex, 116
  - Poincaré, 117
- stable
  - canonical structure, 48
  - isomorphism, 10
- subobject, 15
- support, 17
- torsion,
  - chain equivalence,  $\tau(f)$ , 47
  - $x$ -based, 55
- transposition, 113
- union,
  - fundamental cobordisms, 142
  - quadratic pair, 116
- Whitehead group,
  - $Wh(C_{O(X)}(\mathbf{A}))$ , 57
  - $Wh(\mathbf{A}[z, z^{-1}])$ , 78
- $\zeta$ -equivariant morphism, 71