

INDEX

- Abel
 - behaviour on circle of convergence, 67, 100
 - brilliant stroke, 155
 - convergence test, 67
 - integral equation, 277, 281–3
 - summation formula, 66, 80
 - theorem on product of series, 100
- African Eve, 371
- almost periodic functions, 36–8, 133
- Apéry, ‘Miraculous demonstration’, 172–3
- approximation (*see* rate of convergence)
- Bachelier, vindicated, 375–7
- band limited functions, 231–5, 241–3
- Bernoulli
 - justifiable pride, 69
 - numbers (*see also* Euler–Maclaurin formula), 68–71, 78, 222–3, 263–4
 - polynomials, 68–71, 73–4, 76
- Bernstein
 - approximation theorems, 41–3, 54
 - polynomials, 25–6, 246
 - inequalities, 10, 176, 188–9, 240–1
- Bessel functions, 321–5
- Beta function, incomplete, Phillip Hall’s view of, 275
- Beta function, 273–5
- Beukers, proof of Apéry’s result, 173–5
- black boxes, 226–9, 294–7
- blown up, Gibbs phenomenon, 59
- bounded variation, functions of, 55–8, 204–5
- Brent and Salamin, computation of pi, 333–4
- Brownian motion
 - construction of, 366–9
 - Fourier series of, 372
 - Lévy’s theorem on uniqueness of, 374–7
 - nowhere differentiable, 371–2
- Byrnes, hosts hostile tribes, 242
- Cantor
 - existence of transcendentals, 144–5
 - uniqueness theorem, 111–3
- Carathéodory’s lemma for convex sets, 185
- CAT (computer assisted tomography), 318–9
- causality conditions, 229, 234–6, 294
- central limit theorem, 51
- champagne, good, offer of, 139
- change, how to count, 259–62
- change of variable for Fourier transform, 314
- Chebychev (*see* Tchebychev)
- compact discs (articles of commerce), 234
- concave function, Jensen’s inequality for, 124–5
- convergence of Fourier sums, 55–8, 200, 203–5
- convex function (*reverse sign and see* concave function)
- convex sets, 122–3, 185–6
- crinkles in nature, 140, 143
- cyber-punk Tripos question, 371
- de la Vallée-Poussin, prime number theorem, 358–65
- de Moivre’s theorem, 78–80
- depression, text book induced, 151
- difference equation, linear, how to solve, 13–14
- Dido’s problem, 218
- differential equations
 - elementary functions, used to define, 88–91
 - existence of solutions for, 85–9
 - linear, how to solve, 15, 248–9
 - numerical solution of, 93–4
 - rate of growth of solutions for, 91–3
- Dirichlet
 - convergence test, 66
 - evaluation of Gauss sum, 329
 - lemma on approximation, 34–5, 299

Dirichlet (*cont.*)
 original proof of convergence of Fourier sums, 203–5
 pigeonhole principle, 35
 series, 352, 356–7

Dirichlet problem
 Neuman problem, related to, 107–10
 obviously soluble on physical grounds, 115–6
 obviously not soluble on physical grounds, 116–7
 punctured plane, solution for, 106

divergent Fourier series
 Fejér's example, 80–1
 Kahane and Katznelson, theorem of, 82–4
 Kolmogorov's everywhere divergent example, 301–5
 rate of divergence, 64–6, 202

divergent Fourier transform, 190

doubly periodic functions (*see* elliptic functions)

eigenvalues via minimisation, 157–63

elliptic functions
 properties and constructions, 147–55, 236–9
 why so called, 155

elliptic integrals
 link with elliptic functions, 155
 spectacular use of, 332–334

equidistribution, 11–13, 15–16, 130–3

Euler
 conjectures law of quadratic reciprocity, 339
 equality (four squares), 300–1
 formula for Bernoulli numbers, 70, 222–3, 263–4
 gamma, 292, 349, 350, 354
 infinite product for sine, 285–6
 neat formula of, 56
 superstar of superstrings, 275
 Taylor series for tan, 70
 totient function, 335
 zeta of even integers, 68, 222–3

Euler–Maclaurin summation formula, 61–2, 71–7, 131, 350, 353–4

factorial function (*see* gamma function)

feedback (*see* black boxes)

Fejér, 11, 80–1, 181–3

Feller, proof of Stirling's formula, 290–1

Feynman, anecdote, 207

fractional integral, 275–7, 281–3

function (*see under specific name*)

gamma, Euler's, 292, 349, 350, 354

gamma function
 and Beta function, 273–4

Index

definition, 270
 duplication formula, 271–3, 288–90
 factorial, natural extension of, 271–3
 formula involving, 277
 (*see also* fractional integrals, Watson's lemma)

Gauss
 computation of pi, 284, 331–4
 formula for factorial function, 272–3
 proves law of quadratic reciprocity at age nineteen, 338–9
 sum, 326–30, 339

generalised limit, 7–8

Gibb's phenomenon, 59–60, 63–6

Green's function
 in complex variable theory, 120
 found by firing pistol, 228
 passing mention, 163, 225
 as transfer (or response) function, 226–9, 294–9

Gröchenig's algorithm for signal reconstruction, 241–3

Guinness, does good by stealth, 309

Hadamard
 gap theorem for natural boundaries, 266–7
 prime number theorem, 358–65

Hahn–Banach theorem in finite dimensions, 123–4

Halmos, insufficiently asked question of, 39

Hardy
 nowhere differentiable function, 46–7
 test integral, 60, 208–9
 transcendence of gamma, reward offered, 349

Hardy and Littlewood
 inequality, 129
 Tauberian theorem, 102

harpsichord, 97–8

Harvard, mathematicians, mannerisms of, 45

Hausdorff moment theorem, 30–1

Hausdorff–Young inequality, 136–9

Herglotz theorem on positive definite sequences (simple version), 319–20

Hermite, quadrature formula, 188

Heisenberg inequality (uncertainty principle), 230–1

high definition TV, 50

how to
 be almost sure a number is prime, 342–3
 build a harpsichord, 97–8
 conduct life, 318
 count change, 259–62
 expand in partial fractions, 255–6
 gamble, if you must, 311–12
 solve a linear difference equation, 13–14

- solve a linear differential equation, 15, 184–5
- value stock options, 377
- how not to
 - index a book, 381–5
 - interpolate with polynomials, 170, 179–83
 - throw dice, 310
 - write out a theorem (see reference in Question 79.8), 301
- Huygens, practical and theoretical work on pendulum clock, 281–3
- inclusion–exclusion formula, 348
- inequality
 - Bernstein (trigonometric polynomials), 10, 176, 188–9
 - Bernstein (band limited functions), 240–1
 - Bessel, 133
 - Cauchy (arithmetic-geometric), 124
 - Cauchy, Schwarz, Buniakowski, 122
 - Hardy and Littlewood, 129
 - Hausdorff–Young, 136–9
 - Heisenberg, 230–1
 - Hilbert, 128–9
 - Hölder, 125
 - Hölder, converse, 126
 - Jensen (zeros of analytic functions), 114–15, 288
 - Jensen (concave functions), 124–5
 - Tchebychev (probability), 25, 79, 197–8
 - Tchebychev (polynomials), 188–9
 - triangle, 122, 125, 240
 - Van der Corput (first and second), 129–31
 - Van der Corput (related to equidistribution), 130–1
 - Wirtinger, 140, 162, 239–40
- infinite products, 77, 284–91
- insects, love life of, 214, 302
- interpolation by polynomials, 25–7, 170, 178–83
- interpolation formula of Rivlin and Shapiro, 185–9
- Jackson approximation theorems, 41, 43–5, 54
- Jacobi
 - computation of Legendre symbol, 340–2
 - identity, 238–9, 354–6
 - remainder in Euler–Maclaurin formula, 73
 - symbol, 340–2
 - theta function, 236–9
- jigsaw puzzle, mathematician's, 231
- Kahane, beautiful probabilistic arguments, 261, 371–2
- Kahane and Katzenelson, divergent Fourier series, 82–4
- Karamata, proof of Tauberian theorem, 102–3
- Katzenelson (*see* Kahane and Katzenelson)
- Kolmogorov
 - everywhere divergent Fourier series, 301–5
 - zero-one law, 267–9
- Kramers–Krönig (causality) relations, 234–6
- Kronecker's theorem (on simultaneous approximation)
 - another proof, 337
 - used, 301–5
- lacunary series, 266–70
- Lagrange's four squares theorem, 300–1
- Landau
 - driven out of Göttingen, 91
 - sage advice, 41
- Laplace transforms
 - convolution, for, 257–8
 - delicate treatment of, 363–4
 - partial differential equations, used with, 258
 - warning, 93
 - (*see also* Watson's lemma)
- Lattès, remarkable rational function, 153–4
- Lebesgue
 - proof of Weierstrass theorem, 27–8
 - thorn, 115–17
- Legendre symbol, 338–43, 345–6
- Leich's theorem, by complex variable, 287, 288
- Lévy's theorem on uniqueness of Brownian motion, 374–6
- Lipschitz condition, 87–8
- Littlewood
 - obiter dicta, 138, 301
 - (*see also* Hardy and Littlewood)
- matrices, fun with, 95–6, 157–8, 248–51, 301, 307–8, 314, 327–8
- mean value theorems for integrals, 67, 202–3
- Mellin transform, 343–4, 351–2
- Minkowski
 - inequality, 125
 - theorem on geometry of numbers, 299–301
- Monte Carlo method, 51–2
- Mordell
 - neat evaluation, 198
 - proof of Hadamard gap theorem, 266–7
 - suitable thesis topic, 349
- natural boundary for analytical functions, 264–70, 286
- Neumann problem, 107–10
- Newman D. J., makes hard things less hard, 333–4, 363–4
- Newton, sums of powers of roots, 15–16

- Newton–Cotes formula, problems with, 169–70, 278–9
- nowhere differentiable functions
 - Brownian motion, 371–2
 - Hardy, 46–7
 - Van der Waerden, 48
 - Weierstrass, 46–7
- numerical analysts, wise sayings of, 43, 169
- numerical quadrature (integration), 168–70, 180, 278–9
- Nyquist
 - criterion for feedback, 296–7
 - rate for signal transmission, 231–2, 241–2
- oven, microwave, unsatisfactory, 33
- Pál, interpolation by polynomials with integer coefficients, 26–27
- Parseval’s equality for Fourier transforms, 224, 240–1
- partial fractions
 - how to get, 255–6
 - not as boring as they look, 260–1
- Paley–Wiener type theorem, 234
- Peano
 - kernel theorem, 21–3
 - space filling curve, 49–50
- pendulum clock, 281–83
- periodicities, hidden, 34
- pi, computation of, 77, 284, 331–4
- Pisot number, 15–6
- Poisson
 - formula, 61, 222, 231, 239
 - summation, 100, 103–5
- Pólya
 - infinity of primes, 211
 - numerical quadrature, 169–70, 278–9
 - random walks, 312–3
- polynomial
 - Bernoulli, 68–71, 73–4, 76
 - Bernstein, 25–26, 246
 - Laguerre, 166–7
 - Legendre, 164–6, 175
 - Rudin–Shapiro, 138–9
 - Tchebychev, 25, 105, 168–9, 188–9
- polynomials
 - interpolation by, 25–27, 170, 178–83
 - sums of powers of roots, 15–16
- population
 - explosion, 370
 - oscillation, 251–3
- positive definite quadratic forms, 95–6
- sequencies, 319–20
- potatoes, two, and string, what to do with, 98–9
- primes, infinity of
 - Euclid, 211
 - Pólya, 211
- prime number theorem, full, of Hadamard and de la Vallée-Poussin
 - proved, 358–65
 - used, 173–5
- prime number theorem, limited, of Tchebychev
 - proved, 171–3
 - used, 343, 362–3
- prime numbers, probabilistic test for, 342–3
- radar, electronically steered, 315–17
- Radon transform, 318–19
- random series
 - construction of Brownian motion using, 366–9
 - example given by Fourier series of Brownian motion, 372–4
 - Taylor, and natural boundaries, 269–70
- random walk returns, 312–3
- rate of convergence of approximations, 41–5, 53–4
- reconstruction of band limited signals, 231–4, 241–3
- response function (transfer function), 226–9, 294–7
- Richardson L. F., deferred approach to the limit, 73, 75
- Riemann
 - Fourier series, work on, 111–13
 - fractional integrals, 275–9
 - functional equation for zeta, 354–6
 - hypothesis, 361, 364–5
 - localisation (weak version), 201
 - mapping theorem, 118–21
 - thesis report on, 121
 - zeta function (*see main entry*)
- Riemann integral, unsatisfactory, 127–8, 135
- Riemann–Lebesgue lemma, 10, 200–1, 220
- Rivlin and Shapiro interpolation formula, 185–9
- Salamin (*see Brent and Salamin*)
- Schur I.
 - evaluation of Gauss sum, 326
 - proof of two inequalities of Hilbert, 128–9
 - theorem on making change, 259–61
- set theory, origin of, 113
- Shannon sampling theorem, 231–4
- Shapiro
 - MSc thesis, 138
 - (*see also Rivlin and Shapiro*)
- Simpson’s rule, error bounds for, 22–3

- Smith
 - genealogy applied to Brownian motion, 371–2
 - why are we all called, 371
 - why are we not all called, 369–71
- smoke rings, 216
- Solvay and Strassen's probabilistic test for primes, 342–3
- space filling curve of Liu Wen, 49–50
- sphere
 - heating and cooling, 32–3, 216–8
 - volume of n dimensional, 193, 274
- Steinhaus theorem on natural boundaries, 269–70
- Stirling's formula
 - proved, 76–7, 290–1
 - used, 78, 79–80, 180, 278, 333
- structure of
 - finite Abelian groups, 345
 - group of units, 345–6
- Student's t test, 308–9
- Su C. H., neat idea, 59
- submarine, communication with, 33, 232
- summation methods
 - Abel, 100–4
 - Borel, 6–7
 - Cesàro, 1, 101–4
 - Euler, 6–7
 - general, 1–8
 - Poisson, 100, 103–5
 - Toepitz, 4
- symmetries for Fourier transforms, 314
- tank, hot water, 215
- Tauberian theorems, examples of, 102–3, 362
- tautochrone, 281–3
- Taylor series,
 - interesting, 70–1
 - random, 269–70
- Taylor's theorem
 - counter examples, 18, 209–10
 - proofs, 18–21, 180
 - used, 93–4
- Tchebychev
 - prime number theorem, 171–73
 - (*see also under* polynomial and inequalities)
- term by term differentiation of power series, 192, 262
- theta function, 236–9
- theses, out of the ordinary, 111–13, 118–21, 138, 349
- transfer function (response function), 226–9, 294–7
- uncertainty principles, 234, 315–17
- Varopoulos, typically ingenious argument of, 337–8
- Vieta's infinite product for pi, 284
- Volterra's predator-prey equations, 251–3
- Wallis's infinite product for pi, 77
- Watson's lemma, 279–81, 324–5
- wavelets (simplest version), 183–4
- Weierstrass
 - analytic function with prescribed zeros, 286
 - curly P function, 152–4
 - M-test, 39–40
 - Riemann's use of Dirichlet's principle, views on, 118, 140
- Weierstrass's polynomial approximation theorem
 - another proof, 219
 - Bernstein's proof, 25–6
 - Fejér, incidental proof of, 182–3
 - Lebesgue's proof, 27–29
 - in two dimensions, 301
 - must be modified for complex case, 21
- Wen, Lui, space filling curve, 49–50
- Weyl's criterion, 11
- worm's life, a, 32, 142–3
- wrong envelope problem, 16–17, 198, 348
- X-ray tomography, 318–19
- Zeeman M. L., population oscillation, 253
- zeta function
 - extension to complex plane, 352–6
 - Riemann identity, 354–6
 - value at one half, 352
 - value at positive even integers, 68
 - value at three, 172–5
 - zeros of, 356, 361–2, 364–5