

Index

Each bold-faced number indicates the page where the definition is given.

- affine arclength, **3**
- affine congruence, **102**, 113, 118–9, 125, 154–5, 165, 217–8
- affine distance, **62**, 65–6
- affine equivalence, 40, 143, 227–8
- affine hyperplane, 223–6
- affine hypersphere, **43**, 53, 63, 80–85, 124, 230
 - center of, **43**
 - homogeneous hyperbolic, 113
 - hyperbolic, 217
 - improper, **43**, 91, 161, 193, 208
 - locally strictly convex, 124
 - proper, **43**, 63, 94, 193
 - with constant sectional curvature, 113–9
- affine immersion, **27**, **29**, **196**
 - Blaschke, **42**
 - holomorphic, **192**
 - nondegenerate, **36**, **199**, **224**, **244**
- affine mean curvature, **44**, 66–7, 78, 132, 136, 142, 215, 230
 - p -th, **135**, 137
- affine metric, **42**, 67, 215–7
 - flat, 113
 - of surface in \mathbf{R}^4 , **199**
- affine minimal immersion, **142–4**, 205–6, 212, 217
- affine normal, **42**
- affine normal field, *see* normal field
- affine parameter, **12**
- affine rotation surface, 221
- affine space, **7**
 - affine coordinate system in, **8**
 - associated vector space, **8**
 - dual, **57**
 - standard, **8**
- affine sphere, *see also* affine hypersphere
 - of constant curvature, 113, 118
 - with flat affine metric, 113
 - ruled improper, 116
 - ruled proper, 118
- affine subspace, **9**
- affine support function, *see* affine distance, **62**, 65–6
- allowable change of coordinates, 1
- allowable chart, 175
- ambient manifold, 243
- apolarity = apolarity condition, **42**, **51–2**, 75
- atlas, **175**
- B -scroll, 157, **158**
- base manifold, **22**
- Bernstein theorem (problem), 143
 - affine, xi, 217
- Berwald, 53, 169
- Bianchi identities, **13**
- Blaschke connection, **42**
- Blaschke hypersurface, **42**
- Blaschke immersion, **42**, 224
- Blaschke normal field, **42**
- Blaschke structure, **42**
- Blaschke–Schneider theorem, 138
- Burstin–Mayer normal field, **200**
- Calabi, 48, 125, 217
- Cartan, 158, 221, 245
- Cartan–Norden theorem, 158
- Cauchy–Riemann equations, 129
- Cayley surface, 89, **91**, 93, 119, 233

- centro-affine (hyper)surface, **15**, **37**
 fundamental form of, **15**
 of codimension 2, **221**
- change
 conformal, **71**, **187**
 of immersion, **242**
 of transversal vector field, **35**, **41**, **223**,
244
 of volume element, **244**
- Christoffel symbols, **11**, **20**, **240**
- Clifford tori, **181**
- Cohn–Vossen theorem, **165**
- compatibility, **21**, **75**, **188**
- completeness, **215**
 of affine connection, **170**, **215**
 of affine metric, **215–7**
 of foliation, **148**
- complex curve, **193**
- complex linearity, **194**
- complex vector, **187**
- complexification, **188**
- congruence of lines, **212**
- conic, **182**
- connection
 affine, **11**
 affine Kähler, **190**, **195**
 bi-invariant, **109**, **175**
 Blaschke, **42**
 complex, **188**
 conjugate, **20**, **75**
 dual, **22**, **24**
 equiaffine, **14**
 flat affine, **13**
 holomorphic, **189**
 induced, **15**, **28**
 invariant affine, **110**
 Kähler, **190**
 Levi–Civita, **19**, **240**
 linear, **24**
 metric, **19**
 normal, **196**
 projectively flat, **17**
 real holomorphic, **189**
- conormal map, **57**
- conormal vector, **57**
- contravariant degree, **12**
- convex cone, **217**
- coordinate system
 affine, **8**
 asymptotic, **72**, **115**, **210**, **242**
 flat, **92**
 isothermal, **73**, **128**, **241**
 null, **157**
- cotangent bundle, **23**
- covariant degree, **12**
- covariant derivative, **9**
- covariant differentiation, **11**
- cubic form, **21**, **34**, **50–3**, **198**, **208**
 divisible by h , **172–3**, **184**, **187**
 first, codimension 2, **225**
 parallel, **93**, **119**, **122**
 second, codimension 2, **225**
- curvature
 affine, **3**
 affine Gauss = affine
 Gauss–Kronecker, **44**, **132**, **168**
 Euclidean Gauss, **48**
 Euclidean Gauss–Kronecker, **63**
 scalar, **78**
- curvature operator, **24**
- curvature tensor field, **13**
 of the normal connection, **197**
 Weyl projective, **17**, **238**, **239**
- cylinder
 affine, **152**
 over a plane curve, **155–6**
 over a timelike curve, **156**
 proper affine, **154–5**
 representation, **150**
- determinant, **1**, **15**, **45**
 relative to a volume element, **40**
- difference tensor, **50**
- distribution, **27**, **148**
- divergence, **65**, **240**
- divisibility, *see* cubic form
- dual immersion (mapping), **229**
- ellipse, **5**, **6**, **182**
- ellipsoid, **125**, **129**, **137**, **203**, **209**, **230**
- elliptic paraboloid, **45**, **143–4**, **208**, **217**
- Enneper surface, **212**

260

Enriques surface, **233**
 equation
 of Codazzi for h , **32, 35, 42, 71, 191, 197, 222**
 of Codazzi for S , **33, 35, 42, 192, 197, 222**
 of Gauss, **32, 42, 191, 197, 222**
 of Ricci, **33, 35, 42, 192, 197, 222**
 equiaffine connection, **14**
 locally, **14**
 projectively flat, **125–6**
 equiaffine structure, **14**
 equiaffinely homogeneous hypersurface, **92–3, 99–102**

 fiber, **22**
 focal surface, **212**
 Fubini–Pick invariant, **232** *see also* Pick invariant
 fundamental form
 affine, **28–9, 196, 198**
 centro-affine, **15**
 first, **28, 48**
 projective, **177**
 second, **28, 48**
 fundamental theorem, **73**

 Gauss formula, **29, 58, 148**
 generalized null cubic, **158**
 geodesic, **12**
 $\bar{\nabla}$ -, **43**
 $\bar{\nabla}$ -, **61**
 gradient, **65**
 graph, **47, 91, 93, 97, 99**
 immersion, **39**
 Graves’s theorem, **156**

 harmonic map, **64, 67, 143**
 harmonic surface in \mathbf{R}^4 , **200**
 Hartman–Nirenberg theorem, **155**
 helicoidal surface, **164, 221**
 Hessian, **64**
 holomorphic quadratic form, **128**
 holonomy group, **121**
 homogeneous space, **109**

Index

homogeneous surface
 equiaffinely, **92–3, 99–102**
 projectively, **232–3**
 Hopf surface, **190**
 hyperbola, **5, 7, 182**
 hyperbolic paraboloid, **46**
 hyperboloid, **49**
 one-sheeted, **49, 95**
 two-sheeted, **49, 117**
 hyperquadric, **53, 59, 181**
 nonsingular, **181**
 hypersurface, **29**
 Blaschke, **42**
 centro-affine, **15, 37**
 centro-affine, codimension 2, **221**
 compact nondegenerate, **122**
 definite, **122**
 elliptic, **125**
 globally strictly convex, **124**
 hyperbolic, **125**
 locally strictly convex, **123**
 nondegenerate, **36, 244**
 orientable, **42, 123**
 hypersurface immersion, **29**

 immersion
 affine, **27, 29, 196**
 affine Kähler, **194**
 Blaschke, **42, 224**
 centro-affine, **37**
 centro-affine, codimension 2, **221**
 conormal, **58**
 equiaffine, **32, 39, 224**
 equiprojective, **178–9**
 equivariant, **109**
 holomorphic, **192**
 isometric, **37, 155–6**
 nondegenerate, **36, 199, 224, 244**
 nondegenerate holomorphic, **192**
 nondegenerate projective, **177**
 projective, **176**
 totally geodesic, **177, 182**
 umbilical, **178, 197, 226**
 inner product, **18**
 definite, **18**
 Lorentzian, **18**

- of signature $(-, -, +, +)$, 130
- negative-definite, **18**
- positive-definite, **18**

- Jörgen's theorem, **48**

- kernel = null space, **18**, 148

- Laplacian, **64**, 66–7, 82–7, 138, 203, 241
 - of the Pick invariant, 82
- leaf, 148
 - complete, 153
- Lelievre's formula, **70**
- Lie algebra, 95, 107–8
- Lie group, 92, 95, 109, 176, 233
- Lie quadric, **54**, 171
- lightlike = null vector, **19**
- line field, **89**
- linear mapping
 - anti-complex, **194**
 - complex, **194**
- local lift, **221**
- local section, **22**
- locally symmetric connection, **13**, 109, 113
 - for Blaschke surfaces, 126, 129, 217–21
 - for hypersurfaces, 161
 - for $SL(2, \mathbf{R})$, $SL(2, \mathbf{R})/SO(2)$, 109, 113
- Lorentz–Minkowski metric, 49
- Lorentz–Minkowski space, 49, 155, 216
- Lorentzian inner product, **18**

- Maschke, 53
- metric
 - affine, **42**, 67, 215–7
 - dual, **25**
 - fiber, **25**
 - Hermitian, **189**
 - Kähler, **189**
 - Lorentz–Minkowski, 49
 - nondegenerate, **19**
 - projective, **187**
 - pseudo-Euclidean, 160
 - pseudo-Riemannian, **19**, 159–60, 180

- Riemannian, **19**
- Minkowski formula, **131**, 136
- Myers's theorem, 125

- natural equation, **4**
- nondegenerate immersion, **36**, **244**
 - centro-affine, codimension 2, **224**
- nondegenerate surfaces in \mathbf{R}^4 , **199**
- normal connection form, **198**
- normal field
 - affine, **42**, 67, 244
 - Blaschke, **42**
 - canonical, **201**
 - unit, 49
 - prenormalized, **224**
- normal map = mapping, **202**
- normal space, **196**
- null direction, **87**
- null space, **18**, 148
- null vector, **19**

- orientable hypersurface, 42, 123
- osculating space
 - second, **197**
- ovaloid, **124**, 129, 136–8, 165, 209

- Pick, 53
- Pick–Berwald theorem 53, 169
- Pick invariant, **78**, 82, 89, 92, 103, 114, 119, 187, 209
 - the Laplacian of, 82
- parabola, **4**, 6, 182
- parallel cubic form, 119, 122
- parallel displacement, 19, 21
- parallel distribution, **148**
- parallel nullity, **149**
- path, **177**
- plane curve, 1, 61, 155–6
 - of constant affine curvature, 4
 - homogeneous, 5
 - nondegenerate, **2**, 4
- pregeodesic, **12**, 235–7
- preliminary existence theorem, **73**
- profile hypersurface, **150**
- projective change, **17**, 237–9

projective curvature tensor, **17**, 238, **239**
 projective equivalence, **17**, **227–8**, **236**
 projective immersion, **176**
 fundamental form of, **177**
 nondegenerate, **177**
 rank of, **177**
 umbilical, **178**
 projective homogeneity, **232–3**
 projective minimal hypersurface, **230**
 projective structure, **174**
 flat, **175**
 projectively flat connection, **17**, 58, 75,
 109, 125–6, 129, 175, 221, 227, 238
 projectively invariant property, 187, 226

quadratic cone, **226**, 229
 quadratic curve, 4
 quadratic function, 47–8
 quadratic hypersurface, 49, 53, 59, 102,
 161, 169, 226, 229
 quadric, *see also* quadratic hypersurface
 Lie, **54**, 171

Radon's theorem, **75**

rank

 hypersurface immersion, **36**
 immersion into projective space, **182**
 projective immersion, **177**

recurrent tensor field, **101**

relative normalization, **32**

relative nullity foliation, **148**

Ricci tensor, **14**, 34, 42, 78

 nondegenerate, 161

 nonsymmetric, 237

 normalized, **17**, 231, 238

 symmetric, 18, 38, 237

rigidity, 165, 169

ruled improper affine sphere, 116

ruled proper affine sphere, 94, 118

ruled surface, **89**, 90–1, 94

ruling, 92, 95

S-surface, **63**

scalar curvature, **78**

selfdual immersion, **229**

 affinely, **229**

shadow boundary, **60–1**

shape form, **231**

shape operator

 affine, **30**, **42**, **196**, **198**

 complex, anti-complex, **194–5**

 Euclidean, 48

signature, **18**

spacelike subspace, 157

spacelike surface, 216

spacelike vector, **19**

special linear group, 106

spherical map, 123

strictly convex hypersurface

 elliptic locally, **125**

 globally, **124**

 hyperbolic locally, **125**

 locally, **123**

support function

 affine, **62**

 Euclidean, **63**

Sylvester's law of inertia, **18**

symmetric homogeneous space, 111

tangent bundle, **22**

tension field, **64**

tensor bundle, **23**

tensor of weight 2, 199

timelike curve, 156

timelike line, 157

timelike vector, **19**

torsion tensor field, **13**

total space, **22**

totally geodesic distribution, **148**

totally geodesic immersion, **177**, **182**

trace, **51**, 64

transformation

 affine, **8**

 allowable, 1

 associated linear, **8**

 Bäcklund, **210**

 equiaffine, **1**, **6**, **10**

 projective, 17

 unimodular, **10**

translation surface, 210–2

transversal connection form, **30**

- transversal direction field, **177**
 transversal field of (sub)spaces, **28, 196**
 transversal vector field, **29, 242**
 anti-holomorphic, **192**
 equiaffine, **32**
 equivariant, **109**
 holomorphic, **192**
 type number, **169, 182**
 Tzitzèica, **63**
- umbilical immersion, **178, 197, 226**
 unimodular basis, **40, 168, 244**
- variation, **141, 213, 230**
 vector bundle, **22**
 vector field
 holomorphic, **188**
 radial, **222**
- real holomorphic, **188**
 variation, **141, 213**
 volume condition, **42**
 volume element = volume form, **10, 28, 198**
 induced, **31**
 metric, **40, 240**
 parallel, **10, 14, 31**
 volume functional, **215, 230**
- Weierstrass formula
 affine, **144, 203, 205**
 Weingarten congruence of lines, **212**
 Weingarten formula, **30, 148**
 Weyl projective curvature tensor, **17, 238, 239**
 Weyl's axioms for affine space, **7**
- zero torsion = torsion-free, **13**