

Index

- ABO compatibility, liver transplantation 354–5, 359
- accessory cells, *see* antigen-presenting cells
- acetaldehyde adducts 376–7
- adenovirus 12, 100, 252
- adhesion molecules 29–33
- cytokine-induced expression 39–40
 - liver graft rejection and 368–9
 - memory T cells 38, 39
- adjuvants 211
- agammaglobulinaemia, X-linked (XLA) 169, 171, 174
- AIDS (acquired immunodeficiency syndrome) 178–98
 - see also* human immunodeficiency virus
- alcoholic liver disease 286, 376–7
- alpha heavy chain 224–5
- $\alpha_4\beta_1$ integrin (VLA-4) 30–1, 34
- $\alpha_4\beta_7$ integrin 30, 31–2, 38
- $\alpha_6\beta_7$ integrin 30, 32
- $\alpha_1\beta_2$ integrin, *see* LFA-1
- 5-aminosalicylic acid (5-ASA) 131, 134, 257
- aminotransferases, serum (AST)
 - acute viral hepatitis 329
 - auto-immune hepatitis 271, 276, 277
 - chronic viral hepatitis 281, 284–5
- anal intercourse 190
- anaphylaxis, *see* immediate hypersensitivity
- angioedema, hereditary 175
- animal models
 - auto-immune chronic gastritis 78–9
 - HLA gene expression 254
 - small bowel transplantation 236–7
- anti-CD3 monoclonal antibodies 360
- anti-CD4 monoclonal antibodies 259, 360–1
- anti-CD7 monoclonal antibodies 361
- anti-CD25 monoclonal antibodies 361
- anti-idiotype antibodies 262
- anti-inflammatory therapies 262–4
- anti-lymphocyte globulin 243
- anti-metabolites 260–1
- anti-mitochondrial antibodies (AMA) 285
- auto-immune hepatitis 271, 272, 306
 - primary biliary cirrhosis 301, 306;
 - antigen recognised by 307;
 - role 307–8
 - subtypes 285, 306
- anti-neutrophil cytoplasmic antibodies, perinuclear (pANCA) 122–3, 249–50, 251
- antibiotics, inflammatory bowel disease 118
- antibodies, *see* immunoglobulin(s)
- antibody-dependent cytotoxicity (ADCC)
 - auto-immune hepatitis 273
 - CD4 T cell-directed, HIV infection 188
 - food allergy 160
- antigen-presenting cells (APCs; accessory cells) 257, 258
 - HIV infection 181, 187
 - lamina propria 13
 - liver grafts 356–7, 369
 - Peyer's patches 5–6
- see also* intestinal epithelial cells
- antigens
 - gut response 48, 49
 - oral tolerance 16–17
 - oral tolerisation therapy 17–18
 - presentation/recognition 257–9
 - uptake by gut 15–16, 153–6; cows' milk protein intolerance 155–6;
 - immunological factors controlling 15–16;
 - infants/neonates 15, 153–5;
 - mechanisms 15

INDEX

383

- antinuclear antibodies (ANA) 271–2, 274, 285
- apoptosis, HIV-induced 188–9
- arteriopathy, liver graft rejection 358
- arthropathy 275, 305
- asialoglycoprotein receptor (ASGP-R)
 - auto-antibodies
 - auto-immune hepatitis 272–3, 275, 378
 - chronic hepatitis B 280
- aspirin ingestion 76
- auto-antibodies 248–51
 - alcoholic liver disease 286
 - auto-immune chronic gastritis 77–8
 - auto-immune hepatitis 271–3
 - chronic active hepatitis 285–6
 - chronic hepatitis B 279–80
 - chronic hepatitis C 283–4
 - coeliac disease 105, 249
 - hepatitis D 344
 - inflammatory bowel disease 122–3, 249–51
 - primary biliary cirrhosis 306–7
- auto-immune cholangitis/
 - cholangiopathy 285–6
- auto-immune chronic active hepatitis (AIH) 269, 270–7, 283, 377–8
 - clinical features 270–1
 - differential diagnosis 285–6
 - extrahepatic manifestations 275–6
 - genetics and immunoregulation 273
 - hepatitis A and 326
 - hepatitis C and 274, 283, 341, 379
 - humoral and cellular mechanisms 271–3, 306
- primary biliary cirrhosis overlap 272, 285, 300
 - sub-types 274–5, 378
 - treatment and prognosis 276–7, 378
- auto-immune chronic gastritis (AIG) 77–9, 89
- azathioprine 260, 276–7, 311
- B cells
 - HIV infection 187
 - lamina propria 13–14
 - migration to gut 24–8
 - neuropeptides and 57–9
 - Peyer's patches 3, 5
- bacteria
 - enteropathogenic 207–9
 - transplanted small bowel 239
- bacterial overgrowth, common variable immunodeficiency 173
- bcl-1 oncogene 228
- β_1 integrins 36
 - memory T cells 38, 39
- β_2 -microglobulin 333, 342, 358
- bile ducts
 - primary biliary cirrhosis 303–4, 374
 - vanishing, liver graft rejection 358–9, 368
- bile salts, common variable immunodeficiency 173
- biliary epithelium, HLA expression
 - liver graft rejection 358, 368
 - primary biliary cirrhosis 309–10, 313
- bilirubin, serum, primary biliary cirrhosis 302, 303
- biodegradable microparticles, oral immunisation 213
- bombesin 60
- bovine serum albumin (BSA) 17
- breast feeding, inflammatory bowel disease and 119, 120
- bronchus-associated lymphoid tissue (BALT) 8–9
- Burkitt's lymphoma 228–9
- C reactive protein (CRP), serum 255
- calcitonin gene-related peptide (CGRP) 51, 60
- Campylobacter* 207–8, 209
- carrageenan-induced colitis 118
- CD4 antigen 181
- CD4+ T cells (helper T cells) 257, 258
 - activation 259, 260
 - classification 62–3, 163, 254
 - gliadin-specific 103, 106
 - hepatitis B 330, 334
 - hepatitis C 342
 - HIV enteropathy 192
 - HIV infection 181–2, 184, 186–9;
 - drug reactions and 197–8;
 - mechanisms of loss 187–9
 - inflammatory bowel disease 125
 - intestinal epithelium 11, 12
 - lamina propria 11–13
 - liver graft rejection 369
 - migration to gut 28–9
 - primary biliary cirrhosis 308
 - therapies directed to 257–9
- CD8+ T cells 257, 258
 - coeliac disease 105–6
 - hepatitis A 325
 - hepatitis B 330, 334
 - HIV enteropathy 192
 - inflammatory bowel disease 125

- CD8+ T cells—continued**
 intestinal epithelium 11, 12
 liver graft rejection 369
 migration to gut 28–9
 primary biliary cirrhosis 308, 309
see also cytotoxic T cells
- CD11a/CD18, *see* LFA-1**
- CD45 isoforms** 36
- CD45R0+ T cells (memory T cells)**
 adhesion molecules 38, 39
 coeliac disease 103
 HIV enteropathy 192
 inflammatory bowel disease 125
 intestinal epithelium 11, 37
 lamina propria 11–13, 37
 migration to gut 36–8
- CD45RA+ T cells (naive T cells)** 36–8, 39
- CD54, *see* ICAM-1**
- central nervous system (CNS)**
 influences 61–2
- centrocyte-like cells (CCL)**
 MALT lymphomas 219, 220, 221–2, 223, 225
 Peyer's patches 2–3
- centromere antibodies** 307
- children**
 chronic hepatitis B 332
 diarrhoeal diseases 207, 209
 small bowel transplantation 240, 241
see also infants/neonates
- chlorambucil** 312
- chloride (Cl⁻) secretion, intestinal lumen** 53–5, 63–4
- cholangiopathy, auto-immune** 285–6
- cholangitis**
 auto-immune 285–6
 intrahepatic sclerosing 174
*primary sclerosing, *see* primary sclerosing cholangitis*
- cholecystokinin (CCK)** 50, 56, 60
- cholera, *see* *Vibrio cholerae***
- cholera toxin (CT)** 208, 212–13
- chronic active hepatitis (CAH)** 269–86
 auto-immune, *see* auto-immune chronic active hepatitis
 cryptogenic 269, 270, 274, 277
 drug-induced 270, 286, 376
 metabolic 270, 286
 viral 269, 270, 278–85
- chronic granulomatous disease (CGD)** 175
- cirrhosis** 270
 alcoholic 376–7
- primary biliary, *see* primary biliary cirrhosis**
- coeliac disease (CD)** 95–107
 associated T cell lymphoma 229–32
 genetic studies 95–9
 HLA associations 97–9, 105, 253
 immunoglobulin genes and 99
 immunological changes 102–5, 153, 249, 252
 morphological lesions 101
 pathogenesis 101–2, 105–7
 primary biliary cirrhosis and 305
 primary immunodeficiency and 173
 therapeutic strategies 255, 259, 260
- colchicine** 312
- colic, infantile** 150, 155–6
- colitis**
 carrageenan-induced 118
 food-sensitive 159–60, 248
 primary immunodeficiency 174
*ulcerative, *see* ulcerative colitis*
- colon**
 antibodies 122, 250
 epithelial cell 40 kD protein antibodies 122, 123, 251
 immediate hypersensitivity 156–9
 lymphoid tissue 6–7
 lymphomas 219
- common variable immunodeficiency (CVI)** 169
- gastric disorders** 170, 171
- intestinal disorders** 171, 172–3, 174
- liver/gall-bladder disease** 174–5
- complement**
 activation, regulators (RCA) 362
 chronic *H. pylori* gastritis 82
 coeliac disease 104–5
 deficiency 175
 inflammatory bowel disease 124
 primary biliary cirrhosis 306
- corticosteroids**
 auto-immune hepatitis 276, 277
 chronic hepatitis B 280–1, 337
 inflammatory bowel disease 131, 134
 lymphocyte migration and 40
 mechanism of action 257, 259–60, 262
 primary biliary cirrhosis 310
- cows' milk allergy (CMA)** 16, 148–53
 associated food intolerance 149
- colitis** 160
- delayed-onset** 152–3
- diagnosis** 150–1
- gut permeability** 155–6
- immediate-onset** 150, 151–2

INDEX

385

- immunological basis 153–5
- mucosal morphology 151–3
- pathogenesis 160
- symptoms 148, 151
- cows' milk proteins, antibodies in infants 16, 161
- CREST syndrome 305, 307
- Crohn's disease 114–36
 - adhesion molecule expression 39–40
 - cytokines 131–6, 255
 - environmental factors 115–21
 - epithelial cell function 128–9
 - genetic factors 114–15, 254
 - humoral immunity 121–4
 - hypersensitivity reactions 252, 253–4
 - infective agents 115–18
 - lymphocytes 124–8
 - macrophages/monocytes 129–31
 - therapeutic strategies 255–6, 257, 259, 260, 261
- cromoglycate, disodium 159, 248
- cross-matching, liver
 - transplantation 355
- cryoglobulinaemia 284
 - essential mixed (EMC) 284
- crypt hyperplasia 101–2, 152–3
- cryptococcal meningitis 193
- cryptosporidiosis 172
- cutaneous lymphocyte antigen (CLA) 30, 34
- cyclosporin A 261
 - inflammatory bowel disease 134, 261
 - liver transplantation 359–60
 - primary biliary cirrhosis 311–12
 - small bowel transplantation 241–2
- cytochrome P450 IID6 (P450dbl) 272, 341
- cytokines 62–6, 254–5
 - epithelial function and 63–4
 - food-sensitive enteropathies 163–4
 - HIV enteropathy 192
 - inflammatory bowel disease 131–6, 255
 - intestinal epithelial cell-derived 9–10, 64
 - lymphocyte migration and 39–40
 - mucus and IgA secretion and 64–5
 - nerve interactions 65–6
 - therapies directed against 261–2
- cytomegalovirus (CMV) infection 358–9, 370
- cytotoxic T cells (Tc; CTL)
 - chronic hepatitis B 330–1, 334
 - hepatitis C 341–2
- HIV infection 185, 188
- inflammatory bowel disease 127
- intestinal infections 206–7
- see also CD8+ T cells*
- delayed-type hypersensitivity (DTH; type IV)
 - food-sensitive enteropathies 162–3
 - intestinal diseases 252–5
- dendritic cells
 - HIV infection 181, 185
 - lamina propria 13
 - liver grafts 369
 - Peyer's patches 5–6
- dermatitis herpetiformis (DH) 101, 252
- diabetes mellitus, insulin-dependent (IDDM) 275
- diarrhoea
 - HIV infection 191–2
 - infectious 207–10
 - primary immunodeficiencies 171, 175
- diet, inflammatory bowel disease
 - and 118–20
- dietary therapies 255–6
- disodium cromoglycate 159, 248
- drug reactions
 - chronic active hepatitis 270, 286, 376
 - HIV infection 197–8
 - liver disease 374–6
 - primary biliary cirrhosis 372
- dyspepsia, *H. pylori* and 88
- E-selectin (ELAM-1) 31, 34, 58
 - cytokine-induced expression 39–40
- E2 antigen 285, 307
 - primary biliary cirrhosis and 307–8, 373
- eicosanoids, coeliac disease 104
- ELAM-1, *see E-selectin*
- endomysial antibodies 105, 249
- endothelial cells
 - adhesion molecules 31–2, 33–4
 - lymphocyte adhesion to 29–34
- enteric nerves
 - HIV infection 192
 - transmural stimulation (TS) 53, 54–5
- enteric nervous system (ENS) 48–51
- enterobacterial common antigen (Kunin antigen) 117–18
- enteroglucagon 50
- enteropathy-associated T cell lymphoma (EATL) 229–32
- enteroviruses 209, 212
- eosinophilic gastritis 79, 80

- eosinophilic gastroenteropathy/
 - gastroenteritis 248
- eosinophils
 - coeliac disease 103–4, 106–7
 - ulcerative colitis 248
- epithelial cell 40kD protein
 - antibodies 122, 123, 251
- epithelial cell associated component (ECAC) antibodies 122, 123
- epithelial cells, intestinal, *see* intestinal epithelial cells
- epithelium
 - biliary, *see* biliary epithelium
 - follicle-associated 1, 2–3, 6–7
 - gut, *see* intestinal epithelium
- Escherichia coli*
 - enteropathogenic 207–8
 - enterotoxigenic 205–6, 207–8
 - rough mutants 306, 373
- experimental auto-immune
 - encephalomyelitis (EAE) 18, 257
- fibroblasts 60
- fibronectin 30
- FK506
 - liver transplantation 315, 360, 370
 - small bowel transplantation 242
- follicle-associated epithelium (FAE) 1, 2–3, 6–7
- food allergy 147–64, 248, 255
 - definition 147
 - foods commonly involved 148, 149
 - pathogenesis 153–64
 - see also* cows' milk allergy
- food aversion 147
- food intolerance 147–64
 - definition 147–8
 - foods commonly involved 148, 149
 - pathogenesis 153–64
 - small intestinal mucosal morphology 152–3
- 4F2 T cell activation marker 125–6
- Freund's adjuvant, complete 211
- fulminant hepatic failure 345
- gall-bladder disease, primary
 - immunodeficiency 174–5
- gastric carcinoma
 - chronic *H. pylori* infection and 81
 - common variable immunodeficiency 171
- gastric lymphomas
 - high grade 226–7
 - low grade 218–19, 222–3, 224
- gastrin 50, 60
- gastrin inhibitory peptide (GIP) 50
- gastrin-receptor auto-antibodies 77
- gastrin-releasing peptide (GRP) 50, 60
- gastritis 76–90
 - acute 76–7
 - auto-immune chronic (AIG) 77–9, 89
 - chronic 77–90
 - chronic *H. pylori*, *see* *Helicobacter pylori*, chronic gastritis
 - eosinophilic 79, 80
 - lymphocytic 79–80, 81
 - variiform 79–80
- genital infections, HIV infection and 190–1
- giardiasis (*Giardia lamblia*) 209–10
- primary immunodeficiencies 170, 171–2
- gliadin 252
 - antibodies 105
 - chemistry 100
 - specific T cells 103, 106
- gluten
 - enteropathy, *see* coeliac disease
 - withdrawal, antibody deficiencies 173
 - see also* gliadin
- GlyCAM-1 31, 34
- Gm haplotypes, coeliac disease 99
- goblet cell antibodies 122, 123, 250
- GOR peptide antibodies 283, 341
- gp90^{mel}, *see* L-selectin
- gp120 (HIV envelope protein) 181, 187
 - CD4 T cell depletion and 188, 189
 - molecular mimicry 189
- graft-versus-host disease (GvHD)
 - liver transplantation 354–5, 359
 - small bowel transplantation 235, 238–9, 242
- graft-versus-host reaction (GvHR) 162, 163
- granulomatous disease, chronic (CGD) 175
- gut-associated lymphoid tissue (GALT) 1–9, 48
 - HIV infection 190
 - lymphocyte migration to 24–9
 - memory T cells 37
- halothane-induced liver disease 374–6
- Helicobacter felis* 90
- Helicobacter pylori*
 - acute gastritis 76–7
 - antigens 85

INDEX

387

- chronic gastritis 77, 80–90; local cellular immune response 8, 82–4, 87, 219; local humoral response 82; pathological mechanisms 88–9; systemic immune responses 84–5; treatment prospects 90
 gastric lymphoma and 219
 serological studies 86–8
 transmission 81–2
- helper T cells, *see* CD4+ T cells
- hepatic failure, fulminant 345
- hepatitis
- alcoholic 377
 - chronic active, *see* chronic active hepatitis
 - drug-related 374–6
 - non-A, non-B (NANB) 174, 281
 - primary immunodeficiency 174
 - hepatitis A (HAV) 324–7
 - hepatitis B (HBV) 327–38
 - acute 327–33; immune responses 329–30; mechanisms of immunological injury 330–3
 - chronic 278–81, 333–4, 378–9; clinical features 278–9; extrahepatic manifestations 280; immunological mechanisms 279–80, 330–3; liver transplantation 361, 379; treatment 280–1, 337, 378–9
 - delta virus superinfection 278–9, 280, 337, 343–4
 - HIV infection 198
 - primary immunodeficiency 174
 - vaccination 337–8
 - virology 328
 - virus variants 334–6
 - hepatitis C (HCV) 339–42, 379
 - acute 339, 340
 - antibodies 282–3, 339–40
 - auto-immune hepatitis and 274, 283, 341, 379
 - chronic 274, 281–5, 339, 340; extrahepatic manifestations 284; humoral/cellular mechanisms 282–4; treatment 284–5
 - mechanisms of tissue damage 341–2
 - vaccination 342
 - hepatitis delta virus (HDV) 278–9, 280, 337, 342–4
 - hepatitis E 344–6
 - hepatocytes, HLA expression 309, 357, 368
 - 15-HETE 104
 - HIV, *see* human immunodeficiency virus
- HLA
- chronic hepatitis B and 330, 331, 334
 - disease patterns and 253–4
 - liver graft rejection and 356–7
 - matching, liver transplantation 355
 - therapies directed against 259
- HLA associations
- auto-immune chronic gastritis 79
 - auto-immune hepatitis 273, 274–5
 - coeliac disease 97–9, 105, 253
 - hepatitis B vaccine responders 338
 - inflammatory bowel disease 115, 253–4
 - primary biliary cirrhosis 299, 372
- HLA-B27 254
- HLA class I molecules 257, 258
- hepatitis B 334
 - HIV envelope proteins and 189
 - liver graft rejection and 357, 358, 368
 - primary biliary cirrhosis 309, 313
- HLA class II molecules 257, 258
- gut epithelial cells, *see* intestinal epithelial cells, HLA class II expression
 - hepatitis B 334
 - HIV envelope proteins and 189
 - inflammatory bowel disease 128–9
 - lamina propria 13
 - liver graft rejection and 368
 - M-cells 3
 - Peyer's patches 5–6
 - primary biliary cirrhosis 309–10, 313
- HLA-DP, coeliac disease 98
- HLA-DQ, coeliac disease 97–8
- HLA-DR
- auto-immune hepatitis 273, 274
 - coeliac disease 97–8
- Hodgkin's disease 217
- human immunodeficiency virus (HIV)
- cytopathic effects 183–4
 - enteropathy 191–2
 - gp120 envelope protein, *see* gp120
 - immune response 184–6
 - mechanism of cellular infection 181–3
 - molecular mimicry 189
 - type 1 (HIV-1) 180
 - type 2 (HIV-2) 180, 182, 184
 - virology 180–1
- human immunodeficiency virus (HIV) infection 178–98
- CD4 T cell depletion, *see* CD4+ T cells, HIV infection
- crypt hyperplasia 102
- drug reactions 197–8

- human immunodeficiency virus (HIV)
infection—*continued*
gastrointestinal tract 190–8; initial
infection via 7, 190–1;
manifestations 193–7; non-HIV-
related infections/diseases 198;
opportunist infections/tumours 193,
194–5
hepatitis B vaccination 338
immunopathogenesis 186–7
- human leukocyte antigens, *see* HLA
- hyaluronic acid 358
- hypergammaglobulinaemia
auto-immune hepatitis 271
HIV infection 187
- hypersensitivity 247
type I, *see* immediate hypersensitivity
type II: food allergy 160; intestinal
diseases 248–51
type III: food-sensitive
enteropathies 161; intestinal
diseases 251–2
type IV, *see* delayed-type
hypersensitivity
- hypogammaglobulinaemias,
primary 170–5
- hypothyroidism 305
- ICAM-1 31, 33
cytokine-induced expression 39–40
hepatitis B 334
liver graft rejection 369
primary biliary cirrhosis 309
- ICAM-2 31, 33
- IgA
chronic *H. pylori* gastritis 82, 84,
86
coeliac disease 105
deficiency 170, 174
immune exclusion 16, 206
immunoproliferative small intestinal
disease 225
inflammatory bowel disease
121–2
protective function 206
secretion, regulation 55–6, 64–5
- IgE
cows' milk allergy and 150–2
food-sensitive colitis 159–60, 248
type I hypersensitivity reactions
156–9, 248
- IgG
chronic *H. pylori* gastritis 82, 84
inflammatory bowel disease 121
- IgM
chronic *H. pylori* gastritis 82, 84–5
deficiency 174
- immediate hypersensitivity (type I) 248
psychological influences 61–2
small bowel and colon 156–9
- immune complexes
food-sensitive enteropathies 161
hepatitis B 329
intestinal diseases 251–2
primary biliary cirrhosis 305–6
- immune exclusion 15–16, 206
- immuno-neuroendocrine system, *see*
neuroendocrine-immune system
- immunodeficiency
common variable (CVI), *see* common
variable immunodeficiency
primary (PID) 169–75
secondary 178–98
severe combined (SCID), *see* severe
combined immunodeficiency
- immunoglobulin(s)
chronic *H. pylori* gastritis 82, 84–5
coeliac disease 105
deficiency syndromes 170–5
gene rearrangements 224, 227, 229
hepatitis B 279–80, 329
hepatitis C 282–4
human serum (ISG) 326
inflammatory bowel disease 121–3
lamina propria plasma cells 14
Peyer's patches 5
synthesis, neuropeptides and 56,
57–9
transport to gut lumen 10, 56
see also auto-antibodies; IgA; IgE;
IgG; IgM
- immunoglobulin genes, coeliac
disease 99
- immunoglobulin-like adhesion
molecules 29–33
- immunoglobulin receptor, polymeric
(secretory component) 10, 358
- immunoproliferative small intestinal
disease (IPSID) 224–6
- immunosuppressed patients, chronic
hepatitis B 332–3
- infantile colic 150, 155–6
- infants/neonates
chronic hepatitis B 332
cows' milk protein antibodies 16, 161
dietary antigen uptake 15, 153–6
food-sensitive colitis 248
see also cows' milk allergy

INDEX

389

- infections
 intestinal, *see* intestinal infections
 opportunistic, HIV infection 193, 194–5
- infective agents, inflammatory bowel disease 115–18
- inflammation
 lymphocyte migration into gut 39–40
 therapies directed against 262–4
- inflammatory bowel disease (IBD)
 114–36
 cytokines 131–6, 255
 environmental factors 115–21
 epithelial cell function 128–9
 genetic factors 114–15
 humoral immunity 121–4
 hypersensitivity reactions 252, 253–4
 infective agents 115–18
 interleukin-1/substance P interactions 65–6
 lymphocytes 124–8
 macrophages/monocytes 129–31
 neuronal degeneration 52
 psychological factors 61
 therapeutic strategies 261, 262–3
see also Crohn's disease; ulcerative colitis
- integrins 29–33
 memory T cells 38, 39
- interferon- α (IFN- α) 59, 63
 acute hepatitis B 330
 chronic hepatitis B 281, 333, 337, 378–9
 hepatitis C 284–5, 340
- interferon- β (IFN- β) 59, 63
- interferon-gamma (IFN- γ) 63, 259, 260
 coeliac disease 101–2, 106
 cryptosporidiosis 172
 hepatitis A 325
 hepatitis B 333
 HIV infection 198
 IgA secretion and 64
 inflammatory bowel disease 134, 255
 intestinal epithelial function and 64
 intestinal infections 207
 lymphocyte migration and 39, 40
- interleukin-1 (IL-1) 63, 255, 259, 260
 acute hepatitis B 330
 inflammatory bowel disease 131, 132
 intestinal epithelial function and 63–4
 lymphocyte migration and 39
 mucus secretion and 64
 nerve interactions 65–6
 receptor antagonist (IL1ra) 131, 262
- interleukin-2 (IL-2) 59, 259, 260
 HIV infection 189
 IgA secretion and 64
 inflammatory bowel disease 131, 133, 255
 liver graft rejection and 357
- interleukin-2 receptors (IL2R)
 coeliac disease 103, 104
 inflammatory bowel disease 125–6, 131, 133
 liver graft rejection 357–8
- interleukin-4 (IL-4) 40
- interleukin-5 (IL-5) 103
- interleukin-6 (IL-6)
 chronic *H. pylori* gastritis 83–4
 epithelial cell synthesis 64
 inflammatory bowel disease 132, 134
- interleukin-8 (IL-8) 83, 133
- intestinal diseases, immunologically-mediated 247–64
 clinical aspects 247–55
 rationale for therapy 255–64
- intestinal epithelial cells
 antigen presentation 9–10;
 inflammatory bowel disease 128–9
 cytokines 9–10, 64; LA class II expression 9, 10; coeliac disease 104; inflammatory bowel disease 128–9
 non-specific defences 205
- intestinal epithelium 9–11
 immunological role 9–10, 130
 ion secretion, regulation 53–5, 63–4
 lymphoid cells, *see* intraepithelial lymphocytes
 permeability 55, 154–6
- intestinal infections 204–14
 bacterial 207–9
 HIV infection 193–7, 198
 immunisation 210–14; oral 211–14; parenteral 210–11
 non-specific defence mechanisms 204–6
 parasitic 209–10
 primary immunodeficiencies 171–2, 175
 specific immune reactions 206–7
 viral 209
- intestine, lymphocyte migration to 24–41
- intraepithelial lymphocytes (IEL) 10–11, 12
 adhesion 32
 coeliac disease 102, 106, 153

- intraepithelial lymphocytes (IEL)—
continued
 food-sensitive enteropathies 153
 giardiasis 210
 inflammatory bowel disease 127–8,
 129
 intestinal infections 206–7
 memory T cells 11, 12, 37
 migration pathways 24–5, 27, 28
 intravenous immunoglobulin (IVIg) 174
 intrinsic factor (IF)
 antibodies 77, 249
 deficiency 170
 ion secretion, intestinal lumen 53–5,
 63–4
 jejunitis, ulcerative 230
 Johne's disease 115
 K99 antigen 208
 Kaposi's sarcoma 193–7
 Kunin antigen 117–18
 Kupffer cells, liver grafts 369
 L-selectin 30, 33–4
 memory T cells 38, 39
 α -lactalbumin 155–6
 β -lactoglobulin 155
 LAM-1, *see* L-selectin
 lamina propria 11–14
 accessory cells 13
 lymphocytes (LPL); B cells 13–14;
 coeliac disease 103, 106; cytokine
 synthesis 163; inflammatory bowel
 disease 125; intestinal
 infections 207; migration
 pathways 24–5, 26–7, 28, 29; T
 cells 11–13, 37
 Langerhans' cells, HIV infection 181
 large intestine, primary
 immunodeficiencies and 171–4
 LECAM-1, *see* L-selectin
 leishmaniasis 254–5
 leprosy 253, 254
 Leu-8 antigen, *see* L-selectin
 LFA-1 ($\alpha_1\beta_2$ integrin) 30, 32–3, 34
 hepatitis B 334
 lymphoblast uptake by gut and 36
 memory T cells 38
 lipid A, *H. pylori* 82
 5-lipoxygenase (5-LPO) inhibitors
 262–3
 liver, massive haemorrhagic
 necrosis 356, 370
- liver disease
 alcoholic 286, 376–7
 drug-related 374–6
 immunopathogenesis 366–79
 primary immunodeficiency 174–5
see also hepatitis
 liver–kidney microsomal antibodies
 (LKM)
 chronic hepatitis C 274, 283, 341,
 379
 type 1 (LKM-1), auto-immune
 hepatitis 271, 272, 274–5, 277, 379
 type 3 (LKM-3) 279
 liver/small bowel transplantation,
 combined 236–7, 241–2
 liver transplantation 354–62, 366–71
 chronic hepatitis B 361, 379
 graft rejection 356–9, 362, 366–70;
 acute 356–7, 367–8; chronic
 (ductopenic) 358–9, 367, 368, 370;
 hyperacute 356, 362, 367, 370;
 immunological indices 357–8, 367,
 370; immunopathogenesis 368–70
 graft-versus-host disease 354–5, 359
 hepatitis D recurrence 343–4
 immunosuppressive therapy 359–61,
 370–1
 primary biliary cirrhosis 313–14; post-
 transplant recurrence 314–15, 372
 recipient selection 354–5
 xenografts 361–2
 lupus erythematosus (LE) cells 271–2
 lymphoblasts 34–6
 lymphocyte function-associated antigen 1,
see LFA-1
 lymphocytes
 adhesion molecules 30, 34
 endothelial cell interactions 29–34
 inflammatory bowel disease 124–8
 intraepithelial, *see* intraepithelial
 lymphocytes
 lamina propria, *see* lamina propria,
 lymphocytes
 migration to intestine 24–41
 therapies directed against 261–2
see also B cells; T cells
 lymphocytic gastritis 79–80, 81
 lymphoepithelial lesions 221, 222
 lymphoid aggregates
 chronic *H. pylori* gastritis 8, 82–3, 87,
 219
 primary biliary cirrhosis 304
 lymphoid hyperplasia, nodular
 (NLH) 172–3

INDEX

391

- lymphoid tissue
 - bronchus-associated (BALT) 8–9
 - colon 6–7
 - gut-associated (GALT), *see* gut-associated lymphoid tissue
 - HIV infection 185
 - mucosa-associated (MALT), *see* mucosa-associated lymphoid tissue
 - small intestine 1–6
 - stomach 7–8
- lymphoma 217–32
 - Burkitt's 228–9
 - classification 218
 - enteropathy-associated T cell (EATL) 229–32
 - HIV infection 197
 - malignant, mantle cell type (centrocytic) 227–8
 - mucosa-associated lymphoid tissue (MALT) 9, 218; high grade 226–7; immunoproliferative small intestinal disease (IPSID) 224–6; low grade B cell 218–24
 - staging 217–18
- lymphomatous polyposis 227–8
- lymphoplasmapheresis 261
- M-cells 3, 7, 15, 155
 - HIV infection and 7, 190
- macrophages
 - chronic *H. pylori* gastritis 83
 - coeliac disease 103
 - HIV infection 181
 - inflammatory bowel disease 129–31
 - lamina propria 13
 - neural interactions 58, 65
- MadCAM-1 31–2, 33, 36
- major histocompatibility complex (MHC)
 - genes 96–7
 - molecules, *see* HLA
- malabsorption
 - enteropathy-associated T cell
 - lymphoma 229–30
 - HIV infection 191–2
 - primary immunodeficiency 171, 175
 - malotilate 313
 - mantle cell lymphoma 227–8
 - massive haemorrhagic necrosis, liver 356, 370
- mast cells (MCs) 53–5
 - coeliac disease 104
 - food allergy 152, 158–9
 - mediators 53, 55
- nerve growth factor and 60
- neural interactions 51–2, 54–5
- mediators
 - coeliac disease 104
 - immune cell 62–6
- membranous nephritis, chronic hepatitis B 280
- memory cells 34, 35, 36–8
- memory T cells, *see* CD45R0+ T cells
- 6-mercaptopurine 260
- methotrexate 261, 313
- microglia, HIV infection 181
- migration, lymphocyte, to intestine 24–41
 - cellular and molecular biology 29–34
 - immunisation events and 34–6
 - inflammatory events and 39–40
 - memory T cells 36–8
 - physiology 24–9
 - small bowel grafts 237–8
- mitochondrial antibodies, *see anti-mitochondrial antibodies*
- molecular mimicry 254
- HIV envelope proteins 189
- monoclonal antibodies
 - liver transplantation 360–1, 371
 - small bowel transplantation 243
 - therapeutic potential 259, 262
- monocytes
 - HIV infection 181
 - inflammatory bowel disease 129–31
 - see also* macrophages
- motilin 50
- mucosa-associated lymphoid tissue (MALT) 8–9
 - lymphomas, *see* lymphoma, mucosa-associated lymphoid tissue
- mucosal lymphocyte antigen (MLA) 32
- mucus
 - gastric secretion, *H. pylori* infection 88–9
 - protective function 205–6
 - regulation of secretion 55–6, 64–5
- multiple sclerosis 18
- c-myc oncogene 229
- mycobacteria, inflammatory bowel disease 115–16
- Mycobacterium paratuberculosis* 115–16
- Mycobacterium tuberculosis*, AIDS 193
- myelin basic protein (MBP) 18
- naive T cells (CD45RA+) 36–8, 39
- natural killer (NK) cells
 - inflammatory bowel disease 127

- natural killer (NK) cells—*continued*
 intestinal infections 207
 primary biliary cirrhosis 308–9
- neonates, *see* infants/neonates
- nerve growth factor (NGF) 59–60
- nerves
 cytokine interactions 65–6
 immune cell contacts 51–3
- neuroendocrine-immune system 48–67
 CNS influences 61–2
 functional studies 53–61
 immune cell mediators and 62–6
 morphological studies 51–3
- neurokinin A (NKA) 58
- neuropeptide Y (NPY) 50, 53, 60
- neuropeptides 50, 56–61
 epithelial ion secretion and 53
 immunoglobulin synthesis/secretion and 56
 leukocyte synthesis 57, 60–1
 mast cell activation 55
 mucus secretion and 55
- neurotensin (NT) 50, 55
- neurotransmitters 50, 55
- neutrophils
 chronic *H. pylori* gastritis 83–4
 coeliac disease 104
 substance P and 58
- Nippostrongylus brasiliensis* 51, 52, 64
- nitric oxide (NO) 53–4
- nodular lymphoid hyperplasia (NLH) 172–3
- non-Hodgkin's lymphoma 217, 218
- non-specific defence mechanisms 204–6
- nutrition
 inflammatory bowel disease and 118–20
 total parenteral (TPN) 240–1
- OKT3 monoclonal antibodies 360
- 2',5'-oligoadenylate synthetase (2–5 AS) 333
- opportunistic infections/tumours, HIV infection 193, 194–5
- oral disorders, primary deficiency 170
- oral immunisation 211–14
- oral tolerance 16–17
- oral tolerisation therapy 17–18
- osteoporosis, steroid-induced 310
- ovalbumin 155
- 2-oxo-acid dehydrogenase enzyme complexe (2-OADH) auto-antibodies 307
- P-selectin 34
- pan-T cell monoclonal antibody, ricin A chain-conjugated 243
- parasites, intestinal 209–10
- parenteral nutrition, total (TPN) 240–1
- parietal cell antibodies (PCA) 77, 249
- parietal cell microsomal antibodies (PCMA) 77, 78, 79
- D-penicillamine 311
- peptic ulceration 81, 87, 88
- peptide histidine isoleucine (PHI) 50
- peptide YY 50
- peripheral lymph node (PLN)
 addressin 31, 33–4
- permeability, intestinal 55, 154–6
- pernicious anaemia (PA) 77, 79, 249
 -like disease, primary immunodeficiency 170–1
- Peyer's patches 1–6
 histology 2–3
 lymphocyte migration pathways 24–7, 28–9
 lymphoid/myeloid cells 3–6
- plasma cells
 lamina propria 13–14
 MALT lymphomas 219–21, 224–6
 stomach 7
- polyethylene glycol (PEG) 155
- portal fibrosis, primary biliary cirrhosis 304
- portal hypertension 299, 300
- postcapillary venules (PCV), lymphocyte migration across 29
- primary biliary cirrhosis (PBC) 298–315, 371–4
 anti-mitochondrial antibody negative 301–2, 373–4
 associated auto-immune disease 305, 372
 asymptomatic disease 301
 auto-immune hepatitis overlap 272, 285, 300
 clinical features 299–300
 epithelial HLA expression 309–10
 immunological abnormalities 305–9
 incidence and geography 298–9
 liver transplantation 313–14
 medical treatment 310–13, 372
 overlap syndromes 300
 pathology 303–5
 post-transplant recurrence 314–15, 372
 prognosis 300–1, 302

INDEX

393

- prognostic models 302–3
 staging 304–5
- primary sclerosing cholangitis (PSC) 123, 276, 374
 differential diagnosis 285–6
 HLA associations 115
- prostaglandin E₂ 104
- proton pump, gastric parietal cell 78, 249
- psychoneuroimmunology 61–2
- rectum, HIV infection via 190–1
- regulators of complement activation (RCA) 362
- rejection
 liver grafts, *see* liver transplantation,
 graft rejection
 small bowel grafts 239
- renal transplantation 355
- renal tubular acidosis 305
- reoviruses 207
- reticulin antibodies 249
- Rhesus (Rh) antigens 17–18
- rheumatoid arthritis 257, 259
- rheumatoid factor 275, 326
- rotaviruses 209, 212
- Saccharomyces cerevisiae*, Crohn's disease and 121
- salicylates 76, 262
- Salmonella* 206, 207–8, 209
- Salmonella typhi* vaccines 212
- sarcoidosis 174, 300, 372
- scleroderma 305, 307
- secretory component 10, 358
- selectins 33–4
- severe combined immunodeficiency (SCID) 169, 175
 mice 184, 308
- Shigella* 206, 207–9, 212
- sialyl Lewis X 30, 34
- Sjögren's syndrome 9, 305
- skin testing, cows' milk allergy 150–1
- Slim disease 192
- small bowel
 immediate hypersensitivity 156–9
 immunoproliferative small intestinal disease (IPSID) 224–6
 lymphoid tissue 1–6
 lymphoma 219
 primary immunodeficiencies and 171–4
- small bowel/liver transplantation, combined 236–7, 241–2
- small bowel transplantation 235–43
 case selection 240–1
 experimental models 236–7
 future prospects 242–3
 graft physiology 235–6
 graft rejection 162
 immunology 237–9
 isolated 241, 242
 mucosal barrier/immunity 239
 organ preservation 239–40
- smoking 118, 119, 120
- smooth muscle antibodies (SMA) 271, 272, 274, 285
- somatostatin (SOM) 50, 55, 57, 59
- stomach
 lymphoid tissue 7–8
 primary immunodeficiencies and 170–1
- substance K 58
- substance P (SP) 50, 51, 53, 57–8
 cytokine interactions 65–6
 mast cell activation 55
- suppressor T cells, inflammatory bowel disease 126–7
- systemic lupus erythematosus (SLE) 271–2
- T-cell receptors (TcR)
 CD4 T cell apoptosis and 189
 intraepithelial lymphocytes 11;
 coeliac disease 102, 106
 lamina propria lymphocytes 11
 therapies directed to 257
- T cells
 auto-immune chronic gastritis 79
 chronic *H. pylori* gastritis 82–3
 coeliac disease 103, 105–7
 crypt hyperplasia and 101–2
 food-sensitive enteropathies 162–3
 hepatitis B 279, 329–30, 331
 inflammatory bowel disease 124–8
 intestinal epithelium 11, 12
 intestinal infections 206–7
 lamina propria 11–13, 37
 liver graft rejection 357, 359
 migration to gut 24–9
 naive (CD45RA+) 36–8, 39
 neuropeptides and 58, 59
 Peyer's patches 3–5
see also CD4+ T cells; CD8+ T cells;
 CD45R0+ T cells
- tap* 2 protein transporter gene 96–7, 98–9
- TH-0 cells 62

- TH-1 cells 62, 254–5
- TH-2 cells 62, 254
 - food allergy 159
- tielinic acid 376
- tolerance
 - hepatitis B antigens 332–3
 - oral 16–17
- transforming growth factor- β (TGF- β) 18, 40, 64
- transmural stimulation (TS), enteric nerves 53, 54–5
- Trichinella spiralis* 65
- tumour necrosis factor- α (TNF- α) 63, 255
 - chronic *H. pylori* gastritis 83
 - coeliac disease 99, 106
 - HIV infection 189
 - IgA secretion and 64
 - inflammatory bowel disease 135
 - intestinal epithelial function and 64
 - lymphocyte migration and 39, 40
- ulcerative colitis (UC) 114–36
 - adhesion molecule expression 39–40
 - auto-immune hepatitis 276
 - auto-immune hypothesis 124
 - cytokines 131–6, 255
 - environmental factors 115–21
 - genetic factors 114–15, 254
 - HIV infection 198
 - humoral immunity 121–4, 249–51
 - hypersensitivity reactions 248, 252, 253–4
 - infective agents 115–18
 - lymphocytes 124–8
 - macrophages/monocytes 129–31
 - primary sclerosing cholangitis and 115, 123, 276
 - therapeutic strategies 256, 259–60, 261, 263
- ulcerative jejunitis 230
- University of Wisconsin (UW) solution 240
- urease, *H. pylori* 88
- urinary tract infections 306, 373
- ursodeoxycholic acid (UDCA) 313, 374
- vaccination
 - enteropathogens 210–14
 - hepatitis A 326–7
 - hepatitis B 337–8
 - hepatitis C 342
- vanishing bile duct syndrome (VBDS) 358–9, 368
- vasoactive intestinal peptide (VIP) 50, 53, 57, 58–9
- mast cell activation 55
- VCAM-1 30, 31
 - cytokine-induced expression 39, 40
- Vibrio cholerae* (cholera) 205, 206, 207–8
 - oral vaccines 211–13
 - parenteral immunisation 211
- villous atrophy
 - coeliac disease 95, 101, 106–7
 - delayed-type hypersensitivity and 162–3
 - dermatitis herpetiformis 101
 - food-sensitive enteropathies 153
- viral hepatitis 378–9
 - acute 324–46
 - chronic 269, 270, 278–85
 - see also specific viruses*
- viruses, enteric 209, 212
- vitamin B12 malabsorption 249
- VLA antigens 30–1
- VLA-1 11
- VLA-4 ($\alpha_4\beta_1$ integrin) 30–1, 34
- white cell scanning, isotope-labelled 255, 256
- Wilson's disease 286
- X-linked agammaglobulinaemia (XLA) 169, 171, 174
- xenotransplantation, liver 361–2
- zileuton 263