

## Index

Page numbers in *italics* refer to figures and tables.

- ability, 458
- accessory glands, 368
- acoustic divergence, 259
- Aculeata, 78–9, 81
  - aptery, 90
  - cuckoo species, 81
  - maternal care, 81
  - nesting, 79, 80, 81
  - parasitoids, 79
  - ratio of investment, 96, 97
  - size evolution, 95
  - size and reproductive success, 98
  - sociality, 81
  - sting, 79
- Adam's apple, 255
- Adapis*, 181
- advertisement sounds, 244
- Aegyptopithecus*, 180
- Aepyornis* egg, 20, 21
- African clawed frog, 264
- African elephants
  - aggression in musth, 337
  - behavioural sex differences, 331–2
  - body size, 332–4, 343, 345
  - bond groups, 334
  - duration of musth, 339–40, 341, 342
  - female grouping, 331, 334–5
  - groups, 332, 335, 336
  - hearing, 343
  - kin-based alliances, 331
  - lifestyle sex differences, 334–5
  - male behaviour, 331–2, 335
  - male sexual maturity, 332–3, 336
  - musth, 334–41, 342, 345
  - oestrous females, 332, 335, 336
  - sexual behaviour, 335–41
  - solitary male habit, 334–5
  - sound transmission, 247–8
  - temporal glands, 336, 337, 338
  - tusk size sexual dimorphism, 333–4
  - vocal communications, 336, 337, 339, 341, 343
- agaonids, 93–4
- aggression in birds, 305–6
  - female, 315
  - male–male, 310–12, 312–15
  - maternal, 315
  - parental care, 311–12, 312–15
  - testosterone relationship, 306–7, 308–9, 316–17, 328
- Akodon*, 420–1
  - sex determination, 430
  - sex reversal, 421
  - Sry amplification, 430
  - testis determination/differentiation genes, 429
  - Zfy sequence, 429, 430
- allelochemicals, 364
- alligator, 442–3
- Amazon molly, 25
- amiguous genitalia, 208
- amelogenin gene, 386
- amphibian gonadal differentiation, 434–6
- Amphiprion* spp, 122, 123
- androgen, 31
  - disorders, 207–10
  - Emys orbicularis* production, 442
  - growth hormone secretory pattern, 234–5
  - liver metabolism imprinting, 232
  - marsupial sexual differentiation, 229
  - metabolism in embryos, 206
- androgen receptor
  - bulbocavernosus muscles (BC), 285
  - defects, 208–10
  - familial mutations, 209–10
  - gene rearrangements, 209

- androgen receptor (*continued*)  
 mechanism, 207  
 mutations, 208, 209–10  
 N-terminal domain, 210  
 structure, 209  
 androgen-binding domain, 210  
 androgenesis, 26  
 anemonefish, 122, 123  
 angler fish, 68  
 antelopes, 64  
 antennae, 245  
   Johnson's organs, 377  
   moths, 249, 276, 277  
   olfactory reception, 276, 277  
   pheromone production, 376  
 anterior hypothalamus and preoptic area (AH–POA), 43, 44, 45  
 anteroventral nucleus of the preoptic area (AVPv–POA), 286  
 anti-Müllerian hormone (AMH), 205, 211, 445  
   disorders of action, 207, 210–11  
 anti-predator defence hypothesis, 162, 172, 192  
 antlers, 53, 133, 134–5  
   annual replacement, 139–42, 143, 144  
   benefits, 157  
   body size, 137, 138, 139  
   bone density, 146  
   branches, 147  
   canine teeth relationship, 135, 136, 137  
   casting, 139, 141–2, 151, 153–4  
   costs, 157  
   cycle blocking, 153–4  
   cycle persistence in equatorial regions, 154–5  
   deciduous, 151–5  
   display, 146–7  
   evolution, 135, 152, 153, 155  
   fallow deer, 147  
   fighting behaviour, 139  
   growth, 149–51  
   mating group size, 137, 139  
   multi-branched, 137  
   ontogeny of development, 156  
   precocious growth, 157  
   regrowth, 139, 144, 151  
   reindeer, 155–7  
   sex hormone effects on growth, 151  
   size increase, 149, 151, 152  
   size manipulation, 144–6  
   stags without, 142, 147–51  
   status symbol, 146–7  
   wound healing response, 150, 151, 152  
   *see also* reindeer antlers  
 ants, 71  
   castes, 71, 101  
   flightlessness, 34  
   intrasexual size variation in females, 101  
   male aptery with lethal fighting, 94  
   sex ratio as function of weight ratio, 96  
   wings/wingless, 89  
 anurans, Wolffian duct, 215  
 aphids, 27  
 Apocrita, 77–9, 81  
   Aculeata group, 78  
   'Parasitica' group, 78  
   winglessness, 90  
 appearance in primate sexual dimorphism, 159  
 aptery, 90  
   *see also* winglessness; wings  
 aristae, 245  
 Aristotelians, 457, 458  
 Aristotle, xiii, 452, 460  
 aromatase, 279–80  
   anti-Müllerian hormone (AMH), 445  
   expression in brain, 289  
   gonadal differentiation, 443–4  
   testosterone-dependent upregulation, 288  
 Asian marauder, ant, 74  
 Australian geckos, 27  
*Australopithecus*, 190  
   brain size, 191–2  
   sexual dimorphism, 190–1  
   species, 190, 191  
 autosomal genes, 390  
 autosomes, 382, 402  
 baboon  
   sex ratios, 359, 360  
   sexual dimorphism, 159  
 barasingha antlers, 147  
 Barbin, Hercule (Herculine), 454–5  
 bed nucleus of the stria terminalis, 287  
 bees, 71  
   chemical signals, 88  
   flower evolution, 75  
   male flightlessness, 34  
   pollen transport, 83  
   size dimorphism, 99–100  
   size structure in communities, 98–100  
   venom, 79  
 behaviour  
   alterations, 294  
   brain area volume relationship, 295–9  
   establishing a link with brain, 298  
   intrasex diversity, 292  
   pair reactions, 294  
   sex differences, 291–2  
   sex-typic, 291–2  
   structure/function relationships with brain, 292–5  
 behavioural cues, 327–8  
 behavioural interactions and gonadal development, 329

- Bengalese finch, 266, 267  
 Bewick's swan, 347  
 bioacoustic sex differences  
   causation, 269–70  
   causes, 257–70, 271  
   frog, 262–4  
   patterns, 244–51, 252, 253–7  
   peripheral structures, 270  
   selection for, 257  
   túngara frog, 257–9  
 bioacoustics, 243  
 birds  
   behavioural cues influencing gonadal development, 327–8  
   bill length, 68  
   contact call, 264–5  
   copulation solicitation displays, 253  
   dimorphic signalling system, 251  
   dimorphism index, 318, 319  
   egg size, 21  
   female–female interactions, 315, 324, 326–7  
   gonadal phenotype, 444–5  
   hatching sex-ratio trends, 361  
   hormone–behaviour interactions, 303–6  
   male competition, 306  
   male–male aggression, 310–12  
   male's response to female, 327  
   mating systems, 303–6  
   monogamous, 310, 313, 318–19, 320  
   oestrogens, 445  
   opportunistic breeders, 32  
   ovarian differentiation, 445  
   P-450<sub>AROM</sub>, 445  
   parental behaviour, 310–12  
   pheromones, 327  
   polygynous, 310, 313, 315, 318–20  
   reproductive strategy, 9  
   SDN size, 296  
   sex chromosomes, 403  
   sex determination, 10, 415  
   sex ratio, hatching/fledging, 355, 356  
   sex-determining chromosome system, 381  
   sexual behaviour, 303  
   sexual dimorphism, 10, 303, 304  
   simulated territorial intrusion, 307–8  
   social cue effects on female gonadal development, 320–4, 325, 326–7  
   social stability, 307  
   species hybridization, 48  
   syrinx, 249, 268  
   testis size, 9, 67  
   vocal learning, 266  
   vocalization types, 264–6  
   *see also* aggression in birds; song;  
   song-control system  
 birth  
   sex ratio, adaptive control, 358  
   weight, 353  
 Bkm sequence, 406  
 black-tailed deer, 136, 137  
 bladder cicada, 246, 247  
 blowfly, 276  
 bluehead wrasse  
   LHRH cells, 118–20  
   male types, 118, 120  
   sexual development, 121  
 body sex, 398  
 body size, 11  
   African elephants, 332–4, 343, 345  
   antler size, 137, 138, 139  
   breeding success, 352  
   canine teeth correlation, 177–8  
   female fish fecundity, 124  
   growth rate, 360  
   laryngeal effects, 260  
   polygyny, 360  
   primate growth patterns, 171–2  
   small, 68  
 body size dimorphism  
   causes, 172, 173, 174  
   development, 167–72  
   frog, 263  
   gorilla, 185–8  
   primate, 161, 162, 163–4, 165, 166–74, 199  
   species size, 166  
 boundary elements, 392  
 brachyptery, 90  
 Brahminy blind snake, 27  
 brain  
   area volume relationship with behaviour, 295–9  
   behaviour influence on sex, 289–90  
   behavioural sex, 299  
   causes of sex determination, 290  
   chick-host chimaera, 270, 271  
   environment influence on sex, 289–90  
   establishing a behavioural link, 298  
   expression of sexual displays, 40  
   functional consequences of sexually dimorphic, 291–9  
   future research, 299  
   gonadal steroid receptors, 281  
   human sexual orientation, 297–8  
   insect, 276–8  
   invertebrate, 38–9  
   limbic system, 32  
   measurement of structures, 294–5  
   neuron number, 291  
   non-steroid factors in sexual differentiation, 288  
   oestrogen target cells, 281, 282  
   sex-specific differentiation, 279  
   sex-specific structures, 38–9  
   sound dimorphism, 261

- brain (*continued*)  
 steroid-dependent mediation of sex, 287–9  
 steroid-induced changes, 283  
 structure–function relationships, 292–5, 298
- brain size  
 fossil hominids, 191–2  
 over-scaling, 193, 194, 195, 196, 199  
 primate dwarfing, 193, 194, 195, 196
- brain structure, 273, 274, 275  
 behavioural output, 275  
 epigenetic causes of differences, 275–6  
 genetic causes of differences, 275–6  
 sex differences, 275–81, 282, 283–91
- brain, vertebrate, 39  
 neural circuits, 43  
 sex differences, 43  
 sexual dimorphism, 43, 44–5, 279
- brain-as-antlers model (BAA), 261, 262, 264–9
- breeding  
 hormonal bias in bird strategies, 315  
 lifespans, 348–9  
 season, 29, 30, 315  
 systems, 347–8  
 time in primate sexual dimorphism, 172
- breeding success  
 body size, 352  
 determinants, 352  
 dominance rank, 352  
 early growth rate, 353  
 monogamy, 347  
 polygyny, 347  
 size dimorphism, 352
- bulbocavernosus motor nucleus (SNB), 279  
 motoneuron testosterone-dependency, 284  
 penile erection control, 285  
 rat motoneurons, 281  
 steroid action critical period, 281
- bulbocavernosus muscles (BC), 285
- bullfrog, 251
- button quail, 352
- c-fos*, 288
- Caenorhabditis elegans*, 381, 382
- Camargue stallions, 352
- canary  
 nucleus hyperstriatalis ventrale (HVC), 297  
 song area size, 296  
 song-control nucleus, 281  
 testosterone control of HVC/RA, 284  
 testosterone treatment of females, 296
- canine teeth, 64  
 antler relationship, 135, 136, 137  
 basal area for primates, 175  
 body size correlation, 177–8
- Chinese water deer, 136–7
- fossil record primates, 179, 180
- gorilla, 185
- jaw size/function correlation, 178–9
- primate sexual dimorphism, 159, 160, 161, 174–9, 199
- prosimians, 177
- size in great apes, 66–7
- canvasback duck, 321, 323
- career choices, 453, 454
- caribou, 134
- castration  
 birds, 305–6  
 human voice effects, 255–6
- cell birth, continuous, 287
- cell death, neuron numbers, 285, 286–7
- central nervous system  
 function of sexually dimorphic structures, 292, 293  
 peripheral neurons, 285  
 sexual dimorphism, 273, 274–5, 285  
 steroid hormone action, 279  
 testosterone secretion regulation, 303
- cerebral cortex, 289
- chalcidoid wasps, 91–2
- Chalcidoidea, 78
- challenge hypothesis, 309
- chemical signals, 88–90
- chicken characteristics, 23
- chimpanzee  
 dentition, 187, 188–9  
 testis size, 65–6
- Chinese water deer, 136–7
- chromosomal sex, 203
- chromosomes, 3  
 fish, 117  
 genetic content, 382–4, 385, 386  
 homologues, 402  
 human, 399  
 pairing, 402  
 size, 382–4, 386  
*see also* autosomes; sex chromosomes
- Chrysididae, cuckoo habit, 81
- cicada sound generation, 246, 260
- claws, 53, 54
- clonal reproduction, 25
- coefficient of variation, 182, 184–5
- collared lemmings, 421–2
- colobus monkey teeth, 182
- colour  
 dimorphism, 61  
 mate selection, 56  
 predator intensity relationship, 61  
 primate sexual dimorphism, 160  
 quality signal, 60  
 sensory systems in selection, 62–3  
 signal to predator, 60
- combat, 63–5

- communication  
 apparatus, 244  
 chemical, 364, 366  
 mechanisms of overt/covert sex differences, 259  
 secondary sex characteristic, 259  
 sounds, 244  
 vocal in African elephants, 341, 343  
*see also* pheromones; song; sound
- competition for mates, 347–8
- complete testicular feminization syndrome, 208
- convergent evolution, 53–4
- copulation  
*Drosophila melanogaster*, 368  
 frequency, 13  
 phoretic, 90, 91  
 solicitation displays, 251, 253
- copulatory behaviour, 289, 290  
 progesterone stimulation, 45  
 sexually dimorphic nucleus (SDN), 292
- corticosterone metabolites, 231
- costs to mothers *see* maternal investment
- courtship  
 female bird behavioural response, 321–2, 323  
 Hymenoptera, 87  
 mutual display, 328  
 ovarian development, 321
- CpG islands, 392, 393
- crabs, 53, 54
- cricket frogs, 263
- crickets  
 call perception, 251, 252  
 hearing, 249  
 wing movements, 259–60
- cryptorchidism, 210–11
- cuticular hydrocarbons, 371  
 biosynthesis, 374  
 genetic control of production, 373–4
- Cynipoidea, 78
- cytochrome P450, 236  
 2C12 mRNA, 238, 239
- cytochrome P-450 aromatase (P-450<sub>AROM</sub>), 443  
 gonadal differentiation in vertebrates, 446
- Darling, Frank Fraser, 147–8
- Darwin, Charles, 4–5, 6–8, 9, 451, 452, 460
- sexual selection, 13–14
- deer  
 castration, 140  
 daylength in breeding cycle, 141  
 seasonal reproductive cycle of stag, 140–1  
 social group size, 139  
*see also* antlers; muntjac deer; red deer; reindeer antlers
- default sex, 397
- defensive traits, 65
- dentition  
 chimpanzee, 187, 188–9  
 colobus monkey, 182  
 fossil primates, 181  
 gorilla, 185–8  
 multivariate analysis, 189  
 orang-utan, 182  
 over-scaling, 194, 195, 196, 199  
 primate dwarfing, 194, 195, 196  
 primate sexual dimorphism, 174–9, 181, 185–9
- dermal shields, 64–5
- Dicrostonyx*, 421–2
- dienes, 369, 371
- digger wasps  
 cuckoo habit, 81  
 different male strategies, 87  
 tibial shields, 86, 87
- dihydrotestosterone, 206–7, 211  
 receptor, 207
- 5 $\alpha$ -dihydrotestosterone, female bird effects, 316, 317
- dimorphism  
 index, 318, 319  
 wingedness, 94  
*see also* sexual dimorphism
- displacement microphone, 246
- display  
 antlers, 146–7  
 cost, 61
- DNA  
 methylation, 14–15  
 nuclear, 17  
 satellite Bkm, 118  
 sequence determination, 398–9
- mtDNA, 17–21  
 mammalian egg, 17  
 mutation rate, 17, 19  
 spermatozoon, 17
- domestic tasks, 454
- dominance  
 rank and breeding success, 352  
 weapons, 131
- dosage compensation, 401  
 control centre, 389
- doublesex (*dsx*) gene, 375
- Down's Syndrome, 19
- Drosophila*  
 boundary elements, 392  
 fate map of embryo, 376  
 gene dosage compensation, 381–2  
 pheromone production, 375  
 position effects, 391  
 sex-determining chromosome system, 381, 382  
 X-chromosome, 376

- Drosophila melanogaster*  
 accessory glands, 368  
 biogeographic variations, 372, 373  
 copulation, 368  
 courtship responses, 376  
 courtship song, 370  
 doublesex (*dsx*) gene, 375  
 genetic control of pheromone  
 production, 374, 375  
 7,11 HD strains, 372–3  
 heterosexual courtship behaviour focus,  
 377  
 homosexual courtship behaviour, 377  
 inhibition of male courtship, 368  
 intersex (*isx*) gene, 375  
 interspecific recognition of *D. simulans*,  
 369–71  
 male courtship, 365, 368  
 male pheromones, 367–8  
 oviposition, 368  
 pheromonal polymorphism, 372–3  
 pheromones, 364–77  
 production focus for pheromones, 376  
 sex determination, 374–5  
 thoracic ganglion, 377  
 transformer (*tra*) genes, 375
- Drosophila simulans*, 369–71  
 genetic control of cuticular hydrocarbon  
 production, 373–4  
 homosexual interactions, 370  
 inhibitory signals, 370  
 pheromonal polymorphism, 372  
 7-T/7-P variation, 373–4
- ductus deferens, 215  
 dwarfing in primates, 193
- ‘early genes’, 288  
 ears, frog, 262–3  
 ecdysone, 368–9  
 eclosion, 368  
 ecological divergence, 68  
 eggs  
 mammalian, 17  
 size, 20–1  
 ejaculate size, 66  
 elephant *see* African elephants  
 elephant seal, 349, 354  
*Ellobius*, 426–8  
 sex determination, 430  
 Sry gene absence, 430  
 testis determination/differentiation genes,  
 429  
 embryogenesis and virilization, 211  
 embryonic development, 411  
*Emys orbicularis*, 428–9, 440–1, 442  
 aromatase activity, 443–4  
 energy costs of rearing young, 354  
 environment, visual cortex influence, 289  
 environmental sex-determination (ESD),  
 433  
 environmental stress, 358  
 equality of rights, 452  
 estradiol *see under* oestradiol  
 estrogen *see under* oestrogen  
 Eurasian rock lizards, 27  
 European cornborer, 371–2  
 European pond turtle, 438–9  
 European water frog, 25  
 eutherian mammals  
 differential methylation on X  
 chromosomes, 392  
 extraembryonic membranes, 393  
 gonadal phenotype, 445  
 oestrogen treatment of male fetuses, 224  
 paternal X-inactivation, 393  
 scrotum development, 227  
 sex chromosomes, 402  
 sexual differentiation, 220  
 urogenital system anatomy and  
 evolution, 215, 216  
 X-chromosome inactivation, 386–7,  
 388–9, 394  
 ZFX/ZFY autosomal region, 408  
 external genitalia Anlagen, 205
- fallow deer antlers, 147  
 female group patterns, 331  
 female-determining pathway, 398  
 femaleness, 39, 40  
 fertilization, mammalian, 14  
 fetus, sex ratios, 355  
 fiddler crabs, 68  
 fig wasps, 72, 94  
 male flightlessness, 94  
 sex ratio, 92  
 winglessness, 91–2, 93, 94
- fish  
 fecundity and body size, 124  
 gonadal differentiation, 434, 435  
 H-Y antigen, 118  
 pelagic phase, 125  
 sex-related genes, 118  
 social units, 125, 128  
 sonic muscles, 285  
 unisexual, 25
- fish, sex change, 105  
 behaviour change, 110–11  
 behavioural control, 128  
 behavioural induction, 114–15, 116  
 behavioural switch, 122  
 chemical cues, 116  
 colour change, 106, 110, 111  
 colour cues, 116  
 condition-dependent models, 127  
 costs and benefits, 125–7  
 critical sex-ratio, 126

- evolution, 123–7  
 fitness currency, 126  
 general patterns, 105–6, 107–9, 110–11  
 genetics, 117–20  
 gonadal with exogenous androgens, 118  
 H-Y antigen, 121  
 intrapopulation variation in size, 113–14  
 mechanisms, 111–17  
 natural selection, 124  
 onset, 106  
 physiology, 117–20  
 population structure, 125  
 protandry, 121–2  
 protogynous, 107, 108  
 reproductive advantage, 127, 128  
 sexual differentiation, 121–3  
 sexual dimorphism, 106  
 size advantage model, 123–4, 125  
 size of fish, 112–14  
 social groups, 114–15, 128, 129  
 social system changes, 112–14  
 testicular tissue development, 106  
 two types of males, 118  
 Fisher, R. A., 8, 9  
 fitness  
   currency, 126  
   gain curve, 97  
 flies, prothoracic legs, 377  
 food distribution, 331  
 food shortages  
   effects spanning generations, 354  
   fetal effects, 355, 357  
   juvenile mortality, 358  
   juvenile survival effects, 354–5  
   sex-ratio manipulation, 358  
 foraging behaviour, 68  
 free-martin cattle, 204, 214  
 frog  
   bioacoustic sex differences, 262–4  
   call structures, 264  
   ears, 262–3  
   female call preference, 262–3  
   laryngeal muscles, 285  
   male–female size dimorphism, 263  
   mate-calling, 262–4  
 fruitfly  
   courtship, 245–6  
   cuticular hydrocarbons, 371, 373–4  
   gustatory system, 276–7, 278  
   parthenogenetic, 33, 37–8  
   pheromones, 364–77  
   sex determination, 374–5  
   sex-determining chromosome system, 381, 382  
   somatic cell differentiation, 277  
   sound dimorphism, 244–6  
 fur seal, 354  
 gall wasp, 73  
 gamete size, 21  
 gap junction, 281  
 Gartner's ducts, 205  
 gelada baboon, 159  
 gemmules, 8  
 gemsbok, 132, 133  
 genes  
   autosomal, 384  
   steroid-dependent expression, 288  
   X-linked, 382–3  
 genetic mapping, 398  
 genital selection, 11  
 genome, parental imprinting, 47  
 genotypic sex-determination (GSD), 433, 434, 435  
   amphibians, 434, 435  
   fish, 434  
   reptiles, 438  
 germ cells, 15  
   development, 398  
   genetic control, 15  
   human male, 18  
   X-chromosome reactivation, 386  
 germ plasm, 14  
 giant tubercle of marsupials, 225  
 gibbon vocal dimorphism, 249, 250  
 giraffe, 132  
 golden hamster, 354, 357  
 gonadal development in birds  
   behavioural cues, 327–8  
   behavioural interactions, 329  
   group effects, 322–4  
   self-stimulation in females, 328  
   social cue effects in females, 320–4, 325, 326–7  
 gonadal differentiation  
   cytochrome P-450 aromatase (P-450<sub>AROM</sub>), 446  
   environmental control, 433–4  
   genetic control, 204  
   marsupial, 213, 214  
   mechanism of temperature action, 438–9, 440–1, 442–4  
   temperature effects, 433–6, 437, 438–9, 440–1, 442–4  
   thermosensitive period, 439, 440, 442, 443  
 gonadal sex, 203  
 gonadotrophic hormones  
   daylight as production trigger, 141  
   seasonal reproductive cycle of stag, 140–1  
 gonadotropin-releasing hormone (GnRH), 303–4, 327  
 gonadotropins, 31  
 gonads  
   marsupial sexual dimorphism, 213–15  
   products, 31  
 gonochorism, 23, 24

- 'good genes' hypothesis, 58
- gorillas, 10, 12–13
  - sexual dimorphism, 159, 185–9
  - testis size, 12, 65
- great apes
  - monogamy, 11
  - polygyny, 12
  - sexual selection, 10–14
  - testis size, 65
- great-tailed grackle, 354
- grey seal, 354
- growth
  - bimaturism, 171–2
  - juvenile, 354
  - primate sexual dimorphism, 171–2
- growth hormone
  - cytochrome P450 regulation, 237
  - hepatic sexual differentiation, 235–7
  - hepatocyte effects, 237–9
  - insulin effects, 238
  - liver effects, 233
  - secretory pattern, 233–5, 237
- growth rate
  - adult size, 360
  - before birth, 360–1
  - costs to mothers, 356–8
  - early, 353
  - food shortages, 354–5
  - potential benefits, 360
- growth-associated-protein-43, 288
- gubernaculum of tammar wallaby, 224
- guenon monkey, 193
- guppy, 58, 59, 61, 68
- gustatory system of fruitfly, 276–7, 278
- gynogenesis, 25, 39
- H-Y antigen in fish, 118
- hamadryas baboon, 159
- hearing
  - African elephants, 343
  - dimorphism, 249
- hepatocytes
  - growth hormone sensitivity, 237–8
  - sexual differentiation, 237–40
- 5,9 heptacosadiene (5,9 HD), 372, 373
- 7,11 heptacosadiene (7,11 HD), 372–3
- cis cis* 7,11 heptacosadiene (7,11 HD), 366, 367
- hermaphroditism, 24
  - fish population structure, 125
  - protandric, 121, 122
  - sequential, 105
- high mobility group (HMG) proteins, 413
- Highland cattle, 135
- hippocampus, 289
- hippopotamus, 132
- histocompatibility antigen (HYA), 401, 405
  - gene, 405–6, 416
- HMG box, 413, 416
- hominids, fossil, 179
  - brain size, 191–2
- homosexuality, attitudes, 459
- horns, 64, 131, 135
- house sparrow, 310, 322–4, 325
- housefly, 364, 365
  - female pheromones, 368
  - pheromone production, 375
- howler monkey vocalization, 247, 248
- human genome, 399–400
- Human Genome Project, 401
- human voice, 253–7
  - air passages of head, 256
  - castration effects, 255–6
  - learning effects, 257
  - male laryngeal development, 255–6
  - pitch difference, 253, 255
  - supralaryngeal filtering, 256–7
  - thyroid cartilage, 253–5
  - use, 260
  - vocal folds, 255, 256
- humans
  - brain volume in sexual orientation region, 297–8
  - cultural influences, 456
  - gamete size, 19–21
  - gender differences, 452–4
  - mating systems, 455
  - monogamy, 456
  - polygyny, 13
  - present condition, 457
  - secondary sexual characteristics, 13
  - sex differences, 457–60
  - sexual selection, 10–14
- hummels, 147–51
- Huxley, Julian, 9
- HYA gene *see* histocompatibility antigen (HYA), gene
- hybridogenesis, 25, 39
- 15 $\beta$ -hydroxylase activity, 231, 232
- Hymenoptera
  - adaptive production of differing sizes, 100
  - alternative phenotypes within sex, 71
  - Apocrita suborder, 77–9, 81
  - behavioural study, 74
  - burrowing, 91
  - caste differentiation in social species, 102
  - chemical signals, 88
  - courtship, 87
  - diversity, 75, 76, 77–9, 81
  - economic impact, 77
  - female adaptations, 82
  - fitness gain curve, 97–8
  - flight, 90–4
  - flightless fighting morphs, 88
  - habit, 75
  - haplodiploid genetic systems, 74–5



- intrasexual dimorphism, 71–2  
   major branches, 76  
   male characteristics, 84  
   male dimorphisms, 72  
   male modifications, 85–6  
   male morphology, variation within species, 87  
   male–male competition, 85  
   mating system evolution, 84–5  
   nesting, 84  
   ornamented males, 85–6  
   ovipositor, 78–9  
   parental investment, 82, 85  
   phylogenetic relationships, 102  
   selective environments, 82–90  
   sex determination by mother, 75  
   sex-allocation strategies, 75  
   sexual dimorphism, 71–102  
   size dimorphism, 94–101, 100–1, 102  
   social taxa, 71  
   species, 75  
   sting, 78–9  
   Symphyta suborder, 77  
   territorial defence, 84–5  
   tool modification, 82–4  
   winglessness, 90–2  
 hypothalamo-pituitary axis, 233  
 hypothalamo-pituitary-gonadal axis, annual cycle, 141  
 hypothalamo-pituitary-liver axis, 231
- Ichneumonoidea, 78  
 IGF-I mRNA, 238, 239  
 imaginal discs, 39  
 individual differences, 459  
 insect brains, 276–8  
 insulin, 238  
 intersex (*isx*) gene, 375  
 intrasexual dimorphism, Hymenoptera, 71–2  
 introns, 412  
 Irish elk, 5, 7, 137, 138, 139  
   antler branches, 147  
   antler density, 146
- Japanese quail brain chimaeras, 270, 271  
 jaw size, primate fossil record, 180  
 Johnson's organs, 377  
 Jost, Alfred, 203, 204, 218  
 juvenile hormones, 369  
 juvenile mortality, 357–8
- Kennedy syndrome *see* spinobulbar atrophy  
 11-ketotestosterone, 118, 119  
 kibbutz children, 452, 458  
 kittiwakes, 347, 348, 349  
 Klinefelter's syndrome, 16, 428
- knowledge, 4  
 kurtosis value, 184, 185
- Laccopithecus*, 180  
 larynx  
   body size effects, 260  
   frog sexual dimorphism, 264
- leks  
   evolutionary association, 65  
   Hymenoptera, 87
- lemurs  
   body weight, 164, 166  
   canine teeth, 177  
   seasonal breeding, 171  
   subfossil, 199
- Lepidoptera  
   pheromone detection, 376  
   sex-determining chromosome system, 381
- Leptadapis*, 181
- Leydig cells, marsupial, 220  
 lifetime reproductive success, 347
- limbic system, 31–2
- liver, rat  
   cytochrome P450, 236  
   metabolism, 232  
   prolactin receptor, 239  
   sexual differentiation, 235–7  
   sexual dimorphism, 231–40  
   steroid metabolism, 231–3
- lizards, 436  
   dimorphic sexual behaviour, 292–3  
   obligate parthenogenesis, 27  
   oestrogen feminization of gonads, 442–3
- low density lipoprotein (LDL) receptor, 240
- luteinizing hormone (LH), 304–5, 318  
 luteinizing hormone releasing hormone (LHRH) cells, 118–20
- magnocellular nucleus of the anterior neostriatum (MAN), 294
- male  
   body type determination, 409, 410  
   display traits, 56–7  
   reared as female, 454–5  
   size and diet differences, 55  
   status, 451
- male characteristics  
   direct benefits, 58–60  
   ‘good genes’, 58  
   quality, 58
- male-determining pathway, 398
- male–male  
   combat, 93  
   competition, 85, 87
- male-typical behaviour  
   androgen-dependent, 45–6  
   progesterone, 46
- maleness, 39, 40

- mallard, 304  
 mammals  
   gene dosage compensation, 381  
   sex-determining chromosome system, 381  
   sex-determining mechanism, 382  
   Y chromosome, 382  
 mammary anlagen, 228  
 mammary glands, marsupial males, 228–9  
 mandrill size dimorphism, 163, 164  
*Manduca sexta*, 276, 277  
 marsupials, 9  
   exogenous steroid effects, 222–5  
   female reproductive system, 213  
   genetic control of sexual differentiation, 229, 230  
   genital differentiation, 213  
   giant tubercle, 225  
   gonadal differentiation, 213, 214  
   gonadal hormone production, 220, 221, 222  
   intersex, 225, 227  
   Leydig cells, 220  
   male reproductive system, 213–14  
   mammary glands in males, 228–9  
   neonates, 214  
   paternal X-inactivation, 393  
   penis, 225  
   phenotypic characteristics of intersex, 227  
   pouch, 213, 227  
   scrotum differentiation, 227  
   Sertoli cells, 220  
   sex differences, 47  
   sexual differentiation, 220, 228, 229  
   sexual dimorphism, 213–15, 218, 219, 220  
   urogenital sinus, 214  
   urogenital system anatomy and evolution, 215, 216  
   X chromosome, 384  
   X-chromosome inactivation, 388–9, 394  
   Y chromosome, 218  
 mate choice, 56–63  
   competition for, 348  
   display benefits and costs, 61  
   display traits, 56–7  
   evolution of displays, 60  
   evolutionary precursors, 62–3  
   female birds, 327  
   females, 56–7  
   measures, 63  
   pre-existing preferences in females, 63  
   role, 68  
   wrong form of selection, 60–1  
 mate-guarding behaviour, 309  
 maternal care  
   Aculeata, 81  
   Hymenoptera, 81, 82  
 maternal investment, 196, 197, 358  
   growth rate, 356–8  
   sex ratio at birth, 358  
   sons, 361  
 Mathner cells, 41  
 mating  
   behaviour control, 31  
   dangers, 27  
   impetus, 29, 31–4, 36–8  
   internal and external environment, 31, 32  
   preferences, 55  
   sexual display, 32  
   sexual interactions, 33  
   strategy, 88, 292  
   synchronization, 33  
 mating systems, 6, 9  
   birds, 303–6  
   evolution in Hymenoptera, 84–5  
   hormonal bias in birds, 315  
   human, 455  
   multi-male, 13  
   medial preoptic area, 296–7  
 meiosis, 3, 19, 402  
 meiosis, male, 18  
   chromosome pairing, 402  
   *Tokudaia*, 428  
   X-chromosome inactivation, 390, 394  
 Mendel, Gregor, 6  
*Microtus*, 425  
 minor histocompatibility antigen (HYA), 405  
 mitochondria, 16–17  
 mitochondrial DNA *see* mtDNA  
 mole salamander, 25  
 mole vole, 419, 426–8  
   Sry gene, 420  
 Mongolian gerbil, 356–7  
 monogamy, 6, 9  
   breeding success, 347  
   great apes, 11  
   humans, 456  
   lifetime reproductive success, 347  
   paternity, 63  
   primate sexual dimorphism, 172, 174  
   testis size, 66  
   testosterone levels, 310, 313, 318–19, 320  
 monotremes  
   sex chromosomes, 384  
   urogenital system anatomy and evolution, 215, 216  
   X-chromosome inactivation, 387–8, 394  
 moose, 137  
   antlers, 144, 147  
 morning gecko, 34  
 moth antennae, 249  
   olfactory reception, 276, 277  
 motoneurons  
   moth larval, 277  
   rat brain, 281  
 mouse fusion chimaeras, 15

- Müllerian duct, 205, 206  
 atrophy of derivatives, 218  
 differentiation in marsupials, 214  
 Müllerian-inhibiting substance (MIS), 218, 288–9, 397  
 sex-specific gonadal differentiation, 290  
 muntjac deer, 136, 137, 154  
*Myopus*, 422–5  
 sex determination, 430  
 testis determination/differentiation genes, 429  
 Zfx genes, 429
- natural selection, 3–4  
 versus sexual selection, 54–6  
 neonatal weight/gestation period (N/G)  
 ratio, 196  
 nerve cells, 276  
 nervous system  
 insect sex differences, 277  
 plasticity, 261–2  
 sound dimorphism, 261  
 nests of Aculeata, 79, 80, 81  
 neural changes, phenotypic, 287  
 neurally amplified morphological evolution  
 (NAME) model, 262  
 evaluation, 264–9  
 frog bioacoustic sex differences, 262–4  
 neuron number  
 brain, 291  
 measurement, 294–5  
 steroids, 285  
 neurons  
 insect sex differences, 277  
 peripheral, 285  
 neurosteroids, 279  
 New World simians, 164, 165, 166, 180  
 niche expansion hypothesis, 192, 193  
 northern phalarope, 304  
*Notharctus*, 181, 182  
 nuclear DNA, 17  
 nucleus hyperstriatalis ventrale, pars  
 caudale (HVC), 281  
 canary, 297  
 measurement, 294, 295  
 neuron number, 286  
 oestrogen receptors, 281  
 size, 295  
 testosterone-treated female canaries,  
 296  
 nucleus robustus archistriatalis (RA), 283  
 size, 295  
 song development, 286
- oestradiol (estradiol), 317  
 dipropionate, 222  
 17 $\beta$ -oestradiol, 154, 155  
 sex-specific brain development, 279
- oestrogen (estrogen), 31  
 birds, 445  
*Emys orbicularis* production, 442  
 oestrogen receptors, 280  
 HVC, 281  
 localization in brain, 281, 282  
 zebra finch, 283, 288
- oestrus  
 African elephant, 332, 335, 336  
 suppression in competitive social  
 systems, 289
- Ohno's law, 382  
 Old World simians, 164, 165, 166  
 fossil, 179  
 sexual dimorphism in fossil record,  
 179–80
- oocytes  
 atresia, 19  
 fish, 105
- oogenesis, 15  
 oogonia, 19
- opossum, 204, 214  
 exogenous steroid effects, 222–4  
 gonad development, 222  
 mammary gland rudiments in males,  
 228, 229  
 seminiferous cord development, 220  
 sex-ratio manipulation, 359
- opportunistic breeders, 32  
 optimal offspring size model, 97, 98  
 orang-utan, 159, 182  
 orange bishop bird, 296  
 ornamentation in male Hymenoptera, 85–6  
 ornaments, 56, 58–9  
 ornithine transcarbamylase (*Otc*) gene, 393  
 ovarian differentiation, structural genes,  
 445–6
- ovaries  
 development, 203  
 marsupial structure, 218, 219, 220  
 maturation, 204  
 protogynous fish, 106  
 reptile differentiation, 439, 441  
 sex change, 105  
 steroid hormone content, 223
- oviposition by *Drosophila melanogaster*, 368  
 ovipositor of Hymenoptera, 78–9  
 ovotestes, 439
- ovulation  
 behavioural influences, 289–90  
 covert, 13  
 progesterone levels after, 46
- P-450<sub>AROM</sub> gene, 445, 447  
 painted snipe, 352  
 pangensis hypothesis, 7  
 papillae, frog ear, 263, 264  
 parasite resistance, 58

- 'Parasitica', 78
  - aptery, 90
  - life history, 78
- parasitoids, 78, 79, 95
- parental care, 55
  - male-male aggression in birds, 311-15
  - testosterone effects, 328
- parental imprinting of genome, 47
- parental investment
  - aculeates, 95
  - Hymenoptera, 85
  - parasitoids, 95
  - son/daughter differences, 361
  - see also* maternal investment
- parental strategies, 358-9
- parthenogenesis, 23-7
  - brain-behaviour relations, 41
  - constraints, 47
  - costs, 49
  - frequency, 27, 29
  - hybrid matings, 48
  - male-specific pathways, 38-46
  - obligate, 26-7
  - pseudocopulation, 41, 42
  - sexual behaviour, 33
- pedicles, 133, 149-50, 151, 154
- penile erection control, 285
- penis, marsupial, 225
- cis* 7-pentacosene, 372
- peripheral neurons, 285
- persistent Müllerian duct syndrome, 210-11
- phalarope, 324, 352
- phenotype, alternative within sex, 71
- phenotypic development, 205-7
- phenotypic sex, 203
  - absence of testes, 205
  - gonadal control, 204
  - male, 205-6
- pheromones, 39, 363-5
  - aggregation, 368
  - birds, 327
  - cuticular, 364, 367
  - detection by fly prothoracic legs, 377
  - development of sex differences, 368
  - discovery, 363
  - Drosophila melanogaster*, 364-77
  - fruitfly, 364-77
  - genetic control of production, 375
  - housefly, 368
  - interspecific recognition, 369-71
  - modifiers, 363
  - moth receptors, 276
  - polymorphism, 371-3
  - releasers, 363
  - sex specificity, 374
  - stimulus efficacy, 366
  - volatile, 364
- phorbol esters, 239
- phylogenetic inertia, 193
- pigs, 355
- pituitary, 31
  - control of hepatic steroid metabolism, 233-5
  - feminizing factor, 233, 234, 235
- plainfin midshipman fish, 285, 292
- plumes, 53
- pollen transport, 83
- polygyny, 5, 6, 9
  - body size, 352, 360
  - breeding lifespan compression, 349
  - deer antler size, 137
  - environmental cues, 315
  - great apes, 12
  - lifetime breeding success, 347
  - primate sexual dimorphism, 161-2, 172, 173, 174
  - resource-defence, 85
  - testis size, 66
  - testosterone levels, 310, 313, 318-20
  - weapons, 64, 137
- postnatal growth rate, 353
- pouch, marsupial, 213, 227
- poultry industry, 23
- predation
  - prey colour, 60, 61
  - song effects, 60
  - sound differences, 259
- primate sexual dimorphism, 192-4, 195, 196-8
  - bimaturism of canine teeth, 176-7
  - body size, 161, 162, 163-4, 165, 166-74
  - body size and canine correlation, 177-8
  - body size reduction, 193
  - breeding onset time, 172
  - canine teeth, 174-9
  - causes, 172, 173, 174
  - dentition, 174-9
  - development, 167-72
  - dietary divergence, 192
  - evolution, 160, 193, 199
  - food competition, 193
  - fossil record, 160, 179-82, 183, 184-92, 199-200
  - fossil sex determination, 182, 183, 184-5
  - great apes, 66-7
  - growth patterns, 171
  - hominids, 191-2
  - hypotheses, 162-3
  - jaw size/function correlation with canines, 178-9
  - maternal investment, 197-8
  - monogamy, 172, 174
  - phylogenetic inertia, 193
  - polygyny, 161-2, 172, 173, 174
  - $r_{\max}$ , 197-8
  - separation of fossil species, 199-200

- sexual bimaturism, 170–1  
 sexual maturity, 171, 196  
 simians, 163–4, 165, 166  
 size, 159–64, 165, 166–74  
 terrestrial habit, 163–4
- primates  
 attacks on female offspring, 357  
 canine teeth, 64  
 male reciprocal cooperative relationships, 349, 352  
 multimale troops, 349, 352  
 phylogenetic tree, 160, 161  
 residual values for body size, 166–7  
 sex determination of fossil species, 182, 183, 184–5  
 sexual bimaturism, 170–1  
 size sexual dimorphism, 159–64, 165, 166–74  
*see also* prosimians; simians
- Proconsul*, 180, 189–90
- progesterone  
 antiandrogen action, 46  
 male-typical behaviour regulation, 45  
 postovulatory surge, 42  
 receptors, 45  
 sex-specific brain development, 279
- progestins, 31  
 prolactin receptor, 239  
 pronghorn antelope, 354
- prosimians, 163, 164, 165, 166  
 canine teeth, 177  
 sexual dimorphism, absence, 199
- protandry, 105  
 sex change, 121–2
- protein kinase C (PKC), 239
- prothoracic legs, 377
- protogyny, 105, 107  
 diandric, 118
- Pseudanthias*, 127
- Pseudanthias squamipinnis*, 106, 107–9  
 CNS stimulation, 115–16  
 colour change, 106, 110  
 H-Y antigen, 118  
 profile of behavioural acts, 115–16, 117  
 size at sex change, 113  
 social groups, 114, 115  
 U-swim, 111
- pseudoautosomal region (PAR), 402, 403, 404  
 SRY gene, 409
- pseudocopulation, 41, 42
- pseudohermaphroditism, male, 209
- r*-selection, 196–8
- ratio of investment, 96, 97
- red deer, 137  
 age and breeding success, 348–9  
 antlerless stags, 142, 147–51  
 bachelor groups, 141, 142  
 breeding success, 347–8  
 competition for mating access, 348–9  
 costs of progeny rearing, 357  
 dominance interactions between stags, 143  
 fighting, 350–1  
 growth, 148, 149  
 habitat use, 354  
 harem size, 139  
 roaring contests, 248–9  
 sex-ratio manipulation, 359  
 sparring, 144  
 stag body size, 148, 149  
 stag feeding time, 353–4  
 stag fighting, 141, 142  
 successful males, 358  
 vocal dimorphism, 248–9  
 vocal folds, 249  
 weaponry, 139  
*see also* antlers
- red grouse, 321
- red-cheeked cordon blue, 294
- red-sided garter snake, 29, 30, 32
- 5 $\alpha$ -reductase, 206, 211  
 deficiency, 207–8, 454–5  
 pH optima, 208
- redwinged blackbird, 304, 354
- reindeer antlers, 132, 133, 134, 137, 147  
 antler-bearing females, 155  
 casting, 144  
 cycle, 155  
 growth, 155–7  
 ontogeny of development, 156  
 precocious growth, 157
- reproduction  
 environmental cues, 31, 32  
 synchronization, 33
- reproductive advantage, sex change in fish, 127, 128
- reproductive competition, 348–9, 350–351  
 male reciprocal cooperative relationships, 329
- reproductive cycle and mating behaviour, 33
- reproductive rate, limitations, 55
- reproductive success, 347–8
- reproductive tracts, marsupial, 213–15
- reptiles  
 egg incubation temperature, 436  
 gonadal development, 438–9  
 oestrogen feminization of gonads, 442–3  
 sex determination, 435  
 temperature effects on gonadal differentiation, 436, 437, 438
- reverse genetics, 398–9, 416
- rhesus monkey  
 distress signal response, 294  
 sex ratios, 359

- ring dove, 327–8  
 $r_{\max}$ , 197–8  
 Robertsonian fan, 426
- salamander, 435–6  
 sandpiper, 68, 324  
 scrotum, 227  
 secondary sexual characteristics, 8, 53  
   human, 13  
 self-interest, 4  
 selfish gene concept, 3, 21  
 selfish herd benefit, 33  
 Sertoli cells, 16, 205  
   marsupials, 220
- sex  
   predetermination, 95  
   reversal in *Akodon*, 421, 429  
   roles, 457
- sex chromosomes  
   dosage compensation, 381, 401  
   *Ellobius*, 428  
   eutherian mammals, 402  
   evolution, 381–2  
   meiosis, 402  
   monotremes, 384  
   size, 382–4, 386  
   species with multiple systems, 419
- sex costs, 347–62  
   breeding lifespans, 348–9  
   breeding systems, 347–8  
   competition for mates, 347–8  
   parental strategies, 358–9  
   reproductive competition, 348–9, 350–351  
   reproductive success, 347–8  
   sex-ratio manipulation, 358–9  
   size dimorphism, 353–8
- sex determination  
   birds, 10  
   *Dicrostonyx*, 421, 422  
   *Ellobius*, 430  
   environmental, 47–8, 433  
   evolution, 415–16  
   genotypic (GSD), 433, 434, 435  
   mammalian, with dosage compensation, 401  
   mechanisms, 24, 46–8  
   *Microtus*, 425  
   by mother, 75  
   *Myopus*, 423, 424–5, 430  
   reptiles, 435  
   SRY gene, 430  
   temperature-dependent (TSD), 48, 434
- sex differences  
   ability, 452  
   biological, 458, 459  
   causation, 460  
   cultural bias, 458
- evolution, 53–4  
 generic influences, 459  
 human, 457–60  
 innate, 451, 452  
 mating preferences, 55  
 social environment, 458  
 societal, 457  
 value judgements, 452
- sex ratio  
   as function of weight ratio, 96  
   manipulation, 358–9, 361  
   operational, 348
- sex steroids  
   genetic control, 288  
   liver effects, 233, 235  
   organizational action, 47  
   receptor expression regulation, 288  
   social cue effects in female birds, 320–4, 325, 326–7  
   *see also* steroid hormones
- sex-allocation strategies, 75
- sex-determining genes  
   evolution, 415  
   mammalian, 397–9
- sex-determining mechanisms, bizarre  
   mammalian, 419–20  
   rodents, 420–8
- sex-specific behaviours, 291
- sex-typic behaviour, 291–2
- sexism, 451
- sexual behaviour  
   independence from steroid hormone activation, 41  
   progesterone stimulation, 45
- sexual bimaturism, primates, 170–1
- sexual competition hypothesis, 162, 172, 192
- sexual cycle initiation, 31
- sexual differentiation, 40, 203, 204–5  
   eutherians, 220  
   fish, 121–3  
   genetic control in marsupials, 229  
   gonadal hormones, 203–4  
   hormones, 215, 218  
   marsupials, 220, 229  
   somatic, 16  
   tamar wallaby, 221
- sexual dimorphism, 8  
   bill length, 68  
   birds, 10, 68, 304  
   central nervous system, 285  
   coefficient of variation, 182, 184–5  
   combat, 65  
   covert, 244, 249–51, 252, 253  
   ecological differences, 68  
   germ cells, 16  
   Hymenoptera, 71–102  
   insect brains, 276–8

- kurtosis value, 184, 185  
 marsupials, 9  
 multivariate analyses, 189–90  
 overt, 244, 246–9  
 paternity relationship, 63  
 rat liver, 231–40  
 Rensch's rule, 166, 168  
 selection pressures, 192  
 social behaviour prediction, 139  
 vertebrate brain, 279  
 weaponry, 139  
*see also* primate sexual dimorphism
- sexual display, 32  
 sexual equality, 452–4  
 sexual maturity, primates, 171, 196  
 sexual orientation, 459  
 sexual reproduction, 3  
   advantages, 48  
   biological costs and benefits, 9  
 sexual selection, 5, 13–14, 53–4  
   combat, 63–5  
   great apes, 10–14  
   humans, 13–14  
   intersexual/intrasexual, 6, 8  
   postmating, 66  
   small body size, 68  
   sperm competition, 65–7  
   versus natural selection, 54–56
- sexual size dimorphism  
   breeding success, 352  
   costs, 353  
   energy costs, 353–4  
   evolution, 352–3  
   fledgling birds, 353  
   Hymenoptera, 94–101, 100–1  
   juvenile survival costs, 354–5, 356  
   male energy requirements, 354  
   male food collection, 353–4  
   nest-building aculeates, 97  
   sex costs, 353–8  
   survival costs, 354–5, 356
- sexual synergism, 32–4  
 sexually dimorphic nucleus (SDN), 279,  
   281, 283, 296–7  
   female rat size, 296  
   neuronal number, 286  
   oestrogen effects, 287  
   oestrogen receptors, 283  
   rat copulatory behaviour, 292  
   size in songbirds, 296  
   steroid action, critical period, 281, 283
- sexually selected traits, 55, 58  
 silk moth, 363  
 simians, 163–4, 165, 166  
   canine teeth dimorphism, 179  
   polygynous, 174  
 simulated territorial intrusion, 307–8  
*Sivapithecus*, 180
- size advantage model of sex change in fish,  
   123–4, 125  
 skeleton, primate, 159  
 skull size, primate fossil record, 179, 181  
*Smilodectes*, 182  
 Smith–Fretwell model of optimal offspring  
   size, 87, 98  
 snakes, 436  
 Soay sheep, 354  
 social bonding, human intercourse, 13  
 social engineering, 458  
 social ranking, 289, 359  
 social species, chemical signals, 89  
 social structure, testosterone regulation of  
   birds, 303  
 social systems, competitive, 289  
 somatic phenotype *see* body sex
- song  
   female birds, 315, 316, 320–1  
   predator effects, 60  
 song area, size variation, 296  
 song nucleus, 281  
   measurement, 294  
   size, 295, 296  
   song repertoire correlation, 296  
   survival in zebra finch, 286  
 song sparrow, 307, 308, 309  
   sex hormone treatment, 321–2, 324  
   testosterone effects on females, 316–17  
 song-control system, 279, 280, 286  
 sons, energy costs of raising, 356–7
- sound  
   advertisement, 244  
   analyzing, 243  
   call structures, 264  
   long distance audibility, 257  
   perception, 249–51, 251, 252, 253  
   recording, 243  
   reproductive activity mediation, 244  
   sex differences, 243–4, 257  
   *see also* communication
- sound dimorphism  
   cicada, 246, 247  
   covert, 253–7, 259, 261–2  
   developmental mechanisms, 259  
   fruitfly, 244–6  
   mechanisms, 269  
   nervous system, 261  
   overt, 253–7, 259–60  
   passerine birds, 249  
   patterns of overt, 246–9  
   peripheral structure changes, 262  
   red deer, 248–9  
   selection, 262
- sound-producing organs, 261  
 Southern blotting analysis of candidate  
   TDF genes, 407  
 SOX genes, 413, 415, 416

species lifespan, 4  
 speech patterns, 253  
 sperm  
   competition, 13, 55, 65–7  
   mtDNA, 17  
   entering human egg, 18  
   production capacity, 54  
 sphecid wasps, 83  
   male polymorphism, 88  
   size dimorphism, 99–100  
   size variation within sex, 100  
   tibial shields, 86, 87  
 spider wasps, cuckoo habit, 81  
 spinobulbar atrophy, 210  
 Spiro, Melford, 452, 453, 457, 458  
 spotted hyena, 352  
 spreading signal, 391, 392  
 SRW gene, 10  
 Sry  
   messenger RNA, 412  
   transgene, 409, 410  
 SRY (Sry) gene, 10, 15, 16, 289, 290, 405  
   absence from *Ellobius*, 427  
   aromatase expression, 289  
   base sequence, 412–13  
   bizarre species, 419  
   cloning, 399, 411, 412  
   coding region of human, 412  
   discovery, 409–11  
   evolution, 415–16  
   function, 411–15  
   marsupial Y chromosome, 410, 411  
   mode of action, 414  
   mutation, 409  
   sex determination, 430  
   testicular differentiation, 218  
   testis-determining function, 218, 417  
   transcription factor function, 413  
   XY females, 429  
 SRY protein, 413  
 SRY-like sequences, 411  
 staurosporine, 239  
 steroid hormones  
   CNS action, 279  
   critical period concept, 281, 283–5  
   exogenous effects on marsupials, 222–5  
   gene transcription, 445–6  
   gonadal, 31, 32, 223  
   neuron number, 285–7  
   overruling cultural imprinting, 454–6  
   parthenogenetic reproductive cycle,  
     41–2  
   steroid-receptor pathway, 279–81  
   temperature effects, 438  
   see also sex steroids  
 steroid metabolism, hepatic, 231–3  
   feminizing factor, 233, 234, 235  
   pituitary, 233–5

steroid receptors  
   brain, 281  
   expression regulation, 288  
   ligand-dependent gene transcription  
     factors, 287  
   primary gene turn on, 288  
 steroid sulphatase, 384, 386  
   pseudogene, 386  
 steroidogenesis, 439  
 stick insects, 26  
 sticklebacks, 56, 57  
 sting, 78–9  
 superior females, offspring, 358, 361  
 survival costs  
   food shortages, 354–5  
   juveniles, 354–5  
 swarms, mating, 87  
 sweat bee, 80  
   flightless fighting males, 92, 93  
 Symphyta, 77  
 syrinx, 249, 268  
 tail length  
   mate selection, 56, 57–9  
   sexual dimorphism in birds, 62  
   sexual selection, 61, 62  
 talapoin monkey, 193  
 tammar wallaby, 214–15, 217  
   exogenous oestrogen effects on testes,  
     224  
   genital ridge, 218, 220  
   gonads, 219  
   gubernaculum, 224  
   5 $\alpha$ -reductase activity, 222  
   scrotum development, 220, 221  
   sexual differentiation, 221  
   testosterone production, 222  
   urogenital organs, 225, 226  
 tamoxifen, 442, 443  
 temperature  
   gonadal differentiation, 433–6, 437,  
     438–9, 440–1, 442–4  
   sex determination (TSD), 48, 434  
   steroid hormone effects, 438  
 territorial defence in Hymenoptera, 84–5  
 testicular differentiation  
   mammals, 445  
   reptiles, 439, 441  
   structural genes, 445–6  
 testicular hormones, 397  
 testis  
   development, 203  
   female, 207  
   hormone secretion, 218  
   marsupial structure, 218, 219, 220  
   maturation, 204  
   steroid hormone content, 223  
   weight, 67



- testis size, 12  
   great apes, 65  
   monogamy, 66  
   polygyny, 66  
   sperm competition, 66
- testis-determining factor (TDF), 397,  
 403–15, 416  
   abnormal X and Y chromosomes, 403, 404  
   candidates, 405–8  
   characteristics, 404–5  
   determination, 399  
   gene mapping, 399  
   identification, 398  
   location, 405  
   locus mapping, 406  
   male-determining pathway, 398  
   mammals, 445  
   Southern blotting analysis of candidate  
   genes, 407  
   SRY gene, 409
- testis-determining gene, Y chromosome, 401
- testis-differentiating genes, SRY action, 414
- testosterone, 205–6, 218  
   aggression relationship, 306–7, 308–9,  
   316–17, 328  
   antler casting/regrowth, 139  
   antler growth, 134  
   behavioural effects in birds, 305–6  
   CNS regulation of secretion, 303  
   conversion to dihydrotestosterone, 211  
   female birds, 315–20  
   female–female bird interactions, 324, 326  
   male birds, breeding strategies, 306–15  
   male exposure to females, 308–9  
   male–male aggression, 310–12  
   monogamous male levels, 310  
   non-breeding season baseline, 312  
   oestrogen receptors, 280  
   parental behaviour, 310–12  
   parental care effects, 328  
   polygynous male levels, 310  
   reproductive aggression expression, 309  
   sex-specific brain development, 279  
   social cues, 309, 312  
   social interaction effects, 312–15  
   social structure regulation of bird  
   populations, 303  
   surges, 312  
   virilization of urogenital tract, 206
- thermosensitive period, 439, 440, 442,  
 443
- Theropithecus*, 180
- thyroid cartilage, human, 253–5
- Tokudaia*, 428
- top minnow, 25
- torymids, 93, 94
- transitional range of temperature (TRT),  
 436
- Z9-tricosene, 364, 368  
 6-tricosene (6-T), 371  
*cis* 7-tricosene (7-T), 367, 369, 371  
   pheromonal polymorphism, 372  
 trisomy, 19  
 9,23 tritriacontadiene (9,23 TTCD), 371  
 tsetse fly, 364, 365  
 túngara frog, 257–9  
   female call preference, 262–3  
 turtles, 436, 438, 439, 443  
   oestrogen feminization of gonads, 442–3  
 tusks, 131, 333–4  
 tymbal, 246, 247, 260
- ubiquitin-activating enzyme gene, 386
- unisexual species, 23, 24–5, 27, 28, 29  
   advantages, 48
- unprofitable prey hypothesis, 60
- ureter migration, 215
- urogenital sinus, marsupial, 214, 215
- urogenital system, mammalian, 215
- urogenital tract anlagen, 205
- cis* vaccenyl acetate, 368, 370  
 venom, Aculeata, 79  
 ventromedial hypothalamus (VMH),  
 43, 45
- vertebrates  
   bisexuality, 39  
   sex determination in embryo, 39  
   sexual differentiation, 40
- visual acuity, blowfly, 276
- visual cortex, 289
- vocal behaviour, chimaeric analyses of,  
   unlearned in birds, 269–70, 271
- vocal dimorphism, gibbon, 249, 250
- vocal folds  
   human, 255, 256  
   red deer, 249
- vocal tract, human, 254
- vocalization  
   African elephants, 341, 343, 344, 345  
   howler monkey, 247, 248
- voles *see* *Microtus*
- vomeroneasal organ, 41
- W chromosome  
   bird, 415  
   *see also* ZZ:ZW chromosome
- wapiti antlers, 147
- wasps, 71  
   adaptations of females, 82  
   chemical signals, 88  
   venom, 79
- weapons, 131, 132, 133  
   antlers, 134–5  
   females, use of, 133, 134  
   intraspecific competition, 133, 134  
   long-term selection, 131

- weapons (*continued*)  
 male, 64, 65  
 polygyny, 137  
 social dominance, 133  
 specialized, 131
- Weismann, August, 14
- western gull, 304, 326
- whiptail lizards, 27, 28, 34, 35, 36–7  
 aromatase inhibitor treatment, 39  
 brain sexual dimorphism, 43–4, 45  
 copulation bite-marks, 36  
 gonochoristic, 34, 35  
 male-specific traits, 39  
 sexual behaviour in parthenogenetic, 34,  
 36, 37, 38  
 unisexual, 34
- white-tailed deer, 114
- widowbirds, 56, 57
- winglessness  
 abundance relationship, 93  
 Hymenoptera, 90–2  
 male–male combat, 93, 94
- wings, 90
- Wolffian duct, 205  
 anuran, 215  
 differentiation, 206, 214  
 marsupial, 214  
 masculinization of derivatives, 218  
 testosterone stimulation, 206
- women, disadvantaged, 452
- wood lemming, 47, 422–5  
 breeding scheme, 423  
 sex chromosomes, 419  
 sex ratio, 424  
 Zfx genes, 429
- wood rat, 355
- X chromosome, 15, 16  
 abnormal, 403  
*Akodon*, 421  
 booster elements, 392  
 content, 394, 400  
 deletions, 389  
*Ellobius*, 428  
 extra copies in mammals, 415  
 gene arrangement, 385  
 imprinting, 390  
 mapping, 401  
 marsupial sexual dimorphism, 9  
 Ohno's law, 382  
 pairing region, 402  
 rearrangement, 384  
 repetitive elements, 392  
 size, 395, 400
- X chromosome inactivation, 386–7,  
 401  
 centre, 389–91, 394  
 DNA late replication, 393  
 eutherians, 388–9  
 marsupials, 388–9  
 mechanisms, 388  
 monotremes, 387–8  
 pairing segment, 391  
 paternal, 389–90, 393, 394  
 reactivation, 393  
 somatic cells, 390  
 spreading, 391–2  
 spreading signal, 391, 395  
 stabilization, 393
- X-autosome translocations, 389, 391  
 spreading signal, 392
- X-linked genes, 382–3
- X-Y shared genes, 402–3
- Xist gene, 389, 395
- XO  
 germ cells, 15, 16  
 karyotype in mole vole, 419  
 phenotype, 391, 401
- XX:XY chromosomes, 381, 382, 400  
 sex determination, 433, 434
- XY germ cells, 15  
 46, XY individuals, 207, 210
- X\*Y females, 422, 423, 424–5
- Y chromosome, 8, 15, 382, 384, 386  
 abnormal, 403  
 content, 400  
 DNA sequences, 401–2  
 male development in mammals, 416  
 male-determining genes, 394  
 mapping, 401  
 marsupials, 218  
 pairing region, 402  
 size, 382, 400  
 steroid sulphatase gene, 386  
 TDF, 403  
 testis development, 218  
 testis-determining gene, 401
- Z chromosome, 403, 415
- zebra finch  
 acoustic differences, 266  
 contact call, 264–6  
 control of calls, 267–8  
 cross-fostering studies, 266, 267  
 differentiation of song-controlling brain  
 areas, 284  
 distance call duration, 268–9  
 nervous system lesions, 266, 267  
 oestrogen receptors, 288  
 oestrogen treatment, 286  
 RA innervation by HVC neurons, 286  
 SDN size, 296  
 sex differences in learning, 266–7  
 sex-typic behaviour, 292  
 sexual dimorphism in calls, 268

*Index*

479

- song nuclei survival, 286
- steroid action, critical period, 283
- vocal learning, 266
- Zfx gene, 429
- ZFX/ZFY gene, 408
- ZFY (Zfy) gene, 416–17
- absence from *Ellobius*, 427
- XY females, 429
- zinc finger gene (ZFY), 408
- ZZ:ZW chromosome  
sex determination, 433, 434
- system, 381, 382