

INDEX

- active, 142
- additive, 345
- adjacency operator, 277
- adjacent, 5
- adjoint operator, 209
- admissible functions, 312
- affine lattice, 14
- affine poset, 13, 152, 164, 175, 261
- AK-family, 51
- all-one-operator, 276
- antiblocker, 87
- antiblocking type, 87
- antichain, 5
- arc, 5
- asymptotic product theorem, 319
- asymptotic Sperner property, 326
- asymptotically normal, 305
- atoms, 8
- automorphism, 4
- AZ-identity, 18
- B-family, 93
- backward arc, 119
- bandwidth problem, 46
- Bell number, 15, 273
- Bernstein polynomial, 269
- Betti sequence, 355
- bipartite graph, 16
- block, 98, 337
- Boolean lattice, 9, 152, 175, 182, 185, 195, 230, 233, 237, 261, 265, 279, 295
- Borsuk's conjecture, 69
- boundary, 39, 77
- breadth first search, 121
- canonically compressed, 353
- capacity, 117
- capacity constraints, 118
- capacity of cut, 118
- chain, 5
- chain product, 9, 114, 171, 175, 182, 195, 230, 306, 328, 332
- characteristic function, 6, 305
- Chebyshev's inequality, 268
- chromatic polynomial, 272
- Clements-Lindström theorem, 343
- clique, 5
- Cohen-Macaulay complex, 355
- cointersecting, 7, 27, 93
- colored Kruskal-Katona Theorem, 345
- colored Macaulay Theorem, 352
- coloring, 272
- coloring-monotone, 275
- commutation property, 232
- comparable, 4
- complement, 376
- complement-free, 94, 378
- complementary family, 8, 376
- complete intersection theorem, 54
- component, 146
- compressed, 41, 351
- compressed family, 352
- compression, 41, 333
- connected, 146
- consecutive, 91
- conservation of flow, 118
- continuity theorem, 305
- continuous random variable, 304
- convex combination, 84
- convex hull, 84
- cost function, 121
- cosupport, 384
- counting in two different ways, 16
- cover, 5
- critical path method, 140
- cross-unrelated, 21
- cubical lattice, 10
- cubical poset, 10, 152, 175, 185, 232
- cut, 118
- cutset, 19
- cyclic permutation, 25

- dag, 124
 decreasing function, 6
 def, 124
 degree, 4
 degree-property, 250
 density function, 304
 differential poset, 232
 digraph, 5
 Dilworth's theorem, 116
 Dilworth–Greene lattice, 248, 261
 dimension of a polytope, 84
 directed graph, 5
 discrete random variable, 304
 disjunctive normal form, 195
 distribution function, 304
 distributive lattice, 9, 248
 dual poset, 6, 7
 dual problem, 125
 duality theorem, 126
 dynamically cointersecting, 382
 dynamically intersecting, 382
- edge set, 4
 edge-isoperimetric problem, 40, 359
 edge-labelable poset, 238
 EIP, 40
 endpoint, 5
 entropy, 79
 entropy inequality, 79
 equilibrium, 146
 equipartition, 102
 Erdős method, 71
 Erdős–Ko–Rado Theorem, 25
 essential extreme point, 88
 essential facet-defining inequality, 88
 Euclidean space, 209
 expected value, 140, 305
 extreme point, 84
- facet, 86
 family, 5
 fibre, 131
 filter, 6
 final segment, 345
 Fisher's inequality, 61
 FKG-inequality, 267
 FKG-poset, 270
 flow, 117
 flow-augmenting path, 119
 flow morphism, 157
 forward arc, 119
 Four-Function Theorem, 265
 fractional k-cutset, 125
 fractional k-family, 132
 fringe vertex, 121
 full, 86
 full-dimensional, 87
 full rank, 211
 function lattice, 10
 function poset, 10, 152, 164, 171, 175, 185, 232
- Gaussian distribution, 305
 generalized profile, 352
 generalized rank function, 318
 generated filter, 6
 generated ideal, 6
 generating family, 50
 geometric lattice, 8, 248
 graded poset, 7
 graph, 4
 graph poset, 14, 231
 graph space, 276
- Hall's theorem, 180
 Hamming graph, 358
 Hasse diagram, 5
 Hasse graph, 5
 Hayman's method, 310
 height function, 5
 hereditary, 86
 homogenous polynomial, 64
- i -difference representation, 373
 I-level connected, 171
 I-log concave, 173
 I-normal, 171
 i-representation, 368
 ideal, 6
 incidence matrix, 211, 258
 inclusion-unrelated, 21
 increasing function, 6
 indegree, 250
 independence number, 276
 independent, 5
 independent random variables, 305
 induced poset, 6
 infimum, 6
 initial segment, 345
 injective word, 114
 inner edges, 39
 integral capacity, 118
 integral flow, 118
 integral random variable, 307
 interface, 197
 intersecting, 7, 24, 27, 93, 164
 interval, 5
 inversion poset, 248
 involution, 213
 isomorphic, 4
 isomorphism, 4
- j -compressed, 338
 Johnson graph, 281
 Jordan coefficient, 217
 Jordan function, 217
- k -cutset, 125
 k -cutset property, 152
 k -family, 5, 131
 k -family problem, 131
 k -independent family, 72

- k*-LYM inequality, 150
- k*-representation, 47
- k*-saturated, 138, 182
- k*-shadow, 7
- k*-Sperner property, 8
- k*-uniform, 281
- Katona's circle method, 26, 91
- kernel, 211
- key, 3
- Kneser graph, 281
- Korshunov Theorem, 31
- Kruskal–Katona Theorem, 46
- KS-independent, 22
- L*-intersecting, 62, 296
- labeled vertex, 119
- labeling algorithm, 121
- Lagrange function, 146
- Lagrange multiplier, 146
- lattice, 7
- lattice distribution, 309
- lattice of noncrossing partitions, 198
- Lefschetz adjacency operator, 277
- Lefschetz lowering operator, 210
- Lefschetz matrix, 211
- Lefschetz raising operator, 210
- length, 5
- level, 7
- Lie-algebra, 246
- Lie-property, 232
- linear lattice, 12, 152, 175, 186, 187, 233, 237, 261, 279, 295
- link, 185
- little-submodular, 345
- Littlewood–Offord problem, 189
- locally asymptotically normal, 307
- log concave, 8
- logarithmically concave, 8
- lower shadow, 7
- lowering operator, 209
- lowering property, 260
- LYM-inequality, 17
- Möbius function, 255
- Möbius inversion, 255
- Macaulay poset, 333
- Macaulay Theorem, 343
- marginal random vector, 79
- matching, 5, 179
- Max-Flow Min-Cut Theorem, 119
- maximal chain, 5
- maximal element, 5
- maximal family, 5
- maximal flow, 118
- maximum family, 5
- maximum-edge problem, 40, 358
- mean, 140, 305
- MEP, 40
- minimal cut, 118
- minimal element, 5
- minimal polynomial, 196
- mod-*k*-family, 153
- modular, 8
- modular geometric lattice, 13, 171, 175, 187, 237
- modular lattice, 8, 248
- monomial, 195
- multilinear polynomial, 66
- nested chain order, 198
- nested structure of solutions, 44
- network, 117
- new shadow, 345
- noncrossing partition, 198
- nontrivial intersecting, 60
- normal distribution, 305
- normal poset, 149
- normalized matching property, 149
- NSS, 44
- open problems, 27, 29, 67, 93, 114, 148, 162, 187, 189, 193, 199, 207, 246, 248, 253, 261, 389
- oracle, 31
- orbit, 6
- order-lowering operator, 210
- order preserving, 6, 324
- order-raising operator, 210
- ordered *k*-partition, 21
- outdegree, 250
- outer edges, 40
- p, q*-Sperner family, 78
- p*-group, 251
- parameters, 7
- parenthesization, 183
- parenthesization partition, 185
- partially ordered sets, 4
- partition lattice, 14, 199, 201, 272, 314, 316, 326
- Peck poset, 229
- Peck product theorem, 230
- Peck quotient theorem, 230
- Peck rankwise product theorem, 231
- permutation invariant, 91
- permutohedron lattice, 248
- polyhedral complex, 355
- polyhedron, 85
- polynomial, 195
- polytope, 84
- poset, 4
- poset of colored subsets, 344
- poset of ideals, 244
- poset of shuffles, 197
- poset of subcubes of a cube, 12, 177, 232
- poset of submatrices of a matrix, 12, 232
- poset of unordered partitions of an integer, 207
- poset space, 209
- positive semidefinite, 277
- positively weighted, 5

- potential function, 121
- primal problem, 125
- prime number theorem, 68
- principal filter, 6
- principal ideal, 6
- probabilistic method, 71
- product, 6
- product theorem, 168
- profile, 7
- profile-polytope, 84
- Profile-Polytope Theorem, 94
- projective space lattice, 13, 152, 175, 187
- properly log concave, 307
- property C, 232
- property T, 222
-
- q -binomial theorem, 279
- qualitatively independent, 22, 94, 113
- quotient, 6
-
- raising operator, 209
- rank, 211
- rank compressed, 162, 271, 326
- rank function, 7
- rank greedy, 356
- rank i lowering operator, 258
- rank i raising operator, 258
- rank of a poset, 7
- rank preserving, 226
- rank symmetric, 8
- rank unimodal, 8
- rank-generating function, 7
- rank-preserving cover suborder, 248
- rank-selected subposet, 7
- rank-transitive, 162
- ranked basis, 209
- ranked Jordan basis, 214
- ranked Jordan string, 214
- ranked poset, 7
- ranked subspace, 216
- rankwise product, 7
- recognition of order-preserving maps, 32
- reduced profile, 84
- reflexed Sperner family, 376
- regular covering, 150
- regular graph, 4
- regular poset, 152
- regular sequence, 234
- relational model, 3
- representation flow, 142, 239
- representation of $sl(2, \mathbb{C})$, 246
- reverse lexicographic order, 40, 334
-
- saddle point method, 312
- saturated arc, 118
- saturated chain, 5
- sc-order, 180
- scalar product, 209
- segment, 345
- self-adjoint, 277
-
- self-complementary, 94, 379
- semi-Peck poset, 231
- semi-sc-order, 199
- semiantichain, 187
- semimodular, 8
- semisymmetric chain, 198
- shadow, 7
- shadow function, 345
- shadow increasing, 349
- Shannon complexity, 32, 38
- shifted family, 50
- shifting, 33
- simplicial complex, 355
- sink, 117
- skew chain order, 189
- source, 117
- span, 309
- special symmetric chain order, 194
- Sperner family, 5
- Sperner problem, 116, 132
- Sperner property, 8, 93
- Sperner's theorem, 1
- Sperner-Erdős problem, 116
- square submatrices of a square matrix, 12, 177, 195, 231
- ssc-order, 194
- star, 27
- star product, 10, 171, 332
- starting point, 5
- statically cointersecting, 384
- statically intersecting, 384
- statically t -intersecting, 114
- Stirling number, 14, 273
- Stirling's formula, 310
- strict k -Sperner property, 171
- strict product theorem, 173
- strictly level connected, 171
- strictly log concave, 173
- strictly normal, 171
- string number, 217
- strong cutset property, 152
- strong IC-property, 194
- strong nested structure of solutions, 45
- strong Sperner property, 8
- strongly Sperner, 8
- subgroup lattice, 251
- subparallellepipeds of a parallelepipedon, 11, 171, 175, 232
- subword, 114
- support, 6, 114, 124, 384
- supremum, 6
- symmetric Boolean function, 196
- symmetric chain, 29, 180
- symmetric chain order, 180
- symmetric chain partition, 180
- symmetric sequence, 8
-
- t -cointersecting, 7
- t -intersecting, 7, 281
- t -phenomenon, 130

8.7 Index

417

- Takagi function, 349
Taylor's formula, 310
truncation, 260
two-part Sperner property, 187

uniform, 7
unimodal, 8
unitary Peck poset, 229
unitary semi-Peck poset, 231
upper shadow, 7

valid inequality, 86
value of flow, 118
variance, 305
variance of a poset, 141
variance problem, 141

variational principle, 362
vertex set, 4
vertex-isoperimetric problem, 40, 367
VIP, 40
void, 118

weak flow morphism, 159
weight function, 5
weight of a family, 5
weighted poset, 5
weighted quotient, 6
weighted quotient theorem, 160
Weisner's formula, 256
Whitney number, 7
width, 6