

Cambridge University Press

978-0-521-45251-9 - Emergency Mental Health Services in the Community

Edited by Michael Phelan, Geraldine Strathdee and Graham Thornicroft

Index

[More information](#)*Index*

- accessibility of services 8
- accident and emergency department
 - attenders have higher level of psychiatric morbidity 215–16
 - chronic nature of problems 217, 221
 - overtly psychiatric presenting problems 216–17
 - statistics 216–17
- presenting problems with physical and psychiatric components 214–15
- primarily somatic complaints with background of psychiatric morbidity 215–16
- psychiatric emergencies 213–32
 - clinician's difficulties in managing psychiatric problems 223–4
 - current service provision 217–19; international differences 217–18, 220; survey, England and Wales 218–19
 - developing effective psychiatric services 225–229; liaison group among staff 229; role and function of A & E department 226–7; service models 225–9; short-stay holding area 227; staff difficulties 227–8; training and supervision of psychiatric staff 228–9
 - effects of the environment 221–2
 - hostility to patients 223
 - psychiatrists' working difficulties 224–5
 - resource and management
 - problems 219–25; continuity of care 220–1; department usually not planned with psychiatry in mind 219–20; local availability of psychiatric resources 220; service effectiveness and staff morale 220
 - safety 222–3
 - psychiatry provision 21–2
 - criticisms 22–3
- acute crisis respite care 233–58
 - background 233–5
 - those in need 233–4
 - see also* day hospital, acute/crisis respite treatment
- acute day hospital, service model 23–4
- acute day hospital care 298–319
 - see also* day hospital care, acute
- acute home-based care and community psychiatry 276–97
 - see also* home-based care, acute, and community psychiatry
- acute hospital care, existing alternatives 50–5
- acute in-patient wards 320–39
 - see also* in-patient wards
- admission facilities in community

Cambridge University Press

978-0-521-45251-9 - Emergency Mental Health Services in the Community

Edited by Michael Phelan, Geraldine Strathdee and Graham Thornicroft

Index

[More information](#)*Index*

349

- services 333–6
- assertive outreach programme 333–6
- hospitalisation programme 334–5
- long-term service users, new model for treatment 335
- patients seen/referrals 334
- staff/team 333–4
- see also* in-patient wards
- affective disorders, home visits, South Verona 288–91
- alcohol abuse, admission 326–7
- alcohol abuse and violence, and community assessment 159, 161
- antidepressants, and suicide rate 108–9
- arrests *see* police powers
- assertive outreach, costs 89–91
- assessment of an emergency service 179–83
 - collaboration 182
 - crisis intervention teams 24–6
 - discharge 183
 - home treatment teams 24–6
 - intervention 182
 - management 181
 - of need of services 8–9
 - outcome 181
 - priorities 182, 183
 - response time 181
 - setting 181, 182
 - source of referrals 180
 - staff 181
 - time 180
- assessment(s), community 149–73
 - advantages and disadvantages for family and local environment 164–5
 - advantages and disadvantages for patient 163–4
 - available community support 162–3
 - degree of risk that is acceptable 162–3
 - ethical issues 165–8
 - civil libertarian/medical view 165–6
 - examination 155–68
 - feasibility and appropriateness of
 - home-based treatment 157–68
 - risk to self and others as result of patients illness 158–62
 - hospital setting compared with community setting 150–1
 - mental state and home environment 155–6
 - multidisciplinary compared with unidisciplinary 149–50
 - preparation for visit 152–4
 - arranging an appropriate level of back-up for safe working practices 153–4
 - arranging where interview is to take place and who is to be present 152–3
 - history taking from patient of carer/family 154–5
 - information gathering, including past violent episodes 152
 - social state 156–7
 - strategy 151–68
 - supervision 162–3
 - violence, prediction and dangerousness 159
- atmosphere of emergency wards 44–5
- Australia
 - case management and assertive outreach 90
 - legal aspects, treatment in the community 77
- Barnes Unit, Oxford 22
- bed management, strategies 190–1
- bed reduction and establishment of emergency service 190–1
- bipolar disorder, home-based treatment 163–4
- black people, emergency needs 52–5
 - see also* Sanctuary Project
- Blackburn, day hospital care 309
- breach of the peace 64
- Brownell House 238–9
 - daily routine 239
 - facilities 238–9

- Brownell House (*cont.*)
 non-profit making organisation 238
 work with patients' families 239
- burn-out 12, 209
 and feasibility of emergency services 197
- carbon monoxide poisoning, exhaust fume toxicity and suicide rate 108
- Care Programme Approach 67
- carers
 advantages and disadvantages of home-based treatment for patient 164–5
 level of burden 165
 in the emergency services 345–6
 action plan 346
 involvement in home-based treatment 162–3
 needs for crisis services 188
- case management, costs 89–91
- casualty department *see* accident and emergency department
- catchment area size 9
- Central Middlesex Hospital 45
- centralised emergency psychiatry 9–10, 19–27
 service models 19–27
- Centre Psychiatrique d'Orientation et d'Accueil* (CPOA) 9
- children, home crisis services (US) 92
- Choices, Cambridge 51
- chronic crisis patients 20–1
- clinicians in the emergency service 341–2
 action plan 342
- clinics *see* emergency clinic
- Clunis, Christopher 42
- Clunis inquiry 57
- collaboration in emergency care 182
- community assessment of crisis 149–73
see also assessment(s), community
- community health crisis centres
 NHS budgeting 40–1
 number available 40
- community mental health centres
 emergency services 29–31
 models 28–9
- comparative studies of emergency services 17–19
- compulsory supervision order and ethical issues 167–8
- confidentiality and home-based treatment 166
- Connecticut Mental Health Center day hospital/crisis respite program 235–56
 education and training for staff 238
 emergency procedures 238
 facilities 237–8
 methods 239–55
 patients 236
 programme 237
 staff 236–7
see also day hospital, acute/crisis respite treatment
- consent to treatment, absence, from patient 74
- continuity of care after A & E department attendance 220–1
- continuous community care and home-base care 277–8
- Continuum of Care Inc., Brownell House 238–9
- costs of emergency services 88–92
 case management and assertive outreach 89–91
 cost benefit analysis 84
 cost-effectiveness analysis 85
 cost minimisation analysis 84
 cost utility analysis 85
- crisis housing and residential treatment for acute illness 89
 for day hospital/crisis respite treatment 243, 246–9
- direct costs 85, 87
 of Early Intervention Service 200

Cambridge University Press

978-0-521-45251-9 - Emergency Mental Health Services in the Community

Edited by Michael Phelan, Geraldine Strathdee and Graham Thornicroft

Index

[More information](#)*Index*

351

- emergency clinic 88–9
- evaluations 83–4
 - type 84–5
- hidden costs 85–6, 87
- identification 85–6
 - of burdens 86–8
- indirect costs 85, 87
- mental health services 40–1
- move to the community 82
- partial hospitalisation 91
- quality adjusted life years 85
- range of service costs 86, 87
- user of emergency service by
 - particular client groups 91–2
- see also* economics
- crime arrests and mental health
 - emergency 67–8
- Criminal Law Act 1967 64
- criminal offence but in need of
 - treatment, policy 67
- crisis admission wards 12
- crisis cards 41
- crisis care teams
 - evolution 13
 - stress 13
- crisis centres *see* community health crisis
 - centres: day hospital, acute/crisis respite treatment
- crisis homes, *see* family placement schemes
- crisis houses 41
 - criteria for admission 191, 192
 - establishing 191–2
- crisis housing, costs 88
- crisis intervention
 - emergency clinic 19–21
 - houses 42
 - see also* day hospital, acute/crisis respite treatment crisis intervention service
 - three person multidisciplinary team 51
 - UK support 82
- crisis intervention teams, models 24–6
- crisis intervention theory, historical roots 5–6
- Crisis Point, Southampton 51
- crisis respite treatment *see* day hospital, acute/crisis respite treatment
- crisis services
 - as core component of comprehensive mental health service 178
 - costs 88–92
 - see also* costs: costs of emergency services
 - non-hospital, users' views 49–50
 - official and professional reaction 1994 42–3
- crisis triage rating scale 158
- Daily Living Programme 25, 190
- Dane County, Wisconsin community
 - mental health 262–8
 - crisis home programme 263–8
 - local factors 262–3
 - see also* family placement schemes
- day care services, non-hospital 51
- day hospital, acute/crisis respite treatment 233–58
 - admission of patients 240
 - availability of beds 242
 - randomisation of subjects 242
- Brownell House 238–9
- clinical programme description 235–9
- Connecticut Mental Health Center 236–8
 - cost measures 243
 - costs outcome 246–9
 - data collection 244
 - demographic features 245
 - discharge planning 254–5
 - discussion of results 249
 - disorders included 245
 - existing alternatives 50–5
 - goals of the programme 249–51
 - implementation considerations 249–55

- day hospital (*cont.*)
 - location 255
 - methods 239–55
 - patient measures 243
 - social-psychological 243
 - symptoms 243
 - programme design features 253–4
 - reasons for ineligibility 244–5
 - recruitment and retention experience 242–3
 - research methods 240–4
 - research subjects 240–1
 - exclusion criteria 241
 - inclusion criteria 241
 - recruitment 241–2
 - results 244–9
 - sample characteristics 244–5
 - security for staff and patients 254
 - staff-patient ratio and patients' disorders 251–2
 - staffing 252–3
 - target population 251–2
 - treatment costs 91
 - treatment results 245–9
 - symptoms and functions by treatment condition overall 245–6
 - utilisation of services by treatment condition overall 246
- day hospital care, acute 298–319
 - advantages over in-patient care and independent community treatment 299–300
 - development, UK 300–1
 - disadvantages 300
 - evaluation research 301
 - existing alternatives 50–5
 - feasibility for acutely ill patients 301–4
 - Manchester studies 304–7
 - outcome 307
 - can findings be generalised? 309–10
 - reduction of symptoms and improvement in social functioning 307–8
 - rehospitalisation rate and costs 308–9
 - patients admitted for some in-treatment 303–4
 - proportion of patients excluded 301, 302
 - selection criteria, suitability of patients for day or in-patient treatment 301–4
 - role in a community psychiatric service 314–16
 - staff attitudes 310–14
 - community day centres or other continuing care facilities 313–14
 - community support 313
 - staff on call 313
 - staff organisation 314
 - staffing level 312
 - treatments 312
 - treatment costs 91
- day hospitals, services 11, 23–4
- day treatment, costs 91
- de-institutionalisation
 - consequences, historical factors 6
 - influences and ethical issues 165–8
- decentralised emergency psychiatry, service models 27–31
- depression
 - home-based treatment 163–4
 - treatment to prevent suicide 106–7
- discharge and emergency care 183
- domiciliary visits *see* assessment(s), community: home-based care, acute
- drug abuse and violence, and community assessment 159, 161
- drug overdose, accidental 161
- drug treatment, safety 46
- Early Intervention Service 197–212
 - background 198
 - community service 199–200

- comparison with other services 208–9
- components of team 199
- cost and annual budget 200
- demographic characteristics of the catchment area 198–9
- difficulties in developing skill-share services 209–11
- evaluation and audit 207–9
- impetus for setting up 198–9
- integration with psychiatric services 206–7
- maintaining expertise and morale:
 - skill-share model 203–7
 - budget 205–6
- management 200–1
- patients referred, including
 - self-referral 201–3
 - assessment 202–3
 - diagnoses 202
- problems with mobile population 207
- referrals 200
 - keep case-load low 200
 - length of treatment 200
 - role of senior psychiatrist 201
- staff changes 206–7
- economics of mental health emergency services 81–95
 - burden of mental health problems 81–2
 - evaluations 83–5
 - see also* costs of emergency services
 - importance 83
 - resource allocation 83
 - scarcity of resources 83
 - methodology 83–8
 - move to the community 82
 - need for emergency services 82
 - proportions of NHS expenditure 81–2
 - see also* costs emergency clinic 19–21
 - ‘biomedical’ model at Maudsley Hospital 21
 - costs 88–9
 - crisis intervention 19–21
 - integration of services 21
 - psychotherapeutic intervention 19, 20
 - walk-in, costs 88
- emergency mental health services
 - centralised 19–27
 - changes in outlook 3–4
 - comparative studies 17–19
 - day hospital services 11
 - decentralised 27–31
 - development 16–17, 18
 - historical roots 4–6
 - methodological issues 31–2
 - mobile services 11
 - organisation and range 8–10
 - out-patient services 11
 - overnight stay facilities 11–12
 - reasons for difficulties 4
 - selected list of conditions 6–7
 - staff problems 12–13
 - surveys 18–19
 - telephone services 3, 10–11
 - types of patients 7–8
 - types of service 19
 - users’ perspective 39–60
 - see also* assessment(s): early intervention service: establishing an emergency service: users’ perspective
- emergency psychiatric services
 - burn-out phenomenon 197
 - scepticism 197
- emergency residential care outside hospital 26–7
- emergency room *see* accident and emergency department
- emergency services
 - functions 178–84
 - in a sectorised system 29–31
 - types 82
- Emergency Services Unit, Dale County, Wisconsin 263
- emergency treatment 73–6
- emergency ward, service model 23
- environment of emergency wards 44–5

- establishing an emergency service
 - 177–96
 - based on local needs 185–9
 - community agencies 189
 - demographic and service factors 185, 186
 - general practitioners 188–9
 - pathways into care 187
 - use of acute in-patient beds 187
 - use of current services 185–7
 - users and carers needs for crisis services 188
- developing a 24-hour emergency service 189–92
 - bed reduction 190–1
 - establishment of a crisis house 191–2
- evaluation 193–4
 - key areas 194, 195
- functions 178–84
 - see also* functions of an emergency service
- future plans 194
- range of components 184–5
- ethical issues and home-based treatment 165–8
- ethnic minorities, in-patient treatment 327–8
- evaluation of emergency care 193–4
- exhaust fumes, reduction of toxicity, and suicide rate 107–8
- family involvement in recovery process 127–30, 139–43
 - relapse prevention 127–30, 139–43
- family placement schemes 259–75
 - characteristics of crisis home clients 266
 - clients' reports 272
 - community mental health in Dane County, Wisconsin 262–3
 - crisis home admission of 'Mary' 266–8
 - crisis home program of Dane County 263–8
 - crisis home families, their facilities, training and payment 263–4
 - families and their guests 265–8
 - goal 263
 - role of crisis home 264
 - families and their guests 265–6
 - clients who use crisis homes 266
 - description of families and entry into scheme 265
 - retention rates 265–6
 - training 265
 - historical overview and review of literature 259–61
 - outcome studies 261–2
 - potential problems
 - liability 270
 - neighbourhood opposition 270
 - psychological dependency on crisis homes 270
 - tragedy 270
 - violence 270
 - provident families experiences 272–3
 - why are there not more such programmes? 271–2
 - why do they work? 268–70
- fire hazard and accidental self-harm 160–1
- flat, Bassetlaw, unstaffed, for crisis care 52
- follow-up in community-based treatment 166–7
- force, use permitted 64
- France, sectorisation of services 27
- functions of an emergency service 178–84
 - assessment 179–83
 - information 183–4, 186
- gas, non-toxic replacement of coal gas and suicide rate reduction 107
- general practitioner
 - role in emergency care 188–9
 - role in suicide prevention 106–7
- geographical size of population in

Cambridge University Press

978-0-521-45251-9 - Emergency Mental Health Services in the Community

Edited by Michael Phelan, Geraldine Strathdee and Graham Thornicroft

Index

[More information](#)*Index*

355

- relation to service 9
- Gheel, Belgium 260, 273
- Grange, Newcastle 45
- group-living home 92
- Health of the Nation* 81, 98
- Hennepin County Crisis Home Program 261
- Hill Report 225
- home-based care, acute, and
 - community psychiatry 276–97
 - examples 281–4
 - facilities 285
 - follow-up studies 283–4
 - home visits, data (1982–92) 286–92
 - and the mobile crisis team 278–80
 - need for integrating emergency and continuous community care 277–8
 - outcome studies 283–4
 - programmes 284–5
 - psychiatric case register 286
- South Verona Community Psychiatric Service 284–92
 - integrated service 284–92
 - and specialised crisis programmes 278
- staff responsibilities 285–6
- techniques 280–1
- home-based treatment
 - advantages and disadvantages for family and local environment 164–5
 - advantages and disadvantages for patient 163–4
 - available community support 162–3
 - degree of risk that is acceptable 162–3
 - ethical issues 165–8
 - civil libertarian/medical view 165–6
 - feasibility and appropriateness 157–68
 - crisis triage rating scale 158
 - risk to self and others as result of patients illness 158–62
 - supervision 162–3
 - home crisis services for children (US) 92
 - home treatment services 51, 56
 - home treatment teams, service models 24–6
 - homeless mentally ill, A & E department practice 215
 - hospital acute units
 - existing alternatives 50–5
 - views by users and professionals 43–9
 - hospital ward, mental health emergency 72–3
 - hospitalisation, partial, costs 91
 - in-patient wards 320–39
 - aims 321–2
 - alcohol and substance misuse 326–7
 - decision to admit 322–3
 - referral pattern 322–3
 - ethnic minorities 327–8
 - future role of admission facilities in community services 333–6
 - see also* admission facilities
 - in-patient environment and staffing 331–2
 - involuntary treatment 326
 - offenders who might be suffering from mental disorder 325–6
 - patients who are physically ill 327
 - resources 328–32
 - estimated requirements 329
 - in-patient beds 329–31
 - sociodemographic factors 329–30
 - special clinical considerations 323–8
 - suicidal intent 323
 - violence 323–4
 - integration of services rather than emergency clinics 21
 - interpreters at assessment interviews 153
 - involuntary treatment 326
 - Italy, community mental health centres 29
 - legal aspects of mental health emergencies 61–80

Cambridge University Press

978-0-521-45251-9 - Emergency Mental Health Services in the Community

Edited by Michael Phelan, Geraldine Strathdee and Graham Thornicroft

Index

[More information](#)

356

Index

- legal aspects of mental health (*cont.*)
- admission to hospital for assessment 69–70
 - good practice guidance 70
 - number of days detention 69
 - one medical opinion 69
 - admission to hospital for treatment 70–1
 - aftercare subject to supervision (UK) 78
 - ‘at risk’ registers 78
 - community care order (Scotland) 78–9
 - criminal offence but in need of treatment, policy 67
 - diversion from the criminal justice system 72
 - emergency on hospital ward 72–6
 - absence of patient’s consent 73–4
 - emergency power to treat under common law 73–4
 - emergency treatment 73–6
 - senior nurse’s holding power 73
 - stopping a patient from leaving 72–3
 - emergency in prison 71–2
 - emergency in a public place 65–6
 - emergency requiring admission to hospital for assessment 68–70
 - international trends and future changes 76–9
 - mental health law
 - background 61–3
 - emergency provisions 63–5
 - new powers, treatment in the community 76–7
 - Australia, New Zealand, UK 76–8
 - registers of ‘at risk’ patients 67–8, 78
 - Lewes, CMHC, self-referral 30
 - Lewisham Crisis Intervention Team 26
 - Lewisham Mental Health Assessment Centre, self-referral 30
 - Madison family placement scheme 262
 - Madison model 333
 - maintaining an emergency service 197–212
 - see also* Early Intervention Service
 - management, and community care options 57–8
 - managers in the emergency service 343–4
 - action plan 343–4
 - Manchester, day hospital care studies 304–7
 - can findings be generalised 309–10
 - conclusions 310
 - outcome 307–9
 - Maudsley Daily Living Programme, case management and assertive outreach 90
 - costs 90
 - Maudsley Hospital walk-in emergency clinic 88–9
 - costs 88–9
 - diagnoses of attenders 88
 - media, influence on suicide 105–6
 - mental disorder, definition 65
 - Mental Health Act 1959 62
 - Mental Health Act 1983 62, 64–5, 166
 - Mental Health Act Code of Practice (Department of Health and Welsh Office, 1993) 73
 - Mental Health Act Commission 62–3
 - mental health emergency services
 - carers 345–6
 - clinicians 341–2
 - future 340–7
 - purchasers 340–1; action plan 341
 - managers 343–4
 - policy makers 346
 - researchers 342–3
 - users 344–5
 - voluntary organisations 344
 - mental health law *see* legal aspects
 - Mental Health (Patients in the Community) Bill 63, 68
 - Mental Health Review Tribunal 62
 - Mental Health (Scotland) Act 1984 63
 - Mental Treatment Act 1930 61–2

- MIND 42, 43, 166
 consultation on crisis and acute services 56
 crisis response 41–2
- MINDLINK 41, 43
- mixed wards, and user safety 46
- mobile crisis team and acute home-based care 278–80
 as alternative to hospital and aftercare 279–80
 appropriate clients 279
 components 278–9
- mobile population, and early intervention service 207
- mobile services 11
- National Health Service mental health budget 40–1
- National Schizophrenia Fellowship 166
- New Zealand, legal aspects, treatment in the community 77
- Northeast of England (North Tyneside)
 admission facilities 333–6
 assertive outreach programme 333–6
 staff/team 333–4
see also admission facilities
- Nunhead, establishing an emergency service 177–96
see also establishing an emergency service
- occupations, suicide risk factors 101–4
 targeting specific groups 101–4
- offenders who might be suffering from mental disorder, admission 325–6
- out-patient services 11
- overnight stay facilities 11–12
- Paddington/North Kensington
 catchment area for EIS 198–9
- paracetamol availability and suicide rate 108
 addition of methionine or emetic 108
- parasuicide, A & E department
 management 225–6
- Paris, centralised service 9
- partial hospitalisation, costs 91
- patient, only active adult in household 161–2
- patients' perspectives *see* users' perspective
- pharmacological early intervention and relapse prevention 128, 130, 131, 134–8
- physical illness, and need for emergency mental admission 327
- place of safety 65
- Poisoning Unit, Edinburgh 22
- police powers in mental health
 emergency 64–8
 breach of the peace 64
 crime arrests 67–8
 power of arrest 65, 66, 67–8
 principal duties 68
 in private premises 66–7
 in a public place 65–6
 use of force 64
 warrant issued 66
- policy makers in the emergency services 346
 action plan 346
- population size in relation to services 9–10
- prevention
 of hospitalisation, historical roots 5
 use of crisis services 56
- priorities in emergency care 182, 183
- prison, mental health emergency 71–2
- private premises, mental health emergency 66–7
- prodrome heralding psychotic relapse 118–24
 and medication increase 120–1
 relatives reporting signs 118–20
 schizophrenic patients monitored 121–2
see also relapse prevention
- professionals' role in crisis care 57–8
- psychiatric emergency, definition 16

- psychiatry provision in the casualty department 21–2
- psychosocial intervention and relapse prevention 140–1
- psychosocial recovery programme and relapse prevention 141–3
- psychotherapeutic intervention in prevention 19, 20
- public place, mental health emergency 65–6
- Quarterway House 89
- recovery, concept, and relapse prevention 139–40
- Reform Act 1978 (Italy) 284
- regime, users' perspectives 46–7
- registers of 'at risk' patients 67–8, 78
- relapse prevention 116–48
 - analysis of admissions 138–9
 - collaborative early intervention 126–34, 138–9
 - clarifying the relapse signature 130–2
 - drug-refractory positive symptoms 127
 - early signs for intervention 127–8
 - early signs interview 128, 129
 - engagement and education 126
 - identifying the time window and provisional relapse signature 127–8
 - monitoring and intervention 128–30
 - pharmacological intervention 128, 130, 131
 - potential difficulties 132–3, 134
 - relapse signature 130
 - suitable clients 126–7
 - support and counselling 132
- concept of the relapse signature 124–6
 - relevance of individual and illness factors 125–6
- does a prodrome herald psychotic relapse? 118–244
 - see also* prodrome
 - efficacy of early intervention 134–9
 - engaging client and family in a recovery process 139–43
 - concept of recovery 139–40
 - engagement in psychosocial intervention 140–1
 - models of acute care 140
 - outcome 143, 144
 - psychosocial recovery programme 141–3; four procedures 141–2
 - improving strategies for self-management 117–26
 - pharmacological early intervention 134–8
 - controlled studies 134–7
 - medication non-adherence 137–8
 - symptoms preceding 117
 - relatives involvement in recovery process 127–30, 139–43
 - relapse prevention 127–30, 139–43
 - researchers in the emergency service 342–3
 - action plan 343
 - residential care 51
 - emergency, outside hospital 26–7
 - see also* acute crisis respite care
 - resources in community care 42
 - resources for mental health emergency 83
 - restraint of a person
 - on hospital ward 72
 - public place 64
 - urgent treatment 75–6
 - risk
 - degree acceptable for home-based treatment 162–3
 - to self and others, and home-based treatment 158–62
 - see also* safety: violence
 - risk factors for suicide 101–4
 - Ritchie Report 57
 - round-the-clock coverage and population size 9–10

- Royal College of Psychiatrists 57
- Royal Commission 1957 62
- safety
- in the A & E department 222–3
 - and crisis care 56
 - of mental health workers, home
 - assessments 152, 153–4, 155, 161
 - for patients in emergency and acute wards 45–6
 - place, for mental health emergency 65
- Samaritans, role in suicide prevention 110
- San Francisco Mental Health Services 27
- Sanctuary Project 52–5
 - assessment and treatment 52–3
 - identification of emergency needs 52–3
 - involvement of local services 54
 - steering groups 54, 55
- SANE 166
- schizo-typal disorder, example of skill sharing 203–5
- schizophrenia
 - EIS management 200
 - home-based treatment 163
 - home visits, South Verona 288–91
- schizophrenic patients monitoring for prodrome signs 121–3
- dysphoric episodes 123–4
- staff teaching session 122–3
- Scottish Mental Welfare Commission 63
- seclusion of patient, guidance 75–6
- sectorisation of services 27–8
- sectorised system, emergency services 29–31
- security for staff and patients 152, 153–4, 161, 254, 323–4
- sedation, emergency, hospital ward 72
- self-harm
 - A & E department practice 214–17
 - accidental 160–1
 - assessment and management 225, 226
 - services 22
- self-neglect 161
- self-poisoning, A & E department practice 214–17
- self-referral to CMHC 30
- serotonergic selective re-uptake inhibitors, and suicide rate 108–9
- sexual harassment and abuse on acute wards 46
- short procedure unit (US) 91
- Shrodells Unit, Watford 45
- ‘sitting service’ 56
- skill-share services, difficulties in developing 209–11
- skill sharing in Early Intervention Service 203–4
 - budget 205–6
 - example 203–5
- social state assessment in hospital/home setting 156–7
- South Verona Community Psychiatric Service 284–92
 - facilities 285
 - home visits, data (1982–91) 286–92
 - programmes 284–5
 - psychiatric case register 286
 - staff responsibilities 285–6
- Sparkbrook home treatment team 25
- staff attitudes, acute day hospital care 310–14
- staff problems related to psychiatric emergency work 12–13
- stress, staff 12
- substance abusers, use of emergency service 91–2
 - admission 326–7
- suicide
 - attempted, diagnosing, A & E department 225
 - attitude change 104–6
 - economic consequences 81–2
 - in emergency wards 45–6

- suicide (*cont.*)
- epidemiology 99–100
 - ethnic groups 99
 - intent, in-patient wards 323
 - international comparisons of rates 99–100
 - male/female 99
 - methods used 99
 - misconceptions 104–5
 - rates 99–100
 - risk, and home-based treatment 158–9, 160
 - risk factors 101–4
 - effects of mental disorders 103–5
 - occupations 101–4
 - older people 103
 - targeting at-risk groups 101–4
 - teenage 103
 - young men 102–3
 - Suicide Intent Scale 159
 - suicide prevention 96–115
 - audit 111
 - circumstances 97
 - comparative suicide rates 98
 - historical roots 5
 - hospice movement 97
 - main components of prevention strategies 97–8
 - national prevention programmes 97–100
 - reducing access to means 107–9
 - services responses 109–11
 - assessment 109
 - Samaritans 110
 - support after psychiatric in-care 110–11
 - training for health care workers 110
 - suicide rates 96–7
 - targets involved 98–9
 - techniques at specific sites 109
 - treatment of depression 106–7
 - supervision orders, ethical issues 167–8
 - support needed for home-based treatment 162–3
 - Survivors Speak Out 41, 42, 57
 - telephone 24-hour helpline, Mid-Downs 52
 - telephone services 3, 10
 - see also* Samaritans
 - time of day and functions of an emergency service 180, 181
 - 'time-out' for patient, guidance 75–6
 - Training in Community Living program 281, 283
 - treatment, emergency, legal aspects 73–6
 - patient subject of Mental Health Act powers 74–5
 - urgent treatment under Mental Health Act 75–6
 - without patient's consent 73–4
 - treatment, home-based *see* home-based treatment
 - treatment, users' perspectives 47–9
 - tricyclic antidepressants, and suicide rate 108–9
 - twenty-four hour emergency service, developing 189–92
 - see also* establishing an emergency service
 - UK Advocacy Network 41
 - United Kingdom
 - community mental health centres 29
 - crisis services, way forward 55–8
 - sectorisation of services 28
 - United States
 - case management and assertive outreach 90, 90–1
 - community mental health centre movement 28–9
 - in-home crisis services for children 92
 - sectorisation of services 27–8
 - short procedure unit 91
 - users of the emergency services 344–5
 - action plan 345

Cambridge University Press

978-0-521-45251-9 - Emergency Mental Health Services in the Community

Edited by Michael Phelan, Geraldine Strathdee and Graham Thornicroft

Index

[More information](#)*Index*

361

- users' perspective on emergency needs 39–60
 - atmosphere and environment 44–5
 - clients' reports, family placement schemes 272
 - existing alternatives to acute hospital care 50–5
 - growing call for crisis services 39–43
 - regime 46–7
 - safe space? 45
 - treatment 47–9
 - views on hospital acute units 43–9
 - views of non-hospital crisis services 49–50
- using the crisis *see* relapse prevention
- Verona *see* South Verona
- violence and community assessments
 - prediction and dangerousness 159, 161
 - safety of mental health workers 152, 153–4, 155, 159, 161
- violence and emergency admission 323–4
- voluntary organisations in the
 - emergency service 344
 - action plan 344
- work overload 12
- World Health Organization, 'Target 12' to prevent suicide 97