

Index

- # #, the 'token-pasting' operator 331–3
- #, the 'stringizing' operator 329–31
- #define 66, 320–33
- #elif 335
- #else 334
- #endif 334
- #if 334
- #include 333
- #undef 333
- \b, backspace 8
- \n, newline 6
- \t, tab 8

- abundant numbers 74
- actual argument 60
- Ada xv
- address of a
 - variable 125
 - structure 202
- Algol 4
- and operator, && 16
- argc 335–7
- argv 335–7
- arithmetic operators 13
- arrays
 - as function argument 101, 122, 133
 - one-dimensional 43–8
 - two-dimensional 337–44
- ASCII character set 357
- assignment
 - operators 14
 - statement 23
 - multiple 90
- associativity 14
- associativity of operators 165
- atoi 336
- automatic variables 172

- backslash n 6
- backspace character 78
- BCPL xv

- binary files 258
- binary search 51, 63–4
- binary search trees 228–33
- binary trees 221–33
 - branch node 223
 - complete 222
 - degenerate 231
 - degree 223
 - leaf 223
 - level 223
 - terminal node 223
 - traversal 224–7
- bit operators 167
- bit-fields 250–2
- boolean 10

- C preprocessor 320–35
- calloc 206
- cast 58, 166
- char 9
- char, qualified 12
- character constant 78
 - compared with string constant 88
- character handling 76
- character pointers 139–41
- character set 77
- character string 4
- collision in hashing 95
- comma operator 86
- command-line arguments 335–7
- comments 8
- comments, nested 8
- comparing two files 292–5
- compound statement 18
- conditional expressions 170
- const 349
- continue statement
- control characters 77
- conversion rules 18
 - for data types 161–3
- copying a file 289

- cross-reference program 233
- ctype.h, header file 76
- data types 1, 9, 160
 - conversion rules 161–3
 - void 64
- decimal to binary (recursive function) 153
- declaring variables 11, 20
- deficient numbers 74
- deletion from a linked list 213
- directives
 - #define 66, 320–33
 - #elif 335
 - #else 334
 - #endif 334
 - #if 334
 - #include 333
 - #undef 333
- do...while statement 36–40
- double 9
 - qualified 13
- dynamic storage allocation 204
- ellipsis notation 61
- end-of-file, testing for 291
- enum 344–9
- enumerated types 344–9
 - printing 346
- equality, common error in testing 27
- escape sequence 8
- escape sequence 78
 - list of 79
- evaluating an arithmetic expression 227
- exit 305, 309
- exponential function 73
- expressions 2, 13
- extern declarations 174–6
- external names 11
- external static 178
- external variable 173
- factorial 55–7
- false 10
- family size survey 44
- far pointers 149
- fclose 257, 282
- feof 257, 290
- ferror 257, 291
- fgets 257, 291
- Fibonacci numbers 73, 159
- field 187
- files
 - binary 258
 - compare program 292–5
 - copyfile program 289
 - external name 279
 - indexed 303–12
 - internal name 280
 - text 258
 - random access 300–18
- float 9
- fopen 257, 281–2
- for statement 32–5
- formal parameter 60
- fprintf 257, 284
- fputs 257, 292
- fread 257, 299
- free 207, 213
- fscanf 257
- fseek 257, 300
- functions 2, 55, 120
 - actual argument 60
 - definition 60
 - formal parameter 60
 - parameter passing 120
 - passing structures 192–4
 - prototype 58
 - variable number of arguments 61
 - vs macros 328–9
- fwrite 257, 297–8
- getc 257, 284
- getchar 79, 257, 259, 285
- gets 257, 259
- getword function 89
- Gitanjali 116
- global variables 172, 242
- goto statement 349
- greatest common divisor 37
- hashing 94–8
- hashing function, guidelines for 97
- header files 2, 3
- huge pointers 149
- I/O, *see* input/output
- identifiers 11
- if...else statement 26–9
- index 304–5
- indexed files 303–10
- initialization of
 - array of structures 243
 - array variables 181
 - simple variables 180
 - two-dimensional arrays 184
- input/output
 - binary files 296–9
 - file 279–318
 - predefined streams 256
 - standard 256–76
- insertion sort 106–9
- int 9
- integers, qualified 12
- integral function 148
- internal names 11
- internal static 177

- islower 84
- isupper 84
- keywords 1, 11, 353
- largest in an array 136
- left justified printing 135
- length of a string 143
- letter frequency count program 83
- library of functions 2
- linear list 202
- linked lists 202–4, 208–17
- linker 5
- local variables 172
- logical 10
- long double 13
- long int 12
- macros vs functions 328–9
- macros with parameters 324–8
- magic squares 340
- malloc 205
- manifest constants 66
- matrix multiplication 339
- mixing operands in an expression 17
- modulus 13
- multiple assignment 90
- multiplication table 35–6
- near pointers 149
- nested comments 8
- nested structures 244
- newline character 6, 77
- newpage character 78
- not operator, ! 16
- NULL 203, 205–6
- null pointer 203
- null statement 29
- null string 102
- object file 5
- One-Zero game 64–71
- operators 1, 164–70
 - arithmetic 13
 - assignment 14
 - associativity of 165
 - decrement 17
 - increment 17
 - logical 16
 - precedence of 165
 - relational 15
- or operator, || 16
- parameter passing in functions 120, 129
 - by value 122
 - by address 128
- Pascal xv 4
- passing arguments
 - by value 59, 122
 - by address 128
- passing structures to functions 192–4
- perfect numbers 74
- pointers
 - arithmetic 141–2
 - character 139
 - far 149
 - huge 149
 - near 149
 - to functions 145–9
 - to structures 201
 - variables 125
 - void 126
- polynomial representation using a linked list 219
- portable code 207
- precedence of operators 13, 165
- preprocessor 320–35
- printable characters 77
- printf 3, 257, 260–8
 - format specification 21, 262–3
 - format string 21, 262
 - left justification 265
 - printing % 268
 - specifying a field width 264–6
 - specifying precision 266–8
- printing to a string 295
- program layout 6
- putc 257, 285
- putchar 80, 257, 259, 285
- puts 257, 260
- qualified char 12
- qualified double 13
- qualified integers 12
- queue 213
- quicksort 153
- random access files 300–18
 - updating 312–8
- random numbers 65
 - rand function 68
 - srand function 68
 - RAND_MAX predefined constant
- reading from a string 295
- record 187
- recursion 150–7
- register variable 179
- relational operators 15
- remainder 13
- reserved words 1, 11
- rewind 257, 300
- Richards, Martin xv
- Ritchie, Dennis xv

- scanf 21, 257, 268–76
 - assignment suppression 273
 - conversion specification 22, 269–72
 - ordinary characters in conversion string 274–6
- scope of a variable 172, 176, 179
- SEEK_CUR 300
- SEEK_END 300
- SEEK_SET 300
- self-referencing structure 203
- semicolon 18, 27, 29
- sequential search 50, 61–2
- short int 12
- signed char 12
- signed int 12
- simple statement 18
- sizeof 166, 206
- sorted linked list 214–17
- sorting, insertion 106–9
- sparse matrix 218
- sprintf 295
- sscanf 295
- stack 213
 - used to evaluate an arithmetic expression 227
- standard input 19
- standard library 2
- standard output 19
- statements 2
 - simple 18
 - compound 18
- static storage allocation 204
- static variable 104, 177–8
- stderr I/O stream 256
- stdin I/O stream 256
- stdio.h, header file 76
- stdlib.h, header file 68
- stdout I/O stream 256
- storage classes 171
- strcmp 49
- strcpy 49
- strncmp 18
- string constant 4, 10
 - concatenating 10, 72
 - compared with character constant 88
- string, array of character 48, 86–8
 - length 143
 - null 102
- string.h, header file 50
- string.h, header file 76
- stringizing operator, # 329–31
- structures
 - address of 202
 - declaration 188
 - initialization of an array 243
 - member operator 188, 245
 - nested 244
 - operations on 193–4
 - pointer operator 194
 - pointers to 201
 - self-referencing 203
 - within a union 249
- switch statement 40–2
- symbolic constants 66
- tab character 8
- Tagore, Rabindranath 116
- telephone charges program 285–9
- text files 258
- Thompson, Ken xv
- token-pasting operator, # # 331–3
- Towers of Hanoi 151
- trapezoidal rule for integrals 148
- traversal of a binary tree
 - double-order 253
 - in-order 225, 239
 - pre-order 224
 - post-order 226
- true 10
- two-dimensional arrays 337–44
 - initialization of 184
- type qualifiers 10
- typedef 189–91
- unions 245–50
 - pointers to 247
 - within a structure 249
- unsigned 12
- unsigned int 12
- variable declaration 11, 20
- variables 1
 - automatic 172
 - definition of 173
 - external 173
 - global 172
 - initialization 180–5
 - local 172
 - register 179
 - scope of 172, 179
 - static 177–8
- VAX/VMS operating system 4, 5
- void pointers 126
- void, uses of 164
- volatile 349
- voting problem program 131
- while statement 23–6
- whitespace characters 8
- word frequency count program 93, 187, 194–201