LONDON MATHEMATICAL SOCIETY LECTURE NOTE SERIES

The books in the series listed below are available from booksellers, or, in case of difficulty, from Cambridge University Press.

34 Representation theory of Lie groups, M.F. ATIYAH *et al*
36 Homological group theory, C.T.C. WALL (ed)
39 Affine sets and affine groups, D.G. NORTHCOTT
46 p-adic analysis: a short course on recent work, N. KOBLITZ
50 Commutator calculus and groups of homotopy classes, H.J. BAUES
59 Applicable differential geometry, M. CRAMPIN & F.A.E. PIRANI
66 Several complex variables and complex manifolds II, M.J. FIELD
69 Representation theory, I.M. GELFAND *et al*
74 Symmetric designs: an algebraic approach, E.S. LANDER
76 Spectral theory of linear differential operators and comparison algebras, H.O. CORDES
77 Isolated singular points on complete intersections, E.J.N. LOOIJENGA
79 Probability, statistics and analysis, J.F.C. KINGMAN & G.E.H. REUTER (eds)
83 Homogeneous structures on Riemannian manifolds, F. TRICERRI & L. VANHECKE
86 Topological topics, I.M. JAMES (ed)
87 Surveys in set theory, A.R.D. MATHIAS (ed)
88 FPF ring theory, C. FAITH & S. PAGE
89 An F-space sampler, N.J. KALTON, N.T. PECK & J.W. ROBERTS
90 Polytopes and symmetry, S.A. ROBERTSON
92 Representation of rings over skew fields, A.H. SCHOFIELD
93 Aspects of topology, I.M. JAMES & E.H. KRONHEIMER (eds)
94 Representations of general linear groups, G.D. JAMES
95 Low-dimensional topology 1982, R.A. FENN (ed)
96 Diophantine equations over function fields, R.C. MASON
97 Varieties of constructive mathematics, D.S. BRIDGES & F. RICHMAN
98 Localization in Noetherian rings, A.V. JATEGAONKAR
99 Methods of differential geometry in algebraic topology, M. KAROUBI & C. LERUSTE
100 Stopping time techniques for analysts and probabilists, L. EGGHE
101 Groups and geometry, ROGER C. LYNDON
103 Surveys in combinatorics 1985, I. ANDERSON (ed)
104 Elliptic structures on 3-manifolds, C.B. THOMAS
105 A local spectral theory for closed operators, I. ERDELYI & WANG SHENGWANG
106 Syzygies, E.G. EVANS & P. GRIFFITH
107 Compactification of Siegel moduli schemes, C-L. CHAI
108 Some topics in graph theory, H.P. YAP
109 Diophantine analysis, J. LOXTON & A. VAN DER POORTEN (eds)
110 An introduction to surreal numbers, H. GONSHOR
113 Lectures on the asymptotic theory of ideals, D. REES
114 Lectures on Bochner-Riesz means, K.M. DAVIS & Y-C. CHANG
115 An introduction to independence for analysts, H.G. DALES & W.H. WOODIN
116 Representations of algebras, P.J. WEBB (ed)
117 Homotopy theory, E. REES & J.D.S. JONES (eds)
118 Skew linear groups, M. SHIRVANI & B. WEHRFRITZ
119 Triangulated categories in the representation theory of finite-dimensional algebras, D. HAPPEL
121 Proceedings of *Groups - St Andrews 1985*, E. ROBERTSON & C. CAMPBELL (eds)
122 Non-classical continuum mechanics, R.J. KNOPS & A.A. LACEY (eds)
125 Commutator theory for congruence modular varieties, R. FREESE & R. MCKENZIE
126 Van der Corput's method of exponential sums, S.W. GRAHAM & G. KOLESNIK
127 New directions in dynamical systems, T.J. BEDFORD & J.W. SWIFT (eds)
128 Descriptive set theory and the structure of sets of uniqueness, A.S. KECHRIS & A. LOUVEAU
129 The subgroup structure of the finite classical groups, P.B. KLEIDMAN & M.W.LIEBECK
130 Model theory and modules, M. PREST
131 Algebraic, extremal & metric combinatorics, M-M. DEZA, P. FRANKL & I.G. ROSENBERG (eds)
132 Whitehead groups of finite groups, ROBERT OLIVER
133 Linear algebraic monoids, MOHAN S. PUTCHA
134 Number theory and dynamical systems, M. DODSON & J. VICKERS (eds)
135 Operator algebras and applications, 1, D. EVANS & M. TAKESAKI (eds)
136 Operator algebras and applications, 2, D. EVANS & M. TAKESAKI (eds)
137 Analysis at Urbana, I, E. BERKSON, T. PECK, & J. UHL (eds)
138 Analysis at Urbana, II, E. BERKSON, T. PECK, & J. UHL (eds)
139 Advances in homotopy theory, S. SALAMON, B. STEER & W. SUTHERLAND (eds)
140 Geometric aspects of Banach spaces, E.M. PEINADOR and A. RODES (eds)

141 Surveys in combinatorics 1989, J. SIEMONS (ed)
142 The geometry of jet bundles, D.J. SAUNDERS
143 The ergodic theory of discrete groups, PETER J. NICHOLLS
144 Introduction to uniform spaces, I.M. JAMES
145 Homological questions in local algebra, JAN R. STROOKER
146 Cohen-Macaulay modules over Cohen-Macaulay rings, Y. YOSHINO
147 Continuous and discrete modules, S.H. MOHAMED & B.J. MÜLLER
148 Helices and vector bundles, A.N. RUDAKOV et al
149 Solitons, nonlinear evolution equations and inverse scattering, M.A. ABLOWITZ & P.A. CLARKSON
150 Geometry of low-dimensional manifolds 1, S. DONALDSON & C.B. THOMAS (eds)
151 Geometry of low-dimensional manifolds 2, S. DONALDSON & C.B. THOMAS (eds)
152 Oligomorphic permutation groups, P. CAMERON
153 L-functions and arithmetic, J. COATES & M.J. TAYLOR (eds)
154 Number theory and cryptography, J. LOXTON (ed)
155 Classification theories of polarized varieties, TAKAO FUJITA
156 Twistors in mathematics and physics, T.N. BAILEY & R.J. BASTON (eds)
157 Analytic pro-*p* groups, J.D. DIXON, M.P.F. DU SAUTOY, A. MANN & D. SEGAL
158 Geometry of Banach spaces, P.F.X. MÜLLER & W. SCHACHERMAYER (eds)
159 Groups St Andrews 1989 Volume 1, C.M. CAMPBELL & E.F. ROBERTSON (eds)
160 Groups St Andrews 1989 Volume 2, C.M. CAMPBELL & E.F. ROBERTSON (eds)
161 Lectures on block theory, BURKHARD KÜLSHAMMER
162 Harmonic analysis and representation theory for groups acting on homogeneous trees, A. FIGA-TALAMANCA & C. NEBBIA
163 Topics in varieties of group representations, S.M. VOVSI
164 Quasi-symmetric designs, M.S. SHRIKANDE & S.S. SANE
165 Groups, combinatorics & geometry, M.W. LIEBECK & J. SAXL (eds)
166 Surveys in combinatorics, 1991, A.D. KEEDWELL (ed)
167 Stochastic analysis, M.T. BARLOW & N.H. BINGHAM (eds)
168 Representations of algebras, H. TACHIKAWA & S. BRENNER (eds)
169 Boolean function complexity, M.S. PATERSON (ed)
170 Manifolds with singularities and the Adams-Novikov spectral sequence, B. BOTVINNIK
171 Squares, A.R. RAJWADE
172 Algebraic varieties, GEORGE R. KEMPF
173 Discrete groups and geometry, W.J. HARVEY & C. MACLACHLAN (eds)
174 Lectures on mechanics, J.E. MARSDEN
175 Adams memorial symposium on algebraic topology 1, N. RAY & G. WALKER (eds)
176 Adams memorial symposium on algebraic topology 2, N. RAY & G. WALKER (eds)
177 Applications of categories in computer science, M. FOURMAN, P. JOHNSTONE, & A. PITTS (eds)
178 Lower K- and L-theory, A. RANICKI
179 Complex projective geometry, G. ELLINGSRUD *et al*
180 Lectures on ergodic theory and Pesin theory on compact manifolds, M. POLLICOTT
181 Geometric group theory I, G.A. NIBLO & M.A. ROLLIER (eds)
182 Geometric group theory II, G.A. NIBLO & M.A. ROLLIER (eds)
183 Shintani zeta functions, A. YUKIE
184 Arithmetical functions, W. SCHWARZ & J. SPILKER
185 Representations of solvable groups, O. MANZ & T.R. WOLF
186 Complexity: knots, colourings and counting, D.J.A. WELSH
187 Surveys in combinatorics, 1993, K. WALKER (ed)
188 Local analysis for the odd order theorem, H. BENDER & G. GLAUBERMAN
189 Locally presentable and accessible categories, J. ADAMEK & J. ROSICKY
190 Polynomial invariants of finite groups, D.J. BENSON
191 Finite geometry and combinatorics, F. DE CLERK *et al*
192 Symplectic geometry, D. SALAMON (ed)
193 Computer algebra and differential equations, E. TOURNIER (ed)
194 Independent random variables and rearrangement invariant spaces, M. BRAVERMAN
195 Arithmetic of blowup algebras, WOLMER VASCONCELOS
196 Microlocal analysis for differential operators, A. GRIGIS & J. SJÖSTRAND
197 Two-dimensional homotopy and combinatorial group theory, C. HOG-ANGELONI, W. METZLER & A.J. SIERADSKI (eds)
198 The algebraic characterization of geometric 4-manifolds, J.A. HILLMAN
199 Invariant potential theory in the unit ball of C^n, MANFRED STOLL
200 The Grothendieck theory of dessins d'enfant, L. SCHNEPS (ed)
201 Singularities, JEAN-PAUL BRASSELET (ed)
202 The technique of pseudodifferential operators, H.O. CORDES
203 Hochschild cohomology, A. SINCLAIR & R. SMITH
204 Combinatorial and geometric group theory, A.J. DUNCAN, N.D. GILBERT, J. HOWIE (eds)
205 Ergodic theory and its connections with harmonic analysis, K.E. PETERSEN & I. SALAMA (eds)
207 Groups of Lie type and their geometries, W.M. KANTOR & L. DI MARTINO (eds)

London Mathematical Society Lecture Note Series. 188

Local Analysis for the Odd Order Theorem

Helmut Bender
Universität Kiel

and

George Glauberman
University of Chicago

with the assistance of
Walter Carlip
Ohio University

CAMBRIDGE
UNIVERSITY PRESS

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
40 West 20th Street, New York, NY 10011, USA
10, Stamford Road, Oakleigh, Melbourne 3166, Australia

First published 1994

Library of Congress cataloging-in-publication data available

British Library cataloguing in publication data available

ISBN 0 521 45716 5 paperback

Transferred to digital printing 2005

In memory of R. H. Bruck

Contents

Preface

About 30 years ago, Walter Feit and John G. Thompson [8] proved the Odd Order Theorem, which states that all finite groups of odd order are solvable. In the words of Daniel Gorenstein [15, p. 14], "it is not possible to overemphasize the importance of the Feit-Thompson Theorem for simple group theory." Their proof consists of a set of preliminary results followed by three parts–local analysis, characters, and generators and relations–corresponding to Chapters IV, V, and VI of their paper (denoted by **FT** here). Local analysis of a finite group G means the study of the structure of, and the interaction between, the centralizers and normalizers of nonidentity p-subgroups of G. Here Sylow's Theorem is the first main tool. The main purpose of this book is to present a new version of the local analysis of a minimal counterexample G to the Feit-Thompson Theorem, that is, of Chapter IV and its preliminaries. We also include a remarkably short and elegant revision of Chapter VI by Thomas Peterfalvi in Appendix C.

What we would ideally like to prove, but cannot, is that each maximal subgroup M of G has a nonidentity proper normal subgroup M_0 such that

(1) $C_{M_0}(a) = 1$, for all elements $a \in M - M_0$,
(2) $M_0 \cap {M_0}^g = 1$, for all elements $g \in G - M$,
(3) M_0 is nilpotent,
(4) M/M_0 is cyclic,

and such that the totality of these subgroups M_0, with M ranging over all of the maximal subgroups of G, forms a partition of G:

(5) each nonidentity element of G lies in exactly one of the subgroups M_0.

Relating each step in our procedure (as well as the main results, given in Section 16) to this hypothetical goal will help give the reader a sense of direction and motivation: after the normal Hall subgroup M_σ has been introduced in Section 10, it can be read as M_0. (Section 16 is self-contained, except for notation from Section 1, and can be read as a supplement to this introduction.)

In addition, we strongly recommend first studying a theorem of Feit, Thompson, and Marshall Hall [7], the immediate predecessor of **FT**, which proved solvability under the additional CN-condition: the centralizer of every nonidentity element of G is nilpotent. The local analysis part of its proof leads to conditions (1)–(5) for a minimal counterexample G. A guide to reading this miniature model for **FT** and our work is given in Appendix D. This theorem is actually needed in **FT** [8, p. 983], although not for the part covered by this book. Incidently, the conditions (1)–(5) above clearly imply the CN-condition. Furthermore, (1) means that M is a Frobenius group with kernel M_0, and thus implies (3) by a very special case of a theorem of Thompson (Theorem 3.7).

The Odd Order Theorem was originally conjectured in the nineteenth century. The first essential step toward its proof was taken by Michio Suzuki [25] in 1957. He showed that CA-groups of odd order are solvable; here CA means that all centralizers are abelian. In this case it is a routine matter to derive (1)–(5), with all M_0 abelian. Suzuki's contribution, a model for the later CN-paper, was mainly character-theoretic. Conditions (1)–(2) and variations thereof occur in much more general situations as the end result of local analysis, and it is therefore of fundamental importance for finite group theory that they have strong character theoretic implications. See [14, pp. 139-148], [17, pp. 195-205], or [26, pp. 281-294] for details.

It is the purpose of this book to make the Feit-Thompson Theorem more accessible to a reader familiar with some standard topics in finite group theory, such as Chapters 1–8 of Gorenstein's first book [14] (henceforth denoted by **G**). However it is possible to manage comfortably with considerably less reading. We give information about prerequisites in Appendix A. For the convenience of the reader, strictly necessary references to other works appear only in Chapter I, and refer only to **G**. Further information about the influence of the theorem and its proof, together with a detailed description of the proof, may be found in **G**, pp. 450-461, and in [15, pp. 13-39].

As stated above, our main text and Appendix C correspond to Chapters IV and VI of **FT** and the necessary preliminaries. As to the missing link, the necessary character theory, we must refer the reader to Chapter V of **FT** or to some unpublished work of David Sibley, who has obtained very interesting improvements [23, pp. 385-388]. Fortunately, Chapter V of the original paper is somewhat less complicated than Chapter IV.

We hope that in the not too distant future there will be a unified revised proof of the Feit-Thompson Theorem. In addition, we and others have some thoughts now for further improving this work; in this spirit, we include a few results that are not needed for Chapter V of **FT** or for Sibley's work. However, in view of the considerable interest expressed in this work and the improvements and corrections sent to us by readers of preliminary versions, we have decided to publish the work now as a set of lecture notes.

In a sense, the first steps toward the writing of this book were taken in 1962, when the second author began to study a preprint of the Odd Order Paper, with the encouragement and assistance of his Ph. D. advisor, R. H. Bruck. However, the actual writing of a revision started with a class at the University of Chicago in the Winter and Spring Quarters of 1975.

We wish to thank the members of the 1975 class (particularly David Burry, Noboru Itô, Richard Niles, David T. Price and Jeffrey D. Smith) and of a similar class given in Winter, 1986 (particularly Curtis Bennett, Walter Carlip, Diane Herrmann, Arunas Liulevicius, Peter Sin, and Wayne W. Wheeler). In addition, preliminary versions of this work were read by Paul Lescot, Thomas Peterfalvi, and David Sibley, and studied in seminars at the University of Florida and Wayne State University, led by László Héthelyi (of Technical University, Budapest) and by Daniel Frohardt, David Gluck and Kay Magaard, respectively. We thank each of these individuals and the members of these seminars for their corrections and suggestions.

For permission to include unpublished work, we thank David Sibley (Theorem 14.4, Corollary 15.9); I. Martin Isaacs (Appendix B); Walter Carlip and Wayne W. Wheeler (Appendix C); and especially Walter Feit and John G. Thompson (Theorem 15.8, Corollary 15.9, Appendix E). Appendix C is based on a beautiful revision [22] of Chapter VI of **FT**, for which we thank the author, Thomas Peterfalvi.

We are particularly indebted to Professors Feit and Thompson for their help and encouragement throughout the preparation of this work.

We note with great sadness the deaths of two individuals who also played instrumental roles: R. H. Bruck and Daniel Gorenstein. Without them this work might never have been started nor ever have been completed.

As this book has gone through many stages and vicissitudes in twenty years, there is a danger that we have inadvertently overlooked some individuals to whom thanks are due. To them we sincerely apologize.

During the preparation of parts of this work the second author enjoyed the support of the Guggenheim Foundation and the National Science Foundation, and the hospitality of the Mathematical Institute, Oxford; Jesus College, Oxford; Kansas State University; and Universität Kiel. He thanks each of these institutions. He also thanks the members of his family for their helpful patience, forbearance, or nagging.

An earlier, complete version of this work was prepared by the second author with the assistance of Alexandre Turull in 1979. The present version was prepared with the assistance of Walter Carlip. Both have made valuable corrections and improvements in the mathematical content and the wording of the texts, particularly Dr. Carlip, who has also worked assiduously, over the course of many years to put preliminary drafts into TEX and to produce the final camera-ready copy printed here. We thank both for their efforts.