

## Index

- Abel, N.H. (1802–1829), 352
- abelian groups, 63, 159, 246
  - Cauchy's theorem for, 146
  - fundamental theorem of finitely generated, 141, 408
  - invariants of finite, 144
  - of order  $n$  upto isomorphism, 144, 145
  - type of, 144
- action of groups, 107
  - by conjugation, 108, 112
  - by translation, 108
- addition or sum
  - of complex numbers, 36, 185
  - of matrices, *see* matrices
  - of natural numbers and integers, 234, 240
- algebra, 170
  - group, 177
  - quaternion, 177
  - of linear mappings, 269
- algebraic
  - closure, 293, 295
  - element, 289
  - extension, 290
  - number, 299
  - structure, 61
  - system, 61
- algebraically closed field, 295
- alternating group  $A_n$ , 134
  - of degree  $n$ , 134
- simplicity of, 135
- annihilator
  - left and right, 195, 374
- antihomomorphism, 192
- antiisomorphism, 192
- Artin, E. (1898–1962), 297, 369–71, 386
- artinian
  - mudule, 369, 370
  - ring, 371, 386
- ascending chain condition (acc)
  - for modules, 369
  - for rings, 370
- associates, 212
- associative law, 22
  - generalized, 24, 162
- automorphism
  - of field, 293, 305, 314
  - of group, 71, 104
  - inner, 71, 104
- axiom of induction, 233
- binary operation
  - associative, 22
  - commutative, 22
  - distributive, 22
  - pointwise, 44
- Boole, G. (1815–1864), *see* Boolean ring
- Boolean ring, 168, 207
- Burnside, W. (1852–1927)
  - theorem, 114

478      **Index**

- cancellation law, 64, 237
- canonical form
  - generalized Jordan, 423–4
  - Jordan, 424
  - rational, 417
- canonical or natural
  - homomorphisms, 92, 189
  - mapping, 18
- cardinal number, 25
- cartesian product
  - of groups, 67
  - of mappings, 19
  - of rings and modules, 171, 248
  - of sets, 9
- category, 426
- Cauchy, A.L. (1789–1857)
  - theorem, 146, 147
- Cayley, A. (1821–1895)
  - theorem, 86, 109
- center
  - of dihedral group, 89
  - of groups, 73
  - of  $p$ -groups, 113
  - of rings, 169
  - of symmetric group, 89
- centralizer, 82
- characteristic
  - of fields, 170
  - function, 18
  - polynomial, 414
  - of rings, 170
  - roots, 399, 414
- chain, 12
- chain conditions
  - ascending, 369
  - descending, 369
- chain of partially ordered sets, 211
- Chinese remainder theorem, 202, 260
- class equation (formula), 113
- column
  - matrix, 40
  - of matrix, 40
  - module, 393
  - rank, 394
  - space, 276
  - vector, 40
- commutative
  - binary operation, 21
  - diagram, 16, 259, 429
- group, 63
- ring, 160
- commutator, 93
- subgroup, 93
- companion matrix, 45
- complex numbers, 35, 185
- component of ordered pair, 9
- componentwise binary operations, 44, 171
- composition of mappings, 15
- composition series
  - composition factor of, 120
  - of groups and modules, 120, 387
- congruence
  - modulo ideal, 184
  - modulo  $n$  on  $\mathbb{Z}$ , 10
- conjugate
  - class of element of group, 111
  - class of subset of group, 113
  - classes of  $S_n$ , 131
  - of subset, 113
- constructible
  - angle, 361
  - circle, line, point, 359
  - $n$ -gon, 363
  - number, 359
  - with ruler and compass, 358
- content of polynomial, 221
- countable set, 26
- crossed homomorphism, 344
- cycles, *see* permutations
- cyclic groups, 73, 82
  - converse of Lagrange's theorem for 83
  - generators of, 84
  - of same order, 83
  - subgroup of, 83
- cyclic endomorphism, 414
- cyclic extension of field, 344
  - $T$ -cyclic subspace, 414
- cyclic module, 250
- cyclotomic polynomial, 341
- Dedekind, R. (1831–1916)
  - lemma, 323
- degree
  - of dihedral group, 87
  - of extension of field, 285
  - of polynomial, 220
  - of symmetric group, 84

## Index

479

- DeMorgan, A. (1806–1871)  
     rules, 6
- denumerable set, *see* countable set
- derivative, 307
- descending chain condition (dcc)  
     for modules and rings, 369
- determinant, 49  
     cofactor of element of, 53  
     elementary (row, column)  
         operations, 394  
     expansion according to  $i$ th row, 54  
     expansion according to  $j$ th column, 54  
     over commutative ring, 49  
     product theorem of, 52  
     properties, 49, 50, 51
- diamond isomorphism theorem, 98
- direct product  
     of groups, 139  
     of modules, 248  
     of rings, 171
- direct sum  
     of groups, 139  
     of ideals, 196  
     of modules, 248  
     of rings, 171
- direct summand, 251
- disjoint  
     cycles, 85, 129  
     permutations, 85, 129  
     sets, 5
- distributive law, 22, 159
- division algorithm  
     for euclidean domain, 217  
     for integers, 32  
     for polynomials, 220
- divisor, 30, 212  
     greatest common (g.c.d), 33, 215  
     zero, 164
- domain  
     embeddable in division ring (field), 226, 230  
     euclidean, 217  
     integral, 163, 212  
     of mapping or function, *see* mapping
- principal ideal, 183, 211, 216, 218,  
     397, 402
- unique factorization,  
     213–16, 219–23
- double quotient isomorphism  
     theorem, 99  
     duplicating cube, 362
- Eisenstein, F.G.M. (1823–1852)  
     criterion, 284
- element, 3  
     algebraic, 289  
     identity (left, right), 61, 62, 159  
     inverse (left, right), 62  
     invertible, 62, 172, 175  
     irreducible, 212  
     maximal, 211  
     minimal polynomial of, 290  
     order of, 75  
     power of, 24  
     prime, 30, 212  
     regular, 224  
     separable, 316  
     torsion, 404  
     torsion-free, 404  
     unit, 172, 175  
     unity, 62, 160  
     von Neumann regular, 176
- elementary divisors, *see* matrices
- elementary operations, *see* matrices
- elementary symmetric functions, 356
- embeddable, *see* monomorphism
- embedding, 188  
     of field in algebraically closed field, 296  
     of integral domain in field, 226  
     of ring in ring with 1, 193
- endomorphisms  
     of abelian group, 167  
     of group, 70  
     of module, 254, 257
- epimorphism, 70
- equal  
     mappings, 14  
     matrices, 39  
     sets, 3
- equivalence  
     class, 12  
     of matrices, 397  
     relation, 10
- euclidean domain, *see* domain
- Euler, L. (1707–1783)  
     function, 35  
         –Fermat theorem, 35, 79, 174
- exact sequence, 259

## 480      Index

- extension
  - algebraic, 290
  - cyclic, 344
  - degree of, 285
  - of field, 285
  - finite, 285
  - finitely generated, 292
  - Galois, 330
  - infinite, 285
  - normal, 305, 326–8
  - separable, 316, 318, 319, 326
  - simple, 317
  - transcendental, 290
- external direct product (sum)
  - of groups, 139
  - of rings, 171, 198
- factor, 30
  - module, *see* quotient
  - of normal series, *see* normal series
- faithful
  - module, 252
  - representation of group, 109
- family, 20
- Fermat, P. de (1601–1665)
  - theorem, 35
- fields, 37, 163
  - of algebraic numbers, 299
  - characteristic of, 170
  - finite, 310–15
  - finite extension of, 285
  - finitely generated extension of, 292
  - fixed (of group of automorphisms), 323
  - of fractions, 226
  - Galois, 311
  - Galois extension of, 330
  - infinite extension of, 285
  - normal extension of, 305, 326–8
  - perfect, 316
  - prime, 310
  - radical extension of, 348
  - separable element of, 316
  - separable extension of, 316, 318, 319, 326
  - separable polynomial over, 316
  - simple extension of, 317
  - splitting, 300
  - transcendental extension of, 290
- first isomorphism theorem, 97
- first principle of induction 31, 233
- Frobenius, G. (1849–1917)
  - endomorphism 314, 344
- function, *see* mapping
- functor, 427
  - contravariant, 427
  - covariant, 427
  - left exact, 436
  - right exact, 436
- fundamental theorem
  - of algebra, 299, 338
  - of arithmetic, 31
  - of finitely generated abelian group, 141, 408
  - of finitely generated modules, 402
  - of Galois theory, 330
  - of homomorphism for groups, 97
  - of homomorphism for modules, 256
  - of homomorphism for rings, 190
- G*-sets, *see* action of groups
- Galois, E. (1811–1832), 352
  - extension of field, 330
  - field, 311
  - group, 330, 350
- Gauss, C.F. (1777–1855)
  - lemma, 221, 283
- Gaussian integers, 174, 217
- generalized Jordan blocks, 423
- greatest common divisor, *see* divisor
- groups, 62
  - action of, 107
  - algebra, 177
  - automorphisms of, 70, 104
  - centralizer of subset of, 82
  - class decomposition of, 113
  - class equation formula of, 114
  - class of nilpotency of, 126
  - commutative, 63
  - commutator of, 93
  - commutator subgroup of, 93
  - complete, 105
  - composition factors of, 120
  - composition series of, 120–3
  - conjugation action of, 108, 110, 112
  - correspondence theorem for
    - subgroups of, 100
  - cyclic, 73, 82–3
  - defining relations of, 86, 90
  - degree of symmetric, 84

**Index**

481

- derived, 93
- dihedral, 87
- direct product of, 139
- endomorphisms of, 70
- endomorphisms of abelian, 167
- of even permutations  $A_n$ , 133
- faithful representation of, 109
- finitely generated abelian, 141, 408
- finitely generated, 75
- Galois, 330, 350
- generators and relations of, 86, 90
- homomorphic image of, 70
- homomorphism of 69, 91
- identity of, 62
- inner automorphism of, *see* automorphism
- isomorphic, 70
- isomorphism of, 70
- isotropy, 110
- Klein four, 69, 89
- left (right) regular representation of, 87
- linear, 66
- monomorphism of, 70
- nilpotent, 126–8
- nonsolvability of symmetric, 135
- normalizer of element (or subset) of, 92, 110
- $n$ th center of, 126
- $n$ th derived, 124
- $n$ th power of element of, 63
- octic, 89, 95
- orbit decomposition of, 112
- orbit of element of, 111
- order of, 64
- of order eight, 152
- order of element of, 75
- of order  $p^2$ ,  $pq$ , 152
- permutation, 84, 86
- of prime power order, 113, 126, 144
- product of subsets of, 91
- of quasi-regular elements in ring, 175, 176
- quaternion, 69, 95
- quotient, 92
- simple, 101
- solvable, 124–6, 351
- solvability of prime power, 126, 127
- stabilizer of subset of, 110
- Sylow  $p$ -subgroup of, 146
- Sylow theorems for, 147, 148
- symmetric, 84, 87
- of symmetries, 65, 87–9
- transitive permutation, 353
- trivial subgroup of, 72
- of units in ring, 175, 176
- Hilbert, D. (1862–1943)
  - basis theorem, 375
  - problem 90, 345
- Hölder, O. (1859–1937), 121, 387
- homomorphisms
  - fundamental theorems, 97, 190, 256
  - Kernel and image of, 70, 71, 188, 254
  - split, 268
- homomorphic image, 70, 188, 254
- idealizer, 195
- ideals, 179
  - annihilator, 195, 374
  - comaximal, 203
  - correspondence theorem for, 191
  - direct sum of, 196
  - finitely generated, 182
  - large, 381
  - maximal, 192, 203
  - minimal, 202
  - nil, 210
  - nilpotent, 209
  - order, 420
  - primary, 219
  - prime, 206
  - product of, 205
  - radical of primary, 219
  - right, left, 179
  - sum of, 196
  - trivial, 179
- idempotent element, 170
- identity
  - endomorphism, 255
  - of group, 62
  - mapping, 14
  - matrix, 44
  - of ring, 160
- image
  - of group, ring, module, 70, 188, 254
  - of element, 14
  - of mapping, 15
- improper divisors, 212

## 482      Index

- indeterminates, 166, 297  
 indexed family, 20  
 integers, 30, 240–5
  - modulo  $n$  under addition, 64
  - modulo  $n$  under multiplication, 64
 inverse (left, right), *see* element  
 image, 20  
 invertible element, 62, 172  
 irreducible
  - element, 212
  - polynomial, 28
 isomorphism, 70, 188, 254  
 isotropy, *see* stabilizer
- Jordan, C. (1838–1922)
  - Hölder theorem, 121, 387
- Kernel of homomorphisms, 71, 188, 254  
 Kronecker, L. (1823–1891)
  - delta, 43
  - theorem, 287
- Lasker, E. (1868–1941), 391  
 Lagrange, J.L. (1736–1813)
  - theorem, 78
- large ideal, *see* ideals  
 lattice, 12
  - distributive, 187
  - modular, 97
- leading coefficient
  - of polynomial, 220
- least common multiple (l.c.m.), 35  
 linear combinations of elements, 250  
 linear mappings, *see* mapping  
 linear transformations, 254, 268–78  
 linearly dependent elements, 263  
 linearly independent elements, 263  
 list, 20  
 lower bound, 11
  - greatest, 11
- map, *see* mapping  
 mapping or function, 14  
 balanced, 428  
 biadditive, 428
  - bijective, 16
  - canonical (natural), 19
  - cartesian product of, 19
- codomain, 14  
 composite (composition), 15  
 domain of, 14  
 graph of, 14  
 identity, 14  
 image of, 14  
 inclusion, 14  
 induced, 18  
 injective, *see* one-to-one  
 insertion, *see* inclusion  
 insertion of, 14  
 inverse image of set under, 19, 100, 191  
 invertible, 17  
 left inverse of, 18  
 linear, 254  
 one-to-one, 16  
 onto, 16  
 preimage of element under, 14  
 projection, 19  
 range of, *see* image of  
 restriction of, 18  
 right inverse of, 18  
 surjective, 16
- Maschke, H. (1853–1908)
  - theorem, 385
- matrices, 39
  - block multiplication, 47
  - blocks of, 46
  - characteristic polynomial of, 414
  - characteristic roots of, 414
  - column, 40
  - column of, 40
  - column space of, 276
  - companion, 415
  - diagonal, 40
  - diagonal of, 40
  - dot product of, 42
  - eigenvalues of, 414
  - elementary (operations), 396
  - elementary divisors of, 418, 424
  - entry, 39
  - equal, 39
  - equivalent, 397
  - identity, 44
  - invariants of, 399
  - inverse of, 44
  - invertible, 44
  - Jordan blocks of, 423
  - Jordan-canonical form of, 424

**Index**

483

- of linear mappings, 268–73
- matrix units, 45
- multiplication (product) of, 42
- negative of, 41
- partitioned, 46
- rank of, 273, 400
- rank-nullity theorem of, 276
- rational canonical form of, 417
- rectangular, 40
- ring of, 164
- row, 40
- row of, 40
- row rank of, 274
- row rank of, 274
- scalar, 40
- scalar multiplication, 41
- size, 39
- Smith normal form of, 397
- square, 40
- strictly upper (lower) triangular, 40
- submatrix of, 46
- sum of, 41
- of transformation from one basis to another, 269
- transpose of, 45
- upper (lower) triangular, 40
- zero (null), 41
- maximal**
  - element, *see* element
  - ideal, *see* ideals
  - normal subgroup, *see* subgroups
- minimal**
  - ideal, *see* ideals
  - polynomial, 290
- modular law**, 252
- modules**, 246
  - artinian, 369–70
  - column, 393
  - completely reducible, 262
  - composition series of, 387
  - cyclic, 250
  - direct sum of, 248
  - direct sum of submodules of, 251
  - endomorphisms of, 254, 257
  - factor, *see* quotient
  - faithful, 252
  - finitely cogenerated, 368
  - finitely generated, 250, 402
  - free, 264
  - homomorphic image of, 254
- homomorphism (*R*-homomorphism)**
  - of, 254
- irreducible**, 260
- isomorphic**, 254
- isomorphism (*R*-isomorphism) of**, 254
- left and right**, 246
- linear (*R*-linear) mapping of**, 254
- noetherian**, 369–70
- primary** 389
- quotient**, 255–6
- rank of free**, 266
- row**, 393
- simple**, 260
- standard basis of**, 264
- subisomorphic**, 389
- submodule of (*R*-submodule)**, 248, 250
- sum of submodules of**, 250
- trivial submodules of**, 248
- uniform**, 388
- monic Polynomial**, 220, 282
- monomorphism**
  - of groups, 70
  - of rings, 188
- multiple**, 30, 212
  - roots, 307–10
- multiplication or product**
  - of complex numbers, 36, 185
  - of matrices, *see* matrices
  - of natural numbers and integers, 239, 240
- multiplicative set**, 224
- multiplicity of roots**, *see* multiple roots
- multiplication table**, 67
- n*-ary operation** 21
- n*-tuple**, 20
- natural numbers**, 30
- negative integers**, 242
- Neumann, J. von (1903–1957)**
  - regular element, *see* element
- nilpotent elements**, 170
- Noether, E. (1882–1935)**, 369–81, 391
  - Lasker theorem, 391
- noetherian**
  - modules, 369
  - rings, 371
- norm of element**, 348
- normal series**, 120

## 484      Index

- normal (*contd.*)
  - equivalent, 121
  - factors of, 120
- normalizer, 92, 110
- $n$ th center of group, 126
- $n$ th derived group, 124
- $n$ th root of unity, 71, 340
- one-to-one mapping, *see* mapping
- one-to-one correspondence, 17
  - between conjugate classes of  $S_n$  and partitions of  $n$ , 131
- between family of nonisomorphic abelian groups of order  $p^e$  and partitions of  $e$ , 144
- between ideals of ring and its quotient ring, 191
- between linear mappings and matrices, 269
- between subgroups of Galois group and subfields of field, 330
- between subgroups of group and its quotient group, 100
- orbits, 111
- order
  - of element, 75
  - of group, 64
  - ideal, 415
- ordered
  - basis, 268–71
  - domains, 243, 244
  - pair, 9
  - ring, 243, 244
  - set, 20
- Ore, O. (1899–1968)
  - condition, 228
  - domain, 228
- orthogonal family
  - of idempotents, 201
- Osofsky, B., (1937–), 391
- partial order, 10
- partially ordered set (poset), 11, 211
- partition into quotient set, 12
- Peano, G. (1858–1932)
  - axioms, 233
- permutations
  - cycle ( $r$ -cycle), 48, 85
  - cycle structure of, 130
  - cyclic decomposition of, 129
- disjoint, 85, 129
- even, odd, 49, 133
- $p$ -group, *see* groups of prime power order
- Poincaré, H. (1854–1912)
  - theorem, 79
- pointwise operation, *see* binary operation
- polynomials, 165, 183, 219
  - content of, 221
  - cyclotomic, 341
  - degree of, 220
  - Galois group of, 330–9
  - primitive, 221, 282
  - reducible, 281–3
  - root (zero) of, 282
  - separable, 316
  - solvable by radicals, 348–55
  - symmetric, 355
- poset, *see* partially ordered set
- positive integers, 242, 245
- power of element, *see* element
- primitive polynomial *see* polynomials
- primitive root, 340–7
- principle of mathematical induction, 233–4
- projection, 19, 255
- quasi-regular element, 175
- quaternion algebra, *see* algebra
- quaternion group, *see* groups
- quotient, 32
  - groups, modules, rings and sets, *see under respective headings*
- $r$ -cycle, *see* permutations
- $R$ -homomorphism ( $R$ -linear), *see* modules
- radical extension of fields, 348–9
- rank-nullity theorem, 276
- rational canonical form *see* matrices
- recursion theorem, 33
- regular element in ring, *see* element
- regular multiplicative set, 224
- relation, 9
  - antisymmetric, 10
  - congruence, 10
  - conjugacy, 112, 113
  - equivalence, 10

**Index**

485

- partition of set under equivalence, 12  
 quotient set of set under equivalence, 12  
 reflexive, 10  
 symmetric, 10  
 transitive, 10  
 relatively prime elements, 215  
 remainder in division algorithm, 32  
 representations  
     faithful, 109  
     of linear mappings, 268–72  
     (left) regular, 87  
 right noetherian ring but not left noetherian, 380  
 right (left) quotient ring, 230–2  
 restriction of mapping, *see* mapping  
 rings, 159  
     additive group of, 159  
     antihomomorphism, 192  
     antiisomorphism, 192  
     artinian, 371–5, 382–8  
     artinian but not noetherian, 372  
     Boolean, 168, 207  
     center of, 169  
     characteristic of, 170  
     commutative, 160  
     component, 171  
     direct product of, 171  
     direct sum of, 171  
     division, 163  
     embeddable in field (division ring), 226, 230  
     external direct sum of, 198  
     factor, *see* quotient  
     of formal Laurent series, 177  
     of formal power series, 176  
     of fractions, 225  
     of Gaussian integers, 174, 217  
     generalized associative law of, 162  
     homomorphic image of, 188  
     homomorphism of, 188  
     idempotent element, 170  
     identity (unity) of, 160  
     of integers, 159, 233, 241  
     of integers mod  $n$ , 160  
     invertible element, 172, 173  
     isomorphic, 188  
     isomorphism of, 188  
     left artinian but not right artinian, 385  
         local, 195, 226  
         of matrices, 164  
         monomorphism of, 188  
         multiplicative set in, 224  
         von Neumann regular element in, 176  
         nilpotent element in, 170  
         noetherian, 371–81  
         noncommutative, 160  
         opposite, 193  
         ordered, 244  
         polynomial 165, 219  
         prime, 209  
         prime subring of, 174  
         quaternion, 177  
         quotient, 184, 225, 226  
         of quotients, 230  
         of real quaternions, 163  
         of real-valued continuous functions, 160, 173, 208  
         regular elements in, 224  
         right noetherian but not left noetherian, 380  
         semisimple artinian, 386–8  
         simple, 204  
         of subsets of set, 168  
         total quotient, 225  
         trivial, 160  
         units of, 175, 212  
         unity (identity) of, 160  
         with Ore-condition, 228  
     without 1 embedded in ring with 1, 193  
     without zero divisors, 163–4, 212–23  
     zero divisors in, 164  
     zero element of, 159  
 root (zero) of polynomial, 282  
 ruler and compass constructions, 358  
 Schur, I. (1875–1941)  
     lemma, 262  
 second and third Sylow theorems, 148–9  
 second isomorphism theorem, 98  
 second principle of induction, 31, 239  
 semidirect product, 97  
 semigroup, 61  
 semisimple artinian ring, 386–8  
 separable element, *see* element  
 separable extension, *see* fields

## 486      Index

- separable polynomial, *see* polynomials
- sequence, 20
- series
  - composition, 120–2
  - normal, 120, 125
  - upper central, 126
- sets, 3
  - complement of, 5
  - difference of, 5
  - disjoint, 5
  - empty, 4
  - equal, 3
  - equipotent, 25
  - family of, 20
  - finite, 4
  - index, 20
  - infinite, 4
  - intersection of, 5
  - null, 4
  - power, 7
  - proper subset of, 4
  - quotient, 12
  - subset of, 4
  - union of, 4
  - universal, 5
  - void, 4
- simple extension, *see* extension
- simple root, 307
- simplicity of  $A_n$ , 135
- Smith normal form, *see* matrices
- solvability of equation by radicals, 348–52
- solvable Galois group, 350–2
- solvable group, *see* groups,
- split extension, 97
- splitting field, *see* fields
- squaring circle, 362
- stabilizer, *see* groups
- standard basis, 264
- subdivision ring, 168
- subfield, 168
- subgroups, 72
  - correspondence theorem for subgroups, 100
  - cosets of, 77
  - cyclic, 73
  - generated by subset, 75
  - index of, 78
  - internal direct product of, 139
  - maximal normal, 101
  - normal, 91
  - proper, 72
  - Sylow  $p$ -subgroup, 146
  - trivial, 72
- submodules, 248
  - cyclic, 250
  - direct sum of, 251–2
  - generated by subset, 250
  - sum of, 250–1
  - trivial, 248
- subring, 168
  - generated by subset, 169
  - prime, 174
- subset, 4
- subspace, 248
- successor of element, 233
- successor map, 233
- surjective mapping, *see* mapping
- Sylow, L. (1832–1918)
  - $p$ -subgroup, *see* subgroups
  - theorems, 147–9
- symmetric function, 355
- symmetries of geometric figure, 65, 87
- symmetry (distance preserving permutation), 87
- tensor product, 428
  - of modules, 428, 431
  - of algebras, 436
- third isomorphism theorem, 99
- torsion element, *see* element
- torsion-free element, *see* element
- total quotient ring, 225
- totally ordered set (chain), 12
- trace of element, 348
- transcendental extensions, *see* extension
- transfinite cardinal number, 26
- transitive permutation group, *see* groups
- translation, *see* action of groups
- transposition, 85
- trichotomy law of integers, 242, 243
- trichotomy law of natural numbers, 237
- trisecting an angle, 363
- unary operation, 22
- unique factorization domain, *see* domain

Cambridge University Press

0521460816 - Basic Abstract Algebra, Second Edition - P. B. Bhattacharya, S. K. Jain and  
S. R. Nagpaul

Index

[More information](#)**Index**

487

- unit, *see* rings
- unity, *see* rings
- upper bound of chain 11, 211
  - least, 11
- upper central series, *see* series
  
- vacuously, 4
- Vandermonde, A.T. (1735–1796)
  - determinant, 56
- vector spaces, 246
  - algebra of linear transformations of, 269
  - basis of, 264
  - dimension of, 266
  - direct sum of subspaces of, 251
  - finite-dimensional, 266
  - finitely generated, 250, 265
  - infinite-dimensional, 266
  - linear transformation of, 254
  
- quotient space of, 256
- standard basis of, 264
- sum of subspaces of 250
- T*-cyclic subspace of, 414
- Venn diagrams, 5
  
- Wedderburn, J.H.M. (1882–1948)
  - Artin theorem, 382–4
- well-ordering property of natural numbers, 30, 238
- Wilson, J. (1741–1793)
  - theorem, 35, 82
  
- zero divisor, *see* divisor
- zero element of ring, *see* rings
- zero of polynomial, *see* root
- Zorn, M. (1906–1993)
  - lemma, 211