

## Index

- Abel, N.H. (1802–1829), 352
- abelian groups, 63, 159, 246
  - Cauchy's theorem for, 146
  - fundamental theorem of finitely generated, 141, 408
  - invariants of finite, 144
  - of order  $n$  upto isomorphism, 144, 145
  - type of, 144
- action of groups, 107
  - by conjugation, 108, 112
  - by translation, 108
- addition or sum
  - of complex numbers, 36, 185
  - of matrices, *see* matrices
  - of natural numbers and integers, 234, 240
- algebra, 170
  - group, 177
  - quaternion, 177
  - of linear mappings, 269
- algebraic
  - closure, 293, 295
  - element, 289
  - extension, 290
  - number, 299
  - structure, 61
  - system, 61
- algebraically closed field, 295
- alternating group  $A_n$ , 134
  - of degree  $n$ , 134
- simplicity of, 135
- annihilator
  - left and right, 195, 374
- antihomomorphism, 192
- antiisomorphism, 192
- Artin, E. (1898–1962), 297, 369–71, 386
- artinian
  - module, 369, 370
  - ring, 371, 386
- ascending chain condition (acc)
  - for modules, 369
  - for rings, 370
- associates, 212
- associative law, 22
  - generalized, 24, 162
- automorphism
  - of field, 293, 305, 314
  - of group, 71, 104
  - inner, 71, 104
- axiom of induction, 233
- binary operation
  - associative, 22
  - commutative, 22
  - distributive, 22
  - pointwise, 44
- Boole, G. (1815–1864), *see* Boolean ring
- Boolean ring, 168, 207
- Burnside, W. (1852–1927)
  - theorem, 114

478 **Index**

- cancellation law, 64, 237
- canonical form
  - generalized Jordan, 423–4
  - Jordan, 424
  - rational, 417
- canonical or natural
  - homomorphisms, 92, 189
  - mapping, 18
- cardinal number, 25
- cartesian product
  - of groups, 67
  - of mappings, 19
  - of rings and modules, 171, 248
  - of sets, 9
- category, 426
- Cauchy, A.L. (1789–1857)
  - theorem, 146, 147
- Cayley, A. (1821–1895)
  - theorem, 86, 109
- center
  - of dihedral group, 89
  - of groups, 73
  - of  $p$ -groups, 113
  - of rings, 169
  - of symmetric group, 89
- centralizer, 82
- characteristic
  - of fields, 170
  - function, 18
  - polynomial, 414
  - of rings, 170
  - roots, 399, 414
- chain, 12
- chain conditions
  - ascending, 369
  - descending, 369
- chain of partially ordered sets, 211
- Chinese remainder theorem, 202, 260
- class equation (formula), 113
- column
  - matrix, 40
  - of matrix, 40
  - module, 393
  - rank, 394
  - space, 276
  - vector, 40
- commutative
  - binary operation, 21
  - diagram, 16, 259, 429
  - group, 63
  - ring, 160
- commutator, 93
  - subgroup, 93
- companion matrix, 45
- complex numbers, 35, 185
- component of ordered pair, 9
- componentwise binary operations, 44, 171
- composition of mappings, 15
- composition series
  - composition factor of, 120
  - of groups and modules, 120, 387
- congruence
  - modulo ideal, 184
  - modulo  $n$  on  $\mathbf{Z}$ , 10
- conjugate
  - class of element of group, 111
  - class of subset of group, 113
  - classes of  $S_n$ , 131
  - of subset, 113
- constructible
  - angle, 361
  - circle, line, point, 359
  - $n$ -gon, 363
  - number, 359
  - with ruler and compass, 358
- content of polynomial, 221
- countable set, 26
- crossed homomorphism, 344
- cycles, *see* permutations
- cyclic groups, 73, 82
  - converse of Lagrange's theorem for 83
  - generators of, 84
  - of same order, 83
  - subgroup of, 83
- cyclic endomorphism, 414
- cyclic extension of field, 344
  - $T$ -cyclic subspace, 414
- cyclic module, 250
- cyclotomic polynomial, 341
- Dedekind, R. (1831–1916)
  - lemma, 323
- degree
  - of dihedral group, 87
  - of extension of field, 285
  - of polynomial, 220
  - of symmetric group, 84

## Index

479

- DeMorgan, A. (1806–1871)
  - rules, 6
- denumerable set, *see* countable set
- derivative, 307
- descending chain condition (dcc)
  - for modules and rings, 369
- determinant, 49
  - cofactor of element of, 53
  - elementary (row, column)
    - operations, 394
  - expansion according to  $i$ th row, 54
  - expansion according to  $j$ th column, 54
  - over commutative ring, 49
  - product theorem of, 52
  - properties, 49, 50, 51
- diamond isomorphism theorem, 98
- direct product
  - of groups, 139
  - of modules, 248
  - of rings, 171
- direct sum
  - of groups, 139
  - of ideals, 196
  - of modules, 248
  - of rings, 171
- direct summand, 251
- disjoint
  - cycles, 85, 129
  - permutations, 85, 129
  - sets, 5
- distributive law, 22, 159
- division algorithm
  - for euclidean domain, 217
  - for integers, 32
  - for polynomials, 220
- divisor, 30, 212
  - greatest common (g.c.d.), 33, 215
  - zero, 164
- domain
  - embeddable in division ring (field), 226, 230
  - euclidean, 217
  - integral, 163, 212
  - of mapping or function, *see* mapping
  - principal ideal, 183, 211, 216, 218, 397, 402
  - unique factorization, 213–16, 219–23
- double quotient isomorphism
  - theorem, 99
- duplicating cube, 362
- Eisenstein, F.G.M. (1823–1852)
  - criterion, 284
- element, 3
  - algebraic, 289
  - identity (left, right), 61, 62, 159
  - inverse (left, right), 62
  - invertible, 62, 172, 175
  - irreducible, 212
  - maximal, 211
  - minimal polynomial of, 290
  - order of, 75
  - power of, 24
  - prime, 30, 212
  - regular, 224
  - separable, 316
  - torsion, 404
  - torsion-free, 404
  - unit, 172, 175
  - unity, 62, 160
  - von Neumann regular, 176
- elementary divisors, *see* matrices
- elementary operations, *see* matrices
- elementary symmetric functions, 356
- embeddable, *see* monomorphism
- embedding, 188
  - of field in algebraically closed field, 296
  - of integral domain in field, 226
  - of ring in ring with 1, 193
- endomorphisms
  - of abelian group, 167
  - of group, 70
  - of module, 254, 257
- epimorphism, 70
- equal
  - mappings, 14
  - matrices, 39
  - sets, 3
- equivalence
  - class, 12
  - of matrices, 397
  - relation, 10
- euclidean domain, *see* domain
- Euler, L. (1707–1783)
  - function, 35
  - Fermat theorem, 35, 79, 174
- exact sequence, 259

480 **Index**

- extension
  - algebraic, 290
  - cyclic, 344
  - degree of, 285
  - of field, 285
  - finite, 285
  - finitely generated, 292
  - Galois, 330
  - infinite, 285
  - normal, 305, 326–8
  - separable, 316, 318, 319, 326
  - simple, 317
  - transcendental, 290
- external direct product (sum)
  - of groups, 139
  - of rings, 171, 198
- factor, 30
  - module, *see* quotient
  - of normal series, *see* normal series
- faithful
  - module, 252
  - representation of group, 109
- family, 20
- Fermat, P. de (1601–1665)
  - theorem, 35
- fields, 37, 163
  - of algebraic numbers, 299
  - characteristic of, 170
  - finite, 310–15
  - finite extension of, 285
  - finitely generated extension of, 292
  - fixed (of group of automorphisms), 323
  - of fractions, 226
  - Galois, 311
  - Galois extension of, 330
  - infinite extension of, 285
  - normal extension of, 305, 326–8
  - perfect, 316
  - prime, 310
  - radical extension of, 348
  - separable element of, 316
  - separable extension of, 316, 318, 319, 326
  - separable polynomial over, 316
  - simple extension of, 317
  - splitting, 300
  - transcendental extension of, 290
- first isomorphism theorem, 97
- first principle of induction 31, 233
- Frobenius, G. (1849–1917)
  - endomorphism 314, 344
- function, *see* mapping
- functor, 427
  - contravariant, 427
  - covariant, 427
  - left exact, 436
  - right exact, 436
- fundamental theorem
  - of algebra, 299, 338
  - of arithmetic, 31
  - of finitely generated abelian group, 141, 408
  - of finitely generated modules, 402
  - of Galois theory, 330
  - of homomorphism for groups, 97
  - of homomorphism for modules, 256
  - of homomorphism for rings, 190
- G-sets, *see* action of groups
- Galois, E. (1811–1832), 352
  - extension of field, 330
  - field, 311
  - group, 330, 350
- Gauss, C.F. (1777–1855)
  - lemma, 221, 283
- Gaussian integers, 174, 217
- generalized Jordan blocks, 423
- greatest common divisor, *see* divisor
- groups, 62
  - action of, 107
  - algebra, 177
  - automorphisms of, 70, 104
  - centralizer of subset of, 82
  - class decomposition of, 113
  - class equation formula of, 114
  - class of nilpotency of, 126
  - commutative, 63
  - commutator of, 93
  - commutator subgroup of, 93
  - complete, 105
  - composition factors of, 120
  - composition series of, 120–3
  - conjugation action of, 108, 110, 112
  - correspondence theorem for subgroups of, 100
  - cyclic, 73, 82–3
  - defining relations of, 86, 90
  - degree of symmetric, 84

- derived, 93
- dihedral, 87
- direct product of, 139
- endomorphisms of, 70
- endomorphisms of abelian, 167
- of even permutations  $A_n$ , 133
- faithful representation of, 109
- finitely generated abelian, 141, 408
- finitely generated, 75
- Galois, 330, 350
- generators and relations of, 86, 90
- homomorphic image of, 70
- homomorphism of, 69, 91
- identity of, 62
- inner automorphism of, *see* automorphism
- isomorphic, 70
- isomorphism of, 70
- isotropy, 110
- Klein four, 69, 89
- left (right) regular representation of, 87
- linear, 66
- monomorphism of, 70
- nilpotent, 126–8
- nonsolvability of symmetric, 135
- normalizer of element (or subset) of, 92, 110
- $n$ th center of, 126
- $n$ th derived, 124
- $n$ th power of element of, 63
- octic, 89, 95
- orbit decomposition of, 112
- orbit of element of, 111
- order of, 64
- of order eight, 152
- order of element of, 75
- of order  $p^2$ ,  $pq$ , 152
- permutation, 84, 86
- of prime power order, 113, 126, 144
- product of subsets of, 91
- of quasi-regular elements in ring, 175, 176
- quaternion, 69, 95
- quotient, 92
- simple, 101
- solvable, 124–6, 351
- solvability of prime power, 126, 127
- stabilizer of subset of, 110
- Sylow  $p$ -subgroup of, 146
- Sylow theorems for, 147, 148
- symmetric, 84, 87
- of symmetries, 65, 87–9
- transitive permutation, 353
- trivial subgroup of, 72
- of units in ring, 175, 176
- Hilbert, D. (1862–1943)
  - basis theorem, 375
  - problem 90, 345
- Hölder, O. (1859–1937), 121, 387
- homomorphisms
  - fundamental theorems, 97, 190, 256
  - Kernel and image of, 70, 71, 188, 254
  - split, 268
- homomorphic image, 70, 188, 254
- idealizer, 195
- ideals, 179
  - annihilator, 195, 374
  - comaximal, 203
  - correspondence theorem for, 191
  - direct sum of, 196
  - finitely generated, 182
  - large, 381
  - maximal, 192, 203
  - minimal, 202
  - nil, 210
  - nilpotent, 209
  - order, 420
  - primary, 219
  - prime, 206
  - product of, 205
  - radical of primary, 219
  - right, left, 179
  - sum of, 196
  - trivial, 179
- idempotent element, 170
- identity
  - endomorphism, 255
  - of group, 62
  - mapping, 14
  - matrix, 44
  - of ring, 160
- image
  - of group, ring, module, 70, 188, 254
  - of element, 14
  - of mapping, 15
- improper divisors, 212

482 **Index**

- indeterminates, 166, 297
- indexed family, 20
- integers, 30, 240–5
  - modulo  $n$  under addition, 64
  - modulo  $n$  under multiplication, 64
- inverse (left, right), *see*, element
- image, 20
- invertible element, 62, 172
- irreducible
  - element, 212
  - polynomial, 28
- isomorphism, 70, 188, 254
- isotropy, *see* stabilizer
  
- Jordan, C. (1838–1922)
  - Hölder theorem, 121, 387
  
- Kernel of homomorphisms, 71, 188, 254
- Kronecker, L. (1823–1891)
  - delta, 43
  - theorem, 287
  
- Lasker, E. (1868–1941), 391
- Lagrange, J.L. (1736–1813)
  - theorem, 78
- large ideal, *see* ideals
- lattice, 12
  - distributive, 187
  - modular, 97
- leading coefficient
  - of polynomial, 220
- least common multiple (l.c.m.), 35
- linear combinations of elements, 250
- linear mappings, *see* mapping
- linear transformations, 254, 268–78
- linearly dependent elements, 263
- linearly independent elements, 263
- list, 20
- lower bound, 11
  - greatest, 11
  
- map, *see* mapping
- mapping or function, 14
  - balanced, 428
- biadditive, 428
  - bijjective, 16
  - canonical (natural), 19
  - cartesian product of, 19
  - codomain, 14
  - composite (composition), 15
  - domain of, 14
  - graph of, 14
  - identity, 14
  - image of, 14
  - inclusion, 14
  - induced, 18
  - injective, *see* one-to-one
  - insertion, *see* inclusion
  - insertion of, 14
  - inverse image of set under, 19, 100, 191
  - invertible, 17
  - left inverse of, 18
  - linear, 254
  - one-to-one, 16
  - onto, 16
  - preimage of element under, 14
  - projection, 19
  - range of, *see* image of
  - restriction of, 18
  - right inverse of, 18
  - surjective, 16
- Maschke, H. (1853–1908)
  - theorem, 385
- matrices, 39
  - block multiplication, 47
  - blocks of, 46
  - characteristic polynomial of, 414
  - characteristic roots of, 414
  - column, 40
  - column of, 40
  - column space of, 276
  - companion, 415
  - diagonal, 40
  - diagonal of, 40
  - dot product of, 42
  - eigenvalues of, 414
  - elementary (operations), 396
  - elementary divisors of, 418, 424
  - entry, 39
  - equal, 39
  - equivalent, 397
  - identity, 44
  - invariants of, 399
  - inverse of, 44
  - invertible, 44
  - Jordan blocks of, 423
  - Jordan-canonical form of, 424

- of linear mappings, 268–73
- matrix units, 45
- multiplication (product) of, 42
- negative of, 41
- partitioned, 46
- rank of, 273, 400
- rank-nullity theorem of, 276
- rational canonical form of, 417
- rectangular, 40
- ring of, 164
- row, 40
- row of, 40
- row rank of, 274
- row rank of, 274
- scalar, 40
- scalar multiplication, 41
- size, 39
- Smith normal form of, 397
- square, 40
- strictly upper (lower) triangular, 40
- submatrix of, 46
- sum of, 41
- of transformation from one basis to another, 269
- transpose of, 45
- upper (lower) triangular, 40
- zero (null), 41
- maximal
  - element, *see* element
  - ideal, *see* ideals
  - normal subgroup, *see* subgroups
- minimal
  - ideal, *see* ideals
  - polynomial, 290
- modular law, 252
- modules, 246
  - artinian, 369–70
  - column, 393
  - completely reducible, 262
  - composition series of, 387
  - cyclic, 250
  - direct sum of, 248
  - direct sum of submodules of, 251
  - endomorphisms of, 254, 257
  - factor, *see* quotient
  - faithful, 252
  - finitely cogenerated, 368
  - finitely generated, 250, 402
  - free, 264
  - homomorphic image of, 254
  - homomorphism (*R*-homomorphism)
    - of, 254
    - irreducible, 260
    - isomorphic, 254
    - isomorphism (*R*-isomorphism) of, 254
    - left and right, 246
    - linear (*R*-linear) mapping of, 254
    - noetherian, 369–70
    - primary, 389
    - quotient, 255–6
    - rank of free, 266
    - row, 393
    - simple, 260
    - standard basis of, 264
    - subisomorphic, 389
    - submodule of (*R*-submodule), 248, 250
    - sum of submodules of, 250
    - trivial submodules of, 248
    - uniform, 388
  - monic Polynomial, 220, 282
  - monomorphism
    - of groups, 70
    - of rings, 188
  - multiple, 30, 212
    - roots, 307–10
  - multiplication or product
    - of complex numbers, 36, 185
    - of matrices, *see* matrices
    - of natural numbers and integers, 239, 240
  - multiplicative set, 224
  - multiplicity of roots, *see* multiple roots
  - multiplication table, 67
  - n*-ary operation, 21
  - n*-tuple, 20
  - natural numbers, 30
  - negative integers, 242
  - Neumann, J. von (1903–1957)
    - regular element, *see* element
  - nilpotent elements, 170
  - Noether, E. (1882–1935), 369–81, 391
    - Lasker theorem, 391
  - noetherian
    - modules, 369
    - rings, 371
  - norm of element, 348
  - normal series, 120

## 484 Index

- normal (*contd.*)  
 equivalent, 121  
 factors of, 120  
 normalizer, 92, 110  
 $n$ th center of group, 126  
 $n$ th derived group, 124  
 $n$ th root of unity, 71, 340
- one-to-one mapping, *see* mapping  
 one-to-one correspondence, 17  
   between conjugate classes of  $S_n$  and partitions of  $n$ , 131  
   between family of nonisomorphic abelian groups of order  $p^e$  and partitions of  $e$ , 144  
 between ideals of ring and its quotient ring, 191  
 between linear mappings and matrices, 269  
 between subgroups of Galois group and subfields of field, 330  
 between subgroups of group and its quotient group, 100  
 orbits, 111  
 order  
   of element, 75  
   of group, 64  
   ideal, 415  
 ordered  
   basis, 268–71  
   domains, 243, 244  
   pair, 9  
   ring, 243, 244  
   set, 20  
 Ore, O. (1899–1968)  
   condition, 228  
   domain, 228  
 orthogonal family  
   of idempotents, 201  
 Osofsky, B., (1937–), 391
- partial order, 10  
 partially ordered set (poset), 11, 211  
 partition into quotient set, 12  
 peano, G. (1858–1932)  
   axioms, 233  
 permutations  
   cycle ( $r$ -cycle), 48, 85  
   cycle structure of, 130  
   cyclic decomposition of, 129  
   disjoint, 85, 129  
   even, odd, 49, 133  
    $p$ -group, *see* groups of prime power order  
   Poincaré, H. (1854–1912)  
     theorem, 79  
   pointwise operation, *see* binary operation  
 polynomials, 165, 183, 219  
   content of, 221  
   cyclotomic, 341  
   degree of, 220  
   Galois group of, 330–9  
   primitive, 221, 282  
   reducible, 281–3  
   root (zero) of, 282  
   separable, 316  
   solvable by radicals, 348–55  
   symmetric, 355  
 poset, *see* partially ordered set  
 positive integers, 242, 245  
 power of element, *see* element  
 primitive polynomial *see*  
   polynomials  
 primitive root, 340–7  
 principle of mathematical induction, 233–4  
 projection, 19, 255
- quasi-regular element, 175  
 quaternion algebra, *see* algebra  
 quaternion group, *see* groups  
 quotient, 32  
   groups, modules, rings and sets, *see under respective headings*
- $r$ -cycle, *see* permutations  
 $R$ -homomorphism ( $R$ -linear), *see* modules  
 radical extension of fields, 348–9  
 rank-nullity theorem, 276  
 rational cononical form *see* matrices  
 recursion theorem, 33  
 regular element in ring, *see* element  
 regular multiplicative set, 224  
 relation, 9  
   antisymmetric, 10  
   congruence, 10  
   conjugacy, 112, 113  
   equivalence, 10



## Index

485

- partition of set under equivalence, 12
- quotient set of set under
  - equivalence, 12
  - reflexive, 10
  - symmetric, 10
  - transitive, 10
- relatively prime elements, 215
- remainder in division algorithm, 32
- representations
  - faithful, 109
  - of linear mappings, 268–72
  - (left) regular, 87
- right noetherian ring but not left noetherian, 380
- right (left) quotient ring, 230–2
- restriction of mapping, *see* mapping rings, 159
  - additive group of, 159
  - antihomomorphism, 192
  - antiisomorphism, 192
  - artinian, 371–5, 382–8
  - artinian but not noetherian, 372
  - Boolean, 168, 207
  - center of, 169
  - characteristic of, 170
  - commutative, 160
  - component, 171
  - direct product of, 171
  - direct sum of, 171
  - division, 163
  - embeddable in field (division ring), 226, 230
  - external direct sum of, 198
  - factor, *see* quotient
  - of formal Laurent series, 177
  - of formal power series, 176
  - of fractions, 225
  - of Gaussian integers, 174, 217
  - generalized associative law of, 162
  - homomorphic image of, 188
  - homomorphism of, 188
  - idempotent element, 170
  - identity (unity) of, 160
  - of integers, 159, 233, 241
  - of integers mod  $n$ , 160
  - invertible element, 172, 173
  - isomorphic, 188
  - isomorphism of, 188
  - left artinian but not right artinian, 385
  - local, 195, 226
  - of matrices, 164
  - monomorphism of, 188
  - multiplicative set in, 224
  - von Neumann regular element in, 176
  - nilpotent element in, 170
  - noetherian, 371–81
  - noncommutative, 160
  - opposite, 193
  - ordered, 244
  - polynomial 165, 219
  - prime, 209
  - prime subring of, 174
  - quaternion, 177
  - quotient, 184, 225, 226
  - of quotients, 230
  - of real quaternions, 163
  - of real-valued continuous functions, 160, 173, 208
  - regular elements in, 224
  - right noetherian but not left noetherian, 380
  - semisimple artinian, 386–8
  - simple, 204
  - of subsets of set, 168
  - total quotient, 225
  - trivial, 160
  - units of, 175, 212
  - unity (identity) of, 160
  - with Ore-condition, 228
  - without 1 embedded in ring with 1, 193
  - without zero divisors, 163–4, 212–23
  - zero divisors in, 164
  - zero element of, 159
- root (zero) of polynomial, 282
- ruler and compass constructions, 358
- Schur, I. (1875–1941)
  - lemma, 262
- second and third Sylow theorems, 148–9
- second isomorphism theorem, 98
- second principle of induction, 31, 239
- semidirect product, 97
- semigroup, 61
- semisimple artinian ring, 386–8
- separable element, *see* element
- separable extension, *see* fields

## 486 Index

- separable polynomial, *see* polynomials
- sequence, 20
- series
  - composition, 120–2
  - normal, 120, 125
  - upper central, 126
- sets, 3
  - complement of, 5
  - difference of, 5
  - disjoint, 5
  - empty, 4
  - equal, 3
  - equipotent, 25
  - family of, 20
  - finite, 4
  - index, 20
  - infinite, 4
  - intersection of, 5
  - null, 4
  - power, 7
  - proper subset of, 4
  - quotient, 12
  - subset of, 4
  - union of, 4
  - universal, 5
  - void, 4
- simple extension, *see* extension
- simple root, 307
- simplicity of  $A_n$ , 135
- Smith normal form, *see* matrices
- solvability of equation by radicals, 348–52
- solvable Galois group, 350–2
- solvable group, *see* groups,
- split extension, 97
- splitting field, *see* fields
- squaring circle, 362
- stabilizer, *see* groups
- standard basis, 264
- subdivision ring, 168
- subfield, 168
- subgroups, 72
  - correspondence theorem for subgroups, 100
  - cosets of, 77
  - cyclic, 73
  - generated by subset, 75
  - index of, 78
  - internal direct product of, 139
  - maximal normal, 101
  - normal, 91
  - proper, 72
  - Sylow  $p$ -subgroup, 146
  - trivial, 72
- submodules, 248
  - cyclic, 250
  - direct sum of, 251–2
  - generated by subset, 250
  - sum of, 250–1
  - trivial, 248
- subring, 168
  - generated by subset, 169
  - prime, 174
- subset, 4
- subspace, 248
- successor of element, 233
- successor map, 233
- surjective mapping, *see* mapping
- Sylow, L. (1832–1918)
  - $p$ -subgroup, *see* subgroups
  - theorems, 147–9
- symmetric function, 355
- symmetries of geometric figure, 65, 87
- symmetry (distance preserving permutation), 87
- tensor product, 428
  - of modules, 428, 431
  - of algebras, 436
- third isomorphism theorem, 99
- torsion element, *see* element
- torsion-free element, *see* element
- total quotient ring, 225
- totally ordered set (chain), 12
- trace of element, 348
- transcendental extensions, *see* extension
- transfinite cardinal number, 26
- transitive permutation group, *see* groups
- translation, *see* action of groups
- transposition, 85
- trichotomy law of integers, 242, 243
- trichotomy law of natural numbers, 237
- trisecting an angle, 363
- unary operation, 22
- unique factorization domain, *see* domain

Cambridge University Press

0521466296 - Basic Abstract Algebra, Second Edition - P. B. Bhattacharya, S. K. Jain and S. R. Nagpaul

Index

[More information](#)

## Index

487

- unit, *see* rings
- unity, *see* rings
- upper bound of chain 11, 211
  - least, 11
- upper central series, *see* series
  
- vacuously, 4
- Vandermonde, A.T. (1735–1796)
  - determinant, 56
- vector spaces, 246
  - algebra of linear transformations of, 269
  - basis of, 264
  - dimension of, 266
  - direct sum of subspaces of, 251
  - finite-dimensional, 266
  - finitely generated, 250, 265
  - infinite-dimensional, 266
  - linear transformation of, 254
  - quotient space of, 256
  - standard basis of, 264
  - sum of subspaces of 250
  - $T$ -cyclic subspace of, 414
- Venn diagrams, 5
  
- Wedderburn, J.H.M. (1882–1948)
  - Artin theorem, 382–4
- well-ordering property of natural numbers, 30, 238
- Wilson, J. (1741–1793)
  - theorem, 35, 82
  
- zero divisor, *see* divisor
- zero element of ring, *see* rings
- zero of polynomial, *see* root
- Zorn, M. (1906–1993)
  - lemma, 211