

Index

- absolute
 - column sums, deleted, 31
 - line sums, 224
 - row sums, deleted, 31
 - singular values, 161
 - value of a matrix, 124, 211–3, 311, 441
- algebraic number, 437
- almost
 - normal matrix, 193
 - positive semidefinite matrix, 451
- analytic matrix equations, 465
- Ando's theorem
 - eigenvalues of product, 316
 - unit ball of numerical radius norm, 46
- angular field of values, *see* field of values, angular
- approximation
 - best in various classes, 217
 - best rank r , 215
 - (by) Hermitian matrix, 4
- arithmetic mean, entrywise, 363
- association schemes, 299
- Autonne's theorem, 159

- Bapat's theorem, 459
- Bauer field of values, 82
- bilinear product
 - Cauchy–Schwarz inequality, 238
 - examples, 232
 - not submultiplicative, 237
 - representation, 236
 - singular value majorization, 231, 233, 237
- Birkhoff's theorem, 40, 42, 164

- Buchheim's formula, 401, 437
- c -field of values, 79, 81
- c -numerical radius, 80–1
- C -field of values, 81
- C -spectral
 - norm, 81
 - radius, 81
- Camion–Hoffman theorem, 126, 133
- Campbell–Baker–Hausdorff theorem, 512, 519
- Cauchy
 - integral formula, 393, 427, 478, 521
 - matrix, 300, 348
- Cauchy–Schwarz inequality, 212, 238, 308, 340
- Cayley transform, 440
- centralizer
 - definition, 274–5
 - dimension of, 285
- chain rule for matrix functions
 - diagonalizable case, 532–3
 - first derivative, 527
 - Hermitian case, 533–4
 - integral representation, 521, 527, 530
 - motivation, 520
 - primary matrix function, 551
 - second derivative, 530
 - third derivative, 551
- characteristic
 - function, 299, 456
 - polynomial, derivative, 492
- circulant, 129
- circular matrix, 478
- column sum, deleted, 31

596 Index

- common isotropic vector, 70
- commutation matrix, 267
- commutativity
 - criterion, polynomial in a matrix, 276
 - with a given matrix, 274
 - with derivative, 528, 551
- commutator
 - additive, 288
 - approximate I in norm by a , 77, 294
 - Campbell-Baker-Hausdorff theorem, 512
 - definition, 288
 - exponential of, 512, 517
 - Hermitian multiplicative, 297
 - I is not a , 77, 294–5
 - multiplicative, 77, 288, 291
 - normal multiplicative, 297
 - quantum mechanics, 294, 297
 - unitary multiplicative, 297
 - Weyl's identity, 516–7
- commuting matrices, eigenvalue inequalities, 192
- comparison matrix, 123, 131, 358
- complex orthogonal dilation, *see* dilation, complex orthogonal
- complex orthogonal matrix
 - characterization of principal submatrix of a , 63–4
 - dilation to a , *see* dilation, complex orthogonal
 - every matrix is a principal submatrix of a , 62–4
 - factorization, 487
 - Hermitian, 488
 - positive definite, 487
- complex orthogonal similarity, 477
- complex symmetric matrix
 - Autonne's theorem, 159
 - similarity via a complex orthogonal matrix, 477
 - singular value decomposition, 159
 - square root, 488
 - symmetric square root, 485
 - unitary, 486
- compression, norm, 212
- condiagonalizable matrix, 478
- condition number, 158, 162, 193, 231, 331, 348
- conditionally positive semidefinite matrix, 451, 456–7
- congruence
 - angular field of values, 13
 - diagonalization, 72
 - positive definite, 68
 - simultaneous diagonalization by, 70–1, 76
- coninvolutionary matrix
 - definition, 477
 - exponential representation, 480, 487
 - logarithm, 480
 - square root, 480
- consimilarity, 286–7
- contraction matrix
 - basic properties, 155
 - convex combination of unitary matrices, 158, 169
 - criterion for positive semidefinite matrix, 207, 350
 - definition, 46
 - identity, 162
 - normal, 57
- controllable pair of matrices, 105
- convex cone, 99
- convex function
 - composition, 559
 - definition, 407, 544
 - examples, 556
 - of a matrix, 543
 - spectral radius a , of diagonal entries, 364
 - spectral radius not a , 364
- convex matrix function
 - characterization, 547
 - convex cone, 552
 - definition, 544
 - examples, 548–9
 - integral representation, 555
 - inverse, 549, 555
 - logarithm, 553
 - monotone matrix function criterion, 547
 - necessary condition, 555
 - smoothness, 550
 - square, 548, 554
 - square root, 549, 555
 - strictly convex, 544, 548–9, 558
- convexity, 17, 86
- convolution, 303
- correlation matrix
 - definition, 338
 - Hadamard multiplier, 338
- cosine of a matrix, 421, 439, 445–6

Index

597

- Courant–Fischer theorem, 149
 covariance matrix, 301
 cramped unitary matrix, *see* unitary matrix, cramped
 critical exponent of a matrix, 453–4
 cube root of a matrix
 rank criterion, 483
 similarity classes, 484
 cycle product, 379
 cyclic permutation matrix, 42
- D*-semistable matrix, 121
D-stable matrix
 definition, 121
 necessary condition, 122
 relationship to *P*-matrix, 132
 sufficient condition, 122
 Davis–Wielandt shell, 84
 defect from normality, 157, 192
 deleted
 absolute column sum, 31
 absolute row sum, 31
 derivation
 characterization, 258
 definition, 257
 only examples of linear derivations, 257
 determinant
 derivative of, 491
 (of an) exponential, 439
 (of a) Kronecker product, 249
 logarithmic derivative of, 514
 partial derivative of, 129
 preserver, 293, 297
 diagonal
 cell operator, 201, 217
 entries, equal, 20
 diagonalization by congruence, 72
 difference quotient, 522, 526, 528, 532, 534, 536, 539, 541–3
 dilation
 complex orthogonal, 62–4
 complex orthogonal power embedding, 63–4
 definition, 53
 doubly stochastic, 64, 165, 169–70
 doubly stochastic power embedding, 64, 169–70
 normal, 53–4, 64
 unimodular, 64
 unimodular power embedding, 64
 unitary, 57–9, 64
 unitary power embedding, 59, 64
- direct
 product, 242
 sum, 12
 divided differences
 bounds on, 406–7
 definition, 391–4
 integral representation, 393–4, 406
 Dmitriev–Dynkin–Karpelevich theorem, 43, 47
 doubly stochastic dilation, *see* dilation, doubly stochastic
 doubly stochastic matrix
 characterization of principal submatrix of *a*, 170
 definition, 40, 164
 dilation to *a*, *see* dilation, doubly stochastic
 field of values, 40, 42–3
 Kellogg–Stephens theorem, 43, 47
 majorization, 170
 Marcus–Newman theorem, 458–9
 1 is a normal eigenvalue of *a*, 60
 orthostochastic, 347
 positive matrix diagonally equivalent to *a*, 377, 381, 459
 positive symmetric matrix diagonally congruent to *a*, 458–9
 Sinkhorn's theorem, 377, 381, 459
 spectrum, 40, 43
 weak majorization, 166
 doubly substochastic matrix
 definition, 164
 (and) weak majorization, 166
 duality theorem for norms, 204
 dual norm
 definition, 203
 (of) Ky Fan *k*-norm, 214
- eigenvalue inequalities
 commuting matrices, 192
 matrix sums, 201
 elementary operator, 267
 ellipse, 20
 elliptic partial differential equations, 303
 entrywise product, *see* Hadamard product
 equal diagonal entries, 20
 equilibrium, 89
 equimodular, 126
 essentially triangular matrix, 302
 Euclidean algorithm, 384, 398, 466

598 Index

- exponential
 - (of \mathbf{a}) commutator, 512, 517
 - (of \mathbf{a}) Kronecker sum, 440
- exponential of a matrix
 - advice on computing, 519–20
 - determinant formula, 439
 - examples, 434–6, 441–2, 448
 - limit of powers, 495
 - perturbation bound, 430, 442, 502, 516
 - power series, 445
 - Putzer's algorithms, 505, 510, 519
- exponential of a matrix sum
 - commutative case, 435
 - commutator, 512, 517
 - determinant formula, 442, 511
 - Lie product formula, 496
 - noncommutative case, 435
 - norm inequalities, 519
 - trace inequalities, 499, 513–5, 517
 - Wermuth's theorem, 502, 519
 - Weyl's identity, 516–7
- exponential representation of a matrix
 - complex symmetric unitary matrix, 486
 - coninvolutionary matrix, 480
 - positive definite orthogonal matrix, 487–8
 - unitary matrix, 486
- extreme points, unit ball of spectral norm, 158
- Faa di Bruno's rule, 422
- Fan, Ky
 - convexity theorem, 132
 - dominance theorem, 205–6, 217
 - k -norm
 - definition, 198
 - dual of, 214
 - Hadamard product, 334
 - Hadamard submultiplicative, 337
 - triangle inequality, 196
 - p - k norm, 199, 211
 - product, 357, 380
- field angle, 6
- field of values
 - angular, 6, 13, 66–7, 69, 74
 - approximation, 37
 - axiomatisation, 28
 - basic properties, 8
 - Bauer field of values, 82
 - boundary, 50, 62
 - c -field of values, 79, 81
 - C -field of values, 81
 - characterisation, 29
 - compactness, 8
 - congruence, 13
 - connected set, 8
 - convex hull of spectrum, 11, 52
 - convex polygon, 51
 - convexity, 8, 14, 17, 24–5, 27, 73
 - Davis–Wielandt shell, 84
 - definition, 5
 - determinant of unitary projection, 79
 - direct sums, 12
 - eigenvalue on boundary, 51
 - ellipse, 20, 23, 54
 - failure of submultiplicativity, 65
 - generalisations, 77
 - generalised inner product, 78
 - generated by inner product, 60
 - geometry, 48
 - Gerasgorin-type inclusion region, 30–2
 - Hadamard product, 73–4, 76, 248–9
 - infinite dimensional case, 28
 - inner approximation, 37
 - interior, 48–9
 - intersection of fields of normal matrices, 53
 - isometric projection, 15
 - k -dimensional field of k matrices, 85
 - k -field of values, 79
 - Kronecker product, 247
 - location, 30
 - $n \leq 4$ and normal, 52
 - normality, 11, 14, 52, 64
 - outer approximation, 37
 - outer boundary, 26
 - plotting, 33
 - polygon, 56
 - positive (semi)definite indicator function, 10
 - powers, 74
 - principal submatrix, 38
 - projection, 9
 - q -field of values, 83
 - quaternion field not convex, 87–8
 - quaternion field of values, 86, 88
 - real field of values, 83
 - relative interior, 48–9
 - scalar multiplication, 9
 - sharp point, 50–1
 - spectral containment, 10, 14, 67
 - subadditivity, 10
 - submatrix inclusion, 13
 - translation, 9

Index

599

- field of values (*cont.*)
 (of a) 2-by-2 matrix
 nonnormal, 23
 normal, 23
 special form, 19
 triangular, 26
 unitary similarity, 14
 unitary similarity invariance, 11
 zero not in, 21, 66–8, 72, 76–7
- Fischer's inequality, 117, 127, 133
- fixed point, 155
- Frobenius
 covariants, 403, 437–8, 521
 inner product, 216, 287
 norm, 4, 43, 156–7, 185, 192, 216–7,
 231, 252–3, 287, 313–4, 337, 514, 534
- function of positive type, 542
- gain matrix, 300
- Gel'fand's theorem, generalization, 180
- general inertia theorem, 105
- generalized permutation matrix, 168
- geometric mean
 entrywise, 363
 maximum simple cycle, 367
- Gersgorin-type inclusion region, 30–2
- globally stable, 90
- Goldberg-Tadmor-Zwas theorem, 61, 64
- Green's matrix, 508
- H*-matrix
 closed under Fan product, 357–8
 comparison matrix, 124, 131, 358
 convex combination, 365–6, 377
 definition, 124
 determinant inequalities, 131
 Fan product, 357–8
 Hadamard product, 356–8, 365–6, 377
 iterative limit, 329
 minimum eigenvalue, 357, 365–7
- H*-stable matrix
 characterization, 68, 77
 definition, 68
- Hadamard convolution theorem, 303
- Hadamard exponential, 451
- Hadamard function
 definition, 449
 example, 457
 positive semidefinite matrix, 450
 preserve positive semidefinite
 matrices, 452
- Hadamard's inequality, 117, 127, 310
- Hadamard logarithm, 456–7
- Hadamard multiplier transformation,
 339–42
- Hadamard power
 critical exponent, 453
 definition, 449
 integral representation, 455
 preserve positive semidefinite, 453–4,
 456
 spectral radius, 361, 366
- Hadamard product
 basic properties, 304
 bibliography, 304
 Cauchy-Schwarz inequality, 212, 308
 covariance matrix, 301
 definition, 73, 298
 determinant inequalities, 378
 determinant supermultiplicativity, 311
 diagonal multiplication, 304
 eigenvalue inequalities, 338–9
 extremal eigenvalues, 312–3, 330
 field of values, 73–4, 76, 248–9
 H-matrix, 356
 inverse *M*-matrix, 359–60, 378
 linear transformation induced by, 339
 Loewner partial order, 310, 326
 Lyapunov equation, 300
 M-matrix, 127–8, 356, 359, 378
 norm inequalities, 212, 340, 347
 norm submultiplicativity, 308, 311
 numerical radius, 43, 73
 one factor is a correlation matrix, 338
 one factor is positive semidefinite,
 342–3
 Oppenheim's inequality, 128, 311, 378
 positive definite product, 309, 311, 319
 positive semidefinite factors, 309, 311
 rank submultiplicative, 307
 singular, 311
 singular value inequalities, 332, 334,
 342–5, 349–50, 355–6
 spectral norm submultiplicativity, 332
 spectral radius, 308, 358
 submatrix of Kronecker product, 253,
 304
 survey, 304
 trace, as a, 306
 unitarily invariant norm, 213
- Hadamard reciprocal, 458–9
- Hadamard submultiplicative, 335

600 **Index**

- half-plane,
 - left, 9
 - right, 9
 - upper, 9, 541–3, 550, 553–4, 560
- Hermitian
 - complex orthogonal matrix, 488
 - part of a matrix, 9
- Hilbert matrix, 458
- Hoffman–Wielandt theorem, 186, 433
- Horn, A.
 - matrix product theorem, 171
 - sufficiency theorem, 220
- ill-conditioned matrix, 158
- imaginary singular values, 161
- incidence matrix, 457
- index
 - (of a) matrix with respect to an eigenvalue, 471
 - (of) nilpotence, 424, 510
- induced norm, 216
- inertia
 - definition, 91–2
 - general inertia theorem, 105
 - product of nonsingular Hermitian matrices, 108
 - Schur complement, 95
- infinitely divisible
 - kernel, 543
 - matrix, 456–9, 543
- inner product, Frobenius, 216, 287
- integral root of a matrix, 484
- interlacing inequalities, 149, 159, 163
- inverse M -matrix
 - definition, 119
 - determinant inequalities, 127
 - Fischer's inequality, 127
 - Hadamard's inequality, 127
 - Hadamard product, 359–60
 - minimum eigenvalue, 375, 377
 - not closed under Hadamard product, 360
 - survey, 133
 - Szasz's inequality, 127
- irreducibly diagonally dominant, 131
- isometric projection, 15
- isometry, 15
- isotone function, 173
- isotropic vector, 70
- Jacobi's identity, 507
- Jordan block
 - commute with, 271–2
 - conjugate pairs for real matrix, 109
 - general, 385
 - inverse of, 418–9
 - Kronecker product, 262–3
 - nilpotent, 25
 - sizes determine dimension of centraliser, 285
- Jordan canonical form, 385
- k -dimensional field of k matrices, 85
- k -field of values, 79
- Kaplansky's theorem, 476, 489
- Kellogg–Stephens theorem, 43, 47
- Kraus' theorem, 550
- Kronecker polynomial, 251
- Kronecker power, 243
- Kronecker product
 - common properties of $A \bullet B$ and $B \bullet A$, 265
 - definition, 243
 - determinant, 249
 - diagonalizability, 265
 - direct sums, 261
 - eigenvalues, 245
 - exponentials, 253
 - field of values, 247
 - Hadamard product as submatrix of, 304
 - Jordan structure, 262
 - Kronecker polynomial, 251
 - linear matrix equations, 268
 - (of) matrix exponentials, 440
 - mixed-product property, 244, 250–1
 - (of) normal matrices, 250
 - normal product, 250
 - norms, 286
 - permutation similarity, 247, 260
 - positive (semi)definite, 245
 - rank, 252
 - singular value decomposition, 246, 249
 - singular values, 246, 265
- Kronecker sum
 - definition, 268
 - eigenvalues, 268, 284
 - exponential of, 440
 - Kronecker polynomial, 252
- Ky Fan, *see* Fan, Ky
- Lagrange interpolation formula, 391, 400

Index

601

- Lagrange–Hermite interpolation
 formula, 391
 problem, 390, 395, 400, 407
- left
 half-plane, 9
 singular vector, 146
- Leibniz's rule, 421
- Levy–Desplanques theorem, 125
- Lie
 bracket, 512
 product formula, 496, 511, 515
- linear derivation, *see* derivation
- linear matrix equations
 examples, 241–2, 268
 existence theorem, 279, 281
 integral representation for solution,
 509
 uniqueness theorem, 270
 vec correspondence, 254
- linear preserver
 definition, 292
 determinant, 293, 297
 rank, 293
 spectrum, 293
 trace, 293
- Loewner
 mapping criterion, 541, 553–5
 matrix, 541–2, 556
 partial order, 160, 310, 326, 536
- log-convex function, 513–4
- logarithm of a matrix
 Cauchy integral formula, 478
 coninvolutory matrix, 480
 convex matrix function, 553
 existence theorem, 474
 explicit expression, 484
 monotone matrix function, 553
 nonsingular matrix, 419–20
 polynomial in the matrix, 474
 positive definite, 448
 positive spectrum, 444
 power series, 430, 492–3
 primary matrix function, 474
 real logarithm, 475
 (of a) real matrix, 475
 similarity classes, 474
- Lyapunov equation
 bound on solution, 348
 definition, 97
 diagonalizable case, 347–8
 example of vec formulation, 239–40
 Hadamard product, 300
- Lyapunov solution, 97
- Lyapunov theorem, 95–6
- M*-matrix
 closed under Fan product, 357–8
 comparison matrix, 124
 convex combination, 127, 132
 definition, 113
 determinant inequalities, 117, 131
 equivalent conditions, 114
 Fan convexity theorem, 132
 Fan product, 357–9
 Fischer's inequality, 117
 Hadamard's inequality, 117
 Hadamard product, 127–8, 133, 356,
 359
 inequalities, 133
 integral roots, 511
 inverse, 119
 minimum eigenvalue, 129–30, 375, 377
 Oppenheim's inequality, 128
 products, 127
 references, 133
 singular, 119, 329
 spectrum, 130, 133
 sums, 127
 Szasz's inequality, 117
 trace inequality, 370
- majorization
 Ando's survey, 170
 bilinear products, 231, 233
 definition, 166
 eigenvalues
 (and) diagonal entries, 337
 (of a) Hermitian matrix, 346
 (of) Hermitian part, 518
 strong, 165–7, 172, 188, 190, 199, 201
 unitarily invariant norms, 206, 210
 weak, 166–9, 172–3, 184, 189, 194, 198,
 201
- Marcus–Newman theorem, 458–9
- matrix equations
 analytic, 465
 linear, *see* linear matrix equations
 nonlinear, 459
 polynomial, 462, 465
- matrix factorizations
 complex orthogonal-symmetric, 475–6,
 488
 Hermitian-unitary, 477
 miscellaneous, 486–7

602 Index

- matrix factorisations** (*cont.*)
 polar decomposition, 152, 475, 477, 481, 487
 real-coninvolutory, 477–8, 487–8
 singular value decomposition, 144
- matrix function**
 absolute value, 441
 analytic, 392, 412, 427, 428
 chain rule, *see* chain rule for matrix functions
 commutativity, 439
 continuous, 383, 387–8, 408–9, 502
 convex, *see* convex matrix function
 differentiable, 383, 431
 Hadamard, 449
 integrable, 383
 (of \mathbf{a}) Jordan block, 411
 Lipschitz continuity, 388, 428, 444
 monotone, *see* monotone matrix function
 multiple-valued, 448
 nonpolynomial, 407
 norms, 444
 polynomial, 383, 386
 power series, 412, 447
 primary, *see* primary matrix function
 strongly monotone, *see* monotone matrix function, strongly monotone
 two variables, commuting, 404
- matrix norms**
 set of all is not convex, 346
 set of unitarily invariant is convex, 346
- matrix product**
 eigenvalues of factors, 289
 positive definite factors, 295–6
 singular values, 171–2, 178, 193–4
- matrix-valued functions**
 derivative formulae, 490–1
 differential equations, 507
- matrix-valued polynomial**, 384, 398
- matrix-valued triangle inequality**, 161
- maximum simple cycle geometric mean**, 367
- Mercer's theorem**, 299
- Merino's theorem**, 481, 489
- minimum eigenvalue**
 (and) Fan product, 359
 general matrix, 357
 M -matrix, 129, 359, 374–7, 380
 Z -matrix, 128–9, 357
- Mirsky's theorem**, 187
- mixed-product property**, 244, 251, 440
- monotone matrix function**
 characterisation, 536
 composition, 552
 convex cone, 552
 criterion for convex matrix function, 547
 definition, 536
 fractional powers, 553
 integral representation, 542
 inverse, 538
 linear fractional transformation, 553
 Lipschitz continuous, 557
 logarithm, 553
 necessary condition, 552
 norm inequalities, 557
 smoothness, 541
 square root, 553
 strictly monotone, 536, 541
 strongly monotone, 539–41, 556
- Moutard-Fejer theorem**, 310
- Newton**
 formula, 395
 interpolation formula, 392
- Newton polynomial**
 (and) chain rule, 523
 continuity of coefficients, 397
 definition, 396–7
- nonderogatory matrix**
 centraliser and polynomials, 286
 characterisation, 275
 dimension of centraliser, 275
- nonlinear matrix equations**, 459
- norm**
 compression, 212
 derived from inner product, 216
 duality theorem for, 204
 Hadamard submultiplicative, 335
 singular value dominant, 335
 spectrally dominant, 335
 unitarily invariant, *see* unitarily invariant norm
- normal contraction**, 57
- normal dilation**, *see* dilation, normal
- normal eigenvalue**, 51
- normal Kronecker product**, 250
- normal matrix**
 absolute value of, 311
 characterisation of, via centraliser criterion, 285
 singular values and absolute eigenvalues, 157

Index

603

- normal matrix (*cont.*)
 congruent to \mathbf{a} , 68, 70
 continuous primary matrix function of, 433
 dilation to, *see* dilation, normal
 field of values of \mathbf{a}
 general, 11
 Hadamard product of two, 76
 Hadamard product with \mathbf{a} , 73
 2-by-2, 23
 multiplicative commutator, 77
 normal eigenvalue, 51
 numerical radius of Hadamard product with \mathbf{a} , 73
 positive semidefinite block matrix constructed from \mathbf{a} , 213
 power inequality for \mathbf{a} , 74
 intersection of fields of values, 53
 spectral matrix, 60–1
 spectrum of sum, 14
 sufficient condition
 field is polygon with enough vertices, 56
 spectrum and boundary of field, 52
 numerical radius
 approximation, 38
 bounds, 33, 44
 c -numerical radius, 80–1
 C -numerical radius, 81
 definition, 7
 Hadamard product, 43, 73
 power inequality, 43–4, 74
 properties, 43
 spectrally dominant, 33
 submultiplicative, 43
 trace norm inequality, 200
 numerical range, *see* field of values
- Oppenheim's inequality
 inverse M -matrix, 128, 378
 M -matrix, 128, 378
 positive semidefinite matrices, 311
- ordered row deficits, 228
 ordinary function, 326
 orthogonal matrix, *see* complex orthogonal matrix
 orthostochastic matrix
 definition, 347
 doubly stochastic, 347
 radial matrix, 347
 outer boundary, 26
- P -matrix
 characteristic polynomial, 130–1
 definition, 120
 eigenvalue location, 123, 133
 Fischer's inequality, 133
 spectrum, 133
- P_0 -matrix, 120
 P_0^+ -matrix, 120
- partial isometry
 orthogonal, 152
 rank r , 152, 352
- partial permutation matrix, 165
 path geometric means, 369
 Pauli spin matrices, 513
 permutation matrix, 267
 permuted identity matrix, 267
- Perron
 eigenvector, 372, 378–9
 root, 60
- Perron–Frobenius theorem, 17, 40
 Pick function, 542
 pinching, 201, 217
- polar decomposition
 complex symmetric–orthogonal, 475, 477, 487
 positive semidefinite–unitary, 152, 477
 real-coninvolutory, 477–8, 481, 487–8
 singular value decomposition, 152, 157
 uniqueness of unitary factor, 153
- polynomial
 matrix equations, 462, 465
 function, *see* matrix function, polynomial
- positive definite indicator function, 10
- positive definite matrix
 complex orthogonal, 487
 Hadamard product, 309
 logarithm of, 448
 product of four, 295, 296
 product of five, 295, 296
 product of three, 296
 product of two, 296
- positive semidefinite indicator function, 10
- positive semidefinite matrix
 contraction criterion, 207, 350
 Hadamard multiplier, 342–3
 Hadamard product, 309, 311, 319
 infinitely divisible, 456

604 Index

- positive semidefinite matrix (*cont.*)
 - positive definite Hadamard product, 309, 311, 319
 - square root of, 448
- positive semistable matrix, 103
- positive stable matrix
 - criterion, 101
 - definition, 92
 - integral representation for inverse, 511
 - linear matrix equation solution, 509
 - necessary condition, 302
- power inequality, 43–4, 74
- primary matrix function
 - basic properties, 412–3
 - chain rule, 551
 - composition of, 416
 - continuity, 433
 - continuous extension from diagonal matrices, 426
 - convex matrix function, 544
 - cosine, 421
 - definition, 410–1
 - differentiable, 431, 520
 - exponential, 430
 - fractional power, 553
 - functional identities, 415–6
 - integral representation, 427
 - inverse matrix, 418
 - inverse function, 417
 - inverse of a Jordan block, 419
 - (of a) Jordan block, 411
 - linear fractional transformation, 553
 - logarithm, 419–20, 430, 474, 478, 484, 493, 553
 - mean value theorem type bound, 559
 - monotone matrix function, 536
 - (of a) normal matrix, 433
 - references, 448
 - sine, 421
 - splits Jordan block, 424
 - square root, 419, 471, 485, 488, 553, 555
 - strictly convex matrix function, 544
 - strictly monotone matrix function, 536
 - strongly monotone matrix function, 540
 - Taylor formula, 444–5
 - verification of functional identities, 426
- principal submatrix
 - complex orthogonal matrix, 62–4
 - doubly stochastic matrix, 64, 165, 169–70
 - field of values, 38
 - normal matrix, 53–4, 57, 59
 - unimodular matrix, 64
 - unitary matrix, 57–9, 64
- projection
 - Frobenius covariant, 403, 521
 - Hermitian, 151, 199, 200, 201
 - isometric, 15, 56, 79
 - ordinary (idempotent), 199, 403, 517, 521
 - orthogonal, 151, 200, 201
 - property, 3, 9
- Ptak's theorem, 44, 61
- Putzer's algorithms, 504–5, 510, 519
- Pythagorean identity for matrices, 445
- q -field of values, 83
- quantum mechanics, 294, 297
- quaternion
 - absolute value, 86
 - conjugate, 86
 - field of values
 - definition, 86–7
 - not convex, 87–8
 - real part, 86
- radial matrix, 44–5, 62, 347
- radialoid matrix, *see* radial matrix
- rank
 - preserver, 293
 - r partial isometry, 152, 352
- real
 - field of values, 83
 - logarithm of a real matrix, 475
 - singular values, 161
 - square root of a real matrix, 473, 489
- relative gain array
 - basic properties, 322
 - definition, 300
 - iterative limit, 329
- replacement
 - lemma, 70
 - principle for majorization, 354
- Riccati equation, 242
- right
 - half-plane, 9
 - singular vector, 146
- root location, 93
- rotation property, 21
- Roth's theorem, 279, 281
- Routh–Hurwitz
 - conditions, 101
 - matrix, 101

Index

605

- Routh-Hurwitz (*cont.*)
 stability criterion, 101
- row
 deficits, 228
 sum, deleted, 31
- s -numbers, 140
- Schatten p -norm, 199, 211, 252, 337
- Schur complement, 95
- Schur's inequality, 44, 332
- Schur product, *see* Hadamard product
- Schur product theorem
 block form, 318
 classical, 309
 generalization, 312, 318
 probabilistic proof of, 302
- Schur's theorem on spectral norm of
 Hadamard product, 213
- Schur-convex function, 173
- Schwarz matrix, 111
- Schwerdtfeger's formula, 402, 404, 437–8,
 521
- self-adjoint norm, 216
- separating hyperplane theorem, 22
- sharp point, *see* field of values, sharp
 point
- shell, 84
- Shoda's theorem, 271, 288, 291, 296
- shuffle matrix, 267
- similarity map, 264
- simple cycle
 length m , 42
 maximum length, 42
- simultaneous diagonalization, by
 congruence, *see* congruence,
 simultaneous diagonalisation by
- sine of a matrix, 421, 439, 445–6
- singular M -matrix, *see* M -matrix, singular
- singular value decomposition
 Autonne, 136–7, 153, 159
 Beltrami, 135
 complex orthogonal-symmetric analog,
 485
 complex symmetric matrix, 159
 Jordan, 135
 Kronecker product, 246, 249
 polar decomposition, 152, 157
 proof via spectral theorem, 157
 Sylvester, 135–6
 theorem, 144
 uniqueness of unitary factors, 147
- singular value dominant norm, 335
- singular value inequalities, Hadamard
 product, *see* Hadamard product,
 singular value inequalities
- singular values
 absolute, 161
 characterization
 Beltrami's, 135
 block matrix #1, 135, 141
 block matrix #2, 163
 Jordan's, 135, 141
 rank approximation, 215–6
 variational, 148
 definition, 135, 146
 eigenvalue product inequalities, 171
 eigenvalue sum inequalities, 176
 eigenvalues of Hermitian part, 151
 elementary symmetric functions, 185
 Frobenius norm, 156, 186
 (A.) Horn product theorem, 171
 imaginary, 161
 inclusion intervals, 223
 interlacing inequalities, 149, 163
 Kronecker product, 246, 265
 lower bounds, 227, 229–31
 norm inequalities, 215
 normal matrix, 157
 product inequalities, 176, 182, 194
 rank, 154
 real, 161
 skew-symmetric matrix, 158
 sum inequalities, 195–6
 symmetric gauge function, 210
 trace inequality, 183
 2-by-2 case, 189
 upper bounds, 223, 225
 weak majorisation, 168, 233
 Weyl inequalities, 171
 Weyl product-sum inequalities, 178
- singular vector, 146
- Sinkhorn's theorem, 377, 381, 459
- skew-Hermitian part of a matrix, 9
- skew-symmetric matrix
 similarity via orthogonal, 477
 singular values, 158
- Soules' matrix, 251
- Sourour's theorem, 289, 296
- Specht's theorem, 2-by-2 case, 27
- spectral condition number, 158, 162, 193,
 231, 348
- spectral containment, 10
- spectral matrix, 60–1

606 Index

- spectral norm
 - definition, 148
 - extreme points of unit ball, 158
- spectral radius
 - bounds, 518
 - convex function of diagonal entries, 364
 - definition, 5
 - geometric mean, 363
 - Hadamard power, 361, 366
 - Hadamard product, 308, 358
 - not a convex function, 364
- spectrally dominant norm, 33, 335
- spectraloid matrix, *see* spectral matrix
- spectrum
 - definition, 1
 - preserver, 293
- spread of a matrix, 264
- square root of a matrix
 - complex symmetric matrix, 485, 488
 - coninvolutory matrix, 480
 - convex matrix function, 549, 555
 - existence theorem, 471–2
 - Jordan structure, 467–8
 - monotone matrix function, 553
 - need not be a primary matrix function, 443
 - nonexistence, 483
 - nonsingular case, 419, 468
 - polynomial in the matrix, 471
 - positive semidefinite matrix, 448
 - positive spectrum, 287, 488
 - primary matrix function, 471
 - rank criterion, 472
 - real square root, 473, 489
 - references, 489
 - similarity classes, 471
 - singular case, 469–70
- square root of a real matrix, 473
- stable matrix, 92
- star-shaped set, 80
- stem function, 411
- strict contraction, 46
- strictly column diagonally dominant matrix, 124
- strictly convex function of a matrix, 544
- strictly convex matrix function
 - definition, 544
 - examples, 548–9
 - sufficient condition, 548, 558
- strictly diagonally dominant of
 - column entries, 125
 - row entries, 125
- strictly monotone matrix function, *see* monotone matrix function, strictly monotone
- strictly row diagonally dominant matrix, 124
- strongly monotone matrix function, *see* monotone matrix function, strongly monotone
- subadditivity, 10
- submatrix inclusion, 13
- Sylvester's formula, 401, 437
- Sylvester's law of inertia, 15
- symmetric gauge function
 - definition, 209
 - unitarily invariant norms, 210
 - weak majorisation, 169
- symmetric matrix, *see* complex symmetric matrix
- symmetric norm, 211
- Szász's inequality, 117, 127
- tensor product, 242
- Toeplitz theorem, 26
- Toeplitz–Hausdorff theorem, 8, 17, 27
- totally positive matrix, vii
- trace
 - inequality, 183, 217, 370, 381, 499, 513–5
 - norm, 154, 199, 217
 - preserver, 293
- triangle inequality
 - Ky Fan k -norm, 196
 - matrix-valued, 161
- trigonometric moments, 299
- typically real function, 485
- unimodular matrix
 - characterisation of principal submatrix of a, 64
 - dilation to a, *see* dilation, unimodular
- unitarily invariant norm
 - characterisation, 204
 - definition, 203
 - derived from inner product, 216
 - exponential of matrix sum, 499
 - Hadamard product, 212–3
 - Hadamard submultiplicative, 336
 - inequalities, 206–7, 209, 212, 215
 - power inequality, 211
 - set of is convex, 346
 - singular value dominant, 211, 336
 - spectrally dominant, 336

Index

607

- unitarily invariant norm (*cont.*)
 - submultiplicative, 211, 336
 - symmetric gauge functions, 210
- unitarily irreducible matrix, 60
- unitarily reducible matrix, 60
- unitary dilation, *see* dilation, unitary
- unitary invariance, 146
- unitary matrix
 - characterisation of principal submatrix of \mathbf{a} , 57–9
 - complex symmetric, 486
 - cramped, 76–7
 - dilation to, *see* dilation, unitary
 - every matrix a positive linear combination of, 155
 - exponential representation, 486
- unitary projection, 79
- unitary similarity
 - field of values, 11, 14
 - 2-by-2 case, 14, 27
- unitary similarity invariance, 11, 214
- universal flip matrix, 267
- upper half-plane, *see* half-plane, upper

- Vandermonde
 - determinant, 400, 453
 - matrix, 400
- vec
 - definition, 244
 - permutation matrix, 259, 265–6
 - triple product identity, 255, 267
- Visick's theorem, 316
- Von Neumann's theorem
 - symmetric gauge function, 210, 335
 - trace, 182, 183

- weak majorization
 - definition, 166
 - doubly stochastic matrix, 167
 - doubly substochastic matrix, 166
 - singular values and bilinear products, 233
 - unitarily invariant norms, 206
- weak minimum principle, 299
- Wermuth's theorem, 502, 519
- Weyl
 - identity, exponential of a sum, 516–7
 - inequalities, singular values of sums and products, 178
 - product inequalities
 - singular values and eigenvalues, 171
 - sufficiency, 217
 - theorem, 171, 194
- Wielandt's commutator theorem, 294, 297
- Wintner's commutator theorem, 295, 297

- Yamamoto's theorem, 180, 194

- Z-matrix
 - comparison matrix, 124
 - definition, 113
 - minimum eigenvalue, 128–9
- Zehfuss
 - determinant, 254
 - matrix, 254