

# INDEX

*Italics* indicates an ANSI C library function  
**bold** indicates a keyword of ANSI C

## Operators

!	13, 39
!=	40, 46, 196
#	string-izer, 69
##	paster, 69
%	39, 46, 196
%=	42, 46, 196
&	arithmetical, 41, 46, 196 logical, 8, 44, 46, 80, 196
&&	40, 46, 196
&=	42, 46, 196
*	arithmetical, 39, 46, 196 reference, 8, 44, 46, 80, 196
*=	42, 46, 196
+	39, 46, 196
++	43, 46, 196
+=	42, 46, 196
,	43, 46, 196
-	39, 46, 196
--	43, 46, 196
->	44, 46, 80, 129, 196
.	127, 129
/	39, 46, 196
/=	42, 46, 196
<	40, 46, 196
<<	41, 46, 196
<<=	42, 46, 196
<=	40, 46, 196
=	42, 46, 196
==	40, 46, 196
>	40, 46, 196
>=	40, 46, 196
>>	41, 46, 196
>>=	42, 46, 196
?:	45, 46, 196
^	41, 46, 196
^=	42, 46, 196
	41, 46, 196
=	42, 46, 196
	40, 46, 196
~	41, 46, 196

## Directives

#define	34, 66
#elif	71-2
#else	71-2
#endif	71-2
#if	71-2
#if def	71-2
#ifndef	71-2
#include	6, 72
#undef	68, 72

## A

*abort*, 172  
*abs*, 180  
 absolute value, 22  
*acos*, 181  
 address, 8, 80-1  
 aggregate, 130  
 alias, 31, 130, 134  
 area of polygon, 54  
 arguments, 8, 82, 88  
 arrays, 16, 84-5, 93-4  
*asctime*, 192  
*asin*, 181  
*assert*, 172  
 associativity, 47  
*atan*, 182  
*atan2*, 182  
*atexit*, 172  
*atoi*, 178  
*atoi*, 177  
*atol*, 178  
**auto** storage class specifier 73-7, 128  
 automatic versus static, 23

## B

back-slash, 7, 29, 33, 67, 197  
 Backslang, example, 104-5  
 Backus Naur Form, 28  
 bibliography, 209  
 binary  
   digits, 32, 40-1, 46, 133, 196  
   I/O, 121-3  
   trees, 158-60  
 bit fields, 133  
 bits, see binary digits  
 blocks, 3, 12, 13, 36, 75-7, 137  
 Booklist, example, 131  
 Boolean, 12  
**break** statement, 36, 58, 59  
*bsearch*, 191  
 bubble sort, 18  
 bytes, 121

## C

C, old-style, 38, 137  
 call by value, 20-1, 82  
*calloc*, 177  
 case, upper & lower, 4, 33  
**case** statement, 36, 58

cast, 45, 71  
 Cats ( utility ), 119  
*ceil*, 180  
 chaining, 149–53  
 char type, 15, 31, 32, 134  
 characters, 15, 29, 33, 100, 197  
   multi-byte, 109, 190  
 Christmas, 14, 59  
*clearerr*, 118  
*clock*, 192  
 closing a file, 117  
 comma list, 28  
 command line, 95, 119  
 compiler, 5, 66  
 components of C, 27ff  
 concatenation  
   of files, 119  
   of quoted strings, 67  
**const** qualifier, 34, 73, 81, 137  
 constants, 33ff  
   character, 33  
   literal, 33, 48  
   named, 33, 34, 89  
   pointer, 84, 89  
**continue** statement, 36  
 control, 5iff  
*cos*, 181  
*cosh*, 182  
*ctime*, 192

**D**

Database, example, 123  
 decisions, 12–13  
 declarations  
   complex, 90  
   in a block, 76  
   of parameters, 77  
   of pointers, 81  
   outside functions, 74  
   redundant, 74  
   style of, 130  
   syntax of, 136–37  
   typical, 3, 6–7, 31  
   versus definitions, 37  
 declarator, 31, 135  
   abstract, 135  
**default** statement, 36  
 defined ( preprocess operator ) 71  
 definitions  
   function, 20  
   in header file, 70  
   tentative, 74  
   versus declarations, 23, 37  
 demotion, 48  
*difftime*, 193  
 digit, 29, 30

directives, 3, 7, 67–72  
*div*, 183  
**do** statement, 36, 52  
 DOS, 99, 116, 156  
**double** type, 31, 32, 134  
 dynamic storage, 143ff  
   concept of, 144

**E**

edit, 5  
**else** keyword, see **if** statement  
**enum** keyword, see enumeration  
 enumeration, 34, 102, 105, 152  
 EOF, 99  
 escape,  
   from loop, 14, 53  
   sequence, 7, 29, 197  
 Euclid's hcf method, 24  
 execution, 5  
*exit*, 171  
*exp*, 184  
 expression, 9, 35  
 extension of name, 4  
**extern** storage class specifier, 73–7, 128

**F**

*fabs*, 180  
 factorial, 25  
*fclose*, 117, 120, 166  
*feof*, 118  
*ferror*, 118  
*fflush*, 112, 165  
*fgetc*, 108, 165  
*fgetpos*, 167  
*fgets*, 167  
 FILE, library type, 116, 118  
 files, temporary, 120  
**float** type, 31, 32, 134  
*floor*, 180  
*fmod*, 183  
*fopen*, 116, 165  
**for** statement, 36, 53  
 format, 9, 110  
*fprintf*, 168  
*fputc*, 109, 164  
*fputs*, 168  
*fread*, 121, 164  
*free*, 145, 177  
*freopen*, 116, 165  
*frexp*, 184  
*fscanf*, 169  
*fseek*, 122, 166  
*fsetpos*, 167  
*ftell*, 122, 167  
 function prototypes, see prototypes

function, 3, 8, 20  
 pointer to, 88  
*fwrite*, 121, 164



*getc*, 108, 165  
*getchar*, 108, 165  
*getenv*, 173  
 GetNext, input function, 114–5  
*gets*, 112, 168  
 global scope, 23, 74  
*gmtime*, 193  
 goto statement, 36, 59



hcf, 24  
 header 3, 21  
   File, 38, 70  
 heap, 144  
 hidden names, 23  
 Hooke's law, 18



IDE, 4–5  
 identifier, 30  
 if statement, 12, 36, 55  
 indentation, 13  
 initialization, 16, 31, 34  
   in declarations, 37  
   of loop, 53  
   of strings, 92  
 input, 107ff  
 int type, 31, 32, 134  
 interest, on bank loan, 2, 22  
*isalnum*, 185  
*isalpha*, 185  
*iscntrl*, 186  
*isdigit*, 185  
*isgraph*, 185  
*islower*, 185  
*isprint*, 185  
*ispunct*, 186  
*isspace*, 186  
*isupper*, 185  
*isxdigit*, 185



keyword, 30, 198  
 in macro, 78



l-value, 42  
 label, 36

*labs*, 180  
*ldexp*, 184  
*ldiv*, 183  
 letters, 29, 30  
 linker, 5, 66  
 list processing, 146  
*localeconv*, 174  
*localtime*, 193  
*log10*, 184  
*log*, 184  
 long type, 31, 32, 134  
*longjmp*, 174  
 loops, 14  
   counted, 53  
   escape from, 52  
   infinite, 14  
   tested, 52



macros, preprocessor, 68–9  
 main, 6  
*malloc*, 145, 177  
 matrix multiplication, 17  
*mblen*, 190  
*mbstowcs*, 190  
*mbtowc*, 190  
*memchr*, 189  
*memcmp*, 188  
*memcpy*, 188  
*memmove*, 188  
*memset*, 190  
*mktime*, 193  
*modf*, 184  
 Monkey-puzzle sort, 161  
 moving a file, 118  
 multi-byte characters, 33, 190, 194



name space, 78  
 names, 30  
 nesting  
   of blocks, 36  
   of braces, 16  
   of loops, 18  
   of macros, 69  
 NULL, 85



object code, 5  
 object  
   concept of, 30  
   definition of, 37  
   global, 74  
 OOP, 75

operating system, 4  
 operators, 8  
   access, 129  
   action of, 49  
   arithmetic, 38  
   assignment, 42  
   bitwise, 39  
   demotion & promotion of, 48-9  
   incrementing, 43  
   logical, 38  
   precedence & associativity of, 47  
   reference, 44  
   summaries of, 46, 196  
   syntax of, 38ff  
   sequence, 43  
 organization, 65ff  
 output, 107ff

## P

parameters, 8, 88  
   as pointers, 82  
   coercion of, 48  
   counting of, 96  
   names of, 21  
 parentheses, in macros, 68  
 Parlour trick, example, 86-7  
 parse trees, 90, 91  
 paster, 69  
 *perror*, 172  
 pointee, concept of, 80  
 pointer arithmetic, 84-5  
 pointer  
   concept of, 80-1  
   constant, 88  
   declaration of, 81  
   to functions, 88  
 *pow*, 180  
 power cables, example, 60  
 precedence, 47  
 preprocessing, conditional, 71  
 preprocessor, 34, 67  
   purpose of, 66  
 print format, 110  
 *printf*, 168  
 program  
   concept of, 2-3  
   processing, 66  
   syntax of, 36  
 promotion, 48  
 prototypes  
   concept of, 38  
   in header files, 70  
 punctuators, 67  
 *putc*, 109, 164  
 *putchar*, 109, 164  
 *puts*, 168

## Q

*qsort*, 191  
 qualifier, 34, 73, 81  
 Quicksort, 62-3, 83

## R

*raise*, 175, 182  
 random access, 122  
 realization, 4  
 *realloc*, 177  
 recursion, concept of, 24  
 **register** storage class specifier, 73-7  
 *remove*, 117, 166  
 *rename*, 118, 166  
 **return** statement, 36, 53  
 reverse Polish, example, 139-41, 148  
 *rewind*, 117, 166  
 ring structures, 154  
 Roman numerals, 56  
 Roses, example ring, 156

## S

scan format, 112  
 *scanf*, 7, 169  
 scope,  
   concept of, 74  
   of declarations, 37  
   of variables, 23  
 semicolon, 7  
 *setbuf*, 171  
 *setjmp*, 174  
 *setlocale*, 174  
 *setvbuf*, 170  
 shape, synonym for type  
 **short** type, 31, 32, 134  
 shortest route, example, 150-3  
 *signal*, 175  
 **signed** type, 31, 32, 134  
 *sin*, 181  
 *sinh*, 182  
 **sizeof** operator 45, 71, 145  
 spacing, see whitespace  
 specifiers, 31, 110, 113  
 *sprintf*, 168  
 *sqrt*, 181  
 *srand*, 182  
 *sscanf*, 112, 169  
 stacks, 138,  
   dynamic, 146  
 statement, 3, 7,  
   as a block, 36  
   compound, 12  
   syntax of, 36  
 **static** storage class specifier, 23, 73-7, 128

stdin, 15, 116  
 stdout, 5, 15, 116  
*strcat*, 188  
*strchr*, 189  
*strcmp*, 188  
*strcoll*, 190  
*strcpy*, 187  
*strcspn*, 189  
 stream, concept of, 108, 116  
*strerror*, 190  
*strftime*, 194  
 string  
   arguments, 69  
   arrays, 93  
   length of, 100  
   pointers, 93  
   terminator, 98  
   utilities, 98  
 string-izer, 69  
 strings, 92ff  
   comparing, 102  
   concatenated, 67, 101  
   copying, 101  
   printing of, 94  
   quoted, 67  
*strlen*, 187  
*strncat*, 188  
*strncmp*, 188  
*strncpy*, 187  
*strpbrk*, 189  
*strrchr*, 189  
*strspn*, 189  
*strstr*, 189  
*strtod*, 178  
*strtok*, 189  
*strtol*, 179  
*strtoul*, 179  
**struct** keyword, 134  
 structures  
   concept of, 126-7  
   usage of, 128  
   syntax of shape, 134  
*strxfrm*, 190  
 subscripts, see arrays  
**switch** statement, 36, 58  
 symbol-state table, 56-7  
 syntax  
   notation for, 28  
   of C, 29-46, 134-7  
   of preprocessor, 67, 72  
   summary, 197-203  
*system*, 173



*tan*, 181  
*tanh*, 182  
 temporary files, 120

tentative definition, 74  
*time*, 193  
*tmpfile*, 120, 170  
*tmpnam*, 120, 170  
 token, 4  
*tolower*, 186  
*toupper*, 186  
 translation unit, 66  
 traversal, 149, 159  
   pre & post order, 160  
 trigraphs, 29, 197  
 truth tables, 40  
 type cast, see cast  
 type, 31, 32, 130, 134  
   mixed, 49  
 type-name, 135  
**typedef** statement, 130, 134



underscore, 30  
*ungetc*, 109, 165  
**union** keyword, 134  
 unions, 128, 132  
**unsigned** type, 31, 32, 134



*va-arg*, 176  
*va-end*, 176  
 variables, 6  
*va\_list* ( type ) 96  
*va\_start*, 176  
 vector algebra, 60  
 vertical bars, 28  
*vfprintf*, 169  
 visibility, 37  
 visibility, concept of, 75  
**void** type, 31, 32, 134  
   pointer to, 145  
**volatile** qualifier, 73, 137  
*vprintf*, 169  
*vsprintf*, 169



*wcstombs*, 190  
*wcscmb*, 190  
**while** statement, 36, 52  
 whitespace, 7, 9, 67  
   in scan format, 113



zero  
   padding, 16  
   ASCII, in strings, 92