

Index

-
- A_i , 24–27, 32–33, 218–219, 222
 - acyclic orientation, 51
 - adjacency matrix, 50
 - algorithms for
 - constructing an SNS-matrix with a prescribed zero pattern, 112
 - constructing an S^2NS -matrix with a prescribed zero pattern, 179, 189
 - recognizing combinatorially symmetric SNS-matrices, 162
 - recognizing fully indecomposable S^2NS -matrices, 177, 182
 - recognizing partly decomposable S^2NS -matrices, 186
 - recognizing sign-stable matrices, 247
 - recognizing S -matrices, 70
 - recognizing S^* -matrices, 71
 - recognizing SNS*-matrices, 70
 - recognizing the inverse sign-pattern of an S^2NS -matrix, 201–202
 - antichain, 219
 - intersecting, 221
 - anticonformal vectors, 71
 - autonomous system, 242

 - balanceable matrix, 268
 - balanced
 - vector, 18
 - signing, 18
 - barely L -matrix, 18–34, 218–223
 - characterizations of, 19, 25–28, 33
 - examples of, 20, 218–220
 - B_n digraph, 225–238
 - biclique, 82
 - decomposition, 83
 - bipartite digraph of a matrix, 231–233

 - bipartite graph
 - even subdivision of, 79
 - of a matrix, 79, 153, 158, 178
 - subdivision of, 79
 - block, 158
 - end-block, 164–165
 - blocker, 100–102
 - bridge, 158

 - central matrix, 99
 - clockwise orientation, 142
 - clutter, 100–102
 - colored row multigraph, 82–85
 - combinatorially orthogonal vectors, 267
 - combinatorially symmetric SNS-matrix, 157–165
 - maximal, 163
 - community matrix, 242
 - condenser, 26–27
 - conditional
 - sign-solvability, 259–264
 - S -matrices, 260–261, 264, 275
 - S^* -matrices, 260–261, 264, 275
 - S^2NS -matrices, 262–263
 - conformal
 - contraction, 66–70, 171
 - copying of entries, 174–175, 198–199
 - matrices, 200
 - splitting, 72–73
 - vectors, 66
 - contraction
 - conformal, 66–70, 171
 - elementary, 75, 147
 - on an entry, 147
 - of columns, 75
 - principal, 147
 - pseudo-elementary, 154

conversion of a matrix, 141
 convertible matrix, 141
 copying
 a column, 72
 an entry, 174–177
 a row, 116
 Cramer-type rule for sign-solvable linear systems, 9–10
 CS, CS*-matrices, see conditional cut-vertex, 158
 \mathcal{D}^3 , 180–181
 determinant
 identically zero, 8–9
 signed, 7
 skew-symmetric expansion, 277
 standard expansion of, 7–8
 digraph
 adjacency matrix of, 50
 bipartite digraph of a matrix, 231–232
 directed cycle of, 42
 Hasse digraph, 236–238
 intercyclic, 52–53
 of a matrix, 42
 1-join of digraphs, 120
 path of, 42
 positive terminus of, 56
 recursive strong reconstruction of, 108
 signed, 43
 signed block digraph, 236
 signing of, 107
 sink of, 57
 source of, 57
 splitting of, 156
 strong components of, 42
 strongly connected, 42
 strongly 2-connected, 124
 subdivision of, 79, 153
 transitive arc and closure of, 191
 2-join of digraphs, 120
 dimer problem, 138–145
 directed cycle, 42
 sign of, 43
 weight of, 44
 double-extension, 89
 doubly directed cycle, 156
 doubly directed tree, 244, 256–257
 doubly indecomposable matrix, 124
 edge-join, 159
 edge-vertex incidence matrix, 74
 oriented, 79–80, 172
 equilibrium
 asymptotically stable, 241–242
 stable, 241–242
 even cycle problem, 50, 112–113
 exact system, 268

\mathcal{F}_n , 225–231
 forward edge, 142
 4-cockade, 157–165, 178–179
 fully indecomposable, 24
 components, 24
 recursive fully indecomposable construction, 108–109
 Γ_k , 20, 26, 220
 generalized inverse, signed, 273–275
 graph
 block of, 158
 bridge of, 158
 cut-vertex of, 158
 edge-join of, 159
 of a symmetric matrix, 158
 pfaffian, 279
 2-connected graph, 158
 vertex-join of, 159
 H_n , 8, 45, 47, 52, 65, 134, 154, 171, 203
 \mathcal{H}_n^u , 65, 80
 Hadamard product, 141
 Hasse digraph, 236–238
 hypergraph, 26, 100
 identically zero determinant, 8–9
 incidence matrix
 of graph, 74
 oriented, 79–80, 172
 intercyclic digraphs, 52–53
 inverse
 nonnegative matrices, 234–238
 positive matrices, 231–238
 sign-pattern of, 45–47, 197–202
 see also S^2NS -matrix
 inverse sign-pattern graph, 225–238
 irreducible
 components of a matrix, 42–43
 matrix, 42
 J , 5
 join
 of digraphs, 120
 of graphs, 159
 of matrices, 120
 $K_{3,3}$, 153
 L -canonical form, 31–33
 L -matrix, 6
 barely, 18–34, 218–223
 canonical form, 31–33
 characterizations of, 19, 21, 24–28
 L -decomposable, 22
 L -indecomposable, 23–24
 L -indecomposable components of, 23

- N -canonical form of, 38
- recognition problem, 16, 33
- totally L , 87–95
- see also SNS-matrix, S^2NS -matrix, and S^* -matrix
- Λ_k , 20, 26, 220
- L -decomposable, 22
- least squares sign-solvability, 265–275
- L -indecomposability, 22–31
- L -indecomposable components, 23
- uniqueness of, 28–29
- matching, 79
- perfect, 139
- matrices
 - combinatorially symmetric, 157
 - community, 242
 - conditionally S^2NS -matrices, 262–263
 - convertible, 141
 - CS-, 260–261, 264, 275
 - CS*-, 260–261, 264, 275
 - doubly indecomposable, 124
 - fully indecomposable, 24
 - irreducible, 42–43
 - L , 6, 18–33, 218–223
 - L -decomposable, 22
 - L -indecomposable, 22–31
 - nearly decomposable, 149–150
 - nearly reducible, 153–154
 - nonnegative, 4
 - nonsingular strength of, 284–287
 - partly decomposable, 23
 - pfaffian, 278–279
 - positive, 4
 - proper, 277
 - quasi-stable, 240–241, 248
 - reducible, 42
 - S -, 12, 62–85, 171
 - S^* -, 11–12, 62–85, 171
 - semi-stable, 240–241
 - sign-central, 99–105
 - sign semi-stable, 242–244
 - sign stable, 242–248
 - skewSNS, 277–281
 - SNS-, 7, 106–165, 203–218
 - S^2NS -, 10–11, 45–47, 168–202
 - stable, 240–241
 - with self-inverse sign pattern, 191–197
- N -canonical form, 38–41, 49–50
- nearly decomposable matrix, 149–150
- nearly reducible matrix, 153–154
- negative arc, path, directed cycle, 43
- negative main diagonal, 43
- nonnegative matrix, 4
- nonnegative SNS-matrices, 51–52, 204–206
- nonsingular strength, 284–287
- NP-complete problems, 33, 112, 139
- null-support
 - of a vector, 36
 - of a qualitative class, 36
- odd doubly directed cycle, 156
- off the main diagonal, 146
- Ω_n , 221–222
- 1-join, 120
- orientation of graph, 51, 142
- \mathcal{P}_A , 31–33
- partial sign-solvability, 35–41
- partly decomposable, 23
 - maximal SNS-matrices, 134–138
 - S^2NS -matrices, 185–191
- path, 42
 - empty, 42
 - sign of, 43
- permanent, 138–141
- pfaffian, 278–279
 - graph, 279
- planar graphs, 142–145, 280
- positive arc, path, directed cycle, 43
- positive main diagonal, 43
- positive matrix, 4
- positive terminus, 56
- qualitative class, 5
 - left-null support of, 36
 - maximum rank and minimum rank of, 275–277
 - right-null support of, 36
 - stable qualitative class, 248
 - variation of rank over, 275–277
- qualitative economics, 1–4, 16
- qualitative solution class, 5, 259
- quasi-stable matrix, 240–241, 248
- r^A , 275
- r_A , 276
- recursive fully indecomposable
 - construction, 108–109
- recursive strong construction, 108
- row multigraph, 82–85
 - colored, 82
- \mathcal{S}_A , 32–33
- Schur complement, 48
- self-inverse sign pattern, 191–197
- semi-stable matrix, 240–241
- sign
 - of an arc, 43
 - of a directed cycle, 43
 - of a path, 43
 - of a real number, 4
- sign-central matrix, 99–105

- sign determined variable, 35, 39–41, 54
- signed block digraph of a matrix, 236
- signed compound, 95–99
- signed determinant, 7
- signed digraph, 43
- signing, 18
 - balanced, 18
 - column signing of a matrix, 18
 - extension of, 18
 - of a digraph, 107
 - row signing of a matrix, 18
 - strict, 18
 - support of, 32
- sign-nonsingular matrix, *see* SNS-matrix
- sign pattern, 4
 - inverse sign pattern graph, 225–238
 - self-inverse, 191–197
- sign semi-stable matrix, 242–244
- sign-solvable linear systems, 4–16
 - characterizations of, 12–16, 53–60
 - conditionally, 259–264
 - partially, 35–41
 - least squares, 265–275
 - recognition problem for, 16
 - stably, 248–254
 - standard form of, 56
- sign-stable matrix, 242–248
- single-extension, 89
- sink, 57
- skewSNS-matrix, 277–281
- S -matrix, 12, 62–85, 171
 - characterizations of, 19, 62, 69, 73–79
 - conditionally, 260–261, 264, 275
 - maximal, 79–85
 - recursive structure of, 66–73
 - zero patterns of, 73–79
 - see also* totally L -matrix
- SNS-matrix, 7, 106–165, 203–218
 - characterizations of, 43–45, 50, 146–157
 - combinatorially symmetric, 157–165
 - doubly indecomposable, 124–133, 205–208, 211–216
 - maximal, 114–138, 203–218
 - maximal combinatorially symmetric, 163
 - nonnegative, 51–52, 204–206
 - pairs, 281–284
 - partly decomposable, 134–138
 - permanent, 138–145
 - skew, 277–281
 - SNS*-matrix, 66–70, 95, 171, 173
 - strong, *see* S^2 NS-matrix
 - with eigenvalue restrictions, 254–257
- SNS*-matrix, 66–70, 95, 171, 173
 - see also* S^* -matrix
- S^2 NS-matrix, 10–11, 45–47, 168–202
 - conditional, 262–263
 - inverses of, 197–202
 - maximal, 175, 182
 - partly decomposable, 185–191
 - under stability, 253
- source, 57
- splitting of digraph, 156
- stable matrix, 240–241
- stable qualitative class, 248
- stably sign-solvable system, 248–254
- standard determinant expansion, 7–8
- standard form of a linear system, 56
- strong components of a digraph, 42
- strongly-connected digraph, 42
- strongly 2-connected digraph, 124
 - see also* doubly-indecomposable matrix
- strong SNS-matrix, *see* S^2 NS-matrix
- subdivision
 - even, 79, 153, 158, 178
 - of digraph, 156
 - of graph, 79
- support
 - of a vector, 36
 - of a signing, 32
 - see also*, null-support
- term rank, 97
- totally L -matrix, 87–95
 - double-extension of, 89
 - recursive description of, 90–95
 - single-extension of, 89
 - zero patterns of, 94–95
- trajectory, 241
- transitive arc and closure, 191
- 2-join, 120
- unsigned vector, 18
- vertex-join, 159
- X -reduction of a matrix, 211–212
- $Z(A)$, 106
- zero pattern of a matrix, 4
- zero patterns
 - of S -matrices, 73–79
 - of SNS-matrices, 106–114, 134–138, 146–157
 - of S^2 NS-matrices, 178–184