

Index

- absorption coefficients 283–4, 313–15
 - for typical materials 321, 602
 - see also* sound-absorbing materials and techniques
- accelerometers 270–3
 - placing of 491
- acoustic barriers 308–12
 - insertion loss 309, 311–12
 - Fresnel diffraction 309–11
- acoustic cut-off frequency, higher order modes 441, 443, 445–6, 447–50
- acoustic enclosures 304–8
 - air-gap leakages 307–8
 - close fitting 304, 308
 - enclosure resonances 307–8
 - design guidelines 298–9
 - flanking transmission 307
 - insertion loss 307
 - large fitting 304–7
 - sound radiation 305
- acoustic impedance *see* impedance
- acoustic modes, higher-order 445–6, 447–50
- acoustic radiation damping 410, 411, 537
 - see also* internal loss factors
- acoustic radiation reactance 161
 - see also* impedance
- acoustic radiation resistance 160–1
 - see also* impedance
- acoustic source models 146–65
 - cylindrical line sound sources 164–5
 - dipoles – two monopoles in close proximity 151–5
 - aerodynamic sound 173, 174, 179
 - finite-plate sound radiation 214–15, 223–4
 - monopoles – spherical sound source 147–51
 - aerodynamic sound 167, 173, 174, 179
 - far-field/near-field 148–50
 - source strength 148
 - specific acoustic impedance of spherical waves 148–9
 - monopoles near a rigid, reflecting, ground plane 155–7
 - power doubling effects 156–7, 280
 - quadrupoles 162–4
 - sound power source models
 - constant power 279–81
 - constant pressure 280–81
 - constant volume 279–81
- vibrating pistons in a rigid baffle 157–62, 195–7
 - directivity factor 158–9
 - radiation impedance 160
 - radiation reactance 161
 - radiation resistance 160–1
 - see also* directional characteristics of sound sources; inhomogeneous acoustic wave equation
- acoustic velocity potential 141–2
 - dipoles 152–3
 - monopoles 147–8, 155–6
 - plane waves 143
- acoustic wave equation 140
 - derivation 133–43
 - one-dimensional 143
 - velocity potential 142
 - see also* homogeneous acoustic wave equation; inhomogeneous acoustic wave equation
- acoustically slow/fast modes
 - acoustically slow (subsonic) 211, 226
 - acoustically fast (supersonic) 211, 226
 - critical frequency 199, 210–13
 - sound radiation principles 197–200
- aerodynamic sound *see* inhomogeneous wave equation
- air absorption 285
- air springs, as vibration isolators 331
- aliasing problems 372–3
- amplitude resonance 26–7
 - see also* resonance
- analogue filter characteristics 365–6
- analogue signal analysers/analysis 365–6
- anechoic chambers 282
- apparent mass 28
- auto-correlation functions 39–40, 42, 43, 351–2
 - see also* correlation
- auto-spectral density functions 41–2, 45, 49, 352, 367–8
 - see also* spectral density
- A-weighting 258–9, 266–7
- baffled piston 157–62, 195–7
- bandwidth 366, 370–2, 376–7
 - filter 371
 - frequency analysis 263–7
 - half-power 27, 51
 - mean-square 51, 105–6
 - signal analysis 370–2

Cambridge University Press

978-0-521-49561-5 - Fundamentals of Noise and Vibration Analysis for Engineers, Second Edition

M. P. Norton and D. G. Karczub

Index

[More information](#)

- barriers, acoustic 308–12
- bars and rods *see* rods and bars, quasi-longitudinal vibrations
- baseband auto-spectra 501–2
- beams, dynamic stress analysis *see* dynamic stress/strain
- beams, response of continuous systems to random loads 91–4
- beams, transverse bending vibrations 79–84
 - bending wave velocity 81
 - boundary conditions 82
 - damping 83–4
 - drive-point mechanical impedance 83
 - equation of motion 79–80
 - Euler beam equation 80
 - group velocity 81
 - travelling wave solution 81, 97–8
 - see also* dynamic stress/strain
- bearing faults/defects detection 494–6, 514, 518–23, 550–1
 - cepstrum analysis technique 522–3, 548–50
 - crest factor detection 522
 - envelope power spectrum analysis 523
 - kurtosis technique 522
 - rolling-contact bearings 519–23, 550–1
 - sliding-contact bearings 519
 - spectral analysis technique 522
 - vibration severity guides/standards/limits 539–41
- bending waves
 - definition 4–7
 - forced 213
 - in beams 81–6, 96–100
 - in pipes 226–7, 461
 - in plates 94–5, 109–12, 198–200, 207–16
 - wave velocity 6–7, 81, 198
- bias error problems 370–2
- blocked pressures 196
- blower noise 523–5
- boundary layer pressure fluctuation studies 447
- broadband excitation of a single oscillator 50–1
- burners, combustion noise 525–7
- B-weighting 258–9, 266–7
- cavitation 529–30
- centrifugal pumps 528–30, 559
- cepstrum analysis 353–6
 - for bearing fault detection 522–3, 548–50, 551–2
 - complex cepstrum 355–6, 503–4
 - power cepstrum 353–4, 503–4
- characteristic mechanical impedance *see* impedance
- coefficients
 - absorption 283–4, 313, 315, 321, 602
 - reflection 313–14
 - transmission 232, 284, 308
- coherence 362–4, 378–9, 509, 536
- coherent output power 362, 379
- coincidence
 - cylindrical shells 461–7, 473–4, 477, 554–7
 - definition 7
 - double leaf panels 243
 - panels 232–41
 - see also* critical frequency
- combustion noise/roar 296, 525–7
- compensation costs for hearing damage 300–1
- complex modulus of elasticity 75, 83
- complex stiffness 31
- complex wavenumber 75, 83
- compressional (longitudinal) waves 4–5, 72–5
- condenser microphones 267, 268–9, 270
- condition monitoring 488–9, 490, 492
 - online condition monitoring 560–2
 - safety monitoring 560
 - system design considerations 559–62
 - see also* performance monitoring
- constant percentage bandwidth 264
- continuous monitoring *see* condition monitoring
- continuous systems 64–95
- control methods for industrial noise and vibration 295–9
- conversion factors and units 603–4
- convolution integral 33, 36, 46
- correlation
 - coefficients 39–40
 - functions 39–41, 374
 - see also* auto-correlation functions; cross-correlation functions
- correlation ratios 103–4
- coulomb (dry-friction) damping 31
 - see also* damping
- coupling loss factors 387, 391, 417–23
 - acoustic volume-acoustic volume 420
 - coupled system examples 423–30
 - measurement techniques 421–3
 - structure-acoustic volume 419–20
 - structure-structure 417–9
- crest factors 496, 522
- critical frequency
 - infinite plate 199
 - finite plates 210–12, 216–21
 - radiation ratio 222, 225
 - panels and partitions 231, 232–41
 - see also* acoustically slow/fast modes; coincidence
- critical viscous-damping coefficient 20
 - see also* damping
- criticality and failure mode analysis 488–9
- cross-correlation functions 40, 355, 357
 - see also* correlation
- cross-spectral density functions 49, 358–9, 379–80, 459, 508
 - see also* spectral density
- cut-off frequencies 441, 443, 445–6, 447–50
- cylindrical line sound sources 164–5
- cylindrical shells, dynamic strain analysis *see* dynamic stress/strain
- C-weighting 258–9, 266–7
- damping 30–32
 - basic concepts 2, 8–10
 - and complex stiffness 31, 75, 83
 - coulomb (dry-friction) damping 31
 - coupling 430–1
 - critical damping 20–1
 - damped natural frequency 19, 20–1
 - damping materials 334–5
 - damping ratio 25

Cambridge University Press

978-0-521-49561-5 - Fundamentals of Noise and Vibration Analysis for Engineers, Second Edition

M. P. Norton and D. G. Karczub

Index

[More information](#)

- decay time 21
- effects on dynamic absorbers 333
- with forced vibrations of multiple oscillators 62–4
- generalised 85–6
- hysteretic (structural) 30, 92
- with low frequency vibration 323–4
- structural components testing 537
- structural loss factor 31, 53, 75, 83, 92, 408
- viscoelastic damping 334–5
- viscous damping
 - equivalent viscous damping concept 30–2
 - of free vibrations 16–21
- see also* internal loss factors, acoustic radiation damping
- decibels
 - addition and subtraction 261–3
 - noise/sound levels 222, 256
 - vibration levels 260–1
- degrees-of-freedom 2–3, 56–60
- deterministic and random signals 22, 344–7
- diagnostics using noise and vibration analysis 488–565
 - see also* diagnostic tools
- diagnostic tools 493–513
 - cepstrum analysis 503–4
 - condition monitoring 488–9, 492
 - crest factor measurement 496
 - discrete wavelet transforms (DWTs) 512
 - envelope power spectrum analysis 507–8
 - frequency domain analysis 501–3
 - frequency response (transfer) functions 509
 - fuzzy logic 512
 - kurtosis 500
 - magnitude domain analysis 494–501
 - neural networks 512
 - peak signal measurement 494
 - phase-averaged time histories 496
 - probability density distributions of noise levels 497–8
 - propagation path identification 507–9
 - short time Fourier transforms (STFTs) 512
 - sound intensity analysis 504–7
 - sound intensity mapping 505
 - sound source ranking 504, 532–6
 - temporal waveform recovery 510–11
 - time domain analysis 494–501
 - waterfall plots 501
 - see also* signal analysis techniques and functions
- diffuse (reverberant) sound fields 283–7
- digital signal analysis 366–70
- dipoles *see* acoustic source models
- Dirac delta function 34
- direct field 283, 286
- directional characteristics of sound sources 278–9
 - directivity factor and directivity index 278–9
 - vibrating pistons in a rigid baffle 158–9
- discrete Fourier transforms (DFTs) 366–9
- discrete wavelet transforms (DWTs), as a diagnostic tool 512
- dispersion curves, in cylindrical shells 117–18, 450
- dispersion relationships 7, 463–65
- dual signal analysis 355–64
- ducts *see* flow duct acoustics
- Duhamel convolution integral 89–90
- D-weighting 258–9, 266–7
- dynamic absorption/absorbers 332–4
- dynamic load factor 90
- dynamic stiffness (force/displacement) 28
- dynamic stress/strain
 - beams 96–108
 - base-excited cantilever with tip mass 106–8
 - dynamic stress and fatigue 96
 - estimates based on static stress and displacement 104–5
 - mean-square estimates for single-mode vibration 105–6
 - non-dimensional correlation ratio 103–4
 - prediction of maximum dynamic stress from velocity 102–3
 - relationships between dynamic stress and velocity 100–4
 - evanescent wave effects and dynamic stress concentration 98–100
 - spatial distributions of vibration and dynamic stress 97–100
 - strain–displacement relation 96–7
- cylindrical shells 113–21, 433–5
 - dynamic bending strain 114–15
 - dynamic strain concentration 119, 120
 - relationships between dynamic strain and velocity 119–21
 - shell vibration dynamic response 114–17
 - spatial distributions of dynamic strain 115–16, 119
 - travelling wave equations 114
- plates 108–13
 - evanescent waves 109–11, 113
 - dynamic bending strain 109–12
 - dynamic strain concentration 110–1
 - relationship between dynamic strain and velocity 112–13
 - travelling wave solution 109
- in statistical energy analysis 433–5
- economic factors in noise and vibration control 299–301
 - damage limitation 299
 - hearing damage compensation 300–1
- eddy current probes 270
- eigenfunctions 86
- eigenvalues, mode summation procedures 86–7
- eigenvectors 58
- elasticity 1–3
- electrical equipment, noise and vibration sources 530–2
- enclosures *see* acoustic enclosures
- energy concepts
 - energy and power flow 52–6
 - energy flow relationships 387–97
 - oscillatory motion 15–16
 - potential and kinetic energy 15–16, 52
 - see also* statistical energy analysis (SEA)
- energy density 146, 285, 304
- energy spectral density functions 352–3
- envelope power spectra analysis 507–8, 552–4

- equivalent viscous damping 30–2
 - see also* damping
- errors in signal analysis 370–7
 - aliasing 372–3
 - bandwidth considerations 370–1
 - bias errors 370–2
 - measurement noise errors 377–80
 - normalised random errors 371–2
 - random errors 370–2
 - windowing 374–7
- Euler beam equation 80–1
- Euler–Bernoulli beam theory 96
- evanescent waves
 - beams 81, 98–100
 - cylindrical shells 117–9
 - plates 109–11, 113
 - see also* far-field; near-field
- fan and blower noise 523–5
- far-field
 - acoustics 148–50, 207
 - vibration 98–101, 109–10, 112, 113, 119–21
 - see also* evanescent waves; near field
- fast Fourier transforms (FFTs) 42, 352, 366
- fault detection, prediction and source identification 513–41
 - about sources of industrial noise and vibration 294–5, 513–14
 - bearings 494–9, 514, 518–23, 539–41, 548–50
 - with condition monitoring 488–9
 - electrical equipment 530–2
 - gears 514–16
 - hydraulic pumps 528–30
 - rotors 514, 516–18
 - shafts 516–18
 - structural components 536–9
 - vibration severity guides 539–41
 - see also* diagnostic tools
- finite Fourier transform 367
- finite plate-type structures, sound radiation from free
 - bending waves 207–16
 - acoustically excited 208
 - analysis using Rayleigh’s equation 207
 - edge and corner radiation 211, 214–16
 - flow resistance (porous materials) 315
 - forced vibration 212–14
 - mechanically excited 208
 - modal density 214
 - wavenumber diagrams 209–13
- flow duct acoustics 183–7
 - area discontinuity 185
 - reactive silencers, acoustic performance 186–7
 - side-branch elements 185–6
 - outlet radiation impedance 187
 - transmission matrix modelling conventions 184–5
- flow-induced sound 165–7, 441–6, 467–71
 - see also* pipe flow noise and vibration; Strouhal number; transmission loss
- fluid loading on vibrating structures 244–7
- fluid-structure interactions 194–7
- forced vibrations
 - arbitrary, non-periodic, forcing function 36
 - as input–output system 21–3
 - basic principles 2, 10–12, 21–2
 - harmonic excitation 22–9
 - impulse response functions 33–6
 - linear systems; input–output relationships 42, 46–9
 - multiple oscillators 60–4
 - periodic excitation 32–3
 - random excitation 37–52
 - single oscillator 12–15
 - transient excitation 33–6
- Fourier series expansion 32
- Fourier transforms 41–9, 352–3, 366–70
- free vibrations 2, 16–21
- free-field sound propagation 273–8
 - line sources (cylindrical and semi-cylindrical) 275–7
 - plane sources 277–8
 - point sources (spherical and hemi-spherical) 274–5
- frequencies, natural *see* natural frequencies
- frequency analysis bandwidths 263–7, 370–2
- frequency domain analysis 342–4, 352–5
 - for fault prediction 489–90, 491, 501–3
- frequency response functions (transfer functions) 28, 47–9, 50–2, 358–62
 - as a diagnostic tool 509
- Fresnel diffraction theory, acoustic barriers 309–10
- furnaces and burners, combustion noise 525–7
- fuzzy logic, as a diagnostic tool 512
- gas pipeline flow induced noise and vibration 554–7
 - see also* pipe flow noise and vibration
- gas turbines
 - bearing vibration limits 540
 - performance monitoring 558–9
- Gaussian distributions 350
- gear noise and vibration 514–6
- generalised damping 85–6
- generalised force 85–6
- generalised mass 85–6
- generalised stiffness 85–6
- Green’s function
 - aerodynamic sound 170–2
 - for structure interactions 194–7
- grilles in ducted flows 469
- group velocity 7, 81
- Gumble distributions 350
- Hankel function 225
- hearing damage compensation costs 300–1
- Heckl’s relationships 454–5
- Helmholtz cavity resonator 182, 316–19
- homogeneous acoustic wave equation 129, 131–46
 - general solution 143
 - linearised acoustic wave equation 140–1
- human body as a system of damped springs 9–10
- hydraulic pumps *see* pumps, noise and vibration
- hysteretic damping 30, 92
 - see also* structural loss factor; damping
- impact noise 247–9
 - acceleration/deceleration noise 247–8, 249
 - radiated noise energy 248
 - ringing noise 247, 249
- impact testing 358–9

- impedance
 - acoustic 144, 148–50
 - acoustic radiation 159–62, 195–7, 244–7
 - characteristic (wave) impedance
 - acoustic 144
 - mechanical 73, 78
 - drive point 67, 83, 160, 195, 218, 220, 235
 - mechanical 28–9, 73, 78, 160, 195, 235
 - moment 419
- impedance tube, absorption coefficient measurement 313, 314
- impulse excitation spectra, structural components 537–9
- impulse response functions 33–6, 47, 357–8, 362
- induction motor noise and vibration 547–50
 - bearing vibration acceleration 547–9
 - cepstrum analysis 548–50
- industrial noise and vibration sources 294–6
- industrial noise and vibration control techniques 295–9
- inertance (acceleration/force) 28
- inertia base, in vibration isolation 331–2
- infinite plates, sound radiation wave/boundary
 - matching concepts 197–203
 - radiation efficiency concept 199
 - radiation ratio 199
 - wave/boundary matching condition 201–2
 - wavenumber concepts 200
- inhomogeneous acoustic wave equation (aerodynamic sound) 129, 165–82
 - basic concepts 165–7
 - general solution 169–71
 - Green's function 170–2
 - Helmholtz cavity resonator 182
 - Lighthill's acoustic analogy 165–7, 174–7, 178, 179
 - monopoles, dipoles, quadrupoles 167–80
 - Powell–Howe theory of vortex sound 167, 180–2
 - dissipation of sound concept 181
 - retardation time concept 168
 - solid bodies in the flow 177–80
 - solutions for simple sources 167–74
 - see also* homogeneous acoustic wave equation; pipe flow noise and vibration
- input–output relationships 46–9
- insertion loss 186–7, 306, 309, 311–12
- intensity (sound) *see* sound intensity
- internal loss factors and SEA 387, 407–17
 - acoustic radiation loss factor 409, 410–11
 - amplitude tracking 416–17
 - band-averaged internal loss factors 414–15
 - envelope decay measuring technique 412
 - half-power bandwidth measuring technique 412
 - measurement techniques 412–17
 - random noise burst reverberation decay measuring technique 412, 414, 416
 - steady-state energy flow measuring technique 412–14
 - structural loss factors 408–10
 - for some common materials 410
- inverse filtering 510
- inverse Fourier transform 353, 367
- jet noise 177–82, 468
- jet nozzle noise 130–2
- joint acceptance function 452, 458–60
- journals on noise and vibration 599
- kinetic energy 52
- Kirchhoff–Helmholtz integral 194, 200
- kurtosis 500
 - for bearing fault detection 522
- lag window functions 374–6
- Lagrangian of a system 52
- Lighthill's acoustic analogy 165–7, 174–7, 178, 179
- linear systems; input–output relationships 42–9
 - and the convolution integral 46
- linearised acoustic wave equation 140–1
- logarithms, use of 222
- longitudinal (compressional) waves 4, 72–5
- loss factors *see* internal loss factors and SEA
- loudness level (phon) 258
- loudness scale (sone) 258
- lumped-parameter models 12
- machines
 - noise and vibration control methods 129–31, 298
 - vibration severity guides/standards 539–41
 - see also* bearing faults/defects detection
- magnification factor 27
- magnitude analysis 494–501
- mass law equation 237–8
- material handling equipment, noise and vibration control methods 298
- Maxwell distributions 350
- mean-square response 49, 50–1, 105–6
- measurement noise errors 377–80
- measurement of sound and vibration *see* signal analysis techniques and functions; sound intensity; sound measurement; sound power; vibration measurement
- mechanical impedance *see* impedance
- mechanical compliance 28
- mechanical inertia 28
- mechanical reactance 28
- mechanical resistance 28
- microphones 267–70
 - ceramic microphones 268
 - condenser microphones 267, 268–70
 - free-field, pressure and random incidence 268–9
 - dynamic microphones 267–8
 - see also* sound measurement
- mobility (velocity/force) 28, 328–30, 401
- modal density 214, 387, 397–407
 - acoustic volumes 400
 - definition 214
 - honeycomb structures 399–400
 - mass and stiffness corrections 404–7
 - measurement techniques 401–7
 - plates 214, 398
 - point mobility technique 401–3
 - structural components/elements 397–400, 537
 - thin-walled cylindrical shells 398–9
 - uniform bars in longitudinal vibration 398
 - see also* statistical energy analysis

Cambridge University Press

978-0-521-49561-5 - Fundamentals of Noise and Vibration Analysis for Engineers, Second Edition

M. P. Norton and D. G. Karczub

Index

[More information](#)

- modal frequency response function of a cylinder 452
- mode participation factor 90
- mode shapes/eigenvectors 58, 70–1, 537
- mode summation procedures 85–91
 - damping 90
 - Duhamel convolution integral 89–90
 - eigenvalues 86–7
 - generalised co-ordinates of modes 85–6
- modes of vibration 10–12
- modelling sound sources *see* acoustic source models; sound power
- monitoring *see* condition monitoring; performance monitoring
- monopoles *see* acoustic source models
- multiple oscillators 56–64
 - effects of damping 62–4
 - forced vibrations 60–4
 - see also* degrees-of-freedom
- natural frequencies
 - concept 10–12
 - fluid-loaded structures 246
 - multiple oscillators 56, 60, 61
 - plates 208, 213
 - rods and bars 77
 - single oscillator 14
 - strings 71
 - structural components 537
 - transverse beam vibration 82–3
- near-field
 - acoustics 148–50, 207
 - vibration 98–101, 102–3, 109–11
 - see also* evanescent waves; far-field
- neural networks, as a diagnostic tool 512
- noise measurement *see* sound measurement
- noise reduction 303, 429
- noise source ranking
 - as a diagnostic tool 504, 532–6
 - selectively wrapping/unwrapping parts of machines 533
 - surface intensity measurement techniques 534–5
 - surface velocity measurement techniques 533
 - vibration intensity measurement techniques 536
- normal modes 85–90
- normalised random errors 371–2
- octave frequency bands 264
- online condition monitoring 560–2
 - see also* condition monitoring; performance monitoring
- orthogonality 86–8
- oscillators
 - damped 16–21
 - multiple 56–64
 - single 12–15, 50–1
 - undamped 12–15
- oscillatory motion
 - basic concept 1–3
 - complex quantities 14–15
 - energy concepts 15–16
 - see also* damping; degrees-of-freedom; forced vibrations; vibration; waves/wave motion
- overdamped motion 20
- panel absorbers *see* partitions and panels
- particle velocity 4, 67, 142, 143, 148
- particular integral 25
- partitions and panels 230–44
 - sound transmission
 - frequency range aspects 231, 232–3, 237–9
 - single panels 232–41
 - double-leaf panels 241–4
 - between rooms 301–3
 - panel absorbers 317–20
 - typical TL values 600–1
- pascals (sound pressure level) 256
- performance monitoring 488–9, 557–9
 - centrifugal pumps 559
 - gas turbines 558–9
 - see also* condition monitoring
- periodic excitation 32–3
- phase-averaged linear spectra 503
- phase-averaged signals 496
- phase resonance *see* resonance
- phase velocity 6, 65
- phon (loudness level) 258
- physical properties of common substances 605–6
 - gases 606
 - liquids 606
 - solids 605
- pipe flow noise and vibration 441–87
 - bends, effects of 456–7
 - boundary layer pressure fluctuation studies 447
 - cavity resonances 471
 - complete coincidence 462–6
 - external sound radiation 454, 472
 - general discussion 443–6
 - coincidence 461–7, 473–4, 477
 - a coincidence damper 479–81
 - principal wavenumber coincidences 464
 - cut-off frequencies 444, 448–50
 - design guidelines 477–9
 - diffusers and spoilers (splitter plates) 468
 - dispersion curves 450
 - flow spoilers 468
 - grille noise 469
 - internal acoustic modes 449
 - internal wall pressure field 455
 - jets 468
 - joint acceptance function 458–60
 - modal frequency response function of a cylinder 452
 - shell natural frequencies 454–5
 - prediction of vibration and sound radiation 471–6
 - radiation ratios 460–1
 - response of a cylindrical shell to internal flow 451–61
 - internal sound field 446–50
 - Strouhal number 444, 468–71, 477–8
 - vibration damper 479–81
 - valve noise 469–71
 - vortex shedding 468, 470, 471, 477
 - wavenumber coincidence 462–5
 - see also* cylindrical shells, dynamic stress/strain; transmission loss; coincidence
- pipes *see* cylindrical shells; dynamic stress/strain; pipe flow noise and vibration

Cambridge University Press

978-0-521-49561-5 - Fundamentals of Noise and Vibration Analysis for Engineers, Second Edition

M. P. Norton and D. G. Karczub

Index

[More information](#)

- piston in a rigid baffle 157–62, 195–7
 plane waves 7, 143–4
 plateau method 240–1
 plate-type structures, bending waves in 94–5, 109–12
 plates, dynamic strain analysis *see* dynamic stress/strain
 plates, sound radiation from *see* finite plate-type structures, sound radiation from; infinite plates, sound
 radiation wave/boundary matching concepts
 point mobility technique, and modal density 401–3
 porous and fibrous materials, absorption by 313, 316
 potential energy 15–16, 52, 145–6
 Powell–Howe theory of vortex sound 167, 180–2
 power concepts
 energy and power flow 52–6
 instantaneous power 29
 power dissipation 388–9
 real and reactive power 54–5
 structural loss factor 53
 time-averaged power 29, 54
 see also sound measurement; sound power; statistical energy analysis
 power flow measurement 360
 power injection measuring technique 422
 power (sound) *see* sound power
 power spectrum *see* mean-square response; spectral density functions
 probability density functions 38–9, 348, 497–9
 probability distribution function 348
 probability of exceedance 496, 500
 propagation path identification, as a diagnostic tool 507–9
 propagation of plane sound waves 143–4
 pulse response functions 33–6
 see also impulse response functions
 pumps, noise and vibration 528–30
 bearing vibration limits 540
 cavitation 529–30
 hydraulic forces 528
 recirculation 530
 quadrupoles *see* 162–4
 quality factor 27, 452
 quasi-longitudinal vibrations 72–9
 radian frequency 5
 radiated sound
 estimation using total loss factor concept 431–3
 see also acoustic source models
 radiation impedance, resistance and reactance 159–62
 radiation ratios
 basic concepts 199, 203–6, 216, 221–2
 compact bodies 222
 cylinders 225–6, 460–1
 definition 203–4
 dipole-type sound sources 223–4
 finite structural elements 221–7
 infinite flat plate 204–5
 monopole-type sources 223
 pipes 226–7
 plates 224–5
 radiation ratio curves 222–3
 spherical sound source 205–6, 223
 structural components 537
 random signals 22–3, 344–7
 random error problems 370–2
 random excitation 37–52
 random loads on beams *see* beams, response of continuous systems to random loads
 random noise burst reverberation decay measuring technique 412, 414, 416
 ranking *see* noise source ranking
 ray acoustics 133
 Rayleigh integral 195
 reactive power 54–5
 real (resistive) power 54–5
 receptance (displacement/force) 28
 reciprocity principle
 basic concept 227–8
 quiet and loud machines example 228–30
 with SEA 391
 vibrating piston example 195
 reflection coefficient, sound 313–14
 resolution bandwidth 370–1
 resonance
 acoustic enclosures 307–8
 amplitude 26–7
 concept 2, 12
 phase resonance 25–6
 retardation time, aerodynamic sound 168, 178
 reverberant (diffuse) sound fields 283–7
 reverberation radius 319
 reverberation time 286, 315
 reverberation room absorption coefficient
 measurement 313, 315, 316
 rods and bars, quasi-longitudinal vibrations 72–7
 boundary conditions 74, 76
 damping 75
 longitudinal displacement of a bar element 72–3
 wave impedance (characteristic mechanical impedance) 73
 and wave velocity 74
 wavenumber 75
 rolling-contact bearing damage 550–4
 auto-spectrum of vibration examination 550–1
 envelope power spectrum of vibration 551–4
 room constant 286
 room to room sound transmission 301–3
 rotor and shaft vibration 514, 516–18
 Sabine absorption coefficient 286
 safety monitoring 560
 sample record 38
 SEA *see* statistical energy analysis
 semi-reverberant-field sound measurement techniques 287–9
 shaft and rotor vibration 514, 516–18
 shells *see* cylindrical shells, dynamic stress/strain
 short time Fourier transforms (STFTs), as a diagnostic tool 512
 signal analysis as a diagnostic tool *see* diagnostic tools
 signal analysis techniques and functions 342–82
 analogue signal analysers/analysis 365–6
 auto-correlation functions 351–2
 auto-spectral density functions 352

Cambridge University Press

978-0-521-49561-5 - Fundamentals of Noise and Vibration Analysis for Engineers, Second Edition

M. P. Norton and D. G. Karczub

Index

[More information](#)

- signal analysis (*cont.*)
- cepstrum analysis 353–6
 - coherence functions 362–4, 378–9
 - cross-correlation functions 40, 355, 357, 379–80
 - cross-spectral density functions 358–60
 - deterministic and random signals 344–7
 - digital signal analysers/analysis 366–70
 - direct Fourier transforms (DFTs) 366–9
 - dual signal analysis 355–64
 - fast Fourier transforms (FFTs) 352, 366
 - forward Fourier transform 353–5, 367
 - frequency domain analysis 342–4, 352–5
 - frequency response functions (transfer functions) 28, 47–9, 52, 358–62
 - Gaussian distributions 350
 - Gumble distributions 350
 - impulse response functions 357–8, 362
 - inverse Fourier transform 353, 367
 - lag windows 374–6
 - magnitude analysis 347–50
 - Maxwell distributions 350
 - power cepstrum 353–4
 - power flow techniques 360
 - probability density functions 348–9, 499
 - probability distribution function 38–9, 348, 497–8
 - spectral analysis 342–3, 374
 - statistical error problems 370–7
 - time domain analysis 342–4, 351–2
 - Weibull distributions 350
 - see also* diagnostics using noise and vibration
 - analysis; diagnostic tools; errors in signal analysis; sound
 - measurement; sound power; statistical energy analysis (SEA)
- skewness 350
- solid bodies in the flow (effects of) 177–80
- solid structures, interactions with sound waves 193–253
- see also* discontinuities, sound radiation in close proximity to; finite plate-type structures, sound radiation from; infinite plates, sound radiation wave/boundary matching concepts
- sones 258
- sound
- definition of 128
 - directional characteristics 158, 278–9
 - energy density 146, 285, 304
 - pressure 143–4, 148–9, 158
 - radiation from an infinite plate 197–203
 - radiation from free bending waves in finite plate-type structures 207–16
 - spherical waves 147–51
 - speed of 141
 - see also* homogeneous wave equation; inhomogeneous wave equation; plane waves; sound intensity;
 - sound measurement; sound power
- sound-absorbing materials and techniques 313–21
- absorption coefficients for typical materials 321, 602
 - Helmholtz resonators 316–19
 - impedance tube measurements 313, 314
 - measurement techniques 313–16
 - panel absorbers 317–20
 - porous and fibrous materials 313, 316
 - reverberation room measurements 283–7, 313, 315
 - space absorbers 319
- sound energy density 145–6
- sound intensity 144–5, 279
- analysis as a diagnostic tool 504–7
 - cylindrical line sources 165
 - dipoles 153, 179
 - mapping 505
 - measurement techniques 290–4
 - noise source identification 504–6
 - piston in an infinite rigid baffle 158
 - plane waves 144–5
 - quadrupoles 179
 - sound power measurement techniques 290–4
 - spherical waves (monopoles) 149, 156, 179
- sound measurement 256–9, 282–94
- anechoic chambers 282
 - free-field techniques 282
 - measurement instrumentation *see* microphones
 - measurement errors 377–80
 - objective scales 256–7
 - decibels 256
 - sound power 256–7
 - sound pressure levels 256
 - reverberant (diffuse) sound fields 283–7
 - semi-reverberant-field techniques 287–9
 - sound intensity measurement 290–4
 - closely spaced sound pressure microphones 292–3
 - dual channel signal analysers 293
 - sound level meters 269–70
 - subjective scales 257–9
 - loudness level (phon) 258
 - loudness scale (sone) 258
 - subjective response of humans 258
 - weighted networks 258–9
 - see also* decibels; frequency analysis bandwidths; sound power; vibration measurement
- sound power 146, 273–9
- dipoles 153–4
 - industrial noise sources 294–5
 - lateral quadrupoles 162
 - line force excitation (drive-line) 219
 - longitudinal quadrupoles 163–4
 - models – constant power and volume sources 279–82
 - piston in an infinite rigid baffle 162
 - plane waves 146
 - point force excitation (drive-point) 218
 - spherical waves (monopoles) 149, 156
 - measurement
 - free-field techniques 282
 - reverberant-field techniques 283–7
 - semi-reverberant-field techniques 287–9
 - sound intensity techniques 290–4
 - see also* acoustic source models
- sound pressure levels 273–8
- pascals (units) 256
- sound reduction index 232
- sound source ranking *see* noise source ranking

- sound sources/radiation/propagation
 - industrial noise sources 294–6
 - pressure level/power/intensity relationships and directivity factors and indices 278–9
 - from large plane surface sources 277–8
 - from line sources 275–7
 - from point sources 274–5
 - see also* acoustic source models; sound measurement
- sound strength 148
- sound transmission
 - between rooms 301–3
 - panels and partitions 230–44
 - transmission coefficient 232, 290, 475–6
 - typical TL values 600–1
- sound transmission coefficients *see* transmission coefficients of materials
- sound wave fundamentals
 - aerodynamic sound 128–9
 - basic concepts 4, 128–31
 - jet nozzle noise 130–2
 - speed of sound 141
 - structure-borne sound 128
 - wave equations, homogeneous and inhomogeneous 129
 - see also* homogeneous acoustic wave equation; inhomogeneous acoustic wave equation; acoustic wave equation;
- sound waves in solid structures *see* solid structures, interactions with sound waves
- sources of noise and vibration *see* fault detection, prediction and source identification
- space absorbers 319
- space averaging 16, 424–7
- spectral analysis 342–3
 - for bearing fault detection 522
- spectral density functions 41–2, 45, 49, 352–3, 360–4, 367–8, 374, 453, 459
- spectral window functions 375
- spectrum *see* spectral density functions
- speed of sound 141
- spoilers 468, 469
- spring theory
 - damping 8–9
 - energy concepts 15
 - human body as a system of damped springs 9–10
 - mass/spring system 14
 - mass/spring/damper models 9–10
 - with harmonic excitation 22
 - modelling 8–9
 - potential energy 15–16
 - spring stiffness 8
- springs, metal, as vibration isolators 330–1
- standard deviation 39
- standards
 - bearing vibration limits (CDA/MS/NVSH 107) 540
 - machinery vibration severity (ISO 2372, VDI 2056, BS 4675) 539
- standing waves 4, 11
- standing wave ratio 313
- statistical energy analysis (SEA) 383–440
 - applications to coupled systems 423–30
 - about SEA 383–4
- acoustic radiation loss factors 410–11
 - assumptions and procedures 387–8, 390
 - basic concepts 384–7
 - coupled oscillators and energy flow 388–90
 - dynamic stress/strain/structural vibration relationships 433–5
 - energy flow concepts 388–9
 - energy flow relationships 387–97
 - heat energy flow/vibration analogy 384–6
 - in-situ* estimation procedures 393–5
 - modal density 387
 - multiple subsystems 395–7
 - non-conservative coupling/coupling damping 430–1
 - pipeline system example 386–7
 - power dissipation concepts 388–9, 391
 - characterising structural component SEA parameters using noise and vibration signals 537
 - structural loss factors 408–10
 - three-subsystem model 427–30
 - total loss factor concept for estimation of sound radiated 431–3
 - two subsystem model 391–3
 - wave transmission analysis 417
 - see also* coupling loss factors; energy concepts; internal loss factors and SEA; modal density
- statistical errors with signal analysis *see* errors with signal analysis
- steady-state energy flow measuring technique 412–14
- steel pipelines *see* dynamic stress/strain; pipe flow noise and vibration; statistical energy analysis
- stiffness
 - complex 31
 - partitions and panels 233–4
 - springs 8
- strings, vibration in 64–72
 - boundary considerations 66
 - complete general equation of the wave motion 65
 - drive-point mechanical impedance 69–70
 - equation of motion in the lateral direction 65
 - evaluation of complex constants 68–9
 - standing and travelling waves 10–12
 - wavenumber concept 67
- Strouhal number 444
- diffusers 468
- grilles 469
- jets 468
 - and pipework design 477–8
- spoilers 468, 469
- turbulent mixing 470
- vortex shedding 471
- structural loss factor 31, 53, 75, 83, 92, 408–10
 - for some common materials 410
 - see also* damping
- structural damping 2, 30
 - see also* damping
- structure-borne sound 193–249
 - definition of 128, 194
 - fluid-structure interactions 194–201
 - radiation ratios from structural elements 221–7
 - wave/boundary matching concepts 197–201
 - see also* sound transmission

- subjective noise measurement 257–9
- synchronous time-averaged signals 496
- temporal waveform recovery, as a diagnostic tool 510–11
- test cases
 - cabin noise on a load-haul-dump vehicle 541–7
 - gas pipeline flow induced noise and vibration 554–7
 - induction motor noise and vibration 547–50
 - racing sloop (yacht) flow induced noise and vibration 557
 - rolling-contact bearing damage 550–4
- three-degree-of-freedom system 59–60
- time-averaging 53
 - time-averaged power 29, 54
- time domain analysis 342–4, 351–2
 - for fault diagnosis 494–501
- time record averaging 377
- transfer functions (frequency response functions) 28, 47–9, 52, 358–62
- transient excitation 33–6
- transmissibility of vibration 323, 329–30
- transmission coefficient 232, 290, 475–6
 - see also* transmission loss, sound transmission
- transmission loss
 - between rooms 303, 427–30
 - panels and partitions 232, 235–8
 - pipe walls 471–6
 - see also* transmission coefficient; sound transmission
- transmission matrix modelling conventions (acoustics) 184–6
- travelling waves 10–12
- travelling wave equations (solutions to the equation of motion)
 - beams, bending 81
 - beams, longitudinal 74
 - cylindrical shells 114
 - one-dimensional sound waves 143
 - one-dimensional sound waves with mean flow 183
 - plate bending 109
 - string 65–8
- turbulent mixing, Strouhal number 470
- turbulence 130–1, 178, 442–5, 455
- two-degree-of-freedom system 56–9
- undamped free vibration 12–5
- underdamped motion 19–21
- units and conversion factors 603–4
- unit impulse 33–6
- valve noise 469–70, 478–9
- variance 39
- velocity *see* group velocity; particle velocity; phase velocity; volume velocity
- vector theory, with acoustic velocity potential 141–2
- velocity potential 147
- vibration
 - amplitude resonance 26–7
 - basics concepts 1–3
 - as complex quantities 14–15, 28–9
 - damping ratio 25
 - forced and free 2
 - free vibrations with viscous damping 16–21
 - gas pipeline flow induced noise and vibration 554–7
 - industrial vibration sources 294–5
 - magnification factor 27
 - modes of vibration 10
 - quality factor 27
 - steady-state solutions 25
 - undamped free vibrations 12–15
 - see also* dynamic stress/strain; fluid loading on vibrating structures; forced vibration; strings, vibration in; vibration measurement
- vibration control with machines and engines 320–35
- audio frequency range – vibration isolators 327–32
 - basic principles 320–2
 - dynamic absorption/absorbers 332–4
 - isolation efficiency 324
 - low frequency isolation – multiple-degree-of-freedom 325–7
 - low frequency isolation – single-degree-of-freedom 322–5
 - damping 323–4
 - transmissibility 323
 - see also* damping
- vibration intensity measurement techniques 536
- vibration isolators 327–32
 - air springs/bags 331
 - cork pads 330
 - felt pads 330
 - fibrous glass pads 330
 - inertia blocks 331–2
 - metal springs 331
 - rubber 330
- vibration measurement 259–61
 - choosing displacement, velocity or acceleration 259–60
 - decibel notation 260–3
 - frequency considerations 259–60
- vibration transducers
 - accelerometers 270–3
 - eddy current probes 270
 - moving element velocity pick-ups 270
- vibration severity guides 539–41
- viscoelastic damping 334–5
- viscous damping
 - critical viscous-damping coefficient 18
 - free vibrations 16–21
 - in real systems 30–2, 452
 - see also* damping
- volume velocity 148, 185
- vortex shedding 468, 470, 471
- vortex sound 167, 180–2
- waterfall plots 501
- wave acoustics 131, 133
- wave/boundary matching concepts 197–201
- wave equation
 - acoustic 140
 - bending waves in beams (Euler beam equation) 79–80
 - bending waves in plates 95
 - rods and bars 73

vibration string 64–5	propagation 64–7
<i>see also</i> homogeneous acoustic wave equation;	propagation in solids 134
inhomogeneous acoustic wave equation	Rayleigh waves 84
wave impedance (characteristic mechanical	sound waves 4
impedance) 73, 78	standing waves 4, 11–12
wave transmission analysis 417	transmission and reflection 77–9
wave-mode duality concept 1, 10–12, 70	travelling waves 10–12
wavenumber	velocity 5–6, 65, 74, 80
acoustic 200, 448, 462–3, 454–5	wave-mode duality concept 1
axial pipe 448, 462–3, 460	wavelength 6
bending 80–1, 95, 200	wave types in structures 84
circumferential pipe 454–5, 462–3, 460	<i>see also</i> bending waves; compressional
concept 5–6, 200	(longitudinal) waves; group velocity;
continuous systems 67, 75	impedance; phase velocity;
diagrams 209–10	quasi-longitudinal vibrations
vectors 210	wavenumber transform approach 217
wavenumber curves, cylindrical shells	Weibull distributions 350
117–18	weighted noise levels
<i>see also</i> dispersion curves, in cylindrical shells;	basic concept 258–9
dispersion relationships	industrial sources 295–6
waves	tables 266–7
basic concepts 3–7	windowing 374–7
compressional waves 4–5	
dispersive/non-dispersive waves 7	zoom (passband) auto-spectral density 501–2