

Index

- α -type polymorph 3, 98, 115, 120, 135
 - electrochromism in 137
 - electronic conductivity in 108
 - photoconductivity 129
 - structure 33, 34
 - UV/visible absorption spectroscopy 90, 93
- activation energy (ΔE_a) 103, 108, 128
- Adsorption properties 143
- aggregation 18, 58, 82, 84, 85, 93
- amorphous films 44, 50–2, 60, 90, 137
- anisotropic (columnar) glass 80, 82
- anisotropic electronic conductivity 56, 102, 110, 119, 147
- anthracocyanine
 - molecular structure 91
 - synthesis 25
 - UV/visible absorption spectrum 89–91
- aromaticity 2, 7
- asymmetrically substituted phthalocyanines
 - fullerene containing 146
 - LB-film forming 56, 57, 122
 - mesogenic derivatives 78, 79, 80
 - polymers derived from 31 80, 81
 - side-chain segregation 60, 80
 - spin-coated films from 59
 - synthesis 25, 26, 146
- atomic force microscopy (AFM) 41, 50
- axially substituted phthalocyanines, commercial
 - availability 151–3
 - crystal structures 39, 42
 - effect on columnar mesophase 78
 - LB film derived from 54
 - NLO properties 98–9
 - photoconductivity in 130
 - synthesis 16–17
- β -type crystal 3, 7, 57, 75, 120–1
 - electronic conductivity in 104–6, 108
 - magnetic properties 143
 - NLO properties 98
 - photoconductivity in 128–9
 - structure 33, 34
 - UV/visible absorption spectroscopy 90, 93–4
- band theory 102, 103, 128
- bandgap (E_g) 103–6
- benzo-substituted phthalocyanines 17–18
- benzoannulation 89
- bidentate (bridging) ligands (L) 29, 30, 111–12
- biosensors 124
- bipyridine 29, 30
- bis-phthalonitriles 27, 28
- catalysis 87, 140–2
 - electroreduction of oxygen 140–1
 - heterogeneous 140–2
 - homogeneous 140, 142
 - Mercox process 142
 - oxidation of alkanes 142
 - photoelectrocatalysis 141
 - reduction of aromatic nitro-group 142

- reduction of carbon dioxide 142
- reduction of oxygen 141
- use of zeolite encapsulated Pcs 142
- cellulose diacetate 87
- ceramic materials 87
- charge carriers 86, 102, 104, 109–10, 115, 119, 129–30
- charge-transfer complex 112–17, 120, 123, 146
 - composite with polymer 86, 117
 - CoPcI 113, 115
 - crystal structure 111, 113
 - CuPcI 112, 115
 - H₂PcI 112, 114
 - magnetic properties 143
 - mesogenic 118–19
 - NiPcI 112–15, 113
 - of *a*-FAIPc 117
 - of K₂Pc-*op*-CN 116
 - of polysiloxane ([*α*-OSiPc]_n) 116
 - synthesis 112
 - charge-generating layer (CGL) 127, 130
 - charge-transport layer (CTL) 127, 130
 - chirality 70, 78
 - chlorinated phthalocyanine 9, 33
 - chlorophyll a 12, 131
 - chromatography 16, 18–19, 26, 52, 124, 143
 - clay, intercalation of 87
 - clearing point (mesophase-to-isotropic transition)
 - definition 64
 - effect of axial ligand on 78
 - effect of central metal ion on 77
 - effect of side-chain on 65–77, 74, 78
 - cobalt phthalocyanine (CoPc)
 - biosensors derived from 124
 - catalytic properties of 124, 141–2
 - charge-transfer complex (CoPcI) 112, 115
 - synthesis 14
 - UV/visible absorption spectrum 90
 - colorant 3, 86
 - columnar aggregates 18, 58, 82, 84, 85, 93
 - columnar mesophases 61–84, 63, 117–19, 123
 - compact disc (CD) 99, 100
 - composites 86, 87, 117 147
 - conduction band 103, 128
 - conductivity (*see* electronic conductivity and photoconductivity)
 - copper phthalocyanine (CuPc) 4, 8
 - α -polymorph 3, 33, 34, 43, 90, 98, 120, 129, 137
 - β -polymorph 3, 33, 34, 90, 98, 105–6, 108, 120, 129, 143
 - catalysis 141
 - charge-transfer complexes (CuPcI) 112, 115
 - electrochromism in 137
 - electronic conductivity 105, 106, 108, 110
 - epitaxial deposition on KCl 46
 - LB film from 51
 - magnetic properties 143
 - NLO properties 96, 98
 - photoconductivity 129
 - photovoltaic device derived from 136
 - pigment 3
 - sublimed films from 43–6
 - sensors derived from 120–1
 - synthesis 1, 14
 - UV/visible absorption spectrum 89, 90
 - X-form 35, 44
 - corrosion inhibitor 144
 - crown-ether-linked bisphthalonitrile 27, 28
 - crown-ether-substituted phthalocyanines (MPc-*op*-CE)
 - catalytic properties 141
 - electrochemical film deposition 60
 - ion-selective membrane from 86
 - iono-electronics based on 84
 - molecular structure 23
 - organogel from 84, 85
 - sandwich complex 84
 - self-ordering properties 84
 - sensor derived from 123
 - spin-coated films 59, 123
 - synthesis 22, 23
 - crystal engineering 147
 - crystal structures 32–41
 - a*-ClAlPc 39
 - a*-ClGaPc 39
 - a*-FAIPc 38
 - a*-FGaPc 38
 - a*-OTiPc – phase I 37, 38
 - a*-OTiPc – phase II 37, 38
 - a*-OTiPc – Y-phase 38
 - axially substituted SiPcs 39–40, 41
 - charge-transfer complexes (MPcI) 113
 - H₂Pc-*onp*-C₆ 39, 41, 76
 - H₂Pc-*onp*-OC₅ 76
 - H₂Pc/planar MPc α -form 33, 34
 - H₂Pc/planar MPc β -form 33, 34
 - H₂Pc/planar MPc X-form 35
 - LiPc 106
 - naphthalocyanines (MNPCs) 39
 - Pb – triclinic 36
 - PbPc – monoclinic 36, 37

- crystal structures (*cont.*)
 polysiloxane ($[\alpha\text{-OSiPc}]_n$) 111
 sandwich complexes (MPc₂) 39, 40
 Tl₂Pc 107
- cyanobenzamide 1
- cyanobiphenyls 58, 61, 150
- cyclic voltammetry 105
- Davydov splitting 57, 92, 95
- degenerate four-wave mixing (DFWM) 97
- dendrimer-substituted Pcs
 asymmetric mesogen 79, 83
 crystal structure 42
 glass formation 41, 82, 83, 99
 synthesis 17
- deodorants 142
- 2,3-dichloro-4,5-dicyanobenzoquinone (DDQ)
 116, 117, 118
- differential scanning calorimetry (DSC) 62, 82
- diiminoisindoline 13
- discotic mesogen 61, 62
- discovery 1
- diazabicyclooctane (dabco) 29, 30, 111–12
- electrochemical film deposition 60
- electrochromism 15, 137–9
 in *a*-OTiPc films 137
 in *a*-OVPC films 137
 in CrPc films 137
 in CuPc film 137
 in LB films 138–9
 in mesogenic sandwich complexes 139
 in MgPc films 137
 in MnPc films 137
 in MPc-*op*-CN 138
 in sandwich complexes 137–9
 in ZnPc films 137
- electrocrystallisation 39, 40, 106, 115
- electroluminescent diode 125
- electroluminescent polymer 139
- electron paramagnetic spectroscopy (EPR) 14, 22, 114, 115
- electronic conductivity 9, 101–25
 effect of high pressure on 106
 effect of hydrogen on 106
 effect of oxygen on 105–6
 effect of purity on 105
 electronic devices 125
 in *a*-CIAIPc 109
 in α -type films 106
 in β -type crystals 104–6
 in β -type films 106
 in bridged polymers 111–12
 in charge-transfer complexes 112–17
 in columnar mesophases 117–19
 in CuPc 105–6, 108
 in NiPc 105–6
 in H₂Pc 104–6
 in LB films 109–10
 in LiPc 105–6
 in LuPc₂ 105–6
 in MPc-*op*-CN 109–10
 in PbPc 106, 108–9
 in polymeric Pcs 110–12
 in polyphthalocyanine (PMPc) 111
 in polysiloxane ($[\alpha\text{-OSiPc}]_n$) 111
 in sublimed films 107–9
 in Tl₂Pc 107
 in Tl₂Pc 107
 in ZnNPc 109
 in ZnPc 106, 110
 in ZnPc-*op*-OC₈ 109
 sensors based on changes in conductivity 119–24
- electronic insulator 101
- electronic switching phenomenon 108
- ellipsometry 41
- epitaxial deposition 45–7, 98, 109, 129, 146
 CuPc on KCl 45, 46
- exciton 97, 129
- excitation coupling 50, 91, 92, 93–4
- extrinsic conductivity 101
- ferrocene 80, 146
- field-effect transistors (FET) 125
- field emission microscopy 8
- Frenkel excitons 129
- fuel cells 140
- fullerene (C₆₀) 130, 136, 143, 146, 147
- glass formation 41, 64, 73, 79, 81–3, 146
- halogen sensor 121, 123
- halogenated Pcs 3, 18, 33
- high-resolution electron microscopy (HREM) 8, 9, 28, 35, 43–5, 85, 115–16
- highest occupied molecular orbital (HOMO) 89, 91, 103, 109, 111–12, 114, 129
- hole-burning 100
- holes 102, 106, 108, 115, 119, 129–30
- hopping mechanism 104, 108, 119
- humidity sensor 121
- Imperial Chemical Industries (ICI) 1–3
- indium tin oxide (ITO) 45, 132–7

- infra-red (IR) absorbance 23, 35–7, 91, 99, 100, 127–8, 130
- infra-red spectroscopy 41, 50
- intrinsic conductivity 101
- ion-selective membrane 86
- ionic conductivity 85–6
- iono-electronic devices 84
- isomers 19, 20, 52
- Langmuir–Blodgett (LB)-film-forming phthalocyanines 47–58
- a*-OTiPc 51
- CuPc 51
- CuPc-*op*-C₁OC₁₂ 56
- CuPc-*t*-CO₂C_n 55, 58
- Li₂Pc 51
- MPc-*onp*-(C_n)₆(C₃CO₂H)₂ 56, 57
- MPc-*onp*-(C_n)₆(C₄OH)₂ 56, 57, 122–3
- MPc-*t*-cp 52, 97–8, 110
- MPc-*t*-OC_n 55
- MPc-*t*-tb 52–3, 58, 134
- NiPc-*t*-CO₂NHC₁₈ 55
- PbPc-*t*-OC₃ 55, 110
- PdPc-*op*-OC₃ 56
- polysiloxanes 57–8
- sandwich complexes (MPc₂) 51, 139
- siloxane dimer 52, 123, 147–8
- ZnPc 51
- Langmuir–Blodgett (LB) films 47–58, 146–8
- dichroism in 55–8
- electrochromism in 138–9
- electroluminescent diode derived from 125
- electronic conductivity in 109–10
- exciton coupling in absorption spectra of 93–4
- hole-burning in 100
- liquid-crystal alignment from 58
- NLO properties 97–8
- optical data storage 100
- photovoltaic device derived from 134, 136
- quantum well derived from 148
- sensors from 122–3
- UV/visible absorption spectra 55–6
- X-type 48, 49
- Y-type 48, 49
- Z-type 49
- laser printers 126–8
- lead phthalocyanine (PbPc)
- commercial availability 151
- electronic conductivity 37, 106, 108, 110
- electronic switching phenomenon 108
- monoclinic crystal 36, 37, 90, 106, 108, 120
- photoconductivity 129
- sensors from 120–1
- sublimed films 44
- triclinic crystal 36, 90, 94, 106, 129
- UV/visible absorption spectra 90, 94
- Linstead, R. P. 2–3
- liquid-crystal displays 60, 138–9
- liquid crystals 60–84, 58, 150
- lithium phthalocyanine radical (LiPc)
- crystal structure 106
- electronic conductivity 105–6
- epitaxial deposition on KBr 47
- mesogenic derivative 68, 118
- molecular semiconductor 106
- logic device 149
- low-energy electron diffraction (LEED) 9, 41
- lowest unoccupied molecular orbital (LUMO) 89, 103, 109, 111–12, 129
- lubricant 144
- lyotropic mesophase 61, 73, 82–3, 84, plates 7 and 8
- magnetic properties 143
- mass spectroscopy 26
- Merex process 142
- mesophase
- characterisation 62
- effect of axial ligands on 78
- effect of metal ion on stability of 77, 78
- effect of π - π interaction on stability of 74–7
- effect of side-chain branching on 78, 118
- electrochromism of 139
- electronic conductivity in 117–19, 148
- charge-transfer complexes 118–19
- from asymmetric derivatives 78, 79, 80
- from oligomers 81
- from polymers 80, 81
- from polysiloxanes 80–1, 119
- from sandwich complexes 78, 139
- lamellar 80
- lyotropic 61, 73, 82–3, 84, plates 7 and 8
- nomenclature 62–3
- sensor derived from 123
- steric effects of linking group on 74–7
- structure 61, 63
- table of transition temperatures 66–73
- textures 62, plates i–8
- thermotropic mesophase 61
- metal phthalocyanines (planar, MPc) 3–7
- charge-transfer complexes from (MPcI) 112–17
- commercial availability 151–3
- crystal structures 33, 34, 35

- metal phthalocyanines (*cont.*)
- electrochromism in 137
 - electronic conductivity of 104–10
 - field-effect transistors derived from 125
 - hole-burning in 100
 - incorporation of FePc into ceramics 87
 - magnetic properties of (MnPc) 143
 - nuclear chemistry, uses in 144
 - optical properties of 88–100
 - photoconductivity of 128–30
 - purification of 14–15
 - sensor from 120–1
 - solution visible absorption spectra 89, 90
 - sublimed films from 43, 44
 - synthesis of 14
 - table of Pc metal complexes 4–6
- metal-free phthalocyanine (H₂Pc)
- α-polymorph 33, 34, 90, 93, 108, 120, 129, 135
 - β-polymorph 33, 34, 90, 93–4, 104–6, 108, 120, 128–9
 - catalysis 141–2
 - charge-transfer complexes (H₂PcI) 112, 114
 - commercial availability 151
 - crystal structures 33, 34, 35
 - electrochemical film deposition 60
 - electronic conductivity 104–5, 108
 - electronic switching effect 108
 - hole-burning 100
 - optical data storage 100
 - photoconductivity 128–30
 - photovoltaic device derived from 133, 135–6
 - purification 14
 - sensor derived from 120–1
 - solution visible absorption spectrum 89
 - sublimed films 43, 44
 - synthesis 13, 14
 - τ-form 36, 130
 - visible absorption spectrum of α-, β- and X-forms 93
 - X-polymorph 35, 44, 90, 93–4, 128–30, 133, 136
- metal-to-ligand charge transfer (MLCT) bands 89, 97
- mixed phthalonitrile cyclotetramerisation 25, 26
- mobility (μ) 102, 104, 108, 119
- molecular cable 85, 86, 148
- molecular hyperpolarisabilities 96
- molecular-scale devices 147–9
- molecular semiconductors 106
- Monastral Blue 3
- n-doping 101
- n-type semiconductor 109, 111
- naphthalocyanine (NPc) 3
- axially substituted 17, 93, 100, 130
 - bridged polymers containing 112
 - commercial availability 151–3
 - crystal structure 39
 - electronic conductivity 109–10
 - epitaxial growth on NaCl 47
 - NLO properties 98
 - optical data storage 100
 - photoconductivity 130
 - spin-coated film 59
 - sublimed films 45
 - synthesis 24, 25
 - UV/visible absorption spectrum 89–91
- nematic mesophase 58, 61, 63, 78
- nitrogen dioxide (NO₂), gas sensors for 119–24
- 4-nitrophthalonitrile 19–20, 21
- nomenclature 9–10
- nonlinear optics (NLO) 88, 94–9
- nuclear chemistry 144
- nuclear magnetic resonance (NMR) spectroscopy 18, 26
- octa (alkyloxy) naphthalocyanine (MNPC-*onp*-OC_n)
- commercial availability 151–2
 - synthesis 23, 24
 - UV/visible absorption spectra (solution) 91
- 1,4,8,11,15,18,22,25-(octaalkyloxymethyl)phthalocyanine (MPc-*onp*-C₁OC_n)
- mesophase properties 72–3, 76, 78
 - synthesis 23, 24
- 2,3,9,10,16,17,23,24-(octaalkyloxymethyl)phthalocyanine (MPc-*op*-C₁OC_n)
- electrochromism of Lu(Pc-*op*-C₁OC_n) 139
 - electronic conductivity in mesophase of 118–19
 - LB film from CuPc-*op*-C₁OC₁₂ 56
 - mesophase properties of 64, 66, 74, 75
 - synthesis 21, 22
- 2,3,9,10,16,17,23,24-(octaalkyloxy)phthalocyanine (MPc-*op*-CO₂C_n)
- mesophase properties 69, 76
 - synthesis 22, 23
- 1,4,8,11,15,18,22,25-(octaalkyloxy)phthalocyanine (MPc-*onp*-OC_n)
- commercial availability 151–3
 - crystal structure of H₂Pc-*onp*-OC₅ 76

- lack of mesophase formation 76
- LB film from 56
- synthesis 23, 24
- UV/visible absorption spectrum (solution) 91
- 2,3,9,10,16,17,23,24-(octaalkoxy)phthalocyanine (MPc-*op*-OC_{*n*})
 - diffraction grating from PtPc-*op*-OC₁₂ 77–8
 - electronic conductivity in 109–10, 118–19
 - LB film from PdPc-*op*-OC₅ 56
 - mesophase properties 65, 67–8, 74, 75
 - photoconductivity in 130
 - synthesis 21, 22
 - UV/visible absorption spectra (solution) 91
- 1,4,8,11,15,18,22,25-(octaalkyl)phthalocyanine (MPc-*onp*-C_{*n*})
 - crystal structure of H₂Pc-*onp*-C₆ 39, 41, 57, 76
 - mesophase properties 71–2, 74 75–7
 - metal ions' influence on mesophase 77
 - sensor derived from 123
 - spin-coated films from 59, 123
 - synthesis 23, 24
 - UV/visible absorption spectrum 90–1, 94
- 2,3,9,10,16,17,23,24-(octaalkyl)phthalocyanine (MPc-*op*-C_{*n*})
 - electrochromism of Lu(Pc-*op*-C_{*n*})₂ 139
 - electronic conductivity in mesophase 118–19
 - mesophase properties 68–9, 74, 75
 - synthesis 21, 22
 - UV/visible absorption spectra (solution) 90–1
- 2,3,9,10,16,17,23,24-(octacarboxylated)phthalocyanine (MPc-*op*-CO₂H)
 - synthesis 22, 23
 - lyotropic mesophases 82
- 2,3,9,10,16,17,23,24-(octacyano)phthalocyanine (MPc-*op*-CN)
 - charge-transfer complex 116
 - electronic conductivity 109
 - n-type semiconductor 109–10
 - photoconductivity 130
 - electrochromism 138
 - synthesis 22, 23, 27
- 2,3,9,10,16,17,23,24-octaoligo(ethyleneoxy)phthalocyanine (MPc-*op*-(EO)_{*n*}C₁)
 - effect on mesophase properties 70
 - electrochemical film deposition 60
 - synthesis 22
- oligo(ethyleneoxy) side-chains 59–60, 65, 78, 79, 80, 82
 - effect on mesophase stability 66, 70, 74
- oligomers 81
- optical communication 95
- optical data storage 88, 99–100, 149
- optical limiter 96, 99
- optoelectronic properties 101, 126–39
- organogel 84, 85
- oxidation 105, 107, 137–8
- oxidative degradation 2, 121
- oxygen
 - effect of on photoconductivity 129
 - effect on electronic conductivity 105–9, 119, 133
 - effect on photovoltaic devices 133
 - reduction 141
 - sensor 120
- p-doping 101, 106, 119
- p–n junction 131, 132, 135–7
- π–π interactions 32, 75, 78
- p-type semiconductor 106, 109, 127, 132
- partial oxidation 113, 114–7
- perylene (Pe) 135, 136
- photo-bactericidal surface 87
- photoconductivity 126–31, 147
 - a*-OTiPc (phase II) 128–9
 - a*-OTiPc (Y-type) 128–9, 132
 - a*-OVPC (phase II) 128–9
 - CuPc (β-crystal) 128–9
 - H₂Pc (α-form) 128–9
 - H₂Pc (β-crystal) 128–9
 - H₂Pc (X-form) 128–9
 - mechanism of 129
- photocopiers 126–7
- photodynamic therapy 10
- photoelectrocatalysis 141
- photonics 94
- photosynthesis 131
- photovoltaic device 60, 131–7
 - conversion efficiency (η) 133–7
 - depletion (space-charge) layer 132–4
 - derived from LB film 134
 - fill factor (FF) 133
 - rectification 132, 133
- phthalic anhydride 1, 14
- phthalimide 1, 2, 14, 121
- phthalocyanine monolayer attachment 147
- polymeric phthalocyanines 26–31
 - cofacial (bridged) polymer 28, 29, 30
 - composite 86, 117
 - electronic conductivity 110–12
 - network polymers 27, 28
 - side-chain polymers 30, 31, 81

- phthalonitrile 3, 13, 18
 pigment 3
 polarising optical microscopy 62, plates 1–8
 polaron 104
 poly(acrylonitrile) 86
 poly(ethyleneoxy) 60, 78, 79, 80
 poly(methacrylate) 31, 81
 poly(methylmethacrylate) 98
 poly(*N*-vinyl carbazole) 138
 poly(*p*-phenylene terephthalamide) 86, 117
 poly(vinyl chloride) 86
 poly(vinylidene fluoride) 86, 141
 polyaromatic hydrocarbon adsorption 143
 polycarbonate 133
 polymer dispersed Pcs 86–7, 100, 127, 133, 138
 polymer supported catalysts 142
 polymerisation 28, 45, 73, 82, 126
 polymorphism 32
 effect on electronic conductivity 108
 effect on NLO properties 97
 effect on UV/visible absorption spectra 93, 94
 polyphthalocyanine (PMPc)
 electronic conductivity 111
 structure 27
 synthesis 27
 polysiloxane ($[a\text{-OSiPc}]_n$)
 alignment with magnetic field 83
 charge-transfer complex 116
 crystal structure 111
 electronic conductivity in 111
 field-effect transistors derived from 125
 lyotropic mesophase 83
 mesogenicity 80
 mesophase conductivity 119
 partial oxidation 117
 sensor derived from 122
 structure 29
 synthesis 16, 29
 thin film formation 45
 UV/visible absorption spectrum 93
 porphyrin 2, 12, 114, 140–1
 pseudo-polymer (*a*-FAIPc or *a*-FGaPc)
 charge-transfer complex from 117
 epitaxial deposition 46
 NLO properties 96, 98
 sensors derived from 122
 structure 38
 sublimed films 44, 46
 pulse radiolysis 118–19
 purification
 a-OVPC 15
 H₂Pc 14–15, 105
 MgPc 15
 MPc 15
 PbPc 15
 sandwich complexes (MPc₂) 15
 purity 13–15, 22, 101, 103, 105, 110, 114, 150
 pyrazine (pyz) 29, 30 111–12
 pyromellitic anhydride 27
 Q-band 88, 89, 90–4, 129, 137
 splitting 89
 extinction coefficient 88
 effect of exciton coupling on 92
 quantum efficiency (yield) 128, 130, 132–3, 141
 quantum well devices 110, 147–8
 quartz crystal microbalance 124
 radical 39, 73, 78, 106, 138
 Raman spectroscopy 41, 50
 reactive dye 3, 143
 redox-active substituents 78, 79, 80, 146
 reduction 105, 107, 137
 refractive index 95–6, 124
 Rietveld modelling 35
 Robertson, J. M. 7
 sandwich complexes (MPc₂) 4–7
 aggregation of Lu(Pc-*op*-CE)₂ 84
 crystal structures 39, 40
 electrochromism in 137–9
 electronic conductivity 104–6
 field-effect transistor derived from 125
 LB films from 51, 139
 magnetic properties 143
 mesophases from 66, 68, 78, 118
 molecular semiconductor 106
 molecular structure 15
 NLO properties 97–8
 purification 15
 sensor derived from 123
 synthesis 15
 scanning tunnelling microscopy (STM) 8, 9, 41
 Schottky junction 131–7, 132
 second-order hyperpolarisabilities 95–9
 sensors 101–2, 109, 119–24
 biosensors 124
 derived from LB films 58, 122–3
 derived from spin-coated films 123
 derived from sublimed films 121
 for ammonia 121
 for chlorinated hydrocarbons 121

- for cholesterol 124
- for halogen gases 121, 123
- for humidity 121, 123
- for hydrogen 122
- for NO₂ 120–4
- for oxygen 120
- for toluene 123
- ship in a bottle zeolite encapsulation 87
- side-chains
 - branching 70, 78, 118
 - chirality 70, 78
 - effect on mesophase 65–77, 74
 - linking group – effect on mesophase stability 74–7
 - segregation 59, 80, 86
- silicon(IV) phthalocyanines
 - axial substituents 17, 82, 83, 93
 - crystal structures 39–41, 42
 - dendritic axial substituents 17, 39–41, 42, 82, 83
 - NPs 17, 93, 130–1
 - synthesis 16, 17
- silicon 13, 102, 136–7
- smectic mesophase 61
- sol–gels 87
- solar cell 131, 137
- solid solutions 82, 86, 99
- solubility 17–8, 26, 47, 51
- space-charge-limited conduction (SCLC) 104, 106
- spin-coating 50, 58–60, 123, 147
- spin-exchange coupling 108, 115
- sub-phthalocyanine 7, 26
- sublimation 7, 99
- sublimed films 43, 44–47
 - amorphous 44, 137
 - charge-transfer complex formation in 115
 - electrochromism in 137
 - electronic conductivity 107–9
 - epitaxial growth 45, 46
 - for optical data storage 99–100
 - from (HO)₂SiPc 44–5
 - from *a*-FAIPc 44
 - from *a*-OTiPc 44
 - from *a*-OVPC 44
 - from H₂Pc 43, 44
 - from MNPC 45
 - from MPC (planar) 43, 44
 - from PbPc 44
 - photoconductivity in 129–30
 - photovoltaic devices from 132–7
- super-phthalocyanine 7
- superconducting ceramics 87
- surface plasmon resonance 124
- synthesis 12–31, 145–6
 - a*-(HO)₂SiPc 17
 - a*-Cl₂SiPc 17
 - a*-ClAlPc 16
 - a*-HOAlPc 16
 - a*-OTiPc 16
 - a*-OVPC 16
- asymmetrical Pcs 25, 26, 146
- axially substituted SiPcs 17
- charge-transfer complexes 112
- future development 145–6
- H₂Pc 13, 14
- H₂Pc-*op*-CN 22, 23
- MNPc 24, 25
- MNPc-*onp*-OC_{*n*} 23, 24
- MNPc-*t*-tb 24, 25
- MPC (planar) 14
- MPC-*onp*-C₁OC_{*n*} 23, 24
- MPC-*onp*-C_{*n*} 22–3, 24
- MPC-*onp*-OC_{*n*} 23, 24
- MPC-*op*-C₁OC_{*n*} 21, 22
- MPC-*op*-C_{*n*} 21, 22
- MPC-*op*-CO₂C_{*n*} 22, 23
- MPC-*op*-CO₂H 22, 23
- MPC-*op*-OC_{*n*} 21, 22
- MPC-*t*-(EO)_{*n*}C₁ 21
- MPC-*t*-CO₂C_{*n*} 20, 21
- MPC-*t*-CO₂H 20, 21
- MPC-*t*-CONC_{*n*} 20, 21
- MPC-*t*-cp 20, 21
- MPC-*t*-np 20, 21
- Mpc-*t*-SO₃H 20, 21
- MPC-*t*-tb 19, 21
- network polymers 27, 28
- polyphthalocyanine (PMPc) 27
- polysiloxane [*a*-OSiPc]_{*n*} 28, 29
- sandwich complexes (MPC₂) 15
- Szilard–Chalmers process 144
- τ-type crystal 35, 130
- tetra-(carboxylated)phthalocyanine (MPC-*t*-CO₂H)
 - lyotropic mesophases 82
 - NLO properties 98
 - synthesis 20, 21
- tetra-(cumylphenoxy)phthalocyanine (MPC-*t*-cp)
 - commercial availability 151–3
 - LB films from 52, 110

- tetra-(cumylphenoxy)phthalocyanine (MPc-*t*-cp) (*cont.*)
 NLO properties 97–8
 PbPc-*t*-cp as optical limiter 96
 synthesis 20, 21
- tetracyanobenzene 22–3, 27, 111, 116
- tetracyanoethene 143
- tetra-(neopentoxy)phthalocyanine (MPc-*t*-np)
 LB film from 100
 optical data storage 100
 synthesis 20, 21
- tetra-(oligo(ethyleneoxy))phthalocyanine (MPc-*t*-(EO)_{*n*}C_{*n*})
 lyotropic mesophases 82–3
 synthesis 21
 thermotropic mesophase 65–6
- tetra-(sulphonated)phthalocyanine (MPc-*t*-SO₃H)
 clay intercalation 87
 commercial availability 151–3
 sol-gel incorporation 87
 spin-coated film 59
 synthesis 20, 21
- tetra-(*tertiary*-butyl)naphthalocyanine (MNPC-*t*-tb)
 commercial availability 151–3
 synthesis 24, 25
- tetra-(*tertiary*-butyl)phthalocyanine (MPc-*t*-tb)
 commercial availability 151–3
 crystallisation of *a*-OVPC-*t*-tb in polymer binder 86
 electrochromism from LB films of Lu(Pc-*t*-tb)₂ 139
 electroluminescent diode derived from LB film of 125
 isomers 20
 LB film from 52–4
 NLO properties 98
 photovoltaic device from LB film of 134
 sensor derived from LB film of 122
 soluble polysiloxane from 116
 synthesis 18, 19
 use of H₂Pc-*t*-tb in photo-bactericidal surfaces 87
- tetrathiafulvalene 79, 146
- tetrazine (tet) 29, 30, 111–12
- thermoelectric power measurements 109, 115
- third-harmonic generation (THG) 96
 from LB films 97
 resonant enhancement 97–8
- third-order hyperpolarisabilities 95–9
- time-resolved microwave conductivity 118
- titanium(IV) phthalocyanine (*a*-OTiPc)
 commercial availability 152
 electrochromism in 137
 IR absorbance 38, 44, 94, 130
 LB film from 51
 molecular distortion 37, 94, 130
 NLO properties 98
 phase I crystal structure 37, 38
 phase II crystal structure 37, 38
 photoconductivity in 128–30
 purification 15
 sublimed films 44, 94, 98, 129–30
 synthesis 16
 UV/visible absorption spectra 90
 Y-phase crystal structure 38, 44, 129, 132
- train sublimation (zone refining) 15
- transmission electron microscopy (TEM) 41, 57–8
- trap 103–4, 106, 108, 135
- triphenylene 61, 62, 76, 82, 119, 148
- tunnelling mechanism 104, 119
- ultra-violet photoelectron spectroscopy (UPS) 109
- UV/visible absorption spectroscopy 41, 45, 50, 57, 88–94
 dichroism in 55, 56–58, 83
 sensor based on change in 124
- UV/visible absorption spectrum
a-OTiPc (solution, phase I, II and Y) 90, 93
a-OVPC (solution and phase II) 90, 93, 94
 anthracocyanine (solution) 89, 90
 CuPc (solution, α -, β - and X-type films) 89, 90
 CuPc-*onp*-OC₅ (solution) 91
 H₂-Pc-*onp*-C₈ (film) 91
 H₂Pc (α -form film) 90, 93
 H₂Pc (β -form film) 90, 93, 94
 H₂Pc (solution) 89, 90
 H₂Pc (X-form) 90, 93, 94
 H₂Pc-*onp*-C₆ (solution and film) 90–1, 94
 H₂Pc-*onp*-OC₆ (solution) 90
 H₂Pc-*op*-C₁₆ (solution) 90
 H₂Pc-*op*-OC₁₂ (solution) 91
 NPcs (solution) 89–90
 PbPc (solution, monoclinic and triclinic films) 90, 94
- valence band 103, 128
- vanadium(IV) phthalocyanine (*a*-OVPC)
 electrochromism in 137
 NLO properties 98

- phase I crystal structure 38
- phase II crystal structure 38
- photoconductivity in 128–9
- phovoltaic device derived from 135–6
- purification 15
- sublimed films 44, 90, 94, 98, 130, 136
- synthesis 16
- use in optical data storage 100
- UV/visible absorption spectrum 90, 94
- water-soluble 20, 22, 30, 82, 141–2
- write-once, read-many-times (WORM) discs 99
- X-ray crystallography 7, 8, 32–41
- X-ray diffraction 41, 43, 50, 52, 55, 59, 61, 64
- X-ray diffraction grating 77–8
- X-polymorph (H_2Pc) 35, 44, 90, 93–4, 128–30, 133–6, 144
- Xerography 126, 127, 128, 132, 149
- zeolite encapsulation 87, 142