

INDEX OF AUTHORS QUOTED. THE NUMBERS REFER  
TO THE PAGES.

- Abel* 90, 173, 205, 206, 207 ff., 221, 225 ff.,  
231, 243, 246, 377, 397, 657  
*Appell* 200, 392
- Bacharach* 141  
*Bachmann* 666  
*Baur* 57, 112  
*Benoist* 153, 156, 222, 647  
*Bertini* 137  
*Biermann* 663  
*Bobek* 647  
*Bolza* 177, 294, 296, 315, 329, 342, 436, 663  
*Borchardt* 340, 342, 468  
*Bouquet* 90  
*Braunmühl* 486, 521  
*Brill* 12, 29, 134, 137, 145, 149, 436, 647  
*Brioschi* 296, 311, 342, 448, 516, 526, 663, 666  
*Briot* 90  
*Broch* 221  
*Burkhardt* 43, 429, 436, 555, 623, 663  
*Burnside* 345, 373, 663
- Cantor* 239  
*Casorati* 579  
*Caspary* 474, 486, 525  
*Castelnuovo* 647, 665  
*Cauchy* 600  
*Cayley* 12, 137, 141, 145, 165, 168, 193, 222,  
230, 283, 296, 340, 342, 374, 387, 459,  
540, 646, 647, 650, 664, 666, 668  
*Chasles* 137, 647  
*Christoffel* 666  
*Clebsch* 131, 142, 153, 156, 165, 168, 183,  
222, 241, 244, 288, 295, 392, 423, 448,  
544, 545, 556, 578, 623, 647
- Darboux* 666  
*Dedekind* 57  
*de Jonquières* 137
- Dersch* 647  
*Dini* 239  
*Dirichlet* 246, 600
- Eisenstein* 246, 674  
*Epstein* 342  
*Euler* 159
- Fagnano* 638  
*Forsyth* 2, 3, 7, 9, 10, 13, 14, 15, 16, 21, 24,  
25, 29, 39, 90, 114, 122, 123, 144, 150,  
198, 212, 233, 296, 327, 373, 395, 421,  
439, 441, 442, 445, 459, 581, 577, 578  
*Frahm* 383  
*Fricke* 639, 648  
*Frobenius* 342, 387, 447, 474, 486, 491, 500,  
516, 517, 521, 522, 525, 586, 588, 589,  
598, 628, 629, 630, 632, 633, 666, 668,  
674, 676  
*Frost* 389  
*Fuchs* 206, 566
- Gauss* 559, 600, 674  
*Geiser* 383  
*Göpel* 246, 338, 339  
*Gordan* 131, 142, 168, 183, 241, 244, 255,  
288, 295, 392, 423, 448, 544, 545, 556,  
578, 623  
*Goursat* 663  
*Grassman* 137  
*Greenhill* 639  
*Günther* 174, 189, 200
- Halphen* 124, 165, 364, 370, 421, 473, 474,  
639, 665  
*Hamburger* 2  
*Hancock* 296, 326  
*Harkness* 2, 10, 14, 15, 16, 21, 24, 25, 79,  
101, 124, 239, 342

- Harnack* 222  
*Hensel* 57, 64, 78, 118  
*Hermite* 238, 246, 448, 452, 538, 577, 600, 615, 632, 639, 663, 666, 674  
*Hettner* 177, 654  
*Hilbert* 665  
*Humbert* 222, 255, 340, 486  
*Hurwitz* 41, 392, 639, 648, 651, 653, 654  
  
*Jacobi* 165, 206, 221, 230, 235, 237, 246, 360, 577, 600, 639, 657  
*Jordan* 248, 392, 549, 623, 639, 666, 669  
*Joubert* 639  
*Jürgensen* 221  
  
*Kiepert* 638, 639  
*Klein* 9, 25, 156, 159, 169, 177, 342, 343, 360, 373, 378, 383, 392, 429, 430, 431, 433, 436, 438, 439, 544, 639, 648, 653, 654  
*Kohn* 387  
*Königsberger* 337, 342, 448, 459, 477, 529, 570, 600, 607, 615, 628, 658, 661, 663  
*Kowalevski* 658, 659, 662, 663  
*Krause* 296, 342, 468, 486, 600, 623, 674  
*Krazer* 477, 486, 555, 600, 627  
*Kronecker* 56, 79, 124, 445, 577, 600, 629, 631, 639, 666, 669  
*Kummer* 340  
  
*Lagrange* 230  
*Laquerre* 632, 666  
*Lindemann* 153, 156, 222, 647  
*Lüroth* 239  
  
*Malet* 663  
*Mathews* 165  
*Minding* 221  
*Mittag-Leffler* 202  
*Morley* 2, 10, 14, 15, 16, 21, 24, 25, 79, 101, 124, 239, 342  
  
*Netto* 20, 90  
*Neumann* 14, 17, 169, 296, 531  
*Noether* 12, 29, 32, 124, 131, 134, 137, 142, 145, 149, 156, 165, 168, 180, 272, 292, 295, 390, 392, 430, 486, 522, 544, 566, 654, 665  
  
*Picard* 14, 165, 594, 659  
*Pick* 360, 430, 639  
*Plücker* 124, 165  
*Poincaré* 239, 372, 373, 439, 486, 594, 654, 659, 663  
  
*Pringsheim* 445  
*Prym* 2, 296, 342, 392, 477, 486, 511, 566, 600, 627  
  
*Richelot* 221, 230, 529, 600, 663  
*Riemann* 1, 2, 6, 9, 13, 45, 47, 77, 113, 115, 246, 248, 255, 296, 343, 397, 409, 628  
*Ritter* 360, 373, 392, 429, 439, 442  
*Roch* 29  
*Rosanes* 666  
*Rosenhain* 221, 222, 246, 311, 459, 600, 607, 628, 662  
  
*Salmon* 5, 6, 7, 11, 39, 117, 124, 136, 144, 159, 165, 267, 383, 389  
*Schepp* 239  
*Schläfli* 666  
*Schottky* 32, 101, 283, 296, 340, 343, 345, 360, 371, 372, 373, 387, 448, 461, 469, 486, 544, 628  
*Schubert* 665  
*Schwarz* 14, 654  
*Scott* 473  
*Smith* 12, 600, 639, 666, 674, 675  
*Sohnke* 639  
*Stahl* 288, 301, 392, 430, 486, 502  
*Stickelberger* 666  
*Stolz* 2  
*Sylvester* 136  
  
*Taber* 668  
*Thomae* 288, 296, 318, 533, 556, 600  
*Thompson* 436  
*Toeplitz* 383  
  
*Valentin* 101  
*Valentiner* 124, 165, 665  
*Voss* 137  
  
*Weber* 8, 56, 270, 272, 373, 387, 392, 430, 460, 486, 533, 538, 559, 600, 615, 620, 629, 639, 674  
*Weierstrass* 32, 93, 99, 101, 177, 195, 197, 205, 231, 239, 242, 246, 301, 311, 317, 326, 339, 443, 474, 486, 525, 570, 571, 572, 573, 577, 579, 594, 628, 653, 654, 658, 666  
*White* 165  
*Wiltheiss* 342, 600, 629, 660, 662, 674  
*Wirtinger* 340, 486, 578, 628  
  
*Zeuthen* 647

## SUBJECT INDEX TO THE PAGES OF THIS VOLUME.

- Abelian functions**, 236, 600, see **Inversion**; integrals, see **Integrals**; matrix, 669.
- Abel's theorem**, 207, ff.; statement of, 210, 214; proof of, 213; number of independent equations given by, 222 ff.; for radical functions, 377; for factorial functions, 397; for curves in space, 231; Abel's proof of, 219, 220; converse of, 222.
- Abel's differential equations**, 225, ff.
- Addition equation** for hyperelliptic theta functions, deduced algebraically, 331, ff.; for theta functions in general, 457—461, 472, 476, 481, 513, 521.
- Adjoint polynomial** (or curve), definition of, 121; number of terms in, 128; expression of rational function by, 127; see **Integrals, Sets, Lots**.
- Argument and parameter**, interchange of, 16, 185, 187, 189, 191, 194, 206.
- Associated**: Forms associated with fundamental integral functions, 62; integrals of second kind associated with integrals of the first kind, 193, 195, 198, 532; associated system of factorial functions, 397
- Automorphic functions**, simple case of, 352, ff.; connection with factorial functions, 439, ff.
- Azygetic characteristics**, 487, 497; transformation of, 542, 547; see **Characteristics**.
- Bacharach's modification of Cayley's theorem** for plane curves, 141.
- Biquadratic**, see **Göpel**.
- Birational transformation** of a Riemann surface: does not affect the theory, 3, 7; number of invariants in, 9, 144, 148, 150; of plane curves, 11; by  $\phi$ -polynomials, 142—152; for hyperelliptic surface, 152, 85; when  $p=1$ , or 0, 153; of surface into itself, 653. See **Invariants**, and **Curves**.
- Bitangents** of a plane curve, 381—390; 644, 646.
- Branch places**, see **Places**.
- Canonical equation** for a Riemann surface, 83, 91, 103, 143, 145, 152; curve discussed by Klein, 159; integral of the third kind, 168, 185, 189, 194, 195.
- Cayley's theorem** for plane curves, 141.
- Characteristics**: of a theta function, number of odd and even, 251; expression of any half-integer characteristic by means of a fundamental system, 301, 487, 500, 502; Weierstrass's number notation for, 570, 337, 303; tables of half-integer characteristics for  $p=2$ ,  $p=3$ , 303, 305; syzygetic, azygetic, 487; period characteristics and theta characteristics, 543, 564; of radical functions, 380, 564; Göpel groups and systems of, 489, 490, 494, ff.; general theory of, 486, ff.; transformation of, 536, 542, 547, 564, 568.
- Coincidences** of a correspondence, 645.
- Column and row**. See **Matrices**.
- Column** of periods, 571.
- Complex multiplication** of theta functions, 629, ff., 639, 660.
- Composition** of transformations of theta functions, 551.
- Condition** of dimensions, 49.
- Conformal representation**, 343, 356, 372.
- Congruence**, meanings of sign of, 236, 256, 261, 264, 487.
- Constants**, invariant in rational transformation, 9, 88, 144, 148, 150; in linear transformation of theta functions, 555—559; in any transformation of theta functions, 620, 622.
- Contact curves**, see **Curves**, and **Radical**.

## SUBJECT INDEX TO THE PAGES OF THIS VOLUME.

681

- Convergence** of an automorphic series, 350; of transformed theta function, 538.
- Coresidual** sets of places on a Riemann surface, 135, ff., 213; are equivalent sets, 136; enter in statement of Abel's theorem, 210.
- Correspondence** of Riemann surfaces, 3, ff., 81, 639, 642, 647, 648, 649, 654, 662.
- Covariant**, see **Invariant**.
- Cubic** surface associated with a plane quartic curve, 382, 389.
- Curves**: as alternative interpretation of fundamental algebraic equation, 11; inflexions of a plane quartic in connection with the gap theorem, 36; generalisation, 40; inflexions and bitangents in connection with theory of correspondence, 644, 646; bitangents of a plane quartic curve, 384; adjoint curves, 121, 129; coresidual and equivalent sets upon, 134–136; transformation of, see **Birational, Invariants**, and **Constants**; correspondence of, see **Correspondence**; special sets upon, 146, ff.; contact curves, 381; general form of Plücker's equations for, 124; Weierstrass's canonical equation for, 93, 103; Cayley's theorem for, 141; curves in space, 157, 160, ff., 166, 664; Abel's theorem for, 231.
- Cusps**, 11, 114.
- Deficiency** of a Riemann surface, 7, 55, 60.
- Defining** relation for theta functions, 443.
- Definition** equation of theta functions of general order, 448.
- Degenerate** Abelian integrals, 657.
- Dependence** of the poles of a rational function, 27.
- Differential** equations of inversion problem, 225, ff.; of theta functions, see **Addenda** (p. xx).
- Differentials** of integrals of first kind, 25, 62, 67, 127, 169.
- Dimension** of an integral function, 48, ff., 55; condition of dimensions, 49.
- Discriminant** of a fundamental set of integral functions, 74, 101, 124.
- Dissection** of the Riemann surface, 26, 529, 253, 257, 569, 297, 550, 560.
- Double** points of a Riemann surface (or curve), 1, 2, 3, 11, 114; tangents of a plane curve, 644, 646.
- Elementary** integrals, see **Integrals**.
- Equivalence**, meanings of sign of, 236, 256, 261, 264, 487.
- Equivalent** sets of places on a Riemann surface, 134, ff., 136, 213.
- Essential** factor of the discriminant, 60, 74, 124.
- Existence** theorems, algebraically deducible, 78; references, 14.
- Expression** of any rational function, 77, 176, 212; of fundamental integral functions, 105, ff.; of half-integer characteristic by means of a fundamental system, 301, 487, 500, 502.
- Factorial** functions, 392, ff.; definition of, 396; which are everywhere finite, 399; expressed by factorial integrals, 403; expressed by fundamental factorial function, 413; with fewest poles, 406; used to express theta functions, 423, 426; connection with automorphic functions, 439, ff.
- Factorial** integrals, 398; which are everywhere finite, 399; fundamental, having only poles, 408; simplified form of that integral, 411; expression of factorial function by means of that integral, 412.
- Function**, **automorphic**, 352, ff., 439, ff.; **factorial**, see **Factorial**; **integral**, see **Rational**, and **Transcendental**;  $\wp$  **function**, 292, 324, 333, 516; **prime**, 172, 177, 205, also 360, 363, 428; **radical**, 374, 390, 565; **rational**, see **Rational**; **Theta**, see **Theta functions**, and **Transformation**;  $\zeta$  **function**, 287, 292, 320; see **Fundamental** rational.
- Fundamental** algebraical equation, 10, 113.
- Fundamental** rational function, Weierstrass's, 171, 175, 177, 178, ff., 182.
- Fundamental** set for the expression of rational integral functions, 48, ff., 55, 56, 57, 105, ff.
- Fundamental** system of theta characteristics, 301, 487, 500, 502.
- Gap** theorem, 32, 34, 93, 174.
- Geometrical** investigations, 113; see **Curves**.
- Göpel** biquadratic relation, 338–340; 465–468; see **Addenda** (p. xx).
- Göpel** group and system, see **Characteristics**.
- Grade**, of a polynomial, 120.
- Group**, Göpel, see **Characteristics**.

- Hensel's** determination of fundamental integral functions, 105, ff.
- Homogeneous** variables, 118, 441.
- Homographic** behaviour of differentials of integrals of first kind, 26.
- Hyperelliptic** surfaces, 80, ff., 152, 153, 373; see **Theta functions** and **Transformation**.
- Independence** of the poles of a rational function, 27; of the  $2^p$  theta functions with half-integer characteristics, 446, 447; See **Linearly**.
- Index** of a place on a Riemann surface, 122, 123, 124; at the infinite place of Weierstrass's canonical surface, 129.
- Infinitesimal** on a Riemann surface, 1, 2, 3.
- Infinitesimal** periods, 238, 573.
- Infinities** of rational function, 27, ff.; see **Residue**.
- Infinity**, the places at infinity on a Riemann surface, algebraic treatment of, 118.
- Inflexions** of a plane curve, 36, 40, 646.
- Integrals**, degenerate, 657; factorial, see **Factorial**; Riemann's, normal elementary, 15; all derivable from integral of third kind, 22; algebraic expression of, 65, ff., 127, 131, 163, 185, 189, 194; hyperelliptic, 195; formulae connecting with logarithmic differential coefficients of theta functions, 289, 290, 320.
- Integral** functions, see **Rational** and **Transcendental**.
- Interchange** of argument and parameter, 16, 185, 187, 189, 191, 194, 206; of period loops, see **Transformation**.
- Invariants** in birational transformation: the number  $p$ , 7; the  $3p-3$  moduli, 9, 144, 148, 150; the ratios of  $\phi$ -polynomials, 26, 153; the contact  $\phi$ -polynomials, 281, 427; the  $g$ -places, 38, 653; for transformation of the dependent variable, 74, 124.
- Inversion** theorem, Jacobi's, 235, ff., 270; solution of, 239, 242, 244, 275; by radical functions, 390; in the hyperelliptic case, 317, 324.
- Jacobi's** inversion theorem, see **Inversion**.
- Jacobian** functions, their periods, are generalisation of theta functions, 579–588; their expression by theta functions, 588–594; there exists a homogeneous polynomial relation connecting any  $p+2$  **Jacobian** functions of same periods and parameter, 594.
- Klein**, prime form, 360, 427, 430, 433.
- Laurent's** theorem, for  $p$  variables, 444.
- Left** side of period loop, 529.
- Linearly** independent  $\phi$ -products of order  $\mu$ , 154; columns of periods, 575; theta functions, 446, 447; Jacobian functions, 594.
- Linear** transformation, see **Transformation**.
- Loops**, period loops on a Riemann surface, 21, 529.
- Lots**, of sets of places on an algebraic curve, or Riemann surface, 135.
- Matrices**, 248, 283, 580, 666, 669.
- Mittag-Leffler's** theorem for uniform function on a Riemann surface, 202.
- Moduli**, of the algebraic equation, are  $3p-3$  in number, 9, 144, 148, 150; for the hyperelliptic equation, 88.
- Moduli** of periodicity, see **Periods**.
- Multiplication**, complex, of theta functions, 629, ff.; by an integer, for theta functions, 527.
- Multiply-periodic**, 236; see **Inversion**.
- Noether's** (Kraus's)  $\phi$ -curve in space, 156, 157.
- Normal** equation for a Riemann surface, 83, 91, 103, 143, 145, 152.
- Normal** integrals (Riemann's) see **Integrals**.
- Number** of independent products of  $\mu$   $\phi$ -polynomials, 154; of odd and even theta functions, 251; of theta functions of general order, 452, 463; of Jacobian functions, 594.
- Order** of small quantity on a Riemann surface, 2; of a theta function, 448.
- $\wp$  **Function**, 292, 324, 333, 516.
- Parameter**, interchange of argument and parameter, see **Interchange**.
- Parameters**, in the algebraic equation, see **Constants**.
- Period** loop, see **Loops**.
- Period** characteristics, see **Characteristics**.
- Periodicity** of a (1, 1) correspondence, 650.
- Periods** of Riemann's integrals, 16, 21; Riemann's and Weierstrass's relations for the periods of integrals of the first kind, and of associated integrals of the second kind, 197, 285, 581, 587;

- rule for half-periods on a hyperelliptic surface, 297; for integrals of second kind, 323; of factorial integrals, 404; linear transformation of periods, 532; general transformation, 536, 538; general theory of systems of periods, 571, ff., 579, ff.; of degenerate integrals, 657.
- Picard's theorem** (Weierstrass's), 658.
- Places**, of a Riemann surface, 1, 2, 3; branch places, 7, 9, 46, 74, 122, 297, 569; where a rational function is infinite, to order less than  $p+1$ , 38, 41, 90, 653;  
 the places  $m_1, \dots, m_p$ , 255; their geometrical interpretation, 265, 266; after linear transformation, 562; determination of, for a Riemann surface with assigned period loops, 567; for a hyperelliptic surface, 297, 563.
- Plücker's equations**, generalised form of, 123, 124; for curves in space, 166.
- Poles**, see **Infinites**.
- Polynomial**, grade of, 120; algebraic treatment of, 120; adjoint, 121, 128;  $\phi$ -polynomials, 141; transformation of fundamental equation by  $\phi$ -polynomials, 142, 154; expression of rational functions, and algebraic integrals by means of adjoint polynomials, 156; see **Curves**.
- Positive** direction of period loop, 529.
- Primary** and associated systems of factorial functions, 397.
- Prime** function (or form), see **Function**.
- Product** expression of uniform transcendental function with single essential singularity, 205.
- Quartic**. Double tangents of plane quartic curve, 381—390, 647.
- Quotients** of theta functions, 310, 311, 390, 426, 516.
- Radical** function, see **Function**.
- Rational** function, of order 1, only exists when  $p=0, 8$ ; is a uniform function on the Riemann surface whose only infinites are poles, 27; infinites of, Riemann-Roch theorem, Weierstrass's gap theorem, 27, ff.; special, 25, 137; of order  $p$ , 38, 137; integral function, 47, ff., 55, 91, ff.; of the second order, 80, ff.; fundamental integral rational functions, algebraic determination of, 105, ff.; algebraic expression of, by adjoint polynomials, 125, ff., 156; Weierstrass's fundamental, 171, 175, 177, 178, ff., 182; expressed by Riemann's integrals, 24, 212; expressed by Weierstrass's function, 176.
- Reciprocal** sets of zeros of adjoint polynomials, 134.
- Residual** sets of places, 135.
- Residue**, fundamental residue theorem, 232, 189, 20.
- Reversible** transformation, see **Birational**.
- Riemann-Roch** theorem, 44, 133; for factorial functions, 405.
- Riemann** and Weierstrass's period relations, 197, 285, 581, 587.
- Right** side of period loop, 529.
- Row** and column, see **Matrices**
- Schottky-Klein** prime form and function, 360, 427, 430, 433.
- Sequence**, theorem of, 114, 161, 165.
- Sequent** sets of places, 135.
- Sets** of places on a Riemann surface or algebraic curve, 135. See **Special**.
- Sign** of equivalence and congruence, 236, 256, 261, 264, 487.
- Special** correspondences on a Riemann surface, 648.
- Special** rational functions, 25, 62, 137.
- Special** sets of zeros of adjoint polynomials, 134, 147.
- Special** transformation of a theta function, 629, ff., 639, 660.
- Strength** of assigned zeros, as determinators of a polynomial, 133.
- Supplementary** transformations of a theta function, 552.
- System**, Göpel, see **Characteristics**.
- Szyzygetic** characteristics, 487, 542.
- Tables** of Characteristics, 303, 305.
- Tangents**, double, of a plane curve, by the principle of correspondence, 644, 646.
- Theta** functions:  
 Riemann's theta functions, 246, ff.; convergence of, 247; determination of, from periodicity, 444; period properties of, 249; number of odd and even, 251, 446; zeros of, 252, 255, 258, 567; identical vanishing of, 258, 271, 276, 303; hyperelliptic, 296, ff.; algebraic expression of quotients of, 310, 311,

- 390, 426; addition theorem for hyperelliptic, 332, 337; algebraic expression for hyperelliptic, 435; algebraic expression of first logarithmic derivatives of, 288, 290, 320; algebraic expression of second logarithmic derivatives of, 293, 324, 329, 333; solution of inversion problem by means of, 275, 324, 390, 426, ff.; Riemann's functions not the most general, 248, 628.
- General theta function of first order**, 283, 444; period relations, 285, 197, 581, 587; second logarithmic derivatives of, 516; addition theorems for, 457, 472, 481, 513, 521; Göpel relation for, in case  $p=2$ , see **Göpel**; expression of Jacobian functions by means of, 594.
- Theta functions of second and higher order**, 448; expression of, number of linearly independent, 452, 463; of order 2, of special kind, 509, 510; every  $p+2$  theta functions of same order, periods, and characteristic, connected by a homogeneous polynomial relation, 453.
- Transformation of theta functions**, see **Transformation**; characteristics of theta functions, see **Characteristics**; complex multiplication of theta functions, 629, ff., 639, 660; theta functions expressed by factorial functions and simpler theta functions, 426; particular cases, 430, ff.; hyperelliptic case, 433.
- Transcendental uniform function**, 200; Mittag-Leffler's theorem for, 202; expressed in prime factors, 205; application of Laurent's theorem when the function is integral, 444.
- Transformation**
- of the algebraic equation (or Riemann surface), 3, 143, 145, 151, 152, 654, 655; see **Birational**;
  - of theta functions, 535; linear transformation, 539; constants in, 554—559; for hyperelliptic case, 568; of second order, 603, 617; for any odd order, general theorem, 614; constants in, 620, 622; when coefficients not integers, 625; supplementary transformations, 552; composition of, 551; special transformations, 629, 630, 660;
  - of periods, 528, 534, 539, 551, 553, 555, 559, 568;
  - of characteristics, see **Characteristics**.
- Uniform**, see **Rational**, and **Transcendental**.
- Vanishing of theta function**, 253, 258, 271 ff., 276, 303.
- Variables**, homogeneous, 118, 429, 441
- Weierstrass's gap theorem**, 32, 34, 93, 174; special places which are the poles of rational functions of order less than  $p+1$ , 34, ff.; canonical surface (or equation), 90, ff., 93; fundamental rational function, 171, 175, 177, 178, 182, 189; period relations, 197, ff., 285, 581, 587; rule for characteristics of hyperelliptic theta functions, 569; theorem for degenerate integrals, 658.
- Zeros**, generalised zeros of a polynomial, 121; zeros of Riemann theta function, 252.
- Zeta function**, 287, 292, 320.