

## CONTENTS.

### CHAPTER I.

#### THE SUBJECT OF INVESTIGATION.

§§		PAGES
1	Fundamental algebraic irrationality . . . . .	1
2, 3	The places and infinitesimal on a Riemann surface . . . . .	1, 2
4, 5	The theory unaltered by rational transformation . . . . .	3—6
6	The invariance of the deficiency in rational transformation; if a rational function exists of order 1, the surface is of zero deficiency . . . . .	7, 8
7, 8	The greatest number of irremovable parameters is $3p-3$ . . . . .	9, 10
9, 10	The geometrical statement of the theory . . . . .	11, 12
11	Generality of Riemann's methods . . . . .	12, 13

### CHAPTER II.

#### THE FUNDAMENTAL FUNCTIONS ON A RIEMANN SURFACE.

12	Riemann's existence theorem provisionally regarded as fundamental . . . . .	14
13	Notation for normal elementary integral of second kind . . . . .	15
14	Notation for normal elementary integral of third kind . . . . .	15
15	Choice of normal integrals of the first kind . . . . .	16
16	Meaning of the word period. General remarks . . . . .	16, 17
17	Examples of the integrals, and of the places of the surface . . . . .	18—20
18	Periods of the normal elementary integrals of the second kind . . . . .	21
19	The integral of the second kind arises by differentiation from the integral of the third kind . . . . .	22, 23
20	Expression of a rational function by integrals of the second kind . . . . .	24
21	Special rational functions, which are invariant in rational transformation . . . . .	25, 26
22	Riemann normal integrals depend on mode of dissection of the surface . . . . .	26

### CHAPTER III.

#### THE INFINITIES OF RATIONAL FUNCTIONS.

23	The interdependence of the poles of a rational function . . . . .	27
24, 25	Condition that specified places be the poles of a rational function . . . . .	28—30
26	General form of Weierstrass's gap theorem . . . . .	31, 32
27	Provisional statement of the Riemann-Roch theorem . . . . .	33, 34

vi	CONTENTS.	
	§§	PAGES
28, 29	Cases when the poles coalesce; the $p$ critical integers . . . . .	34, 35
30	Simple anticipatory geometrical illustration . . . . .	36, 37
31—33	The $(p-1)p(p+1)$ places which are the poles of rational functions of order less than $p+1$ . . . . .	38—40
34—36	There are at least $2p+2$ such places which are distinct . . . . .	41—44
37	Statement of the Riemann-Roch theorem, with examples . . . . .	44—46

CHAPTER IV.

SPECIFICATION OF A GENERAL FORM OF RIEMANN'S INTEGRALS.

38	Explanations in regard to Integral Rational Functions . . . . .	47, 48
39	Definition of dimension; fundamental set of functions for the expression of rational functions . . . . .	48—52
40	Illustrative example for a surface of four sheets . . . . .	53, 54
41	The sum of the dimensions of the fundamental set of functions is $p+n-1$ . . . . .	54, 55
42	Fundamental set for the expression of integral functions . . . . .	55, 56
43	Principal properties of the fundamental set of integral functions . . . . .	57—60
44	Definition of derived set of special functions $\phi_0, \phi_1, \dots, \phi_{n-1}$ . . . . .	61—64
45	Algebraical form of elementary integral of the third kind, whose infinities are ordinary places; and of integrals of the first kind . . . . .	65—68
46	Algebraical form of elementary integral of the third kind in general . . . . .	68—70
47	Algebraical form of integral of the second kind, independently deduced . . . . .	71—73
48	The discriminant of the fundamental set of integral functions . . . . .	74
49	Deduction of the expression of a certain fundamental rational function in the general case . . . . .	75—77
50	The algebraical results of this chapter are sufficient to replace Riemann's existence theorem . . . . .	78, 79

CHAPTER V.

CERTAIN FORMS OF THE FUNDAMENTAL EQUATION OF THE RIEMANN SURFACE.

51	Contents of the chapter . . . . .	80
52	When $p>1$ , existence of rational function of the second order involves a $(1, 1)$ correspondence . . . . .	81
53—55	Existence of rational function of the second order involves the hyperelliptic equation . . . . .	81—84
56, 57	Fundamental integral functions and integrals of the first kind . . . . .	85—86
58	Examples . . . . .	87
59	Number of irremoveable parameters in the hyperelliptic equation; transformation to the canonical form . . . . .	88—89
60—63	Weierstrass's canonical equation for any deficiency . . . . .	90—92

CONTENTS.

vii

§§		PAGES
64—66	Actual formation of the equation . . . . .	93—98
67, 68	Illustrations of the theory of integral functions for Weierstrass's canonical equation . . . . .	99—101
69—71	The method can be considerably generalised . . . . .	102—104
72—79	Hensel's determination of the fundamental integral functions . . . . .	105—112

CHAPTER VI.

GEOMETRICAL INVESTIGATIONS.

80	Comparison of the theory of rational functions with the theory of intersections of curves . . . . .	113
81—83	Introductory indications of elementary form of theory . . . . .	113—116
84	The method to be followed in this chapter . . . . .	117
85	Treatment of infinity. Homogeneous variables might be used . . . . .	118, 119
86	Grade of an integral polynomial; number of terms; generalised zeros . . . . .	120, 121
87	Adjoint polynomials; definition of the index of a singular place . . . . .	122
88	Pliücker's equations; connection with theory of discriminant . . . . .	123, 124
89, 90	Expression of rational functions by adjoint polynomials . . . . .	125, 126
91	Expression of integral of the first kind . . . . .	127
92	Number of terms in an adjoint polynomial; determination of elementary integral of the third kind . . . . .	128—132
93	Linear systems of adjoint polynomials; reciprocal theorem . . . . .	133, 134
94, 95	Definitions of set, lot, sequent, equivalent sets, coresidual sets . . . . .	135
96, 97	Theorem of coresidual sets; algebraic basis of the theorem . . . . .	136
98	A rational function of order less than $p+1$ is expressible by $\phi$ - polynomials . . . . .	137
99, 100	Criticism of the theory; Cayley's theorem . . . . .	138—141
101—104	Rational transformation by means of $\phi$ -polynomials . . . . .	142—146
105—108	Application of special sets . . . . .	147—151
109	The hyperelliptic surface; transformation to canonical form . . . . .	152
110—114	Whole rational theory can be represented by means of the invari- ant ratios of $\phi$ -polynomials; number of relations connecting these . . . . .	153—159
115—119	Elementary considerations in regard to curves in space . . . . .	160—167

CHAPTER VII.

COORDINATION OF SIMPLE ELEMENTS. TRANSCENDENTAL UNIFORM  
FUNCTIONS.

120	Scope of the chapter . . . . .	168
121	Notation for integrals of the first kind . . . . .	169
122, 123	The function $\psi(x, a; z, e_1, \dots, e_p)$ expressed by Riemann integrals . . . . .	170, 171
124	Derivation of a certain prime function . . . . .	172
125	Applications of this function to rational functions and integrals . . . . .	173

§§	PAGES
126—128	The function $\psi(x, a; z, c)$ ; its utility for the expression of rational functions . . . . . 174—176
129	The derived prime function $E(x, z)$ ; used to express rational functions . . . . . 177
130, 131	Algebraic expression of the functions $\psi(x, a; z, c_1, \dots, c_p)$ , $\psi(x, a; z, c)$ . . . . . 177, 178
132	Examples of these functions; they determine algebraic expressions for the elementary integrals . . . . . 179—182
133, 134	Derivation of a canonical integral of the third kind; for which interchange of argument and parameter holds; its algebraic expression; its relation with Riemann's elementary normal integral . . . . . 182—185
135	Algebraic theorem equivalent to interchange of argument and parameter . . . . . 185
136	Elementary canonical integral of the second kind . . . . . 186, 187
137	Applications. Canonical integral of the third kind deduced from the function $\psi(x, a; z, c_1, \dots, c_p)$ . Modification for the function $\psi(x, a; z, c)$ . . . . . 188—192
138	Associated integrals of first and second kind. Further canonical integrals. The algebraic theory of the hyperelliptic integrals in one formula. . . . . 193, 194
139, 140	Deduction of Weierstrass's and Riemann's relations for periods of integrals of the first and second kind . . . . . 195—197
141	Either form is equivalent to the other . . . . . 198
142	Alternative proofs of Weierstrass's and Riemann's period relations . . . . . 199, 200
143	Expression of uniform transcendental function by the function $\psi(x, a; z, c)$ . . . . . 201
144, 145	Mittag-Leffler's theorem . . . . . 202—204
146	Expression of uniform transcendental function in prime factors . . . . . 205
147	General form of interchange of argument and parameter, after Abel . . . . . 206

## CHAPTER VIII.

## ABEL'S THEOREM. ABEL'S DIFFERENTIAL EQUATIONS.

148—150	Approximative description of Abel's theorem . . . . . 207—210
151	Enunciation of the theorem . . . . . 210
152	The general theorem reduced to two simpler theorems . . . . . 211, 212
153, 154	Proof and analytical statement of the theorem . . . . . 212—214
155	Remark; statement in terms of polynomials . . . . . 215
156	The disappearance of the logarithm on the right side of the equation . . . . . 216
157	Applications of the theorem. Abel's own proof . . . . . 217—222
158, 159	The number of algebraically independent equations given by the theorem. Inverse of Abel's theorem . . . . . 222—224
160, 161	Integration of Abel's differential equations . . . . . 225—231
162	Abel's theorem proved quite similarly for curves in space . . . . . 231—234

Cambridge University Press

0521498775 - Abelian Functions: Abel's Theorem and the Allied Theory of Theta Functions

H. F. Baker

Table of Contents

[More information](#)

## CONTENTS.

ix

## CHAPTER IX.

## JACOBI'S INVERSION PROBLEM.

§§		PAGES
163	Statement of the problem . . . . .	235
164	Uniqueness of any solution . . . . .	236
165	The necessity of using congruences and not equations . . . . .	237
166, 167	Avoidance of functions with infinitesimal periods . . . . .	238, 239
168, 169	Proof of the existence of a solution . . . . .	239—241
170—172	Formation of functions with which to express the solution; connection with theta functions . . . . .	242—245

## CHAPTER X.

## RIEMANN'S THETA FUNCTIONS. GENERAL THEORY.

173	Sketch of the history of the introduction of theta functions . . . . .	246
174	Convergence. Notation. Introduction of matrices . . . . .	247, 248
175, 176	Periodicity of the theta functions. Odd and even functions . . . . .	249—251
177	Number of zeros is $p$ . . . . .	252
178	Position of the zeros in the simple case . . . . .	253, 254
179	The places $m_1, \dots, m_p$ . . . . .	255
180	Position of the zeros in general . . . . .	256, 257
181	Identical vanishing of the theta functions . . . . .	258, 259
182, 183	Fundamental properties. Geometrical interpretation of the places $m_1, \dots, m_p$ . . . . .	259—267
184—186	Geometrical developments; special inversion problem; contact curves . . . . .	268—273
187	Solution of Jacobi's inversion problem by quotients of theta functions . . . . .	274, 275
188	Theory of the identical vanishing of the theta function. Ex- pression of $\phi$ -polynomials by theta functions . . . . .	276—282
189—191	General form of theta function. Fundamental formulae. Periodicity . . . . .	283—286
192	Introduction of the $\zeta$ functions. Generalisation of an elliptic formula . . . . .	287
193	Difference of two $\zeta$ functions expressed by algebraic integrals and rational functions . . . . .	288
194—196	Development. Expression of single $\zeta$ function by algebraic integrals . . . . .	289—292
197, 198	Introduction of the $\wp$ functions. Expression by rational functions . . . . .	292—295

## CHAPTER XI.

## THE HYPERELLIPTIC CASE OF RIEMANN'S THETA FUNCTIONS.

199	Hyperelliptic case illustrates the general theory . . . . .	296
200	The places $m_1, \dots, m_p$ . The rule for half periods . . . . .	297, 298
201, 202	Fundamental set of characteristics defined by branch places . . . . .	299—301

x	CONTENTS.	PAGES
§§		
203	Notation. General theorems to be illustrated . . . . .	302
204, 205	Tables in illustration of the general theory . . . . .	303—309
206—213	Algebraic expression of quotients of hyperelliptic theta functions. Solution of hyperelliptic inversion problem . . . . .	309—317
214, 215	Single $\zeta$ function expressed by algebraical integrals and rational functions . . . . .	318—323
216	Rational expression of $\wp$ function. Relation to quotients of theta functions. Solution of inversion problem by $\wp$ function . . . . .	323—327
217	Rational expression of $\wp$ function . . . . .	327—330
218—220	Algebraic deduction of addition equation for theta functions when $p=2$ ; generalisation of the equation $\sigma(u+v)\sigma(u-v)$ $=\sigma^2u \cdot \sigma^2v \cdot (\wp v - \wp u)$ . . . . .	330—337
221	Examples for the case $p=2$ . Göpel's biquadratic relation . . . . .	337—342

## CHAPTER XII.

### A PARTICULAR FORM OF FUNDAMENTAL SURFACE.

222	Chapter introduced as a change of independent variable, and as introducing a particular prime function . . . . .	343
223—225	Definition of a group of substitutions; fundamental properties . . . . .	343—348
226, 227	Convergence of a series; functions associated with the group . . . . .	349—352
228—232	The fundamental functions. Comparison with foregoing theory of this volume . . . . .	353—359
233—235	Definition and periodicity of the Schottky prime function . . . . .	359—364
236, 237	Its connection with the theta functions . . . . .	364—366
238	A further function connected therewith . . . . .	367—372
239	The hyperelliptic case . . . . .	372, 373

## CHAPTER XIII.

### RADICAL FUNCTIONS.

240	Introductory . . . . .	374
241, 242	Expression of any radical function by Riemann's integrals, and by theta functions . . . . .	375, 376
243	Radical functions are a generalisation of rational functions . . . . .	377
244, 245	Characteristics of radical functions . . . . .	378—381
246--249	Bitangents of a plane quartic curve . . . . .	381—390
250, 251	Solution of the inversion problem by radical functions . . . . .	390—392

## CHAPTER XIV.

### FACTORIAL FUNCTIONS.

252	Statement of results obtained. Notations . . . . .	393, 394
253	Necessary dissection of the Riemann surface . . . . .	395
254	Definition of a factorial function (including radical function). Primary and associated systems of factorial functions . . . . .	396, 397

CONTENTS.

xi

§§		PAGES
255	Factorial integrals of the primary and associated systems . . .	397, 398
256	Factorial integrals which are everywhere finite, save at the fixed infinities. Introduction of the numbers $\varpi, \sigma+1$ . . . .	399
257	When $\sigma+1 > 0$ , there are $\sigma+1$ everywhere finite factorial functions of the associated system . . . . .	400
258	Alternative investigation of everywhere finite factorial functions of the associated system. Theory divisible according to the values of $\sigma+1$ and $\sigma'+1$ . . . . .	401, 402
259	Expression of these functions by everywhere finite integrals . . . . .	403
260	General consideration of the periods of the factorial integrals . . . . .	404
261, 262	Riemann-Roch theorem for factorial functions. When $\sigma'+1=0$ , least number of arbitrary poles for function of the primary system is $\varpi'+1$ . . . . .	405, 406
263	Construction of factorial function of the primary system with $\varpi'+1$ arbitrary poles . . . . .	406, 407
264, 265	Construction of a factorial integral having only poles. Least number of such poles, for an integral of the primary system, is $\sigma+2$ . . . . .	407, 410
266	This factorial integral can be simplified, in analogy with Riemann's elementary integral of the second kind . . . . .	411
267	Expression of the factorial function with $\varpi'+1$ poles in terms of the factorial integral with $\sigma+2$ poles. The factorial function in analogy with the function $\psi(x, a; z, c_1, \dots, c_p)$ . . . . .	411—413
268	The theory tested by examination of a very particular case . . . . .	413—419
269	The radical functions as a particular case of factorial functions . . . . .	419, 420
270	Factorial functions whose factors are any constants, having no essential singularities . . . . .	421
271, 272	Investigation of a general formula connecting factorial functions and theta functions . . . . .	422—426
273	Introduction of the Schottky-Klein prime form, in a certain shape . . . . .	427—430
274	Expression of a theta function in terms of radical functions, as a particular case of § 272 . . . . .	430
275, 276	The formula of § 272 for the case of rational functions . . . . .	431—433
277	The formula of § 272 applied to define algebraically the hyper-elliptic theta function, and its theta characteristic . . . . .	433—437
278	Expression of any factorial function by simple theta functions; examples . . . . .	437, 438
279	Connection of theory of factorial functions with theory of automorphic forms . . . . .	439—442

CHAPTER XV.

RELATIONS CONNECTING PRODUCTS OF THETA FUNCTIONS—INTRODUCTORY.

280	Plan of this and the two following chapters . . . . .	443
281	A single-valued integral analytical function of $p$ variables, which is periodic in each variable alone, can be represented by a series of exponentials . . . . .	443—445

Cambridge University Press

0521498775 - Abelian Functions: Abel's Theorem and the Allied Theory of Theta Functions

H. F. Baker

Table of Contents

[More information](#)

xii

CONTENTS.

§§	PAGES
282, 283	Proof that the $2^p$ theta functions with half-integer characteristics are linearly independent . . . . . 446—447
284, 285	Definition of general theta function of order $r$ ; its linear expression by $r^p$ theta functions. Any $p+2$ theta functions of same order, periods, and characteristic connected by a homogeneous polynomial relation . . . . . 447—455
286	Addition theorem for hyperelliptic theta functions, or for the general case when $p < 4$ . . . . . 456—461
286, 288	Number of linearly independent theta functions of order $r$ which are all of the same parity . . . . . 461—464
289	Examples. The Göpel biquadratic relation . . . . . 465—470

CHAPTER XVI.

A DIRECT METHOD OF OBTAINING THE EQUATIONS CONNECTING THETA PRODUCTS.

290	Contents of this chapter . . . . . 471
291	An addition theorem obtained by multiplying two theta functions. 471—474
292	An addition theorem obtained by multiplying four theta functions 474—477
293	The general formula obtained by multiplying any number of theta functions . . . . . 477—485

CHAPTER XVII.

THETA RELATIONS ASSOCIATED WITH CERTAIN GROUPS OF CHARACTERISTICS.

294	Abbreviations. Definition of syzygetic and azygetic. References to literature (see also p. 296) . . . . . 486, 487
295	A preliminary lemma . . . . . 488
296	Determination of a Göpel group of characteristics . . . . . 489, 490
297	Determination of a Göpel system of characteristics . . . . . 490, 491
298, 299	Determination and number of Göpel systems of the same parity 492—494
300—303	Determination of a fundamental set of Göpel systems . . . . . 494—501
304, 305	Statement of results obtained, with the simpler applications . . . . . 502—504
306—308	Number of linearly independent theta functions of the second order of a particular kind. Explicit mention of an important identity . . . . . 505—510
309—311	The most important formulae of the chapter. A general addition theorem. The $\wp$ function expressed by quotients of theta functions . . . . . 510—516
312—317	Other applications of the principles of the chapter. The expression of a function $\mathcal{J}(nv)$ as an integral polynomial of order $n^2$ in $2^p$ functions $\mathcal{J}(v)$ . . . . . 517—527



## CONTENTS.

xiii

## CHAPTER XVIII.

## TRANSFORMATION OF PERIODS, ESPECIALLY LINEAR TRANSFORMATION.

§§		PAGES
318	Bearings of the theory of transformation . . . . .	528, 529
319—323	The general theory of the modification of the period loops on a Riemann surface . . . . .	529—534
324	Analytical theory of transformation of periods and characteristic of a theta function . . . . .	534—538
325	Convergence of the transformed function . . . . .	538
326	Specialisation of the formulae, for linear transformation . . . . .	539, 540
327	Transformation of theta characteristics; of even characteristics; of syzygetic characteristics . . . . .	541, 542
328	Period characteristics and theta characteristics . . . . .	543
329	Determination of a linear transformation to transform any even characteristic into the zero characteristic . . . . .	544, 545
330, 331	Linear transformation of two azygetic systems of theta characteristics into one another . . . . .	546—550
332	Composition of two transformations of different orders; supplementary transformations . . . . .	551, 552
333, 334	Formation of $p+2$ elementary linear transformations by the composition of which every linear transformation can be formed; determination of the constant factors for each of these . . . . .	553—557
335	The constant factor for any linear transformation . . . . .	558, 559
336	Any linear transformation may be associated with a change of the period loops of a Riemann surface . . . . .	560, 561
337, 338	Linear transformation of the places $m_1, \dots, m_p$ . . . . .	562
339	Linear transformation of the characteristics of a radical function . . . . .	563, 564
340	Determination of the places $m_1, \dots, m_p$ upon a Riemann surface whose mode of dissection is assigned . . . . .	565—567
341	Linear transformation of quotients of hyperelliptic theta functions . . . . .	568
342	A convenient form of the period loops in a special hyperelliptic case. Weierstrass's number notation for half-integer characteristics . . . . .	569, 570

## CHAPTER XIX.

## ON SYSTEMS OF PERIODS AND ON GENERAL JACOBIAN FUNCTIONS.

343	Scope of this chapter . . . . .	571
344—350	Columns of periods. Exclusion of infinitesimal periods. Expression of all period columns by a finite number of columns, with integer coefficients . . . . .	571—579
351—356	Definition of general Jacobian function, and comparison with theta function . . . . .	579—588
357—362	Expression of Jacobian function by means of theta functions. Any $p+2$ Jacobian functions of same periods and parameter connected by a homogeneous polynomial relation . . . . .	588—598

Cambridge University Press

0521498775 - Abelian Functions: Abel's Theorem and the Allied Theory of Theta Functions

H. F. Baker

Table of Contents

[More information](#)

xiv

CONTENTS.

## CHAPTER XX.

## TRANSFORMATION OF THETA FUNCTIONS.

§§		PAGES
363	Sketch of the results obtained. References to the literature . . . . .	599, 600
364, 365	Elementary theory of transformation of second order . . . . .	600—606
366, 367	Investigation of a general formula preliminary to transformation of odd order . . . . .	607—610
368, 369	The general theorem for transformation of odd order . . . . .	611—616
370	The general treatment of transformation of the second order . . . . .	617—619
371	The two steps in the determination of the constant coefficients . . . . .	619
372	The first step in the determination of the constant coefficients . . . . .	619—622
373	Remarks and examples in regard to the second step . . . . .	622—624
374	Transformation of periods when the coefficients are not integral . . . . .	624—628
375	Reference to the algebraical applications of the theory . . . . .	628

## CHAPTER XXI.

COMPLEX MULTIPLICATION OF THETA FUNCTIONS. CORRESPONDENCE  
OF POINTS ON A RIEMANN SURFACE.

376	Scope of the chapter . . . . .	629
377, 378	Necessary conditions for a complex multiplication, or special transformation, of theta functions . . . . .	629—632
379—382	Proof, in one case, that these conditions are sufficient . . . . .	632—636
383	Example of the elliptic case . . . . .	636—639
384	Meaning of an $(r, s)$ correspondence on a Riemann surface . . . . .	639, 640
385	Equations necessary for the existence of such a correspondence . . . . .	640—642
386	Algebraic determination of a correspondence existing on a per- fectly general Riemann surface . . . . .	642—645
387	The coincidences. Examples of the inflections and bitangents of a plane curve . . . . .	645—648
388	Conditions for a $(1, s)$ correspondence on a special Riemann surface . . . . .	648, 649
389	When $p > 1$ a $(1, 1)$ correspondence is necessarily periodic . . . . .	649, 650
390	And involves a special form of fundamental equation . . . . .	651
391—393	When $p > 1$ there cannot be an infinite number of $(1, 1)$ corre- spondences . . . . .	652—654
394	Example of the case $p = 1$ . . . . .	654—656

## CHAPTER XXII.

## DEGENERATE ABELIAN INTEGRALS.

395	Example of the property to be considered . . . . .	657
396	Weierstrass's theorem. The property involves a transformation leading to a theta function which breaks into factors . . . . .	657, 658

Cambridge University Press

0521498775 - Abelian Functions: Abel's Theorem and the Allied Theory of Theta Functions

H. F. Baker

Table of Contents

[More information](#)

CONTENTS.

xv

§§		PAGES
397	Weierstrass's and Picard's theorem. The property involves a linear transformation leading to $\tau''_{1,2}=1/r$ . . . . .	658, 659
398	Existence of one degenerate integral involves another ( $p=2$ ) . . . . .	659
399, 400	Connection with theory of special transformation, when $p=2$ . . . . .	660, 661
401—403	Determination of necessary form of fundamental equation. References . . . . .	661—663

APPENDIX I.

ON ALGEBRAIC CURVES IN SPACE.

404	Formal proof that an algebraic curve in space is an interpretation of the relations connecting three rational functions on a Riemann surface (cf. § 162) . . . . .	664, 665
-----	--	----------

APPENDIX II.

ON MATRICES.

405—410	Introductory explanations . . . . .	666—669
411—415	Decomposition of an Abelian matrix into simpler ones . . . . .	669—674
416	A particular result . . . . .	674
417, 418	Lemmas . . . . .	675
419, 420	Proof of results assumed in §§ 396, 397 . . . . .	675, 676
INDEX OF AUTHORS QUOTED . . . . .		677, 678
TABLE OF SOME FUNCTIONAL SYMBOLS . . . . .		679
SUBJECT INDEX . . . . .		680—684