

Index

- absolute reaction rate theory, 134–7, 264
- applied to gating, 181
- acetylcholine, 68
 - binding site, in nAChR, 79, 175, 176fig.
 - inhibition of heart by, 101, 205
 - membrane noise produced by, 40fig., 41, 174
- acetylcholine receptor
 - muscarinic, 69, 215–17
 - nicotinic, *see* nAChR
- aconitine, 240
- action potential
 - of heart muscle, 93, 203, 213
 - of nerve axon, 4, 28, 89, 195
 - of skeletal muscle, 34
- activation, 195, 198fig.; *see also* gating
- activity of ions, 19
- activity coefficient, 19
- adenylyl cyclase, 212, 216
- aerolysin, 118
- affinity, 170, 226
- ω -agatoxins, 93, 244
- agonists, 244
- AKT1, 99
- alamethicin, 116–18
- allosteric effects
 - of blocking agents, 243–4
 - in cyclic-nucleotide-gated channels, 200–1
 - in gating, 161
 - in modulation, 212, 246
- in nAChR, 173, 177
- amiloride, 102
- amino acid residues, properties of, 62tab., 72
- amino acid sequences
 - determination of, 59–68
 - evolution of, 64
 - of glutamate receptors, 87fig.
 - of nAChR, 70, 71fig., 86fig.
 - of voltage-gated sodium channel, 91
- γ -aminobutyric acid receptor *see* GABA receptor
- 4-aminopyridine (4-AP), 234
- AMPA, 86, 247
- AMPA receptors, 86
 - pharmacology of, 247–8
- anaesthetics
 - general, 246, 248
 - local, 240–2
- anatoxin A, 245
- \AA ngström unit (\AA), 18
- anomalous mole-fraction effect, 132–3, 140, 141
- antagonists, 244
- antechamber, of channel pore, 231; *see also* vestibule
- apamin, 234
- APV, 248
- aquaporins, 113
- arachidonic acid, 221
- assembly of *Shaker* channels, 97
- association constant, 170
- asthma, 234, 258
- atmosphere, ion, 20
- ATP (adenosine triphosphate) as gating agent
 - in ATP-sensitive potassium channels, 3, 205
 - in CFTR channel, 206–7
- ATP as source of cAMP, 212, 216
- ATP receptor channel, 89
- ATP-binding cassette (ABC) superfamily, 109
- ATP-sensitive potassium channels *see* potassium channels, ATP-sensitive
- auxiliary subunits, 93, 192–3, 213
- bacteriorhodopsin, 73
- ball and chain model, 189–91, 230
- barbiturates, 246
- batrachotoxin, 183fig., 239
- Bay K 8644, 244
- Becker's disease *see* myotonia, generalized
- benzodiazepines, 246–7
- β -barrel, 74, 78, 114, 115fig., 153
- β cell, 3, 234
- β -sheet, 73, 115
- bicuculline, 246
- bilayer, lipid, 2fig.
 - artificial, 5, 43–5
- binding site models of channels, 134–44
- BIR channels, 101, 102tab., 204
- BK channels, 97, 98

- block, kinetics of, 226–9
 Boltzmann constant (k), 11tab., 24
 Boltzmann distribution, 181
 Boltzmann relation, 182, 183fig.
 brevetoxins, 240
 bright ideas, value of, 263
 α -bungarotoxin, 69, 245
 bursts, 166, 227
- C terminus, 63, 75
 C_g , block by, 229–30
 calcium channels, voltage-gated
 binding site model of, 142–4
 blocking agents of, 243–4
 dysfunctional mutants of, 254–5
 inactivation, 220
 modes of, 219, 243–4
 molecular basis of selectivity in, 154–6
 phosphorylation of, 213–14
 S4 segment of, 186fig.
 selectivity of, 127tab., 142
 structure and diversity of, 93–4
 calcium ions
 as gating agents, 201–2
 as intracellular messengers, 25, 93, 103–5, 213, 220, 221
 as modulators, 219–20
 and surface charges, 222–3
 calcium release channels, 103–6, 261
 calmodulin, 211, 220, 221
 cAMP (cyclic adenosine
 monophosphate), 99, 199, 215–16
 cAMP-dependent protein kinase *see*
 protein kinase A
 cAMP-gated channel, olfactory, 99, 199
 capacitance, 12
 capacity current, 37, 38fig., 180
 capsaicin, 236
 carbachol, 245
 cDNA, 66
 cell-attached patch configuration, 48
 cell lines, expression in, 81
 CFTR (cystic fibrosis conductance
 regulator) channel
 functions of, 257
 gating of, 206–7
 identification of, 67, 108
 mutations affecting, 257–60
- structure of, 108–9
 cGMP (cyclic guanosine
 monophosphate), 98, 199, 222
 cGMP-gated channel, photoreceptor,
 98, 199
 selectivity of, 127
 chaos, in gating model, 168
 Charcot–Marie–Tooth disease, 261
 charge, electric, 9, 10tab.
 charge immobilization, 180, 193–4
 charybdotoxin, 98, 234–6
 chemical bonds, 13–17
 chemically gated channels *see* ligand-gated channels
 CHIP28, 113
 chloride channels
 background, 106–9
 dysfunctional mutants of, 256–60
 neuronal, 128
 neurotransmitter-gated *see* GABA
 receptor and glycine receptor
 chlorpromazine, 77, 245
 chord conductance, 30
 ciguatoxin, 240
 CIR subunit, 101, 102tab.
 CLC (ClC) channels, 106–8
 dysfunctional mutants of, 256–7
 closed times, distribution of, 55–7, 163–6
 clusters, 166
 CMTX, 261
 CNG channel *see* cyclic-nucleotide-gated channels
 codon, 62
 colicins, 118
 conantokins, 248
 concentration cell, 24
 conductance, 10tab., 12
 conductive state, 162
 conductivity, 12
 conformational state, 162
 connexins, 110–12, 210, 261
 connexons, 110, 210
 conotoxins, 238–9, 244, 245, 248
 conantokins, 248
 α -conotoxins, 245
 μ -conotoxins, 239
 ω -conotoxins, 94, 244
 constant field model, 122–4, 223fig.
- covalent bond, 13, 17tab.
 CPP, 248
 cromakalim, 234
 cryoelectron microscopy *see* image analysis, quantitative
 crystal radius of ions, 17–19
 curare, 245
 current, electric, 10tab., 11
 currents, single-channel, 6fig., 28–31
 amplitudes of, 53
 analysis of, 52–7
 time characteristics of, 55–7
 curare, 176fig.
 cyclic nucleotides *see* cAMP and cGMP
 cyclic-nucleotide-gated channels
 binding sites of, 200
 gating in, 199–201
 molecular basis of selectivity in, 156–7
 structure of, 98–9
 cysteine substitution method, 153–4
 cystic fibrosis, 108, 257–60 *see also* CFTR
 cytoskeleton, 209
 cytotoxicity, 251
- dantrolene, 261
 Debye length, 20, 222
 dendrotoxin, 192, 234, 245tab.
 dephosphorylation, 211
 desensitization, in nAChR, 173, 245
 diabetes, treatment of, 3, 234
 diacylglycerol, 105, 211, 213
 diazepam, 246
 diffusion, 21–2
 diffusion models of gating, 167–8
 dihydropyridine receptor, 103
 dihydropyridines, 243
 diltiazem, 243
 diphtheria toxin, 118
 dipole, electric, 12
 dipole–dipole interaction, 15
 disease, channel dysfunction in, 251–62
 disulphide bridges, 72
 in nAChR, 75
- DNA
 complementary DNA (cDNA), 66
 non-coding, 64
 recombinant, 64–8
 structure of, 60–1, 68

- DNA library, 66
 domoic acid, 247
 dose-response curve, 168–9
 DRK1 ($Kv2.1$), 96tab., 153
 dwell time, 55
 dwell time histogram, 56, 164, 229fig.
- eag* (ether- α -go-go), 99, 255
 EC_{50} and ED_{50} , 169
 electric charge, 9, 10tab.
 electric organs of fish, 69, 91
 electrical distance, $\tilde{\delta}$, 138, 183, 201, 231–3
 electricity, 9–13
 electrochemical gradient, 23–6
 in cells, 26–7
 defined 1, 23
 electrodeffusion, 21, 23, 121–9
 elementary charge (e_0), 10, 11tab., 24
 end-plate potential, 34, 35fig.
 energy barrier, 121, 134
 energy profile, 134, 135fig., 139fig., 141fig., 143fig.
 episodic ataxia with myokymia syndrome, 255
 epitope protection assay, 76
 equilibrium potential, 24, 124–5
 exons, 63, 82, 95
 expression of channel proteins, 79–81
- Faraday constant (F), 10, 11tab.
 fatty acids, 209, 220–1
 feet, in muscle, 103
 first latency, 167
 flickering, 174
 flickery block, 226
 flip/flop segment, 88, 89fig.
 fluctuation analysis, 39–43
 fluxes, ionic, 123, 131, 136
 foot in the door model, 196
 fractal models of gating, 167–8
- G proteins, 101, 105, 204
 modulation by, 214–19
 GABA receptor channel
 anomalous mole-fraction effect in, 133, 140
 binding site model of, 140
- molecular basis of selectivity in, 159–60
 pharmacology of, 246–7
 selectivity of, 128
 structure of, 84–5
- gap junction channels
 dysfunctional mutants of, 261
 gating of, 209–10
 modulation by calcium ions, 220
 pore size, 147–8
 selectivity of, 128–9
 structure of, 110–12
- gas constant (R), 11tab., 24
 gating, 2, 7fig., 161
 kinetics of, 161–70, 194–9
 of nAChR channel, 170–8
 of voltage-gated channels, 178–99
- gating charges, 179–84
 gating currents, 179–80, 195–7
 gene, 63
 CFTR, 258–9
 duplication, 83
 dysfunctional, 251–62
 of mammalian potassium channels, 64
 of nAChR, 82
 of *Shaker* channel, 63
- gene therapy, in cystic fibrosis, 260
 genetic code, 62, 63tab.
- gigaseal, 48
 GHK (Goldman–Hodgkin–Katz) equations, 123–4
 GIRK1 channel, 101, 204, 218
 glibenclamide, 234
 glutamate receptor channels, 85–8
 calcium permeability of, 160
 molecular basis of selectivity in, 160
 pharmacology of, 247–9
 see also NMDA receptor channels
- glycine, as modulator, 219
 glycine receptor channel
 block of, 247
 dysfunctional mutants of, 260
 molecular basis of selectivity in, 159–60
 structure of, 84–5
- glycosylation site, 72
 in nAChR, 75
 in voltage-gated sodium channel, 92
- gramicidin channel
 currents through, 5, 46fig.
 molecular dynamics in, 122, 148–9
 streaming potential in, 151
 structure of, 115–16
 water movement through, 148
- grayanotoxins, 240
- H5 segment, 90
 consensus sequence in, 154
 C-type inactivation and, 191
 of inward rectifier channels, 100, 152
 of voltage-gated potassium channels, 152–4
- hair cells, 209
 halothane, 246, 261
 headstage, 50
 α -helix, 72, 73fig.
 hereditary hyperekplexia, 260
 HERG, 255–6
 heteromultimers in potassium channels, 97
- heterotrimeric G protein *see* G protein hexamers, gap junction, 110
 Hill coefficient, 170, 206
 Hill–Langmuir equation, 169
 hinged lid model, 192–3, 212, 253
 histrionicotoxin, 245
 Hodgkin–Huxley equations, 4, 38, 195
 homology, of sequences, 64, 81
 HOPP, 254
 5-HT (5-hydroxytryptamine, serotonin)
 see next entry
- 5-HT-gated channel, 85
 hydration, of ions, 20–1, 136
 hydrogen bond, 15, 17tab.
 in channel pore, 146, 148
 in proteins, 72, 74
- hydrogen ions
 block by, 137–8, 227
 local anaesthetics affected by, 242
 surface charges and, 222–3
- hydropathy index, 62tab., 74
 hydropathy profile, 74
 of nAChR, 74fig.
 of voltage-gated sodium channel, 91fig.
- hydrophobic bond, 16, 17tab.

- hydrophobicity profile *see* hydrophathy profile
 5-hydroxytryptamine *see* 5-HT
 hyperkalaemic periodic paralysis (HYPP), 251–3, 255fig.
 hypokalaemic periodic paroxysm (HOPP), 254–5, 256fig.
- I_{Cl^-} protein, 114
 ibotenic acid, 248
 image analysis, quantitative, 77, 110, 177, 210
 inactivation, 188–94
 ball and chain model, 189–91
 C-type, 191–2
 hinged-lid model of, 192–3, 212
 kinetics of, 164, 196–7
 local anaesthetics and, 242
 mutations affecting, 253, 254–5, 255fig.
 phosphorylation and, 212
 influenza virus, 118
 inositol trisphosphate receptor *see* IP₃ receptor
 inside-out patch configuration, 48
 InsP₃ *see* IP₃
 introns, 63, 82
 ion channels
 in β cells, 3
 different types of, 7–8
 discovery of, 3–6
 in muscle cells, 34, 37
 nature of, 1
 in nerve axons, 28, 37
 papers on, 263
 ion pairs, in *Shaker* channel, 187
 ion–dipole interaction, 15, 136
 ionic bond, 14, 17tab.
 ionic concentrations in cells, 26
 ionotropic receptors, defined, 84
 ions
 block by, 133–4, 248
 in crystals, 17–19
 hydration of, 20–1
 nature of, 14
 rates of movement, 23
 size of, 17–19, 21
 in solution, 19–23
- IP₃ (inositol 1,4,5-trisphosphate) receptor, 104–6, 219
 IRK1 channel, 100, 102tab., 203
 IsK protein, 113
 interdependence of ion movements, 129–34
 jump experiments, 166–7
- kainate receptors, 86, 247
 kainic acid, 247
 KAT1, 99
 K_{NTP} channels *see* potassium channels, ATP-sensitive
 K(Ca) channels *see* potassium channels, calcium-activated
 kinetics of gating, 161–8
 in cyclic-nucleotide-gated channels, 200–1
 in nAChR, 171–4
 in voltage-gated channels, 194–9
 Kir subfamily, 101, 102tab.
 Kv channel nomenclature, 96
 leucine heptad, 188
 library, recombinant DNA, 66
 lidocaine, 240
 ligand-gated channels, 7fig., 8
 kinetics of, 168–70
 lipid bilayer, artificial, 5, 43–5
 liposomes, 45, 260
 long QT syndrome, 256
 long-pore effect, 131–2
 lophotoxin, 245
- M current, 216–17
 M₂ protein, influenza virus, 118
 M2 segment
 of GABA and glycine receptors, 159
 of glutamate receptors, 88, 160, 248
 of inward rectifier potassium channels, 204fig.
 of nAChR, 77, 78, 157–9
 magnesium ions, block by, 203, 205fig.
 margainin, 118
 Markov process, 162
 maxi-K channels, 97, 98
 MDR1, 109
 mechanosensitive channels, 207–9
- mellitin, 118
 membrane, plasma, 1
 membrane-crossing segments *see* transmembrane segments
 messenger RNA (mRNA), 62
 metabotropic receptors, 84
 Michaelis constant, K_m , 130
 Michaelis–Menten relation, 130
 microelectrodes, intracellular, 33–5
 minK protein, 113–14
 MIP, 112
 mitochondrial VDAC, 115
 modes, 219, 243–4
 modulation, 161, 210–23
 molecular biological techniques, 59–68, 60tab.
 molecular dynamics, 122, 149fig.
 mouth, of channel pore, 152, 154, 189fig., 230, 231, 234, 237
 mRNA, 62
 multiple drug resistance (MDR) protein, 109
 multi-state channel, kinetics of, 164–6
 mutagenesis, site-directed, 68, 69fig.
 mutations, 68
 myasthenia gravis, 251
 myokymia, 255
 myotonia, generalized, 256–7; *see also* potassium-aggravated myotonia
 myotonia congenita, 107–8, 187, 256–7
- N terminus, 63, 75
 nAChR (nicotinic acetylcholine receptor) channel
 acetylcholine binding site, 175, 176fig.
 allosteric nature of, 173, 177
 amino acid sequence of, 70, 71fig.
 block by acetylcholine, 173–4
 blocking agents of, 245
 conformational change in, 172–3, 178
 desensitization of, 173
 evolution of, 81–4
 foetal subunit, 177
 gating of, 170–8
 ion binding site model of, 140
 kinetics of gating, 171–4

- molecular basis of selectivity, 157–9
 neuronal, 82, 158
 phosphorylation of, 214
 pore size, 147, 148fig., 151–2
 streaming potential in, 151–2
 structure of, 68–79, 175–9
 subconductance states of, 174
 subunits of, 69, 77, 81–4, 176–7,
 178fig.
 transition time of, 167
 nAChR-related receptor family, 84,
 86fig.
 neosurgatoxin, 245
 nereistoxin, 245
 Nernst equation, 24, 124
 Nernst potential, 24, 26tab., 27
 neurotransmitter-gated channels, 7,
 84–9
 pharmacology of, 244–9
 neurotransmitters, modulation by,
 214–19
 NGK2 (Kv3.1), 96tab., 153
 nicorandil, 234
 nicotine, 245
 nicotinic acetylcholine receptor *see*
 nAChR
 nifedipine, 243
 nitrendipine, 243, 244
 nitric oxide, 221–2
 NMDA receptor channels, 86
 calcium influx through, 221
 modulation by nitric oxide, 222
 potentiation by glycine, 219, 249
 N-methyl-D-aspartate (NMDA), 248
 noise, membrane, 46, 54
 noise analysis *see* fluctuation analysis
 noxiustoxin, 234, 235tab.
 nucleotides, in DNA and RNA, 60–1

 Ohm's law, 12, 29
 okadaic acid, 217
 olfactory transduction, 99
 oocytes, *Xenopus*, expression in, 79–80
 open channel block, 230, 241
 open times, distribution of, 55–7,
 163–6
 openers of potassium channels, 234
 organic cations, use in permeability
 studies, 144, 145fig., 145tab.
- outside-out patch configuration, 48
 oxytocin, 102

 P region, 90, 237; *see also* H5 segment
 and SS1–SS2 section
 P_{2X} ATP receptor channel, 89
 P/4 method for gating current, 180
 P₄₀₀ protein, 105
 PAM, 252
 papers on channels, 263
 parallel-activation models, 197–9
 paramyotonia congenita (PC), 193,
 252–3
 partition coefficient, 123
 patch clamp technique, 6fig., 46–52
 discovery of, 5
 pentameric structure
 of nAChR, 69, 77
 of related neurotransmitter-gated
 channels, 85
 peptibiols, 118
 perforated patch, 49
 periodic table, 13
 permeability
 binding site models of, 134–44
 complex theories of, 122
 defined, 121
 independent electrodiffusion model,
 122–9
 permeability coefficient, *P*, 123
 permeability sequence for different
 ions
 CFTR channel, 109
 pertussis toxin, 217
 pH *see* hydrogen ions
 pharmacology of channels, 225–49
 phenacyclidine, 248
 phenylalkylamines, 243
 phospholemman, 114
 phospholipase C, 105
 phosphorylation, modulation by,
 210–14
 phosphorylation site, 72
 in nAChR, 75
 in voltage-gated sodium channel, 92
 photosynthetic reaction centre, 72
 picrotoxin, 246
 pinacidil, 234
 plasma membrane 1, 2fig.
- point-amplitude histogram, 53, 54fig.
 polyamines, 203, 249
 polymerase chain reaction (PCR), 67
 pore, channel, dimensions of, 4
 porins, 73, 114–15, 148
 potassium channels, ATP-sensitive
 in β cell, 3
 blocking agents of, 234
 conductance of, 129
 gating of, 205–6
 kinetics of block, 228–9
 reversal potential of, 125, 126fig.
 sulphonylurea receptor and, 109
 potassium channels, calcium activated
 gating in, 201–2
 as multi-ion pore, 141
 phosphorylation of, 217
 streaming potential in, 151
 structure of, 97–8
 potassium channels, inward rectifier
 as multi-ion pores, 142
 gating in, 202–5
 nomenclature of, 102tab.
 phosphorylation of, 217
 questions about, 264–5
 structure and diversity of, 100–2
 potassium channels, sarcoplasmic
 reticulum
 selectivity of, 127
 streaming potential in, 151
 potassium channels, voltage-gated
 blocking agents of, 229–32, 234–6,
 237fig.
 dysfunctional mutants of, 255–6
 gating of, 184, 187, 195, 197–8
 H5 segment of, 152–4
 kinetics of block, 228
 long pore effect in, 131–2
 molecular basis of selectivity in,
 152–4
 as multi-ion pores, 140–2
 nomenclature of, 96tab.
 parallel-activation model of,
 197–8
 pore lining of, 152
 pore size, 146
 selectivity of, 127tab., 146
 structure and diversity of, 94–8
 β-subunits of, 192, 193fig.

- potassium-aggravated myotonia (PAM), 252–3, 254fig.
 potential difference, 10tab., 11
 primary structure, defined, 77
 probes, for DNA library, 67
 procaine, 240
 prolactin fusion protein, 76
 pronase, removal of inactivation by, 189
 protein kinase, 211
 protein kinase A, 206–7, 211–14, 216
 protein kinase C, 211, 212
 protein phosphatase, 211
 proteins, sequence determination of, 59–68
 putative, meaning of, 74
 pyrethrins, 240
- Q/R site, 88, 248
 quaternary ammonium ions, block by, 229–33
 quaternary structure of nAChR, 77–9
 quinoxalinediones, 248
 quisqualic acid, 86, 247
- R* (gas constant), 11tab., 24
 RACTK1, 102
 rate constant, 163
 in nAChR, 172
 rate theory models, 134–7, 181, 264
 recombinant DNA technology, 64–8
 reconstitution, 44
 rectification
 defined, 12
 intrinsic, 203
 red tides, 237, 240
 resistance, 12
 resting potential, 34, 203
 restriction enzymes, 64–5
 reversal potential, 29, 125
 RNA, structure of, 61
 RNA editing, 88
 rod outer segment channels, 98
 ROMK channels, 100, 102tab., 203
 ryanodine, 103
 ryanodine receptor (RyR), 103–4, 219, 261–2
- S4 segment, 90
 of cyclic-nucleotide-gated channels, 156, 201
 role in gating, 185–8, 197
 sarcoplasmic reticulum, 103, 261
 saturation of conductance, 130
 saxitoxin, 237, 238
 scorpion toxins, 92, 234, 235tab., 238tab., 240
 screening, of DNA library, 66
 sea anemone toxins, 240
 second messengers, 214–18
 secondary structure, defined, 77
 selectivity, 2, 7fig., 121
 GHK equations used to describe, 124–9
 molecular basis of, 152–60
 selectivity filter, size of, 144–8, 157
 serotonin *see* 5-HT
 seven-transmembrane segment
 receptors, 215
Shab, *Shaw* and *Shal*, 95, 96tab.
Shaker potassium channels,
 gene encoding, 95
 identification of, 67, 95
 sister genes, 95
 shellfish poisoning, 237, 240
 sialic acid, 222
 signal sequence, 75
 single channel conductance (γ), 29–31
 single channel current (i), 28–31
 single-strand conformational
 polymorphism (SSCP), 253
 SK channels, 98
 sliding helix model of S4 movement, 186, 187fig.
slo gene, 98, 201
 slope conductance, 30
 sodium channels, amiloride-sensitive, 102–3
 sodium channels, voltage-gated
 auxiliary subunits in, 93, 193
 binding site model of, 138–9
 block by hydrogen ions, 137–9
 blocking agents of, 236–42
 calcium-permeable mutants of, 155
 dysfunctional mutants of, 251–3, 254–5fig.
 gating of, 179–80, 183–9, 195, 197
 modulation of, 212–13, 239–40
 molecular basis of selectivity in, 154–6
 neurotoxin binding sites, 236, 238tab.
 phosphorylation of, 92fig., 212–13
 pore size, 144–6
 selectivity of, 126, 127tab., 144–6
 structure of, 91–93
 somatostatin, 217
 spermine, 203–4, 249
 spider toxins, 93, 244, 248
 splicing, alternative, 64
 of glutamate receptors, 87–8
 of *Shaker* potassium channels, 95
 splicing, of RNA, 64
 SS1–SS2 section, 90
 SSCP, 253
 startle disease, 260
 states, kinetic, 162
 stochastic nature of channel gating, 5, 162
 streaming potentials, 149–52
 stretch-activated channels, 207–9
 strychnine, 247
 subconductance levels, 55, 174, 203, 210
 subunits, 59
 auxiliary, 93, 192–3
 of GABA and glycine receptors, 84–5
 of glutamate receptors, 86–7
 of nAChR, 69, 77, 81–4
 role in inactivation, 192–3
 of voltage-gated channels, 90, 93, 192–3
 succinylcholine, 245, 261
 sulphonylurea drugs, 234
 sulphonylurea receptor, 109
 synthetic peptides, channel-forming, 118–19
- techniques, value of, 264
 tertiary structure, defined, 77
 tetraethylammonium (TEA), 226, 229
 tetrameric structure
 of ryanodine receptor, 103
 of voltage-gated channels, 90fig., 92, 95

- of voltage-gated potassium channels, 95
- tetrodotoxin
- block by, 237, 238
 - discovery of, 4
 - uses, 91, 225–6, 238
- Thomsen's disease *see* myotonia congenita
- toxins
- bacterial, 118
 - biological functions of, 225
- transfection, 81
- transition rate constant, 163
- transition time, 167
- transmembrane segments, 72
- channels with two, 99–103
 - of CLC channel, 107
 - of connexins, 111
 - identification of, 75
 - of nAChR, 74–7
 - of ryanodine receptor, 103
 - of voltage-gated channels, 90
- transcription, 61
- translation, 62
- triethylnonylammmonium *see* C₉
- tunnel, in potassium channel pore, 231
- two-state channel
- block in, 226–9
 - kinetics of, 162–4, 168–70, 181
- uK_{ATP}-1 channel, 101, 102tab.
- use-dependent block, 241
- van der Waals forces, 16, 17tab.
- vasopressin, 102
- VDAC (voltage-dependent anion channel), 115
- vector, 64
- verapamil, 243
- veratridine, 240
- vestibule, of channel pore, 152, 236, 237fig., 241; *see also* antechamber
- visual transduction, 99
- voltage clamp technique, 35–9
- voltage sensor, 7fig., 90–1; *see also* S4 segment
- voltage-gated channels
- gating in, 178–99
 - pore size of, 144–8
 - selectivity of, 126–7
 - structure of, 89–99
- see also under* calcium channels, potassium channels, *and* sodium channels
- wasp toxins, 248
- water
- in channel pore, 148–9, 188
 - in hydrated ions, 20, 136
 - movement in gating, 188, 197
 - structure of, 15, 16, 21, 148
- water channels, 113
- WCH-CD, 113
- whole-cell patch recording, 49
- ꝝ *see* electrical distance