

## Index

Note: Page numbers in *italics* refer to figures and tables

- abnormal uterine bleeding  
 adenomyosis 126  
 endometrial polyps 47  
 submucosal myoma 46
- abortion, spontaneous  
 pelvic pain 181  
 rates 251  
 uterine septum 144
- acoustic impedance 11–12
- acoustic shadowing 14
- acrania 286
- adenomyosis 4, 91, 123–124, 126–133  
 diagnosis 124, 126–127, 129–130  
 accuracy 130  
 disease progression 131  
 endovaginal ultrasound 130  
 infertility 131–132  
 levonorgestrel-releasing intra-uterine system 132  
 medical treatment 132  
 modality of choice 130  
 MRI 124  
 nodular 123  
 pathology 127  
 pelvic pain 126, 188–189, 189  
 prevalence 130–131  
 saline infusion sonohysterography 129  
 sonographic features 127, 128  
 streaky shadows 129  
 surgical treatment 132–133  
 transvaginal sonography 124  
 treatment 132–133  
 uterine fibroids differential diagnosis 88–89  
 uterine tenderness 130
- adnexal masses 156, 156  
 diagnostic approach 156  
 differential diagnosis 156  
 Doppler ultrasound 265  
 ectopic pregnancy 183, 261–263
- aliasing 18  
 pulse repetition frequency 19
- American Institute of Ultrasound in Medicine, Prudent Use statement 64
- amniocentesis, multiple pregnancies 294
- A-mode ultrasonography 14
- anaesthesia, hysteroscopy 57–58
- analgesia, hysteroscopy 57–58
- anencephaly 295
- anesthesia  
 fertiloscopy 35, 37–38  
 hysteroscopy 57–58  
 oocyte retrieval 222
- aneuploidy screening, multiple pregnancies 292–294
- angle of insonation 15
- antenatal testing, multiple pregnancies 296–297
- antral follicle count 67, 68, 196  
 definition 213  
 obesity 215  
 ovarian hyperstimulation syndrome 303, 306  
 ovarian reserve assessment 213–215  
 polycystic ovarian syndrome diagnosis 77–78  
 pregnancy loss prediction in IVF 215  
 sensitivity/specificity 215  
 three-dimensional ultrasound 217, 218, 218  
 transvaginal sonography 213–215
- antral follicles 7, 82  
 aspiration 198  
 ultrasound-guided 220–221  
 blood flow 115  
 diameter 70  
 flushing 222  
 growth  
 natural cycles 196  
 ovulation induction 197  
 measurement 214  
 monitoring in controlled ovarian hyperstimulation 83–85  
 ovarian stimulation 303  
 oxygen content 116–117  
 peak systolic resistance 116  
 primordial 213  
 pulsatility index 116  
 size 197, 215  
 ‘string of pearls’ appearance 7, 82  
 vascularity 116  
 volume 70
- appendicitis, acute pelvic pain 180, 180
- ascites  
 ovarian hyperstimulation syndrome 301, 306  
 transvaginal aspiration 309
- Asherman’s syndrome, uterine synechia 49–50
- assistive reproductive technology (ART)  
 congenital anomalies 283–289  
 monitoring 7  
 placenta previa incidence 107  
 pregnancy risks 283  
 three-dimensional ultrasonography of endometrium 71–72  
 transvaginal color Doppler 115–117  
*see also* intracytoplasmic sperm injection (ICSI); intrauterine insemination; in-vitro fertilization (IVF)
- attenuation 12
- autonomy  
 ethics for unborn child 65  
 principle 64  
 women 64–65
- azoospermia 171
- ejaculatory duct obstruction 173–174
- obstructive 167–168
- transrectal ultrasound therapeutic application 174
- ultrasound-guided testicular sperm aspiration 170
- backscatter, ultrasound signal 12
- basal ovarian volume (BOV) 215
- ‘beads-on-a-string’ sign 179, 203, 203
- beneficence principle 64
- biophysical profile (BPP) 296–297
- birthweight  
 discordance 295–296  
 in-vitro fertilization 293
- bladder, ultrasonography-guided embryo transfer 241, 242, 243–244
- bleeding *see* uterine bleeding
- blood clots, saline infusion sonography 43, 48
- blood flow  
 measurements 19–20  
 velocity 15
- B-mode ultrasonography 14–15
- bowel masses 156  
 diagnostic approach 156
- breech presentation 297  
 twins 297
- bubble formation 20
- CA 125, endometriosis 120
- carbon dioxide  
 hysteroscopy 54, 56, 57  
 insufflation adverse effects 54–55, 56  
 safety 56
- cardiovascular system, congenital anomalies 286
- cavitation 20
- cervical canal 24, 106  
 hysterosalpingography 24
- cervical cerclage 296  
 cervical pregnancy 281
- cervical fibroids 104, 105
- cervical funneling 106–107, 106, 296
- cervical insufficiency, multiple pregnancies 296
- cervical lavage, ultrasonography-guided embryo transfer 244–245
- cervical length 106–107  
 multiple pregnancies 296, 296
- cervical mucus, ultrasonography-guided embryo transfer 234, 234
- cervical polyps 103–104
- cervical pregnancy, twin 108, 109
- cervical stenosis, sonohysterography 44
- cervico-uterine angle 235–237, 236, 237, 238–240, 239
- cesarean section 244
- distortion 237

## Index

- cervix 2, 103–109  
 anomalies 6  
 embryo transfer 235  
 injury 276  
 morphology 103  
 müllerian anomalies 105–106, 105  
 nabothian cysts 103, 104  
 normal 104  
 pregnancy 104  
 ultrasound 106–107  
 preparation for hysteroscopy 56  
 transperineal ultrasound 103  
 transvaginal sonography 103  
 technique 103  
 ultrasonography-guided  
 embryo transfer 235–237, 238–240  
 ureterocervical angle 107  
*see also* ectopic pregnancy; cervical
- cesarean section  
 cervico-uterine angle 244  
 multiple pregnancies 297  
 scar management 274  
 scar pregnancy 184–185  
 uterus adherent to abdominal wall 243
- Chlamydia* antibody testing 208
- chorionic membrane 251
- chorionic villus sampling, multiple pregnancies 294–295
- chromosomal abnormalities 285–286
- clomiphene citrate  
 endometrial changes 101  
 ovarian response monitoring 196  
 ovulation induction 98–99
- cold light system 54
- color Doppler 15–17, 16  
 ectopic pregnancy 183, 260, 261, 262, 265  
 endometrium 265  
 heterotopic pregnancy 273  
 ovarian stromal blood flow 216–217  
 ovulation induction 113–117  
 scrotal 165  
 transvaginal 113  
 assisted conception 115–117  
 uterine artery 198  
 uterine fibroids 91–92, 92  
 varicocele 168–169
- color flow imaging 17–18, 17
- color power Doppler 16
- computed tomography (CT) 1
- conception  
 spontaneous with hydrosalpinges 210  
 timing 255
- congenital anomalies 283–289  
 chromosomal abnormalities 285–286
- infertile patients conceiving naturally 288–289
- intracytoplasmic sperm injection 283–284, 285  
 risk compared with IVF 284–285
- intrauterine insemination 287
- IVF 283–284, 284, 285  
 risk compared with ICSI 284–285
- multiple pregnancies 291
- testicular sperm aspiration 287–288
- see also* Müllerian anomalies; uterus; congenital anomalies
- consent 64–65  
 fetal medicine 65  
 refusal to give 65
- continuous wave Doppler 19
- contrast agents 1  
 agitated saline 207  
 Echovist® 207  
 hysterosalpingogram 1  
 microbubble 12
- contrast-enhanced ultrasound 12
- controlled ovarian hyperstimulation (COH)  
 endometrial stripe 85  
 ovarian response monitoring 197
- polycystic ovarian syndrome 81, 84, 85  
 endometrial stripe 85
- corpus luteum 122  
 blood flow 114
- corpus luteum cysts 177
- pelvic pain 176–177
- cremasteric plexus 163
- cryptorchidism 167
- curved arrays 13
- cystadenoma, ovarian 159
- cystic hygroma 287
- delivery, multiple pregnancies 297
- dermoid cyst 122  
 ovarian 157–159, 159  
 subfertility investigations 196
- dermoids, ovarian 157–159
- dextran syndrome 55
- dichorionicity 291, 292
- diffraction 12
- dinoprostone 56
- dopamine agonists 308
- Doppler angle 15
- Doppler effect 15
- Doppler frequency shift 15  
 information 15–19
- Doppler frequency value 18–19
- Doppler mode 15
- Doppler signal 15
- Doppler ultrasound  
 absolute flow calculation 19  
 adnexal masses 265  
 blood flow measurements 19–20
- color gain 16
- duplex 265
- ectopic pregnancy 260, 265  
 endometrium 265
- flow modes 15–20
- flow waveform analysis 19–20
- multiple pregnancies 296
- ovarian torsion 178
- uterine septum 147–149
- velocity calculation 19  
*see also* color Doppler; power Doppler; pulsed Doppler
- Doppler wave modes 19
- double decidual sac sign 180, 251–252, 252, 263–265
- duplex Doppler, endometrium in  
 ectopic pregnancy 265
- dynamic focusing 12
- dysgerminoma 157–159
- echoes  
 amplification 14  
 receiving 13–14
- Echovist® 207
- ectopic pregnancy 259–268  
 abdominal 185, 267  
 management 267
- adnexal findings 183
- adnexal masses 183
- bilateral salpingectomy 271
- cervical 108–109, 109, 183, 266–267, 276–281  
 blood loss control 280–281  
 cervical cerclage 281  
 clinical diagnosis 276  
 clinical presentation 276  
 etiology 276  
 fertility outcome 281
- Foley catheter tamponade 280–281
- gestational sac 277–278
- hysterectomy 281
- intra-amniotic  
 methotrexate injection 279
- management 278–281
- methotrexate treatment 278–279
- outcome 281
- potassium chloride injection 279
- pregnancy outcome 281
- systemic chemotherapy 278–279
- trophoblastic invasion 277
- twin 108, 109
- ultrasound diagnosis 276–278
- uterine artery embolization 279–280
- cervical twin 108, 109
- color Doppler 183, 260, 261, 262, 265  
 endometrium 265  
 diagnosis 182, 183  
 Doppler ultrasound 260, 265
- duplex Doppler 265  
 embryo 260–261, 260, 261, 262
- endometrial cavity 183
- endometrium 265
- extra-ovarian tubal ring 183
- extrauterine gestational sac 260
- free fluid 265
- human chorionic gonadotrophin 265
- hydrosalpinges 210
- incidence 259
- interstitial (cornual) 183, 264, 266  
 diagnosis 266  
 management 266  
 three-dimensional ultrasonography 72, 73
- isthmic 263
- IVF 182
- lithopedion 267
- location 183, 259
- management 265–266
- methotrexate treatment 183, 184–185, 266  
 cervical pregnancy 278–279
- mortality 259  
 abdominal pregnancy 267
- ovarian 267
- ovarian cysts 183, 185
- pelvic pain 182–185, 184
- potassium chloride injection 183, 184–185, 266  
 cervical pregnancy 279
- pseudogestational sac 263–265
- pseudosac 183
- pulsed Doppler 265
- resistance index 265
- 'ring-of-fire' pattern 183
- scar 184–185
- transvaginal ultrasound 260, 261, 262, 263
- tubal 259–263  
 clinical presentation 259  
 differential diagnosis 259  
 incidence 259  
 ultrasonography 259–263
- uterine ultrasonography 263–265
- yolk sac 262  
*see also* heterotopic pregnancy
- ejaculatory duct  
 dilated 174  
 obstruction 171, 173  
 diagnostic criteria 173–174  
 transrectal ultrasonography 172, 173
- ejaculatory duct cysts 173
- fibrosis/calcification 173
- electrical transducers 13
- electro-acupuncture, oocyte retrieval 222

- embryo 254–255  
 cardiovascular system  
 254–255  
 development 254–255  
 ectopic pregnancy 260–261,  
 260, 261, 262  
 measurement 254  
 quality with three-dimensional  
 power Doppler 69  
 retrograde migration into  
 tubes 271  
 very early 253
- embryo transfer  
 catheter insertion 226  
 clinical touch 227–228  
 heterotopic pregnancy 271  
 maximum implantation  
 potential 230  
 optimization 226  
 tubal 241  
 ultrasonography-guided 107,  
 198–199, 225–231  
 advantages 226, 227–228  
 benefits 226  
 bladder filling 241, 242,  
 243–244  
 blood presence 234  
 catheter 226–227, 229–230,  
 238  
 catheter in false passage  
 237–238, 240  
 catheter tip placement 235,  
 238, 240–243, 243, 245,  
 246, 247  
 cervical lavage 244–245  
 cervical mucus 234, 234  
 cervix 235–237, 238–240  
 clinical experience 234–245  
 embryo delivery inside  
 uterine cavity 235–237  
 endometrial cavity fluid 238  
 optimizing 237–238, 241  
 pregnancy rates 226,  
 227–228  
 procedure 238–245  
 success 237  
 three-dimensional 230  
 transabdominal 238, 240  
 transvaginal 238  
 transvaginal vs  
 transabdominal  
 228–229  
 two-dimensional 230  
 uterine contractions  
 234–235
- embryonic complex 254, 254  
 ‘empty amnion’ sign 181  
 encephalocele 287  
 endocervical polyps 104  
 endometrial ablation,  
 menorrhagia control 133  
 endometrial cancer 48–49, 49  
 endometrial thickness  
 association 82  
 spread risk with  
 sonohysterography 45
- endometrial cavity  
 curve 248  
 ectopic pregnancy 183  
 embryo transfer 238, 242, 248  
 fluid 100, 194, 234  
 embryo transfer 238, 242  
 pseudosac 183
- endometrial contour 194  
 endometrial fluid, subfertility  
 investigations 194  
 endometrial gland ducts,  
 distended ectopic 130  
 endometrial pattern 97  
 homogeneous 98  
 intermediate 98  
 IVF cycles 100  
 monitoring 197–198  
 ovulation induction 99  
 post-ovulation 98  
 triple-line 98
- endometrial polyps 2, 47, 47, 48  
 sonohysterography 101  
 subfertility investigations 194  
 three-dimensional  
 ultrasonography 70  
 transvaginal sonography 194  
 uterine fibroids differential  
 diagnosis 89
- endometrial sampling,  
 sonohysterography 44  
 endometrial stripe  
 controlled ovarian  
 hyperstimulation 85  
 thickened 2, 3  
 polycystic ovarian  
 syndrome 83  
 tamoxifen-induced 49  
 transvaginal ultrasound 2, 4  
 endometrial thickness 6–7, 97  
 endometrial cancer association  
 82  
 implantation 197–198  
 IVF cycles 99, 100  
 monitoring 197–198  
 ovulation induction 99, 100  
 polycystic ovarian syndrome  
 81–82  
 pregnancy rate 197–198  
 retained products of  
 conception 256–257  
 spontaneous cycles 97–98
- endometrial waves 97  
 endometrioma 120, 124, 178  
 dishomogeneous content 121  
 features 123  
 ovarian 121–123, 121, 157, 158  
 diagnosis 157  
 reproductive significance  
 157  
 pelvic pain 187–188, 188  
 subfertility investigations  
 195–196, 196  
 ultrasound morphology 122  
 endometriosis 119–125  
 adenomyosis 4  
 atypical locations 123
- bowel 188  
 CA 125 marker 120  
 classification 119, 120  
 clinical symptoms 119  
 cystic 119, 187–188  
 deep infiltrating nodular 119  
 diagnosis 119–124  
 external 119  
 fertioscopy finding 39  
 infertility 124  
 internal 119  
 laparoscopy 8, 120  
 minimal ovarian 36  
 ovarian reserve 124  
 ovary 121  
 pelvic pain 177, 178, 187–188  
 peritoneal 119  
 rectal endoscopic sonography  
 120  
 rectovaginal 188  
 transvaginal sonography 120,  
 188  
 atypical locations 123  
 types 119
- endometriotic cyst 120  
 differential diagnosis 123  
 endometritis, hysteroscopy  
 induced 62
- endometrium  
 abnormalities 2  
 analysis 70–71  
 changes  
 ovulation induction 98–99  
 spontaneous cycles 97–98  
 Doppler ultrasonography in  
 ectopic pregnancy 265  
 echogenic patterns 197  
 evaluation 97  
 infertile women 71  
 irregularity 101  
 IVF 101–102  
 measurement 99  
 neoangiogenesis 71  
 polycystic ovarian syndrome  
 81–82  
 subfertility investigations  
 197–198  
 tamoxifen effects 49, 49  
 pre-cancerous/cancerous 47  
 three-dimensional  
 ultrasonography  
 70–71  
 infertile women 71  
 women undergoing ART  
 71–72  
 ultrasonography 97–102  
 vascular index 70–71  
 vascularization 71–72  
 women undergoing ART  
 71–72
- endo-myometrial junction 129  
 obscured 130  
 endovaginal ultrasound,  
 adenomyosis 130  
 enhancement 14  
 epididymal cysts 167, 167
- epididymis 163  
 abnormalities 167–168  
 head 165  
 obstructive azoospermia  
 167–168
- Essure® microinsert device 210  
 estradiol, ovarian  
 hyperstimulation  
 syndrome 301,  
 306–307
- estrogens, endometrial changes  
 101–102
- ethics 64–66  
 autonomy  
 principle 64  
 unborn child 65  
 women 64–65  
 beneficence principle 64  
 clinical practice 65–66  
 fetus/fetal medicine 65  
 refusal to give consent 65  
 exstrophy epispadias complex  
 286
- facial cleft 288  
 median 286  
 ‘falling snow’ sign 167
- fallopian tubes 7–8  
 dilatation 202–203  
 disease diagnosis 202  
 distal portion 27  
 pathology 28  
 hysterosalpingo-contrast  
 sonography 204–206,  
 206, 207  
 hysterosalpingography 22–23,  
 27, 27  
 isthmic portion 27  
 occlusion 28  
 pathology 27–28  
 ligation 210  
 reversal 30  
 obstruction 29, 30, 31, 31  
 patency investigation 195  
 pelvic inflammatory disease  
 190  
 perforation 29–30  
 peritubal adhesions 30, 31  
 recanalization 28–31, 29,  
 30, 31  
 salpingography 26–27  
 subfertility investigations  
 194–195  
 tubal patency 7–8  
 wall structure 203  
 wall thickness 203  
 see also ectopic pregnancy,  
 tubal; tubo-ovarian  
 abscess
- fertility  
 cervical pregnancy outcome  
 281  
 uterine fibroids 93  
 see also infertility, female;  
 infertility, male; subfertility  
 investigations

## Index

- fertiloscopy 34–40  
 advantages 34  
 anesthesia 35, 37–38  
 case studies 38–39  
 complications 38  
 diagnostic 39–40, 39  
 imaging 36  
 justification 37  
 laparoscopy comparison 37  
 operative 36–37, 39–40  
 principle 35  
 probes 36–37  
 procedure 35–36  
 results 38  
 sedation 35  
 strategy 37–38, 38  
 technique 34–36, 35  
 ultrasound-guided entry 36
- fetus/fetal medicine  
 consent 65  
 ethics 65  
 safety of ultrasound 20
- fibroids *see* cervical fibroids;  
 myoma, submucous;  
 uterine fibroids
- fimbrial cysts 160–161  
 flaring 14  
 flow wave form 20  
 fluoroscopy 1  
 focus 12  
 Foley catheter tamponade,  
 cervical pregnancy  
 280–281
- follicles *see* antral follicles
- follicle-stimulating hormone  
 (FSH) receptor mutations  
 300–301
- follicular vascularity index 116  
 folliculogenesis 213  
 frame freeze 14  
 frame rate 14  
 frequency shift 15  
 fumarate hydratase gene  
 mutations 3
- gastrointestinal tract  
 congenital anomalies 286  
 pelvic pain 180
- germ cell tumors, ovarian  
 157–159
- gestational age  
 estimation 255  
 multiple pregnancies 293
- gestational sac 7, 251–253, 252  
 abnormal 253  
 intrauterine 252  
 cervical pregnancy 277–278  
 embryonic complex 254  
 empty 255  
 extrauterine 183, 260  
 gestational age estimation 255  
 growth 252–253  
 intrauterine 182–183  
 small 253  
 volume with three-dimensional  
 ultrasonography 73
- gonadotrophin stimulation,  
 ovarian response  
 196–197
- gonadotrophin-releasing  
 hormone (GnRH)  
 analogs 94
- hematocolpos 8
- hemoperitoneum 182, 182
- hereditary leiomyomatosis and  
 renal cell cancer  
 (HLRCC) 3
- heterotopic pregnancy 266,  
 267–268, 271–274  
 beta hCG assay 272  
 clinical presentation 271–272,  
 272  
 color Doppler 273  
 diagnosis 271–273, 272  
 etiology 271  
 expectant management 273  
 incidence 271  
 laparoscopy 273–274  
 laparotomy 274  
 management 273–274  
 pelvic pain 273  
 surgical management 273–274  
 transvaginal ultrasound  
 272–273  
 ultrasound-guided  
 management 273
- holoprosencephaly 288
- human chorionic gonadotrophin  
 (hCG)  
 beta unit 272, 294  
 discriminatory zone 265  
 early pregnancy 252  
 ectopic pregnancy 265  
 endometrial thickness 101  
 ovarian hyperstimulation  
 syndrome 306–307
- hydrocele 166–167, 167
- hydropelviscopy 35
- hydrosalpinges 8, 28, 30,  
 159–160, 160  
 diagnostic criteria 203  
 diagnostic methods  
 206–208  
 ultrasound-based 208  
 hysterosalpingo-contrast  
 sonography 204–207,  
 206, 207  
 in IVF 202–211  
 management 208–210, 209  
 pelvic inflammatory disease  
 179, 190  
 pregnancy follow-up 210  
 pseudo-septation 206  
 spontaneous conception 210  
 three-dimensional rendered  
 image 160  
 three-dimensional  
 ultrasound 205  
 transvaginal aspiration 210  
 transvaginal ultrasound  
 194–195, 195
- three-dimensional 203–204,  
 204, 205  
 two-dimensional 202–203
- tubal ligation 210
- ultrasound-based diagnosis  
 208
- hymen, imperforate 8
- hyperthecosis 79
- hypochoic images 14
- hypogastric artery 2
- hypospadias, testicular sperm  
 aspiration 287–288
- Hyskon® 55, 62
- hysterectomy, cervical  
 pregnancy 281
- hysterosalpingo-contrast  
 sonography (HyCoSy) 51  
 fallopian tubes 204–206, 206,  
 207  
 hydrosalpinges 204–207, 206,  
 207  
 tubal patency 195  
 uterine fibroids 91
- hysterosalpingography 1, 2,  
 22–31  
 cervical canal 24  
 contrast media 23–24  
 fallopian tubes 27, 27  
 distal portion 28  
 isthmic portion pathology  
 27–28  
 infertility patients 3  
 irregular uterine bleeding 26  
 müllerian anomalies 134–135  
 pregnancy rate 23  
 procedure 23  
 radiopaque solutions 23  
 delivery devices 23  
 tubal patency assessment 7–8  
 uterine adhesions 25–26  
 uterine anomalies 24–25  
 uterine cavity 24–26  
 uterine septum 25, 135,  
 144–145  
 uterine synechia 3, 25–26
- hysteroscope, flexible 59
- hysteroscopic resection,  
 submucosal myoma 46
- hysteroscopy 2, 36  
 anesthesia/analgesia 57–58, 59  
 applications 61–62  
 cervix preparation 56  
 cold light system 54  
 complications 62  
 contraindications 62  
 diagnostic 54–62  
 distension media 55–56, 57, 62  
 documentation 60  
 endometritis induction 62  
 flexible 58–59, 59, 60  
 history 54–55  
 infertility patients 61  
 instrument alignment 60  
 instrument care 61  
 light source 59  
 pain 57
- patient preparation 59  
 procedure 59–61  
 profiles 60  
 recurrent IVF failure 61–62  
 rigid 58–59, 59, 60  
 technique 60  
 uterine rupture risk in  
 pregnancy 152  
 uterine septum 149, 151  
 vaginoscopic 58
- image formation 13–14
- imaging technology 1–2
- implantation  
 endometrial thickness  
 197–198  
 uterine fibroids 93
- ‘incomplete septa’ sign 179
- infections  
 oocyte retrieval 222–223  
 pelvic pain 189–190  
*see also* pelvic inflammatory  
 disease
- infertility, female 2  
 adenomyosis 131–132  
 congenital anomalies in  
 patients conceiving  
 naturally 288–289  
 endometrial polyp association  
 47  
 endometriosis 124  
 endometrium 71  
 fallopian tube recanalization  
 28–31  
 hysterosalpingography 3  
 hysteroscopy 61  
 müllerian anomaly association  
 134  
 pituitary imaging 8  
 saline infusion sonography 3  
 submucous myoma 46  
 three-dimensional  
 ultrasonography 67–73  
 unexplained 34  
 uterine septum 139
- infertility, male  
 clinical examination 171  
 evaluation 171  
 MRI 173  
 prevalence 171  
 scrotal ultrasonography  
 163–170  
 testicular abnormalities  
 165–167  
 transrectal ultrasonography  
 171–175  
 varicocele 168–169, 169
- informed choice 64–65
- interstitial line sign 266
- intracytoplasmic sperm injection  
 (ICSI), congenital  
 anomalies 283–284, 285  
 risk compared with IVF  
 284–285
- intradecidual sign 180, 180
- intratesticular cysts 165, 166

- intrauterine adhesions *see* uterine adhesions
- intrauterine growth restriction (IUGR), multiple pregnancies 295–296
- intrauterine insemination 34, 37  
 congenital anomalies 287
- in-vitro fertilization (IVF) 34, 37, 193–199  
 antral follicle count in pregnancy loss prediction 215
- birthweight 293
- complications 199
- congenital anomalies 283–284, 284, 285  
 risk compared with ICSI 284–285
- critical ultrasound values 100
- ectopic pregnancy incidence 182
- endometrial pattern 100
- endometrial thickness 99, 100
- endometrium clinical management 101–102
- follicle blood flow 115
- heterotopic pregnancy 271
- hydrosalpinges 202–211
- hysteroscopy in recurrent failure 61–62
- multiple pregnancies 291–297
- observed/expected deaths 293
- transabdominal ultrasound 193
- transvaginal color Doppler 115–117
- transvaginal sonography 193
- ultrasound-guided embryo transfer 198–199
- uterine fibroids 93–94  
*see also* oocyte retrieval
- isthmic obstruction 27–28
- kyphoscoliosis 287
- labor, multiple pregnancies 297
- ‘lambda’ sign 291, 292
- Laminaria 56
- laparoscopy 34  
 complications 34
- endometriosis 8, 120
- fertiloscopy comparison 37
- heterotopic pregnancy 273–274
- hydrosalpinges diagnosis 208
- laparotomy, heterotopic pregnancy 274
- leiomyomas  
 broad ligament 160–161
- pedunculated subserosal 160–161, 161  
*see also* myoma, submucous; uterine fibroids
- leiomyomatosis  
 diffuse 89
- disseminated peritoneal 90
- leiomyosarcoma, uterine fibroids differential diagnosis 90
- levonorgestrel-releasing intra-uterine system (LNg-IUS) 132
- lidocaine, oocyte retrieval 222
- linear arrays 13
- linear transducers 13
- lithopedion 267
- local anaesthesia, hysteroscopy 57–58
- lower genital tract 8
- low-viscosity electrolyte-free solutions 55–56
- luteinized unruptured follicle (LUF), luteinization signs 122
- magnetic resonance imaging (MRI) 1  
 adenomyosis 4, 124, 130
- male infertility diagnosis 173
- müllerian anomalies 4, 139
- uterine anomalies 4–6
- uterine fibroids 3, 92
- uterine septum 6, 149
- magnetic resonance imaging-guided focused ultrasound surgery (MRgFUS) 3–4
- adenomyosis 4
- malignancy, endometrial polyp association 47
- maximum implantation potential (MIP) 230
- mean ovarian diameter/size 216, 216
- mean sac diameter (MSD) 7, 252–253, 255
- mechanical transducers 13
- mediastinum testis 165
- Meigs syndrome 159
- menorrhagia  
 control with endometrial ablation 133  
*see also* abnormal uterine bleeding
- menstrual cycle, sonohysterography timing 42
- methotrexate  
 contraindication  
 abdominal pregnancy 267
- heterotopic pregnancy 273
- ectopic pregnancy treatment 183, 184–185, 266
- cervical 278–279
- intra-amniotic injection 279
- pelvic pain after treatment 185
- microsalpingoscopy 36, 36, 39–40  
 abnormal 36
- microstreaming 20
- mirror image artefact, ovaries 155
- miscarriage  
 hydrosalpinges 210
- inevitable 256
- Müllerian anomalies 138
- preclinical 100–101
- risk assessment with three-dimensional ultrasonography 73
- uterine fibroids 93
- uterine septum 139, 151–152
- misoprostol 56
- M-mode ultrasonography 15
- modes of ultrasonography 14–15
- molar pregnancy 181, 181
- monochorionic fetal reduction 295
- monochorionicity 291, 292, 293
- monochorionic/monoamniotic cord knot 292
- müllerian agenesis 6
- müllerian anomalies 4, 8, 134–135  
 cervix 105, 105–106
- classification 142, 142
- diagnosis 134–139
- hysterosalpingography 134–135
- incidence 134
- infertility association 134
- miscarriage 138
- MRI 4, 139
- polycystic ovarian syndrome association 134
- saline infusion sonohysterography 138–139
- three-dimensional ultrasonography 135–138
- transvaginal sonography 135
- two-dimensional ultrasound 135
- müllerian development, bidirectional theory 141
- müllerian ducts 8, 141
- unified 135
- müllerian system embryology 135
- multifollicular ovary 77
- polycystic ovary differential diagnosis 77–78
- multiple pregnancies 291–297
- amniocentesis 294
- aneuploid screening 292–294
- antenatal testing 296–297
- birthweight discordance 295–296
- cervical cerclage 296
- cervical length 296  
 evaluation 296
- chorionic villus sampling 294–295
- complications 291–292
- congenital anomalies 291
- diagnosis 291
- dichorionicity 291, 292
- Doppler velocimetry 296
- gestational age 293
- growth evaluation 295–296
- intrapartum assessment 297
- intrauterine growth restriction 295–296
- invasive procedures 294–295
- maternal morbidity 291
- monochorionicity 291, 292, 293
- multifetal reduction 295
- observed/expected deaths 293
- perinatal mortality 291, 293
- preterm birth risk 296
- selective termination 295
- stillbirths 293
- surveillance 295–297
- myolysis, uterine fibroids 94
- myoma, submucous 46, 46, 47, 48
- myomectomy, uterine fibroids 94
- myometrial cysts 128, 129  
 blood-filled 132  
 collapsed 129
- myometrial heterogeneity 128
- myometrial thickening 128
- nabothian cysts (follicles) 103, 104, 237, 239
- ‘necklace’ sign 302
- needles, oocyte aspiration 221–222
- NIH criteria for polycystic ovarian syndrome 75, 76
- nitrous oxide 56
- non-stress test (NST) 296–297
- non-thermal effects of ultrasound 20
- nuchal translucency 294  
 screening 293–294
- thickness 285–286
- nulliparity, ovarian cancer association 159
- obesity, antral follicle count 215
- obstructive azoospermia 167–168
- oocyte quality, three-dimensional power Doppler 69
- oocyte retrieval 193, 198, 220–223  
 anesthesia 222
- aspiration pressure 222
- complications 222–223
- infections 222–223
- monitoring 198
- needles 221–222  
 connections 222
- oocyte negative effects 223
- ovaries after 198
- postoperative hemorrhage 222
- puncturing technique 221
- transvaginal ultrasound 220–223, 221, 240
- ultrasound-guided 220–221
- vaginal transducer 221

## Index

- organ volume 67  
 ovarian 68, 69
- ovarian area 78  
 polycystic ovarian syndrome 78
- ovarian artery 113, 114  
 peak systolic resistance 115–116  
 pulsatility index 79, 115–116  
 resistance index 113–114, 115
- ovarian blood flow  
 ovarian hyperstimulation syndrome 305  
 resistance index 303–306
- ovarian cancer, nulliparity association 159
- ovarian cystadenoma 159
- ovarian cysts 7, 157, 159  
 diagnosis 157  
 ectopic pregnancy 183, 185  
 follicular 156, 195  
 functional 156–157, 195  
 hemorrhagic 158  
 luteal 156, 195  
 ovarian hyperstimulation syndrome 300  
 para-ovarian 161  
 pelvic pain 176–177  
 reproductive significance 157  
 subfertility investigations 195  
 theca-lutein 157
- ovarian dermoid cyst 157–159, 159
- ovarian drilling 37
- ovarian endometrioma 121–123, 121, 157, 158  
 diagnosis 157  
 reproductive significance 157
- ovarian endometriosis 121
- ovarian fibroma 159
- ovarian germ cell tumors 157–159
- ovarian granulosa cell tumor 159
- ovarian hyperstimulation syndrome (OHSS) 199, 299–310  
 anticoagulation 308  
 antral follicle number/size during ovarian stimulation 303, 306  
 ascites 301, 306  
 ascitic fluid aspiration 309  
 classification 299–300, 302, 303  
 clinical characteristics 299  
 estradiol 301, 306–307  
 etiology 299, 302  
 hospitalization indications 309  
 human chorionic gonadotrophin 306–307  
 management 308–309, 309  
 ‘necklace’ sign 302  
 ovarian blood flow 305  
 resistance index 303–306  
 ovarian volume 302–303  
 ovulation induction 196–197  
 pathophysiology 300, 304
- pelvic pain 177–178, 178  
 pleural effusion 302
- polycystic ovarian syndrome 79, 81  
 prediction 300–303, 304, 306  
 prevention 306–307, 306, 307, 308  
 transvaginal aspiration 309  
 twin association 306
- vascular endothelial growth factor expression 307  
 vascular endothelial growth factor receptors 304, 307
- ovarian mass, uterine fibroids differential diagnosis 89–90
- ovarian reserve  
 assessment 196, 213–218  
 three-dimensional ultrasonography 67–68  
 endometriosis 124  
 markers 213–218  
 mean ovarian diameter/size 216  
 normal 214  
 poor 214  
*see also* antral follicle count; ovarian volume
- ovarian response to gonadotrophin stimulation 196–197
- ovarian sex chord tumors 159  
 ovarian stimulation 6–7, 198  
 estradiol levels 271  
 heterotopic pregnancy 271
- ovarian stroma 7, 79  
 blood flow 216–218, 217  
 polycystic ovarian syndrome 305  
 echogenicity 78–79  
 flow 68–69, 82–83  
 peak systolic velocity 218  
 thickening, polycystic ovarian syndrome 82  
 vascularity 79  
 vascularization flow index 82–83  
 vascularization index 82–83
- ovarian stromal area, polycystic ovarian syndrome 78
- ovarian torsion  
 Doppler ultrasound 178  
 pelvic pain 178, 178
- ovarian vascular flow 68–69  
 polycystic ovarian syndrome 82–83
- ovarian vein, retrograde flow 190
- ovarian volume 68, 69, 216  
 decline with age 216  
 ovarian hyperstimulation syndrome 302–303  
 ovarian reserve marker 215–216  
 total in polycystic ovarian syndrome 78
- ovaries 7  
 adnexal masses 156, 156  
 diagnostic approach 156  
 differential diagnosis 156  
 after oocyte retrieval 198  
 blood perfusion during hormonal stimulation 116  
 bowel masses 156  
 diagnostic approach 156  
 dimensions 216  
 ectopic pregnancy 267  
 imaging artefacts 155  
 mean diameter/size 216  
 mirror image artefact 155  
 multifollicular 77–78, 77  
 ovulation changes 155  
 pathology  
 differential diagnosis 155–156  
 incidental 155–162  
 peripheral echogenic foci 155–156  
 physiologic artefacts 155–156  
 refraction artefact 155  
 reverberation artefact 155  
 salpingectomy effects on function 210  
 stromal blood flow 114  
 subfertility investigation 195–197  
 three-dimensional ultrasonography 161  
 vascular supply 113  
*see also* hydrosalpinges
- ovulation  
 ovarian appearance 155  
 timing 255
- ovulation induction  
 clomiphene citrate 98–99  
 color Doppler 113–117  
 critical ultrasound values 99  
 endometrial pattern 99  
 endometrial thickness 99, 100  
 endometrial waves 97  
 endometrium changes 98–99  
 monitoring 196–197
- ovulatory cycle, blood flow 113–115
- pain  
 endometriosis 119  
 uterine fibroids 93
- para-ovarian cyst 161
- pelvic adhesions, fertiloscopy finding 39
- pelvic congestion syndrome 190
- pelvic inflammatory disease  
 antibiotic use with hysterosalpingography 28  
 fallopian tubes 190  
 hydrosalpinges 179, 190  
 pelvic pain 179, 179, 189–190  
 sonohysterography  
 contraindication 42
- pelvic masses, uterine fibroids differential diagnosis 90
- pelvic pain  
 acute 176–185  
 causes 177  
 evaluation 176  
 adenomyosis 126, 188–189, 189  
 after methotrexate treatment 185  
 appendicitis 180, 180  
 chronic 187–190  
 definition 187  
 management 187  
 corpus luteum cysts 176–177, 177  
 ectopic pregnancy 182–185, 184  
 endometrioma 188  
 endometriosis 177, 178, 187–188  
 gastrointestinal causes 180  
 hemoperitoneum 182, 182  
 heterotopic pregnancy 273  
 infection 189–190  
 molar pregnancy 181, 181  
 ovarian cysts 176–177  
 ovarian hyperstimulation syndrome 177–178, 178  
 ovarian torsion 178, 178  
 pelvic congestion syndrome 190  
 pelvic inflammatory disease 179, 179, 189–190  
 pregnancy 176–177, 179, 180–185  
 normal 180  
 renal stones 180  
 spontaneous abortion 181  
 subchorionic hemorrhage/hematoma 181, 181  
 transvaginal sonography 187  
 tubo-ovarian abscess 179, 189, 190  
 urinary tract causes 180  
 uterine congenital anomalies 179–180  
 uterine fibroids 179, 179
- pelvic sonography, tubal disease diagnosis 202
- pelvic veins, distended 202
- periapillary adhesions 30
- perinatal mortality, multiple pregnancies 291, 293
- peritoneal cysts 161
- peritoneum 8
- physics of ultrasound 11
- piezoelectricity 13
- pituitary 8
- pituitary adenoma 8
- placenta previa 107  
 transvaginal sonography 107
- placental abruption, uterine fibroids 93
- pneumoperitoneum 22
- polycystic ovarian syndrome (PCOS) 7  
 antral follicles 76  
 count 77–78

- controlled ovarian hyperstimulation 81, 84, 85  
 endometrial stripe 85  
 follicular monitoring with transvaginal sonography 83–85  
 diagnosis 75–80  
 diagnostic criteria 75–76, 76, 77–80, 81  
 endometrium ultrasound evaluation 81–82  
 hyperthecosis 79  
 müllerian anomaly association 134  
 NIH criteria 75, 76  
 ovarian area 78  
 ovarian hyperstimulation syndrome 79, 81  
 ovarian stromal blood flow 305  
 ovarian vascular flow 82–83  
 Rotterdam criteria 75, 76, 77, 81  
 stromal area 78  
 stromal echogenicity 78–79  
 stromal thickening 82  
 stromal vascularity 79  
 subfertility investigation 195  
 technical recommendations for ultrasound assessment 76  
 thickened endometrial stripe 83  
 three-dimensional ultrasonography 82–83, 83  
 total ovarian volume 78  
 ultrasound 81–85  
 assessment 76, 76  
 techniques 76–77  
 timing 77  
 polycystic ovaries 305  
 follicles 195  
 laparoscopic image 82  
 ovarian hyperstimulation 85  
 pelvic inflammatory disease 179  
 three-dimensional ultrasonography 83  
 ultrasound criteria 195  
 positron emission tomography (PET) 2  
 post-partum hemorrhage, uterine fibroids 93  
 potassium chloride injection cervical pregnancy 279  
 ectopic pregnancy treatment 183, 184–185, 266  
 heterotopic pregnancy 273, 274  
 intra-amniotic 279  
 pouch of Douglas, fluid 155, 199  
 power Doppler 17  
 three-dimensional ultrasonography combination 67, 68–69  
 embryo quality 69  
 endometrium analysis 70–71  
 oocyte quality 69  
 uterine fibroids 91–92  
 pregnancy  
 antral follicle count in loss prediction in IVF 215  
 biochemical 100–101  
 cervical ultrasound 106–107  
 timing 107  
 cervico-isthmic 276  
 cervix 104  
 discriminatory values 257  
 early complications with IVF 199  
 three-dimensional ultrasonography 73  
 endometrial vascularization 71–72  
 first trimester failure 251–258  
 sonography 251–257  
 transvaginal ultrasound 251  
 hydrosalpinges follow-up 210  
 intrauterine 7  
 three-dimensional ultrasonography 72  
 molar 181, 181  
 multiple 199  
 ovulation induction 196–197  
 pelvic pain 176–177, 179, 180–185  
 normal pregnancy 180  
 rate  
 after salpingectomy 209, 209  
 endometrial thickness 197–198  
 hysterosalpingography 23  
 ultrasonography-guided embryo transfer 226, 227–228  
 retained products of conception 256–257, 257  
 risk with assistive reproductive technology 283  
 scar 184–185  
 subchorionic hemorrhage 181, 181, 255–256, 255, 256  
 uterine fibroids complications 93  
 pelvic pain 179  
 uterine rupture risk after hysteroscopy 152  
*see also* ectopic pregnancy; embryo; embryonic complex; gestational sac; heterotopic pregnancy; multiple pregnancies; twins/twinning; yolk sac  
 pregnancy-associated plasma protein A (PAPP-A) 294  
 preterm birth, risk with multiple pregnancies 296  
 probes 13  
 prostaglandin E1 analogues 56  
 prostaglandin E2 analogues 56  
 prostate, transrectal ultrasound 174  
 prostatic cysts 173  
 prostatic utricle, transrectal ultrasonography 172  
 Prudent Use statement, American Institute of Ultrasound in Medicine 64  
 psammoma bodies 159  
 pseudogestational sac, ectopic pregnancy 263–265  
 pulsatility index (PI) 19–20  
 pulse repetition frequency 18–19  
 aliasing 19  
 pulsed Doppler 17–18, 19  
 ectopic pregnancy 265  
 ovarian stromal blood flow 216–217  
 pyosalpinx 159–160  
 quadruplets 292, 296  
 real time imaging 14  
 rectal endoscopic sonography (RES), endometriosis 120  
 reflection, ultrasound 11–12, 13  
 refraction 12, 13  
 refraction artefact, ovaries 155  
 renal stones, pelvic pain 180  
 resistance index (RI) 19–20  
 ectopic pregnancy 265  
 ovarian blood flow 303–306  
*see also* ovarian artery, resistance index; uterine artery; resistance index  
 retained products of conception 256–257, 257  
 rete testis dilatation 166  
 reverberation artefact, ovaries 155  
 ‘ring-of-fire’ pattern 183  
 rod-lens system 54  
 Rotterdam criteria for polycystic ovarian syndrome 75, 76, 77, 81  
 safety issues 20  
 saline, agitated 207  
 saline infusion sonohysterography (SIS) 2, 42–51, 56, 57  
 adenomyosis 129  
 blood clot 43  
 catheter placement 43  
 cervical stenosis 44  
 complications 44–45  
 contraindications 42  
 diagnostic accuracy 45  
 endometrial cancer spread risk 45  
 endometrial sampling 44  
 failure 45  
 indications 42  
 infertility patients 3  
 instruments 44  
 lower uterine segment 45  
 evaluation 44  
 müllerian anomalies 138–139  
 normal uterus 43  
 operative 51  
 patient discomfort 44  
 performance optimization 44  
 procedure 42–44  
 saline infusion 43–44  
 specific conditions 45–50  
 speculum 44  
 submucosal myoma 45–46  
 suboptimal visualization 44  
 technique 42–44  
 three-dimensional 51, 52  
 müllerian anomalies 139  
 timing 42  
 transvaginal sonography 42  
 uterine distension 44  
 uterine fibroids 3, 90, 92  
 uterine septum 6, 50, 138, 138, 139, 146  
 salpingectomy  
 bilateral and ectopic pregnancy 271  
 hydrosalpinges management 209–210, 209  
 salpingitis isthmica nodosa 8, 27, 27  
 salpingography 26–27  
 salpingoscopy 35  
 technique 35  
 scattering 12  
 scrotum  
 contents 163, 164  
 ultrasonography 163–170  
 technique 164–165  
 testicular abnormalities 164  
 sedation  
 conscious for hysteroscopy 57  
 fertiloscopy 35  
 selective termination 295  
 seminal vesicles  
 cysts 173  
 transrectal ultrasonography 172  
 transrectal ultrasonography-guided aspiration 174  
 seminiferous tubules, ectasia 166  
 sex chord tumors, ovarian 159  
 skeletal anomalies 286  
 dysplasia with micromelia 288  
 sliding organ sign 126, 194–195, 277  
 sonar 11  
 sonohysterography (SIS) *see* saline infusion sonohysterography (SIS)  
 sonosalpingography 51  
 sonovaginography 51  
 sound  
 frequency 11  
 principles 11  
 wavelength 11

## Index

- sound waves 11, 12  
 absorption 12  
 attenuation 12  
 diffraction 12  
 production 13  
 ranges 12  
 reflection 13  
 refraction 12, 13  
 transducer vibration 13  
 spectral Doppler 17, 17, 18  
 spermatic veins, varicocele 168–169  
 spermatocele 167, 168  
 stillbirth, multiple pregnancies 293  
 stroma *see* ovarian stroma  
 stromal area to ovarian area (S/A) ratio 78  
 subchorionic hemorrhage/hematoma 181, 181, 255–256, 255, 256  
 subfertility investigations 193  
 endometrium 197–198  
 fallopian tubes 194–195  
 ovaries 195–197  
 uterine 193–194  
 SureView™ catheter 226, 227, 229–230, 229  
 systolic/diastolic (S/D) ratio 19–20  
 ‘T’ sign 291, 293  
 tamoxifen, endometrial changes 49, 49, 101  
 pre-cancerous/cancerous 47  
 testes 163, 164, 164  
 abnormalities 164, 165–167  
 cryptorchidism 167  
 echogenicity 164  
 hydrocele 166–167, 167  
 hypoechoic 165  
 intratesticular cysts 165, 166  
 microlithiasis 166, 166  
 size 165  
 texture 165  
 testicular sperm aspiration (TESA)  
 congenital anomalies 287–288  
 ultrasound-guided 170  
 testicular vein  
 Doppler ultrasound 169  
 pulsed Doppler 169  
 thermal heating 20  
 three-dimensional  
 ultrasonography (3D US)  
 1–2  
 antral follicle count 217, 218, 218  
 coronal section 67  
 early pregnancy 73  
 embryo transfer 230  
 endometrial polyps 70  
 endometrium  
 analysis 70–71  
 infertile women 71  
 vascularization 71–72  
 women undergoing ART 71–72  
 hydrosalpinges 203–204  
 infertility 67–73  
 leiomyomas 70  
 limitations 147  
 müllerian anomalies 135–138  
 multi-planar 147  
 ovarian reserve estimation 67–68  
 ovarian stromal flow 68–69  
 ovarian volume 78  
 ovaries 161  
 polycystic ovarian syndrome 77, 82–83  
 polycystic ovary 83  
 power Doppler combination 67, 68–69  
 embryo quality 69  
 endometrium analysis 70–71  
 oocyte quality 69  
 transvaginal for  
 hydrosalpinges 203–204, 204, 205  
 uterine fibroids 3, 90  
 uterine leiomyoma 3  
 uterine pathology 69–72  
 uterine septum 145, 146–147  
 sensitivity/specificity 147  
 time gain compensation 14  
 controls 14  
 tomographic US imaging (TUS) 67, 68  
 topical anaesthesia, hysteroscopy 58  
 transabdominal ultrasound  
 adnexal masses 156  
 embryo transfer 107, 228–229, 238, 240  
 in-vitro fertilization 193  
 polycystic ovarian syndrome 76–77  
 uterine fibroids 88  
 uterus 2  
 vasa previa 108  
 transcervical anaesthesia 58  
 transcervical carbon dioxide insufflation 22  
 transducers 13, 14  
 vibration 13  
 transperineal ultrasound, cervix 103  
 transrectal ultrasonography  
 anatomy 172  
 azoospermia treatment 174  
 candidates for 171–172  
 diagnostic 172–174  
 ejaculatory duct obstruction 173  
 embryological considerations 172  
 male infertility 171–175  
 pathologic findings 173  
 procedure 172  
 prostate 174  
 rectovaginal endometriosis 188  
 therapeutic applications 174  
 transurethral resection or unroofing of the ejaculatory ducts (TURED) 174  
 transuterine insufflation  
 transvaginal aspiration  
 hydrosalpinges 210  
 ovarian hyperstimulation syndrome 309  
 transvaginal ultrasound 2  
 adenomyosis 124, 130  
 adnexal masses 156  
 antral follicle count 196, 213–215  
 cervical pregnancy 266–267  
 cervix 103  
 technique 103  
 controlled ovarian hyperstimulation monitoring 197  
 ectopic pregnancy 260, 261, 262, 263  
 embryo transfer 228–229, 238  
 endometrial polyps 194  
 endometrial stripe 2, 4  
 endometriosis 120, 188  
 atypical locations 123  
 first trimester of pregnancy 251  
 heterotopic pregnancy 272–273  
 hydrosalpinges 194–195, 195, 202–204, 204, 205  
 in-vitro fertilization 193  
 müllerian anomalies 135  
 oocyte retrieval 198, 220–223, 221, 240  
 ovarian follicles 7  
 ovarian stromal blood flow 216–217  
 pelvic pain 187  
 placenta previa 107  
 polycystic ovarian syndrome 77  
 follicular monitoring during COH 83–85  
 rectal water-contrast 188  
 sonohysterography 42  
 subfertile woman 193  
 three-dimensional for  
 hydrosalpinges 203–204, 204, 205  
 tubal disease 202–203  
 two-dimensional 202–203  
 uterine fibroids 3, 88  
 uterine polyps 2  
 uterine septum 5  
 uterus 2  
 vasa previa 108  
 triplex scanning 17–18  
 tubo-ovarian abscess 179, 189, 190  
 tunica albuginea cysts 166  
 tunica vaginalis 164  
 ‘twin peak’ sign 291  
 twins/twinning  
 breech presentation 297, 297  
 cervical cerclage 296  
 cervical pregnancy 108, 109  
 classification 291  
 conjoined 292  
 dizygotic 291  
 incidence 291  
 monozygotic 291  
 ovarian hyperstimulation syndrome association 306  
 two-dimensional ultrasound  
 embryo transfer 230  
 müllerian anomalies 135  
 transvaginal 202–203  
 uterine septum 146  
 ultrasonography technology 1–2  
 ureterocervical angle 107  
 ureters, transrectal  
 ultrasonography 172  
 urinary tract, pelvic pain 180  
 urogenital sinus 8  
 uterine adhesions (synechia) 2, 3, 25–26, 26, 49–50, 50, 51  
 hysterosalpingography 3, 25–26  
 uterine artery 114  
 blood flow monitoring 198  
 color Doppler 198  
 peak systolic resistance 115–116  
 pulsatility index 115–116, 198  
 resistance index 113–114, 115, 198  
 utero-ovarian branch 113  
 uterine artery embolization 3–4  
 cervical pregnancy 279–280  
 uterine fibroids 94  
 uterine bleeding  
 irregular 26  
*see also* abnormal uterine bleeding  
 uterine cavity 24  
 distension 54  
 embryo delivery 235–237  
 hysterosalpingography 22–23, 24–26  
 lesions 2  
 tumors 26  
 uterine contour 194  
 uterine contractions,  
 ultrasonography-guided  
 embryo transfer 234–235  
 uterine fibroids 3, 4, 46, 87–95, 127  
 classification 87–88, 87, 88  
 color Doppler 91–92, 92  
 complications 92–93  
 diagnosis 88  
 differential diagnosis 88–90  
 etiology 87–88  
 fertility 93



- hysterosalpingo-contrast sonography 91  
 implantation 93  
 intramural 3, 88, 89, 93  
 IVF outcome 93–94  
 location 87, 88  
 management 3–4  
 miscarriage 93  
 MRI 3, 92  
 myomectomy 94  
 pain 93  
 pedunculated 89, 92  
 pelvic pain 179, 179  
 placental abruption 93  
 post-partum hemorrhage 93  
 power Doppler 91–92  
 pregnancy 93  
 prognosis 92–93  
 radiological treatment 94  
 saline infusion  
   sonohysterography 90, 92  
 sonographic features 127–128  
 subfertility investigations 194  
 submucosal 2, 3, 90, 91, 92  
   embryo transfer 239  
 surgical treatment 94  
 thermoablation 3–4  
 three-dimensional  
   ultrasonography 70, 90  
 treatment 94  
 ultrasound appearance 88  
 ultrasound reporting 90  
 uterine cavity 87–88  
   *see also* myoma; submucous  
 uterine leiomyoma 3, 3  
 uterine myoma 26  
 uterine perforation, hysteroscopy 62  
 uterine polyps 2, 2  
 uterine septum (septate uterus)  
   4–5, 5, 5, 6, 25, 25, 51,  
   141–152  
   anatomy 143  
   bicornuate uterus differential  
     diagnosis 50, 145,  
     147, 147  
   cervix 105  
   classification 142–143  
   complete 143  
   diagnosis 144–149  
     surgical 149  
     differential diagnosis 67  
     Doppler ultrasound 147–149  
     embryology 141  
     hysterosalpingography 25,  
       135, 144–145  
     hysteroscopy 149, 151  
       intraoperative  
         ultrasonography 151  
     incomplete 143, 145, 148, 147  
     infertility 139  
     intraoperative  
       ultrasonography 151  
     long 143, 239, 240  
     management 149–152  
     miscarriage 138, 139, 151–152  
     MRI 6, 149  
     operative technique 150  
     parts 142  
     postoperative care 150, 151–152  
     preoperative preparation  
       150, 151  
     prevalence 141–142  
     regression 134  
     removal 25  
     reproductive problems 149  
     resection 149–151  
     saline infusion  
       sonohysterography  
       6, 50, 138, 138,  
       139, 146  
     short 142–143, 143, 144  
     incomplete 239, 240  
     spontaneous abortion 144  
     structure 144  
     three-dimensional  
       ultrasonography 73, 136,  
       137, 146–147  
       coronal view 146  
       fundal cleft 137  
       incomplete septum 145  
       long 138  
       sensitivity/specificity 147  
     two-dimensional ultrasound  
       145–146, 146  
     vascularity 139, 147–148  
 uterine synechia *see* uterine  
   adhesions (synechia)  
 uterine tenderness,  
   adenomyosis 130  
 utero-cervical angle *see* cervico-  
   uterine angle
- uterus  
 adherent to abdominal wall  
   243  
 anteverted/anteflexed 24, 148,  
   148  
 arcuate 2, 24, 147  
   diagnosis 136–137  
   miscarriage 138  
   three-dimensional  
     image 136  
 bicornuate 6, 25  
   diagnosis 136–137  
   differential diagnosis 67  
   pelvic pain 179–180  
   septate uterus differential  
     diagnosis 50, 145,  
     147, 147  
   subfertility investigation 194  
   three-dimensional imaging  
     147  
 blood supply 2  
 body 2  
 congenital anomalies 4–6, 50,  
   134–139  
   classification 142, 142  
   hysterosalpingography  
     24–25  
   pelvic pain 179–180  
 didelphic 6, 25, 25, 105  
   pelvic pain 179–180  
   subfertility investigation  
     194  
 ectopic pregnancy 263–265  
 embryological development  
   134  
 fundus visualization 194  
 imaging 2–7  
 pathology 69–72  
 retroverted/retroflexed 24, 47,  
   148, 148  
 rotation 148  
 rupture risk in pregnancy after  
   hysteroscopy 152  
 sounding 59  
 subfertility investigations  
   193–194  
 subseptate 138  
 unicornuate 6, 25, 25, 105  
*see also* abnormal uterine  
 bleeding; adenomyosis;  
 müllerian entries
- vagina, lower 8  
 vaginal transducer 221  
 varicocele 168–169, 169  
   diagnostic criteria 169  
   grading 168  
 vas deferens 163  
   agenesis 173  
   obstruction 168  
   transrectal ultrasonography  
     172  
 vasa previa 108  
 vascular endothelial growth  
   factor (VEGF) 300  
   expression in ovarian  
   hyperstimulation  
   syndrome 307  
 vascular endothelial growth  
   factor receptors (VEGFR)  
   304, 307  
   blockade 307  
   ovarian hyperstimulation  
   syndrome 304, 307  
 vascular index, endometrium  
   70–71  
 vasography 172–173  
 vasovagal syndrome,  
   hysteroscopy 62  
 ventriculomegaly 288  
 virtual organ computer-  
   aided analysis  
   (VOCAL) 67  
 endometrium analysis  
   70–71  
 ovarian stroma flow  
   68–69  
 ovarian volume 68, 69  
 vulva 8
- ‘waist’ sign 203  
 Wolffian duct cysts 173  
 women, autonomy 64–65
- x-rays 1
- yolk sac 180, 253–254  
 abnormal 254  
 ectopic pregnancy  
   260–261, 262  
 function 253  
 pregnancy outcome  
   253–254