

Cambridge University Press

978-0-521-51578-8 - Ultrasound-Guided Regional Anesthesia: A Practical Approach to Peripheral Nerve Blocks and Perineural Catheters

Fernando L. Arbona, Babak Khabiri and John A. Norton

Index

[More information](#)

Index

-
- 3-in-1 block, 116–17
 - applications, 120
 - absent blood flow, 22
 - acoustic enhancement artifact, 22
 - acoustic impedance, 10
 - human tissues, 11
 - acoustic shadowing, 23
 - action potentials, 1–2
 - adjuvant agents, 7–8
 - air bubbles, 21
 - anisotropy, 21
 - ankle block, 125
 - anatomy, 126
 - clinical practice, 131
 - contraindications, 128
 - deep peroneal nerve
 - local anesthetic injection, 130
 - needle insertion, 130
 - scanning, 129
 - dosing regimen, 131
 - equipment, 127
 - saphenous nerve, 130–1
 - side effects, 128
 - superficial peroneal nerve, 130–1
 - sural nerve, 130–1
 - technique, 127
 - tibial nerve
 - local anesthetic injection, 129
 - needle insertion, 128
 - scanning, 128
 - antebrachial cutaneous nerve, 69
 - anterior cruciate ligament (ACL)
 - repair, 124
 - anterior femoral cutaneous nerves, 84
 - anterior sciatic approach. *See* sciatic nerve block
 - anterior tibial/dorsalis pedis artery, 126 (arteries). *See also specific arteries*
 - ultrasound appearance, 19
 - artifacts, 21–3
 - absent blood flow, 22
 - acoustic enhancement artifact, 22
 - acoustic shadowing, 23
 - bayonet artifact, 22
 - mirror artifact, 21
 - reverberation artifact, 21
 - attenuation, 13
 - attenuation coefficient, 13
 - axial resolution, 14
 - axillary artery, 60, 62, 70, 160
 - axillary nerve, 32, 58, 68
 - axillary peripheral nerve blocks, 72
 - anatomy, 68–71
 - applications, 69
 - clinical practice, 76–7
 - contraindications, 69
 - dosing regime, 77
 - equipment, 72
 - local anesthetic injection, 74–6
 - needle insertion, 73–4
 - repositioning, 76
 - scanning, 73
 - side effects, 70
 - axillary vein, 71
 - bayonet artifact, 22
 - biceps femoris muscle, 104, 109, 170
 - bone, ultrasound appearance, 19
 - brachial plexus, 31–5, 37, 49, 58, 69
 - See also* infraclavicular brachial plexus block; interscalene brachial plexus block; supraclavicular brachial plexus block
 - anatomic relation to lung, 49
 - terminal nerve functions, 32
 - bupivacaine, 4
 - buprenorphine, 7
 - carotid artery, 39–40, 143
 - cervical plexus, 35–6, 78
 - See also* superficial cervical plexus block
 - deep, 36
 - superficial, 35, 37, 78
 - 2-chloroprocaine, 4
 - clonidine, 7
 - color-flow Doppler, 17
 - common peroneal nerve, 87, 91, 102
 - complications
 - ankle block, 128
 - axillary peripheral nerve blocks, 70
 - femoral nerve block, 120
 - infraclavicular brachial plexus block, 61
 - intercostobrachial nerve block, 81
 - interscalene brachial plexus block, 41
 - sciatic nerve block, 94, 107
 - superficial cervical plexus block, 79
 - supraclavicular brachial plexus block, 52
 - suprascapular nerve block, 80
 - conduction gel, 24
 - continuous perineural catheters, 133
 - See also specific sites*
 - benefits of, 133
 - catheter placement, 135–8
 - equipment, 135–6
 - clinical practice, 141
 - discharge considerations, 140–1
 - catheter removal and pump disposal, 141
 - follow-up, 140
 - patient education, 140
 - indications and selection criteria, 133–4
 - infection risk, 134–5
 - infusion pump selection, 138–9
 - infusion and dosing regimen selection, 139–40
 - placement, set-up, 136–8
 - continuous peripheral nerve blocks (CPNB). *See* continuous perineural catheters
 - deep peroneal nerve, 87, 91, 102, 125, 126
 - deep peroneal nerve block
 - local anesthetic injection, 130
 - needle insertion, 130
 - scanning, 129
 - dexamethasone, 8
 - Doppler ultrasound
 - color-flow Doppler, 17
 - pulse-wave Doppler, 17
 - dorsal scapular artery, 54
 - drug effect, 3
 - epinephrine, 7
 - far field, 14
 - fascia, ultrasound appearance, 19
 - fat, ultrasound appearance, 19
 - femoral artery, 112, 117–18, 120, 182

Cambridge University Press

978-0-521-51578-8 - Ultrasound-Guided Regional Anesthesia: A Practical Approach to Peripheral Nerve Blocks and Perineural Catheters

Fernando L. Arbona, Babak Khabiri and John A. Norton

Index

[More information](#)

Index

- femoral continuous perineural catheter, 182
- anatomy, 182
- catheter insertion, 186–7
- clinical practice, 189–90
- confirmation of catheter position, 187–8
- equipment, 182–3
- infusion regimen, 189–90
- hip procedures, 190
- knee procedures, 189–90
- local anesthetic injection, 185–6
- needle insertion, 184–5
- preparation, 183–4
- scanning, 184
- securing and dressing the catheter site, 189
- technique, 183
- femoral nerve, 84–5, 116
- innervation of anterior and posterior divisions, 117
- femoral nerve block, 116
- 3-in-1 block, 116–17
- applications, 120
- anatomy, 118
- clinical practice, 123–4
- contraindications, 120
- dosing regimens, 123–4
- hip procedures, 123–4
- knee procedures, 123
- equipment, 119
- local anesthetic injection, 123
- needle insertion, 122–3
- scanning, 119–22
- side effects, 120
- femoral vein, 121
- field of view, 15
- focal zone, 14
- gain, 16
- gapped-supine positioning, 106–7
- genitofemoral nerve, 83
- gluteus maximus, 92
- greater auricular nerve, 35, 78
- greater trochanter, 91, 171
- Horner syndrome, 41, 50
- hydrolocation, 30
- iliohypogastric nerve, 83
- ilioinguinal nerve, 83
- infraclavicular brachial plexus block
- anatomy, 58, 60
- applications, 61
- clinical practice, 67
- contraindications, 61
- dosing regimen, 66
- equipment, 61
- local anesthetic injection, 66
- needle insertion, 64
- repositioning, 66
- patient positioning, 63
- scanning, 62–3
- side effects, 61
- technique, 62
- infraclavicular continuous perineural catheters, 160
- anatomy, 160
- catheter insertion, 164–6
- clinical practice, 168–9
- confirmation of catheter position, 166–7
- equipment, 160–1
- infusion regimen, 168
- local anesthetic injection, 163–4
- needle insertion, 162–3
- preparation, 161–2
- scanning, 162
- securing and dressing the catheter site, 167–8
- technique, 161
- injection. *See* local anesthetic: needle insertion
- intercostobrachial nerve, 69, 80
- intercostobrachial nerve block, 56, 58, 66, 69, 76
- anatomy, 80
- clinical practice, 81
- complications, 81
- equipment, 80
- technique, 81
- interscalene brachial plexus block, 37–9
- anatomy, 39–40, 41
- applications, 41, 48
- clinical practice, 48
- contraindications, 41
- dosing regime, 47
- equipment, 42
- local anesthetic injection, 46–7
- needle insertion, 44–6
- patient positioning, 47
- scanning, 42–3
- alternative scanning, 43–4
- side effects, 41
- interscalene continuous perineural catheters, 143
- anatomy, 143
- catheter insertion, 147–8
- clinical practice, 151
- confirmation of catheter position, 148–50
- equipment, 143
- local anesthetic injection, 146–7
- needle insertion, 145–6
- preparation, 144–5
- scanning, 145
- securing and dressing the catheter site, 150
- technique, 144
- interscalene region, 39–40
- ionization, 2–3
- lateral antebrachial cutaneous nerve, 76
- lateral circumflex femoral artery, 118
- lateral cutaneous nerve of the forearm, 76
- lateral femoral cutaneous nerve, 85
- lateral pectoral nerve, 32
- lateral popliteal fossa approach. *See* sciatic nerve block
- lateral resolution, 14
- lateral sural nerve, 87
- leg elevation positioning technique, 107–8
- lesser occipital nerve, 35, 78
- lesser trochanter, 93, 98
- levobupivacaine, 4–5
- lidocaine, 4
- lipid emulsion therapy, 6
- dosing regime, 6
- lipid solubility, 3
- local anesthetic. *See also specific drugs*
- additives for peripheral nerve block, 7–8
- dosage, 4
- injection, 28–9
- ankle block, 129, 130
- axillary peripheral nerve blocks, 74–6
- continuous perineural catheter insertion, 146–7, 155, 163–4, 174–5, 185–6
- femoral nerve block, 123
- infraclavicular brachial plexus block, 66
- interscalene brachial plexus block, 46–7
- sciatic nerve block, 97, 99, 111
- supraclavicular brachial plexus block, 55
- metabolism, 3–4
- pharmacodynamics, 2–3
- structure, 2
- systemic absorption, 6
- toxicity, 5–7
- ultrasound appearance, 21
- longitudinal scan, 24
- lumbar plexus, 83–5
- terminal nerve functions, 85
- lung
- anatomic relation to brachial plexus, 49
- pleura, ultrasound appearance, 21
- medial antebrachial cutaneous nerve, 31, 58, 80

Cambridge University Press

978-0-521-51578-8 - Ultrasound-Guided Regional Anesthesia: A Practical Approach to Peripheral Nerve Blocks and Perineural Catheters

Fernando L. Arbona, Babak Khabiri and John A. Norton

Index

[More information](#)

Index

- medial brachial cutaneous nerve, 31, 58, 80
- medial brachial nerve, 69
- medial femoral cutaneous nerves, 84
- medial pectoral nerve, 32
- medial sural nerve, 87
- median nerve, 32, 34, 58, 68, 70
- mepivacaine, 4
- middle supraclavicular nerve, 37, 80
- mirror artifact, 21
- muscle, ultrasound appearance, 19
- musculocutaneous nerve, 31, 32, 35, 58, 69, 71
- musculocutaneous nerve block, 76
- myelin, 1
- near field, 14
- needle insertion, 27
 - ankle block, 128, 130
 - axillary peripheral nerve blocks, 73–4
 - repositioning, 76
 - continuous perineural catheter
 - insertion, 145–6, 154–5, 162–3, 184–5
 - femoral nerve block, 122–3
 - in plane (IP), 27
 - infraclavicular brachial plexus
 - block, 64
 - repositioning, 66
 - interscalene brachial plexus
 - block, 44–6
 - out of plane (OOP), 28
 - partial plane, 27
 - sciatic nerve block
 - anterior sciatic approach, 98–9
 - lateral popliteal fossa approach, 110–11
 - subgluteal approach, 96–7
 - supraclavicular brachial plexus
 - block, 54–5
- nerve electrophysiology, 1–2
- nerve stimulation, 30
- nerve to the subclavius muscle, 39, 80
- nerves, ultrasound appearance, 20
- neurotoxicity, 6–7
- nodes of Ranvier, 1
- obturator nerve, 84
- opioids, 7
- orientation marker, 24
- orienting structures, 26–7
- patient positioning, 24
 - infraclavicular brachial plexus
 - block, 63
 - interscalene brachial plexus block, 47
 - sciatic nerve block
 - lateral popliteal fossa approach, 106–8
 - subgluteal approach, 95
- peroneal nerve. *See* common peroneal nerve; deep peroneal nerve; superficial peroneal nerve
- pharmacodynamics, 2–3
 - drug effect, 3
 - ionization and pK_a, 2–3
 - potency/lipophilicity, 3
 - protein binding, 3
- phrenic nerve, 36, 37, 49
 - interscalene brachial plexus block
 - and, 37
- phrenic nerve block, 37, 42, 49
- physician positioning, 24
- piezoelectric effect, 10
- pK_a, 2–3
- pleura, ultrasound appearance, 21
- pneumothorax, 49, 52, 80
- popliteal artery, 104, 109, 112, 170
- posterior tibial artery, 126
- posterior tibial nerve, 125, 126
- posterior tibial nerve block
 - local anesthetic injection, 129
 - needle insertion, 128
 - scanning, 128
- potency, 3
- probes (transducers), 15–16
 - footprint of, 15
 - movements during scanning, 25–6
 - preparation of, 24
- profunda femoris artery, 118
- protein binding, 3
- pulmonary disease, 47
- pulse-wave Doppler, 17
- radial nerve, 32, 33, 58, 68, 70, 73
- recurrent laryngeal nerve block, 42
- reflection, 11–13
- refraction, 13
- resolution, 13–15
 - axial, 14
 - lateral, 14
- reverberation artifact, 21
- ropivacaine, 5
- sacral plexus, 85–8
 - terminal nerve functions, 85
- saltatory conduction, 1
- saphenous nerve, 85, 103–4, 125
 - ankle block, 130–1
- saphenous nerve blocks, 112
 - clinical practice, 115
 - dosing regimen, 115
 - field block at the foot, 114
 - perivenous approach, 114
 - transsartorial (distal thigh)
 - approach, 113–14
 - transsartorial (peri femoral)
 - approach, 112–13
- saphenous vein, 114
- scanning, 24–7
 - ankle block, 128, 129
 - axillary peripheral nerve blocks, 73
 - continuous perineural catheter
 - insertion, 145, 154, 162, 173–4, 184
 - femoral nerve block, 119–22
 - infraclavicular brachial plexus
 - block, 62–3
 - interscalene brachial plexus
 - block, 42–3
 - alternative scanning, 43–4
 - longitudinal scan, 24
 - orientation marker, 24
 - orienting structures, 26–7
 - sciatic nerve block
 - anterior sciatic approach, 97–8
 - lateral popliteal fossa approach, 106–10
 - subgluteal approach, 95–6
 - supraclavicular brachial plexus
 - block, 52–4
 - systematic scanning, 26
 - transducer movements, 25–6
 - transverse scan, 24
- scattering reflectors, 12
- sciatic continuous perineural catheters, 170
 - anatomy, 170, 171
 - catheter insertion, 175–8
 - clinical practice, 180–1
 - confirmation of catheter position, 178–9
 - equipment, 171
 - infusion regimen, 180
 - local anesthetic injection, 174–5
 - needle insertion, 128
 - preparation, 172
 - scanning, 173–4
 - distal thigh, 173
 - proximal, 173
 - securing the catheter site, 180
 - technique, 171
- sciatic nerve, 21, 86–7, 89–91, 101–2
- sciatic nerve block, 89
 - anterior sciatic approach, 89
 - anatomy, 92–4
 - local anesthetic injection, 99
 - needle insertion, 98–9
 - scanning, 97–8
 - applications, 94
 - clinical practice, 100
 - contraindications, 94
 - dosing regimen, 100
 - equipment, 94
 - lateral popliteal fossa approach, 101
 - anatomy, 104
 - applications, 107
 - contraindications, 107
 - equipment, 106
 - local anesthetic injection, 111

Cambridge University Press

978-0-521-51578-8 - Ultrasound-Guided Regional Anesthesia: A Practical Approach to Peripheral Nerve Blocks and Perineural Catheters

Fernando L. Arbona, Babak Khabiri and John A. Norton

Index

[More information](#)

Index

- sciatic nerve block (cont.)
 - needle insertion, 110–11
 - patient positioning, 106–8
 - scanning, 106–10
 - side effects, 107
 - technique, 106
- side effects, 94
- subgluteal approach, 89
 - anatomy, 91–2
 - local anaesthetic injection, 97
 - needle insertion, 96–7
 - patient positioning, 95
 - scanning, 95–6
- technique, 94
- side effects
 - ankle block, 128
 - axillary peripheral nerve blocks, 70
 - femoral nerve block, 120
 - infraclavicular brachial plexus block, 61
 - interscalene brachial plexus block, 41
 - sciatic nerve block, 94, 107
 - supraclavicular brachial plexus block, 52
- sodium bicarbonate, 7
- spectral reflectors, 12
- subclavian artery, 40, 49, 50, 53, 152
- subgluteal approach. *See* sciatic nerve block
- subscapular nerve, 32
- superficial cervical plexus block, 37, 48
 - anatomy, 78
 - clinical practice, 79
 - complications, 79
 - equipment, 78
 - technique, 78
- superficial femoral artery, 118
- superficial peroneal nerve, 87, 91, 102, 125
 - ankle block, 130–1
- supraclavicular brachial plexus block, 49
 - anatomy, 49, 50
- applications, 52
- clinical practice, 56
- contraindications, 52
- dosing regimen, 56
- equipment, 52
- local anesthetic injection, 55
- needle insertion, 54–5
- pneumothorax risk, 52
- scanning, 52–4
- side effects, 52
- supraclavicular continuous perineural catheters, 152
 - anatomy, 152
 - catheter insertion, 155–7
 - clinical practice, 159
 - confirmation of catheter position, 157–8
 - equipment, 152
 - infusion regimens, 159
 - local anesthetic injection, 155
 - needle insertion, 154–5
 - preparation, 153–4
 - scanning, 154
 - securing and dressing the catheter site, 158–9
 - technique, 152–3
- supraclavicular nerves, 36, 78
- supraclavicular region, 40
- suprascapular nerve, 31, 37, 79
- suprascapular nerve block
 - anatomy, 79
 - clinical practice, 80
 - complications, 80
 - equipment, 79
 - technique, 80
- sural nerve, 87–8, 91, 102, 125
 - ankle block, 130–1
- systematic scanning, 26
- systemic toxicity, 5–6
 - management, 6
- tendons, ultrasound appearance, 19
- thoracodorsal nerve, 32
- tibial nerve, 87, 89–90, 102, 125
- tibial nerve block
 - local anesthetic injection, 129
 - needle insertion, 128
 - scanning, 128
- time gain compensation (TGC), 17
- tourniquet pain, 56
- toxicity, 5–7
 - management, 6
 - neurotoxicity, 6–7
 - systemic toxicity, 5–6
- transducers. *See* probes (transducers)
- transverse cervical artery, 54
- transverse cervical nerves, 35, 78
- transverse scan, 24
- Tuohy needle. *See* continuous perineural catheters
- ulnar nerve, 32, 35, 58, 68, 70
- ultrasound
 - anechoic areas, 10, 19
 - artifacts, 21–3
 - color-flow Doppler, 17
 - equipment, 15–16
 - probes, 15–16
 - hyperechoic areas, 10, 18
 - hypoechoic areas, 10, 19
 - image generation, 10
 - machine controls, 16–17
 - depth, 16
 - frequency, 16
 - gain, 16
 - equipment, 10
 - pulse-wave Doppler, 17
 - resolution, 13–15
 - tissue appearance, 18–21
 - tissue interactions, 11–13
 - attenuation, 13
 - reflection, 11–13
 - refraction, 13
- ultrasound guidance, 10
- veins. *See also specific veins*
 - ultrasound appearance, 19