

Notation index

- (a, b) (greatest common divisor), 474
 $\|\cdot\|$ (distance to the nearest integer), 365, 444
 $\|\sigma\|$ (width), 11, 142, 507
 $|\cdot|_\ell$ (ℓ -adic absolute value), 420
 $f \ll g$, 2
 $g \gg f$, 2
 $\|\cdot\|_1$ (Manhattan norm), 2, 191
 $\|\cdot\|_2$ (Euclidean norm), 2
 $\|\cdot\|_\infty$ (maximum norm), 2
 $\mathbb{1}_S$ (indicator function), 6, 455
 $A^{\mathbb{N}}$ (set of infinite words), 47
 $\mathcal{A}_{\sigma,a}$ (automaton associated with the morphism σ), 142
 $\mathcal{A}_{\sigma,a,\tau}$ (automaton associated with the morphisms σ, τ), 142
 $\text{Adh}(L)$ (adherence of L), 152
 A_p (canonical alphabet in base p), 37
 $\text{alph}(u)$ (alphabet of u), 6
 $\text{alph}(L)$ (alphabet of L), 14
 $A^{\leq n}$ (words of length at most n), 4
 A^n (words of length n), 4
 A^+ (free semigroup), 4
 A^* (free monoid), 4
 A_U (canonical alphabet), 110
 $b(n)$ (second difference of $p(n)$), 173
Bad (set of badly approximable real numbers), 444
 $\text{BAL}(\sigma, \tau)$, 526
 $B(\mathbf{x}, R)$ (open ball), 2
 \bar{k} (the signed digit $-k$), 41
 B_d (symmetrical digit alphabet with largest digit d), 40
 B_k (language of the numeration in base k), 109
 $b_{q,i}(w)$ (coefficients in the decomposition of $\text{val}_S(w)$), 120
 $[w]_x$ (cylinder), 29
 $[u]$ (cylinder), 375
 $[u]_X$ (cylinder), 375
 $BS_n(u)$ (bispecial factors), 171
 $BS'_n(u)$ (bispecial factors and exceptional prefix), 172
 $\chi_{[u]}$ (characteristic function), 375
 $\mathcal{C}_p(C \times A)$ (the converter between C and A (in base p)), 42
 $C(X, \mathbb{Z})$ (continuous maps), 352
 $\text{CYCLIC}(\sigma)$ (set of cyclic letters), 510
 d (distance on words), 7
 $d^-(w)$ (left valence), 171
 $d^+(w)$ (right valence), 171

- δ_x (Dirac measure), 378, 474
 ∂X (boundary), 2
 $DG(X, T)$ (dimension group), 352
 $u \oplus v$ (digitwise addition), 42
 $u \ominus v$ (digitwise subtraction), 42
 D_p (set of all p -expansions of reals in $[0, 1)$), 50
 $e(t) = e^{2\pi it}$, 476
 \mathbf{e} (row vector in which all coordinates equal 1), 512
 $E^-(w)$ (left extensions), 171, 231
 $E^+(w)$ (right extensions), 171
 $E(w)$ (extension type), 172
 $E_y(f_1, f_2)$ (sandwich set), 188
 $e_n(\mu)$, 387
 ε (empty word), 4
 $f \sim g$, 3
 \mathcal{E}_u (self-similar tiling), 261
 $\mathbb{E}X$ (mean value of random variable X), 483
 \mathbb{F}_q (finite field with q elements), 453
 $(F_j)_{j \geq 0}$ (Fibonacci sequence), 417
 $\lfloor x \rfloor$ (floor function), 2
 $\{x\}$ (fractional part), 2
 $f_w(x)$ (frequency), 376, 380
 Γ_c (self-replicating translation set), 263
 Γ_e (self-similar translation set), 261
 $[\gamma, i]_g^*$ (tip), 263
 $[\gamma, i]_g^*$ (projected face), 263
 $G_{\mu, f}$, 379
 G_n (Rauzy graph), 176
 $G_n(X)$ (Rauzy graph), 384
 $G_n(x)$ (Rauzy graph), 384
 \mathcal{G}_O (graph of overlaps), 301
 \mathcal{G}_σ (prefix-suffix graph), 256
 \mathbb{H}_c (contracting space), 252
 \mathbb{H}_e (expanding line), 252
 h_σ (contraction), 252
 \cap (intersection), 1
 $\llbracket i, j \rrbracket$ (interval of integers), 2
 \mathcal{I}_σ (self-replicating multiple tiling), 271
 $K_n^\sigma(x, y, z)$, 201
 $\mathbb{K}_{\geq a}$, 1
 $\mathbb{K}_{< a}$, 2
 $\mathbb{K}_{> a}$, 1
 $\mathbb{K}_{\leq a}$, 2
 $K_m(a)$ (continuant), 429
 $L_n(u)$ (factors of length n), 164
 $L^\sigma(x, y, z)$ (centric factors), 197
 $L(u)$ (factors), 164
 Λ_r , 391
 $\langle \sigma_1, \sigma_2 \rangle$ (monoid generated by σ_1, σ_2), 519
 \mathcal{L}_b , 415
 \mathbf{L} (set of pairs of real numbers satisfying Littlewood's conjecture), 444
 $u < v$ (lexicographic order), 9
 $u \leq_p v$ (u is a prefix of v), 513
 $u \preceq v$ (lexicographic order), 9
 $u \prec v$ (radix order), 9
 $u \preceq v$ (radix order), 9
 $L^{\leq n}$ (concatenation of at most n words in L), 14
 $L[n \mapsto n^k]$ (language s.t. $\mathcal{U}(n) = n^k$), 129
 $L(\mathcal{A})$ (language recognised by \mathcal{A}), 16
 $L(X)$ (language), 374
 $L(x)$ (language), 7

- $L_n(X)$ (words of L of length n), 374
 $L_n(x)$ (factors of length n), 7
 \log (logarithm), 3
 \log_2 (binary logarithm), 3
 L_p (set of all p -expansions), 39
 $L_{\frac{p}{q}}$ (set of all $\frac{p}{q}$ -expansions), 86
 L_q (language accepted from state q), 117
 $LS_n(u)$ (left special factors), 171
 $LS'_n(u)$ (left special factors and unioccurent prefix), 172
 L^* (Kleene star), 14
 L^n (power of a language), 14
 L_u (broken line), 253
 $L(x)$ (language), 375
 $\mathbf{M}(\mathcal{A})$ (adjacency matrix), 22
 \mathbf{M}_σ (incidence matrix), 22, 191
 $m(w)$ (bilateral multiplicity), 172
 $\mathcal{E}(X, T)$ (ergodic invariant measures), 377
 $\mathcal{M}f(s)$ (Mellin transform of f), 458
 M_β (minimal polynomial), 62
 m (Lebesgue measure), 392
 $\mathcal{M}(X)$ (Borel measures), 30
 μ_k (Lebesgue measure), 252
 $\mathcal{M}(X, T)$ (invariant measures), 377
 $\mathcal{N}_p(C)$ (the normaliser over the alphabet C (in base p)), 43
 $\langle N \rangle_p$ (p -expansion of N), 39
 $\langle N \rangle_{\frac{p}{q}}$ ($\frac{p}{q}$ -expansion of N), 86
 $\nu_{A,p}$ (normalisation), 26
 $\mathcal{O}(f)$, 2
 $o(f)$, 3
 $\Omega(f)$, 2
 u^ω (concatenation), 8
 $\omega(G)$ (infinite word generated by G), 506
 $\omega(H)$, 508
 $\mathcal{O}(x)$ (orbit), 28, 374
 $\overline{\mathcal{O}(x)}$ (orbit closure), 28
 \mathbb{P} (probability), 482
 \mathbf{P} (abelianisation map), 6
 $p_u(n)$ (factor complexity), 164
 $\mathbf{P}(x)$ (Parikh vector), 191
 $\text{PER}(w)$ (period of w), 516
 $\Phi(y)$ (normal distribution function), 487
 φ (Golden Ratio), 12
 π (permutation), 391
 π_c (projection on the contracting space), 252
 π_e (projection on the expanding line), 252
 π_p (evaluation map), 37
 $\pi_{\frac{p}{q}}$ (evaluation map in the $\frac{p}{q}$ numeration system), 86
 $P(n)$ (paths in Bratteli diagrams), 358
 $u \wedge v$ (longest common prefix), 48
 $x \wedge y$ (longest common prefix), 7
 P_σ (prefix-suffix edges), 256
 $p_X(n)$ (complexity function), 383
 $p_x(n)$ (complexity function), 8
 rep_k (representation in base k), 109
 $\text{rep}_{\mathcal{S}}$ (\mathcal{S} -representation), 114, 117
 $\text{rep}_q = \text{rep}_{\mathcal{S}_q}$, 118
 rep_U (U -representation), 109
 $\rho(\mathbf{A})$ (spectral radius), 25, 512, 531
 $\rho(\Sigma)$ (joint spectral radius), 533
 $\check{\rho}(\Sigma)$ (joint spectral subradius), 534
 $\check{\rho}_t$, 533

- $\hat{\rho}_t$, 531
 ρ_t , 531
 $\underline{\rho}_t$, 533
 $RS_n(u)$ (right special factors), 171
 $s(n)$ (first difference of $p(n)$), 173
 \setminus (set difference), 1
 S (shift map), 374
 \sqcup (shuffle), 129
 $\sigma^\omega(a)$, 11
 $\sigma^\omega(b).\sigma^\omega(a)$, 11
 $S_q = (L_q, A, <)$, 118
 (X, S) (subshift), 374
 (X_x, S) (subshift generated by an infinite word), 375
 $S(X, T)$ (states of the dimension group), 362
 $\mathbb{T} = \mathbb{R}/\mathbb{Z}$ (circle group), 453
 $\Theta(g)$, 2
 \tilde{u} (mirror image), 4, 446
 \tilde{L} (mirror image), 14
 $T_{\lambda, \pi}$ (interval exchange map), 391
 \mathcal{T}_σ (central tile), 253
 $\mathcal{T}_\sigma(i)$ (subtile), 253
 (T, S, λ) (overlap), 297
 $[T, S, \lambda]$ (overlap equivalence class), 298
 U (lower unit cube), 274
 \mathbf{u}_β (right eigenvector), 251
 $\mathcal{U}_L(n) = \mathcal{U}(n)$ (number of words of length n in L), 118
 $U_{n, \varepsilon}$, 393
 \cup (union), 1
 $\mathcal{U}_q(n)$ (number of words of length n accepted from q), 117
 $\mathcal{U}_{q, r}(n)$ (number of directed paths of length n from q to r), 110
 $v_p(n)$ (p -adic valuation), 474
 val_S (S -numerical value), 114
 $\text{val}_q = \text{val}_{S_q}$, 118
 \mathbf{v}_β (left eigenvector), 251
 (V, E, \geq) (ordered Bratteli diagram), 327
 $\mathcal{V}_L(n) = \mathcal{V}(n)$ (number of words of length at most n in L), 118
 $\mathcal{V}_q(n)$ (number of words of length at most n accepted from q), 117
 V_σ (seed patch), 276
 \mathbf{v}_σ (Perron–Frobenius eigenvector), 24, 513
 $\mathbb{V}X$ (variance of random variable X), 490
 $\|u\|$ (weight of u), 47
 $\mathcal{W}(X, S)$ (weight functions), 379
 W_σ (two-piece seed patch), 282
 X_B (infinite path space associated with an ordered Bratteli diagram B), 329
 X_B^{\max} , 329
 X_B^{\min} , 329
 $[\mathbf{x}, i]$ (basic formal strand), 291
 ξ_a (real number whose b -ary expansion is given by the word a), 412
 $[\mathbf{x}, i]_g$ (basic geometric strand), 253
 X_σ (substitutive dynamical system), 32
 $\mathcal{Z}_{\beta, d}$ (the zero-automaton in base β over the alphabet B_d), 62
 \mathcal{Z}_p (the evaluator in base p), 40
 \mathcal{Z}_q^v (the evaluator in base $\frac{p}{q}$), 89
 $\mathcal{Z}_{p, d}$ (the zero-automaton in base p over the alphabet B_d), 41

Cambridge University Press

978-0-521-51597-9 - Combinatorics, Automata and Number Theory

Edited by Valérie Berthé and Michel Rigo

Index

[More information](#)

598

Notation index $\zeta(s)$ (Riemann zeta function), 459 $\zeta_{f'}$ (Fibonacci continued fraction), 411 ζ_a (real number whose continued fraction expansion is given by the word a), 430 $\zeta_{t'}$ (Thue–Morse continued fraction), 411 $\zeta(s, \alpha)$ (Hurwitz zeta function), 459

General index

- 1-system
 - definition, 507
 - Z-balanced, 519
- a.e., *see* almost everywhere
- abelianisation map, 6
- abstract numeration system, 114
- accessible state, 16
- Adamczewski, B., 423
- additive function, 162, *see* q -additive
- adherence, 152
- adic, 399
 - dynamical system, 399
 - Pascal, 404
 - transformation, 324
- adjacency matrix, 22
- Adjan, S. I., 33
- Aho–Corasick
 - algorithm, 550
 - automaton, 549
- Akiyama, S., 61, 83, 84, 249
- d’Alembert ratio test, 196
- algebraic
 - coincidence, 319
 - conjugate, 23, 24
 - integer, 24
- Allouche, J.-P., 20, 161, 508, 512
- almost everywhere, 30
- alphabet, 3
- ancestor, 276
- Angrand, P.-Y., 128
- ANS, *see* abstract numeration system
- approximation algorithm
 - (k, l)-, 540
 - non-existence of, 540
- Arnoux, P., 8, 319
- atoms, 330
- automatic sequence, 19, 214, 450
 - q -automatic, 19, 138, 214, 452
- automatic word, *see* automatic sequence
- automaton
 - Aho–Corasick, 549
 - Büchi, 54
 - complete, 17
 - deterministic, 17
 - deterministic with output, 19
 - finite, 414
 - local, 162
 - trim, 16
 - underlying input, 20
- Avila, A., 366
- badly approximable number, 444
- balanced pair
 - coincidence, 310
 - algorithm, 310
 - combinatorial, 310
 - irreducible, 310
 - one-letter, 310

600

General index

- Barabanov, N., 560
 Barat, G., 474
 Barbolosi, D., 463
 Barge, M., 258, 311, 319
 base, 37, 330
 base- b expansion, 412
 odometer, 336
 Bell, J., 161
 Berend, D., 63
 Berger, M. A., 538
 Bernoulli shift, 395
 Berry–Esseen inequality, 478
 Berstel, J., 8
 Berthé, V., 162, 527
 Bertrand, A., 59, 158
 Bertrand-Mathis, A., 70
 Bès, A., 73
 β -admissible, 57
 β -transformation, 56, 162
 Bezuglyi, S., 351
 bilateral multiplicity, 172
 binomial numeration system, 159
 Birkhoff ergodic theorem, 30, 377, 486
 Birkhoff, G., 377
 bispecial factor, 171
 bound on their number, 216
 BK-property, 489, 491
 block growth, 163
 block triangular matrices, 536
 block-additive function, 472
 block-multiplicative function, 472
 Blondel, V. D., 539, 540
 Boasson, L., 152
 Borbély, T., 83, 84
 Borel measure, 596
 Borel, É., 413, 444, 449
 Boshernitzan, M., 335, 383, 384, 387
 bounded
 gap, 7
 letter, 206
 word, 198
 Boyle, M., 354, 357, 358, 360
 Bratteli compactum, 329
 Bratteli diagram, 325
 equivalence relation, 327
 incidence matrix, 326
 infinite path, 329
 isomorphic, 326
 morphism, 328
 ordered, 327
 properly ordered, 329
 range map, 326
 simple, 327
 source map, 326
 stationary, 337
 substitution, 337
 telescoping, 326, 328
 Bratteli, O., 324, 325
 Bratteli–Vershik
 BV, 329
 dynamical system, 329, 399
 Bressaud, X., 369, 370, 404
 broken line, 253
 Brunotte, H., 83, 84
 Bruyère, V., 116, 153, 160
 Büchi automaton, 54
 Bugeaud, Y., 423, 449

 canonical alphabet, 37
 canonical numeration system, 78
 Cantor
 dynamical system, 325, 329
 linearly recurrent, 347
 set, 7, 449
 space, 325, 329
 version of interval exchange, 350
 capacity of codes, 546
 Carroll, C. R., 335
 Carton, O., 129, 148

- Cassaigne, J., 403
 central limit theorem, 487, 489, 494
 central tile, 253
 centric factor, 197
 Chacon
 morphism, 24
 substitution, 24, 340, 342
 word, 342
 Chacon, R. V., 342
 Chaika, J., 402
 Champernowne word, 148, 165, 395, 413
 Champernowne, D. G., 413
 characteristic word, 5, 221
 Charlier, E., 137, 150, 161
 Chebyshev norm, 188
 Cheung, Y., 397
 Choffrut, Ch., 72, 103, 159
 Chomsky hierarchy, 109
 Chomsky, N., 96
 Christol, G., 450
 circular shift, 170
 clopen
 partition, 330
 set, 29, 325
 CNS, *see* canonical numeration system
 co-accessible state, 16
 co-sequential, 102
 Cobham's conjecture, 414
 Cobham's theorem, 181
 Cobham, A., 20, 27, 109, 138, 181, 215, 414, 508, 526
 coboundary, 352
 coboundary condition, 396
 code, 5, 183, 338
 capacity, 546
 circular, 338
 constrained, 546
 prefix, 5
 coded subshift, 54
 coding, 10
 cofinal, 329
 coincidence
 algebraic, 319
 combinatorial strong coincidence, 258
 geometric, 319
 geometric strong coincidence, 293
 half-coincidence overlap, 298
 modular, 319
 overlap, 298
 strong, 318
 strong overlap, 300
 super, 319
 combinatorial strong coincidence condition, 258
 common reducibility, 536
 compactum, 329
 comparable edges, 327
 complete automaton, 17
 complexity function, 118, 163, 164, 383
 action of a letter-to-letter morphism, 182
 action of a non-erasing morphism, 183
 action of an injective morphism, 183
 computation, 221
 exponential, 169
 linear, 219
 maximal, 165
 non-decreasing, 165
 of a language, 166
 of a morphic word, 185, 209
 of a periodic word, 164, 239
 of a purely morphic word, 185, 209
 of a sparse word, 179

- of an automatic word, 214
- of an interval translation map, 227
- of the Fibonacci word, 222
- of the Thue–Morse word, 224
- subadditivity, 168
- complexity of a real number, 413
- concatenation, 4
- cone
 - positive, 351
- conjecture
 - finiteness property for the capacity, 562
 - Pisot, 272
- conjugacy map, 31
- conjugate
 - algebraic, 23
 - words, 516
- consecutive, 358
- constant of expansivity, 345
- constrained codes, 546
- context-free language, 89
- continuant, 429
- continued fractions, 427
- convergent, 428
- converter, 41
- convex combination method, 555
- Coquet, J., 473
- Cornfeld, I. P., 349
- Cortez, M. I., 369, 370
- counting
 - function, 118, 129
- Culik II, K., 505, 515
- cycle, 278
- cyclic
 - letter, 510
 - morphism, 510
- cylinder, 29, 329, 375
- D0L
 - ω -equivalence problem, 506
- language, 13
- ω -equivalent systems, 506
- prefix problem, 509
- system, 13, 149, 505
 - nearly primitive, 507
 - prolongable, 506
- Damanik, D., 343
- Dartnell, P., 348
- Daubechies, I., 532
- Davenport, H., 438
- De Bruijn graph, 547
- decimation, 123, 161
- deconnectable, 384
- Dekking, F. M., 318, 508
- Delange, H., 457
- Delone set, 260
- density, 470
 - logarithmic, 471
- de Bruijn, N. G., 384
- DFA, 17
- DFAO, 19
- Diamond, B., 258
- digit-conversion transducer, 41
- digitwise
 - addition, 42
 - subtraction, 42
- dimension group, 351, 352
- Diophantine approximation
 - uniform, 437
- directive language, 144
- Dirichlet series, 465
- Dirichlet's theorem, 437
- Dirichlet, P. G. L., 436
- discrete hyperplane, 262
- distance, 7
 - ultrametric, 7
- division algorithm, 38
- dominant root condition, 67
- Downarowicz, T., 347, 349, 366
- Drmotá, M., 493, 496, 500, 503
- Duchêne, E., 161

- Dumont–Thomas numeration, 254, 319, 502, 513
- Durand, F., 149, 335, 337, 338, 344, 345, 348, 369, 370
- dynamical system
- Bratteli–Vershik, 329
 - Cantor, 325, 329
 - conjugacy, 30
 - induced, 325
 - measure-theoretic, 30, 376
 - stability, 537
 - symbolic, 28, 53, 374
 - topological, 377
 - equicontinuous, 347
 - topological isomorphism, 30
- edge, 325
- maximal, 329
 - minimal, 329
- Ehrenfeucht, A., 163, 201, 209, 509, 511
- Ehrenfeucht, Lee and Rozenberg’s theorem, 209
- Ei, H., 527
- eigenfunction
- $L^2(\mu)$, 364
 - continuous, 364
- eigenvalue
- $L^2(\mu)$, 364
 - continuous, 364
 - Perron–Frobenius, 23
- Eisiedler, M., 445
- elementary morphism, 509
- endomorphism, 10, *see* substitution
- everywhere-growing, 199
 - exponentially diverging, 200
 - polynomially diverging, 200
 - quasi-uniform, 199
- entropy, 358
- topological, 60, 169
 - episturmian, 407
 - equicontinuous, 347
 - equivalent norms, 187
 - equivalent orbit, 354
 - erasing morphism, 10
 - ergodic, 30, 377
 - Birkhoff theorem, 30, 377, 486
 - individual ergodic theorem, 30, 377, 486
 - theorem, 30, 377, 486
 - Euler–Lagrange’s theorem, 430
 - evaluation map, 26, 37
 - eventually periodic word, 8, 164
 - Evertse, J.-H., 449
 - everywhere-growing endomorphism, 199
 - exceptional prefix, 172
 - exduction, 397
 - expansion
 - p -, 26, 39
 - base- b , 412
 - $\frac{p}{q}$ -, 86
 - expansive dynamical system, 345, 399
 - expansive morphism, 199
 - exponential language, 136
 - exponentially diverging endomorphism, 200
 - exponentially growing word, 194
 - extension, 171
 - extension type, 172
 - extraction, 381
 - extremal norm theorem, 560
 - extremal number, 439
 - factor, 6, 163, 325
 - centric, 197
 - complexity, 163
 - map, 325
 - special, 171
 - factor graph, 176

- factorial language, 15
- Fekete's lemma, 169, 532
- Fekete, M., 532
- Ferenczi, S., 342, 365, 366, 420
- fiber, 148
- Fibonacci
 - continued fraction, 430
 - sequence, 417
 - word, 12, 168, 222, 223, 388, 410
- final state, 16
- finite automaton, 17, 414
- finite difference, 173
- finiteness property
 - for capacity, 562
 - for joint spectral radius, 550
 - geometric, 275
 - property (F), 60, 321
 - weak (W), 321
- first entrance time map, 325
- first finite difference, 173
- Fischler, S., 443
- fixed point, 10
- folded β -expansion, 77
- Fomin, S. V., 349
- Forni, G., 366
- Forrest, A. H., 336
- fractional part, 49
- Fraenkel, A. S., 27, 159, 161
- frequency, 9
- Fretlöh, D., 319
- Frid, A., 404
- Frougny, Ch., 27, 64, 71, 73, 75, 77, 111, 116, 128, 153, 160
- full shift, 28, 395
- function
 - additive, 162
 - block-additive, 472
 - block-multiplicative, 472
 - co-sequential, 102
 - completely
 - q -additive, 454
 - q -multiplicative, 454
 - complexity, 118
 - counting, 118
 - generating, 96
 - q -additive, 453
 - q -automatic, 452
 - q -multiplicative, 454
 - q -regular, 453
 - rational, 96, 508
 - sequential, 102
- fundamental lemma, 482
- Furstenberg, H., 396
- Gambaudo, J.-M., 370
- gap, 7
- Gauss Lemma, 38
- Gelfand, I. M., 187
- Gelfond, A. O., 499
- genealogical order, 9
- generalised spectral radius, 532
- generalised spectral subradius, 534
- generating function, 96
- generation of bispecial factors, 236
- generic, 380
- geometric strong coincidence, 293
- GIFS, 255
 - substitution, 265
- Giordano, T., 351, 354
- Gjerde, R., 349, 350
- Glasner, E., 354
- Golden Ratio, 12, 436
- Goldwurm, M., 159
- Grabner, P. J., 162, 463, 474
- graph
 - overlaps, 300
 - prefix-suffix, 256
 - two-piece ancestor, 282

- graph-directed iterated function system, 255
- greedy β -expansion, 56
algorithm, 38, 49
- Grillenberger, C., 169, 391
- group ordered, 351
- growing word, 198
- Haar measure, 486
- Hahn, F., 391
- half-coincidence overlap, 298
- Hamming weight, 47
- Handelman, D., 357, 358, 360
- Hansel, G., 27, 116, 148, 149, 153, 160
- Harju, T., 161, 505, 515, 529
- Hausdorff dimension, 445
- HD0L
language, 13
sequence, 507
system, 149, 507
prolongable, 507
- Hedlund, G. A., 163, 348
- height, 253
- Heinis, A., 220
- Herman, R. H., 324, 330, 333, 335
- Hollander, M., 68, 69, 111, 272, 321
- Holton, C., 335, 366
- homomorphism of monoids, 4
- Honkala, J., 160, 505, 508, 526, 529
- Horner scheme, 39
- Host, B., 337, 338, 344, 345, 364, 365, 369
- hyperplane
discrete, 262
stepped, 262
- i.d.o.c. property, 392
- immortal letter, 246
- incidence matrix, 22, 191, 200
of a Bratteli diagram, 326
- independence condition, 396
- indicator function, 6, 356
- individual ergodic theorem, 30, 377, 486
- induced
dynamical system, 325
map, 325, 398
- infinite word
automatic, 214
 q -automatic, 214
Champernowne, 165
D0L, 506
Fibonacci, 168, 222, 223
HD0L, 508
left-infinite, 180
lexicographically shift maximal, 54
lsm-word, 54
morphic, 181
paperfolding, 182
period-doubling, 244
periodic, 164
purely morphic, 181
recurrent, 177, 186
sparse, 179
Sturmian, 167, 177, 223
Thue–Morse, 224
- inflation factor, 23
- injective morphism, 183
- integer
multiplicatively dependent, 27
independent, 27
representation, 86
- integral part, 49
- internal alphabet, 214
- interval exchange
Cantor version, 350

606

General index

- map, 391
- transformation, 349
- invariance
 - under similarity, 535
- invariant
 - measure, 30
 - subset, 377
- irreducible
 - matrix, 23
 - morphism, 23
 - permutation, 392
 - set of matrices, 536
 - substitution, 23
- isomorphism, 325
 - measure-theoretic, 31
 - topological, 30, 325
- iterated function system
 - graph-directed, 255
- Ito, S., 319, 527
- Iwanik, A., 366

- Jacobs, K., 349
- Jewett, R., 381
- Johansen, O., 349, 350
- joint spectral radius, 533
 - capacity, 548
 - computation, 552
 - finiteness property, 550
 - introduction, 531
 - partition function, 541
 - repetition-free words, 543
 - undecidability, 540
- joint spectral subradius
 - definition, 533, 534
- Jordan normal form, 187
- Jungers, R., 538

- k*-kernel, *see q*-kernel
- Kaboré, I., 403
- Kakutani equivalent, 335
- Kakutani, S., 330

- Kakutani–Rokhlin partition, 401
- Kärki, T., 150
- Kátai, I., 488
- Katok, A., 392, 445
- Katznelson, Y., 391
- Keane, M., 349, 393
- kernel
 - k*-kernel, 147
 - q*-kernel, 452
 - S*-kernel, 148
- Khintchine, A. Ya., 430
- Kleene star, 14
- Kleene, S., 18
- Kozyakin, V. S., 539, 560
- Krieger, D., 161
- Krieger, W., 381
- Kronecker’s theorem, 264
- Kubilius model, 481
- Kubilius, J., 438
- Kwapisz, J., 311, 319
- Kwiatkowski, J., 351
- Kûrka, P., 345, 348

- Lacroix, L., 366
- Lagarias, J. C., 532, 551
- Lang, S., 361
- language, 13, 341, 374
 - adherence, 152
 - context-free, 89
 - D0L, 13
 - directive, 144
 - exponential, 136
 - extendable, 374
 - factorial, 15, 374
 - finite, 14
 - HD0L, 13
 - infinite, 14
 - of an infinite word, 164
 - polynomial, 136
 - prefix-closed, 15
 - ray, 96

- slender, 15, 134, 160, 525
- sparse, 136
- suffix-closed, 15
- with bounded growth, 15, 96
- Larcher, G., 464
- Lecomte, P., 137, 152
- Lee, J.-Y., 319
- Lee, K. P., 163, 201, 209
- left
 - extension, 171
 - special factor, 171
 - valence, 171
- left-infinite word, 180
- length, 4
- Lenz, D., 343
- Leroux, J., 161
- Lesigne, E., 389
- letter, 3
 - cyclic, 510
- letter-to-letter
 - morphism, 10, 182
 - transducer, 20
- level, 330
- Lévy metric, 488
- lexicographic
 - map, 329
 - order, 9, 48, 186, 328
- Liardet, P., 162
- Lindenmayer systems, 149
- Lindenmayer, A., 505
- Lindenstauss, E., 445
- linearly recurrent
 - Cantor dynamical system, 347
- Linna, M., 161, 509, 529
- Liouville's inequality, 415
- Liouville, J., 415
- Littlewood's conjecture, 444
- Livshits, A. N., 309, 340
- local automaton, 162
- locally finite, 259
- logarithmic density, 471
- logarithmically syndetic set, 227
- looping morphism, 517
- Loraud, N., 67, 111
- Lothaire, M., 3, 349, 509
- Luca, F., 423
- Maass, A., 347, 348, 369, 370
- Maes, A., 137, 148, 151
- Mahler, K., 423, 449
- Manhattan norm, 2, 191
- map
 - abelianisation, 6
 - factor, 325
 - first entrance time, 325
 - induced, 325
 - lexicographic, 329
 - range, 326
 - source, 326
 - Vershik, 329
- Markov compacta, 324
- Masur, H., 393
- matrix
 - adjacency, 22
 - incidence, 22
 - irreducible, 23
 - primitive, 23
- Mauduit, Ch., 148, 161, 365, 420
- measure invariant, 30
- measure-theoretic
 - dynamical system, 30
 - factor, 31
 - isomorphism, 31
- Medynets, K., 350, 351
- Mellin–Perron summation formula, 466
- Mendès France, M., 502
- Michaux, C., 160
- Miller, A., 161
- Miller, G. A., 96
- minimal, 375
 - dynamical system, 29

- word, 7
- mirror, 4, 446
 - formula, 429
- Modified Division algorithm, 85
- monoid, 4
 - free, 4
 - morphism, 4
 - of matrices, 531
- Monteil, T., 383, 384
- Moody, R.V., 319
- morphic word, 11, 181
- morphism, 10, *see also* endomorphism
 - cyclic, 510
 - elementary, 509
 - erasing, 10
 - expansive, 199
 - fixed point, 10
 - growing, 517
 - injective, 183
 - invertible, 527
 - irreducible, 23
 - letter-to-letter, 10, 182
 - loop-free, 517
 - looping, 517
 - non-erasing, 10
 - non-trivial, 511
 - of ordered groups with order unit, 351
 - Pisot, 24
 - primitive, 23
 - prolongable, 10, 11
 - proper, 338
 - read on a Bratteli diagram, 328
 - simplifiable, 509
 - uniform, 10
 - unit, 25
- Morse and Hedlund theorem, 166, 175, 199
- Morse substitution, 340
- Morse, M., 163, 224, 340, 348
- mortal letter, 246
- Mossé, B., 365
- multi-graph, 110
- multi-scale quasiperiodic, 408
- multiple tiling, 259
- multiplicative function, *see q-*
 - multiplicative
- multiplicatively
 - dependent integers, 27
 - independent integers, 27
- multiplicity
 - of a bispecial factor, 172
- Méla, X., 405
- natural coding, 392
- neutral bispecial factor, 173
- Nicolay, S., 161
- Nivat, M., 152
- Nogueira, A., 365, 366
- non-algebraicity, 539
- non-defective, 560
- non-erasing morphism, 10
- non-periodic word, 8
- non-transient letter, 246
- non-trivial morphism, 511
- norm, 186
 - submultiplicative, 25, 531
- normal
 - matrices, 554
 - number, 413
- normalisation, 26, 71, 112, 160
- normaliser, 43
- Novikov, P. S., 33
- Nowakowski, R. J., 161
- number
 - Parry, 58
 - Perron, 104
 - Pisot, 24, 35, 115
 - Salem, 104
 - triangular, 117
- numeration

- scale, 65
- numeration system
 - p -ary, 26
 - abstract, 114
 - adic, 115
 - canonical (CNS), 78
 - Dumont–Thomas, 319, 502
 - linear, 67
 - positional, 110
 - scale, 65, 110
- numerical value, 26
 - \mathcal{S} -numerical value, 114
- occurrence, 341
- odometer, 162, 336, 401, 486, 501
 - base, 336
- ω -equivalent
 - DOL systems, 506
 - HDOL systems, 149
- one-sided shift, 28
- orbit, 374
 - equivalent, 354
 - strongly, 354
 - of a word, 28
- order
 - genealogical, 9
 - lexicographic, 9, 328
 - radix, 9
 - unit, 351, 352
- ordered, 327
 - Bratteli diagram, 327
 - group, 351
 - properly, 329
- ordering
 - consecutive, 358
- ordinary bispecial factor, 173, 234
- Oseledec, V. I., 391
- overlap, 297, 419, 543
 - graph, 300
 - coincidence, 298
 - equivalent, 298
 - half-coincidence, 298
- Oxtoby, J., 381
- palindrome, 4, 434
- palindromic density, 443
- Pansiot's theorem, 185
- Pansiot, J.-J., 161, 185, 508, 509, 529
- paperfolding word, 182
- Parikh mapping, 6
- Parikh vector, 191
- Parry number, 58
- Parry, W., 58
- partial quotients, 428
- partition
 - clopen, 330
 - Kakutani–Rohlin, 330
 - KR, 330
- patch, 260
 - ancestor, 281
 - equivalent, 260
- path, 16
 - Bratteli diagram, 329
 - cofinal, 329
 - label, 16
 - space, 329
 - successful, 16
- Păun, G., 134
- Pell equation, 137
- period, 8
- period cycle, 164
- period-doubling word, 244
- periodic word, 8, 164
- Perron number, 104
- Perron–Frobenius
 - eigenvalue, 23
 - normalised eigenvector, 24
 - theorem, 23, 250
- Petersen, K., 405
- Pethö, A., 83, 84
- p -expansion, 26, 39

610

General index

- $\frac{p}{q}$ -expansion, 86
- Pisot
 - conjecture, 272
 - morphism, 24
 - number, 24, 35, 115
 - unit, 24
 - substitution, 24
 - Vijayaraghavan number, 24
- polynomial language, 136
- polynomially bounded word, 194
- polynomially diverging endomorphism, 200
- positional numeration system, 110
- positive cone, 351
- positive uniform frequencies, 390
- power of a set, 535
- powers of two, 221
- prefix, 6
 - closed language, 15
 - exceptional, 172
 - proper, 6
 - unioccurrent, 171
- prefix-suffix graph, 256
- preperiod, 8, 164
- primitive
 - matrix, 23
 - morphism, 23
 - substitution, 23
 - word, 164, 178
- problem
 - D0L ω -equivalence, 506
 - D0L prefix, 509
 - HD0L ω -equivalence, 149
- prolongable
 - D0L system, 506
 - morphism, 10
- proper
 - substitution, 338
- properly
 - ordered, 329
- property (F), *see* finiteness property
- pumping lemma, 18, 89
- purely
 - morphic word, 11, 181
 - substitutive word, 11, 505
- Putnam, I. F., 324, 330, 333, 335, 351, 354
- Pytheas Fogg, N., 509
- q -additive function, 453
 - completely, 454
- q -automatic function, 452
- q -automatic sequence, 452
- q -kernel, 452
- q -multiplicative function, 454
 - completely, 454
- q -regular function/sequence, 453
- quasi-greedy expansion, 58
- quasi-recurrent word, 506
- quasi-uniform endomorphism, 199
- Queffélec, M., 309, 434
- Rabin, M. O., 17
- radix
 - order, 9, 39
 - point, 48
- Rampersad, N., 161
- range map, 326
- rank
 - topological, 347
 - infinite, 347
- ranking, 159
- Rao, H., 319, 527
- rational function, 96, 508
- Ratner, M., 406
- Rauzy
 - fractal, 253
 - graph, 176, 384
- Rauzy, G., 176, 248, 338, 384

- Ravikumar, B., 161
- recurrence
 linear, 408
 uniform, 375
- recurrent word, 7, 171, 177, 186
- reducible
 set of matrices, 536
- redundancy transducer, 44
- regular function/sequence, *see q*-
 regular
- regular language, 88
- relatively dense, 260
- repetition, 419, 543
- repetitive, 260
- representation
 U -, 65, 109
 \mathcal{S} -, 114, 117
 p -ary, 26, *see expansion*
 BV, 331
 greedy, 26
 integer, 86
- return word, 178, 341
- reversal, 4
- Ridout's Theorem, 420
- Ridout, D., 420
- right
 extension, 171
 special factor, 171
 valence, 171
- right transducer, 21
- right context, 88
- Rigo, M., 137, 148, 150, 158, 317,
 526
- Rohlin, V. A., 330
- Rosenthal, A., 381
- Rota, G. C., 531, 536
- Roth's Theorem, 416
- Roth, K. F., 416
- Roy, D., 438
- Rozenberg, G., 163, 201, 209, 509,
 511
- Rudin–Shapiro word, 388
- Rudolph, D. J., 366, 406
- Ruohonen, K., 508
- s -adic construction, 226
- \mathcal{S} -recognisable set, 117
- Séébold, P., 8
- Sadun, L., 321
- Sakarovitch, J., 77, 128
- Salem number, 104
- Salomaa and Soittola's theorem,
 191
- Salomaa, A., 134, 191, 509
- Salon, O., 150
- sandwich set, 180
- sandwich set theorem, 188
- Sataev, E., 397
- scale, 65, 110
- scaling property, 535
- Schützenberger, M.-P., 33
- Schlickewei, H. P., 450
- Schmidt's subspace theorem, 422
- Schmidt, K., 59, 158
- Schmidt, W. M., 434, 438
- Scott, D., 17
- second finite difference, 173
- seed patch, 276, 282
- self-replicating multiple tiling,
 271
- semigroup, 4
 of matrices, 531
- sequence
 2-regular, 545
 q -automatic, 19, 138, 452
 q -regular, 453
 \mathcal{S} -automatic, 138
- sequential, 102
 transducer, 20
- set
 Cantor, 7
 eventually periodic, 8

- recognisable, 27, 109
 - \mathcal{S} -recognisable, 117
 - U -recognisable, 73, 110
- syndetic, 7
- Shallit, J., 20, 67, 111, 161, 508, 512
- shape of a Rauzy graph, 178
- shift, 28, 139, 374
 - circular, 170
 - full, 28
 - one-sided, 28
 - two-sided, 28
- shift radix system, 83
- shuffle, 129
- Siegel, A., 249
- simple
 - Bratteli diagram, 327
 - hat, 327
- simplifiable morphism, 509
- Sinai, Y. V., 349
- Sing, B., 319
- sink, 18
- Sirvent, V., 296
- Skau, C. F., 324, 330, 333, 335, 337, 338, 344, 345, 351, 354
- \mathcal{S} -kernel, 148
- skew-product, 498
- slender language, 15, 134, 160, 525
- SOE, *see* strongly orbit equivalent
- Soittola, M., 191
- Solomyak, B., 71, 77, 153, 272, 296, 319, 370
- source map, 326
- sparse language, 136
- sparse word, 179
- special factor, 171
 - bound on their number, 219
- spectral radius, 25, 187, 512
- square, 4
- SRS, *see* shift radix system
- stammering, 419
- state, 362
 - accessible, 16
 - co-accessible, 16
 - final, 16
 - terminal, 16
- stationary, 337
 - Bratteli diagram, 337
- Steiner, W., 137, 158
- stepped hyperplane, 262
- strand
 - basic formal, 291
 - basic geometric, 253
 - formal, 291
 - geometric, 291
- Strang, G., 531, 536
- strictly ergodic, 390
- strong bispecial factor, 172
- strong mixing, 408
- strongly orbit equivalent, 354
- Sturmian
 - expansion, 421
 - subshift, 348
 - word, 8, 167, 177, 223, 388
- subadditive function, 168
- subadditivity, 532
- submultiplicative norm, 25, 531
- subshift, 28, 53, 374
 - aperiodic, 28, 337, 385
 - coded, 54
 - conjugate, 30
 - entropy, 60
 - finite type, 28, 53, 395
 - periodic, 28, 337
 - sofic, 28, 54, 395
 - substitution, 343
 - Toeplitz, 349
- substitution, 10, *see* endomorphism, *see* morphism
- Chacon, 342

- GIFS, 265
- invertible, 527
- irreducible, 23
- Morse, 340
- Pisot, 24
 - irreducible, 25
 - reducible, 25
- primitive, 23
- proper, 338
- read on a stationary Bratteli diagram, 337
- subshift, 343
- unit, 25
- substitutive
 - word, 11
 - word sequence, 507
- subword
 - complexity, 163
 - scattered, 6
- successor, 128
- suffix, 6
 - closed language, 15
 - proper, 6
- Sugisaki, F., 360
- sum-of-digits, 162, 452, 457, 467, 499, 502
- switched linear system, 538
- symbol, 3
- symbolic dynamical system, 28
- synchronisation lemma, 221, 229
- syndetic, 227
 - set, 7
- system
 - D0L, 13, 149, 505
 - nearly primitive, 507
 - prolongable, 506
 - HD0L, 149, 507
- tag sequence, 138
- telescoping, 326, 328
- Tenenbaum, G., 457
- terminal state, 16
- theorem
 - Cobham, 181
 - Ehrenfeucht, Lee and Rozenberg, 209
 - Grillenberger, 169
 - Kronecker, 264
 - Morse and Hedlund, 166, 175, 199
 - Pansiot, 185
 - Perron–Frobenius, 23, 250
 - Salomaa and Soittola, 191
 - sandwich set, 188
- Theys, J., 534, 539
- Thomas, W., 129, 148
- Thue, A., 33, 224
- Thue–Morse
 - Bratteli diagram, 340
 - continued fraction, 434
 - word, 12, 224, 388, 410, 560
- Thurston, W., 248
- Thuswaldner, J., 83, 84
- Tichy, R. F., 162
- tiles, 259
- tiling, 162, 259
 - synchronisation, 298
 - lattice multiple, 320
 - multiple, 259
 - patch, 260
 - property, 272
 - self-replicating multiple, 271
 - self-similar, 261
- tip, 263
- Toeplitz
 - subshift, 349
 - word, 170, 349
- topological
 - conjugacy, 30
 - dynamical system, 29
 - entropy, 60, 169, 390
 - isomorphism, 30

614

General index

- total irrationality, 392
- tower, 330
 - level, 330
- Transcendence criterion, 423
- transducer, 20
 - co-sequential, 102
 - digit-conversion, 41
 - letter-to-letter, 20, 101
 - right, 21
 - sequential, 20, 102
- transformation
 - β -, 56, 162
 - adic, 324
- transient part, 164
- transition
 - function, 17
 - relation, 16
 - structure, 141
- triangular
 - matrices, 536
 - joint spectral radius of, 554
 - number, 117
- trie, 116
- trim, 16
- Tsitsiklis, J. N., 539, 540
- Turán–Kubilius inequality, 484
- two-piece ancestor graph, 282

- U -recognisable, 73, 110
- U -representation, 65
- underlying input automaton, 20
- uniform Diophantine approximation, 437
- uniform frequencies, 376
- uniformly recurrent word, 7
- uniformly discrete, 260
- unioccurrent prefix, 171
- unique ergodicity, 30, 32, 380
- unit, 24
 - morphism, 25
 - order, 351, 352
 - substitution, 25
- universal counter-example, 179

- valence, 171
- Veech, W., 393, 396
- Vershik map, 329
- Vershik, A. M., 324, 329, 330, 340, 399
- vertex, 325
- Villemaire, R., 160

- Walters, P., 357, 358
- Wang, Y., 538, 551
- weak (W), *see* finiteness property
- weak bispecial factor, 172
- weight, 47, 475
- weight function, 379
 - on a graph, 393
- Weiss, B., 354
- Wen, Z., 527
- width of a morphism, 11
- Wirsing, E., 451
- word, 3, *see* sequence
 - automatic, 19
 - \mathcal{S} -automatic, 138
 - β -admissible, 57
 - bi-infinite, 5
 - bounded, 198
 - Chacon, 24, 342
 - Champernowne, 148, 395, 413
 - characteristic, 5
 - comparable, 522
 - concatenation, 4
 - D0L infinite word, 506
 - distance, 7
 - empty, 4
 - eventually periodic, 8
 - exponentially growing, 194
 - factor, 6
 - Fibonacci, 12, 410
 - growing, 198

- infinite
 - lexicographically shift maximal, 54
 - lsm-word, 54
 - one-sided, 5
 - two-sided, 5
- length, 4
- minimal, 7
- mirror, 4
- morphic, 11
 - purely, 11
- nearly periodic, 515
- non-periodic, 8
- ω -equivalent, 149
- period, 8
- periodic, 8
- polynomially bounded, 194
- prefix, 6
- preperiod, 8
- primitive, 164, 178
- purely substitutive, 11, 505
- quasi-recurrent, 506
- recurrent, 7
- reversal, 4
- Sturmian, 8
- substitutive, 11
 - purely, 11, 505
- subword (scattered), 6
- suffix, 6
- Thue–Morse, 12, 410, 560
- Toeplitz, 349
- uniformly recurrent, 7
- Wythoff’s game, 161

- Yu, S., 13

- Zamboni, L., 335, 366
- Z -balanced 1-systems, 519
- zero automaton, 41, 62, 288
- zero spectral radius, 553