

Index

- abridged somatization disorder, 27
- abuse/trauma
association with PNES, 213–15
- activation procedures. *See* diagnosis of PNES
- acute life-threatening event (ALTE)
neonates and infants, 94–7
- adolescents with PNES, 104
perceptions about PNES, 187–9
perceptions of family members, 187–9
See also diagnostic approach for children; paroxysmal events in children.
- advanced practice psychiatric nurse
role in care of patients with PNES, 255–6
- afebrile infantile convulsions, 69
- affective disorders
comorbidity with PNES, 11
- affective functioning in PNES patients
objective neuropsychological findings, 144–5
subjective appraisal, 144–5
- age-related macular degeneration, 71
- aggressive outbursts, 71
- alternating hemiplegia of childhood, 101
- Alzheimer's disease, 116
- amobarbital
use in PNES diagnosis, 42
- antiepileptic drugs (AEDs)
resistance in PNES, 38
See also pharmacological treatments for PNES.
- antihistamines, 65
- anxiety disorders
comorbidity with PNES, 11, 226–7
- anxiety in PNES patients, 145–6
- aortic stenosis, 64, 65
- apnea (neonatal and infantile), 94–7
- Arnold-Chiari malformation, 67
- ataque de nervios* (attack of nerves). *See* Puerto Rican culture and PNES
- athetosis, 102, 115
- atrial myxoma, 65
- atrioventricular block, 64
- attention deficit disorder, 101, 102
- autistic spectrum disorder, 100
- autosomal dominant nocturnal frontal lobe epilepsy (ADNFLE), 69
- ballism, 102, 115
- benign myoclonus of infancy, 99–100
- benign neonatal sleep myoclonus, 97
- benign nonepileptic infantile spasms, 99–100
- benign paroxysmal positional vertigo, 68, 70
- benign paroxysmal torticollis of infancy, 99
- benign paroxysmal vertigo, 98
- BNI Screen for Higher Cerebral Functions (BNIS), 144
- body rocking in children, 100
- borderline personality disorder, 142, 228–31
- Boston Naming Test, 144
- bradyarrhythmias, 65
- brain injury
and PNES, 43
- breath-holding spells in children, 46, 98
- Breuer, Joseph, 22, 82
- Brief Visuospatial Memory Test-Revised, 143
- Briquet, Pierre, 19–20
- Briquet's hysteria, 19–20, 24
- bromides
early use in PNES treatment 238, 310
- Brugada syndrome, 64, 65, 67
- bruxism (sleep-related), 79
- burden of PNES. *See* costs of PNES
- California Verbal Learning Test, 137
- carcinoid syndrome, 72
- cardiac events, 3
- cardiogenic syncope, 64, 65–6
- cardiomyopathy, 65
- cardiomyopathy, inherited, 65
- care of patients with PNES
benefits of psychological support and education, 253–4
comprehensive care, 253–4
diagnostic disclosure protocol, 256
multidisciplinary approach, 253–4
multidisciplinary model of care, 254–8
presenting the diagnosis to the patient, 254–5
psychological support, 254–5
role of the advanced practice psychiatric nurse, 255–6
role of the nurse, 255–6
role of the social worker, 256–7
- carotid sinus hypersensitivity, 65
- Carter, Robert Brudenell, 19
- cataplexy, 67–8
in children and adolescents, 105
- catatonia, 203
- causation of PNES
legal implications, 159–60
- cerebrogenic cardiac dysfunction, 66
- Charcot, Jean-Martin, 20–1, 82, 83, 132, 297
- Charles Bonnet syndrome, 71
- childhood neglect
association with PNES, 214

Cambridge University Press

978-0-521-51763-8 - Gates and Rowan's Nonepileptic Seizures, Third Edition

Edited by Steven C. Schachter and W. Curt LaFrance

Index

[More information](#)

Index

- children with PNES
 adolescents' perceptions about PNES, 187–9
 approaches to diagnosis and treatment, 183–5
 clinical vignettes, 171–4
 cognitive evaluation, 179
 comorbid psychiatric diagnoses, 165–6
 diagnostic challenges, 166–7
 diagnostic feedback to parents and child, 169–71
 diagnostic process, 167–9
 etiologial theories, 187
 family conflict and psychopathology, 179–80
 history of multiple stressors, 179–80
 history of sexual abuse, 179
 individual child's experience of stress, 185
 learning difficulties, 179–80
 models of pediatric PNES, 163–5
 parents' perceptions about PNES, 187–9
 peer relationship problems, 180
 perceptions of PNES in India, 189
 prevalence related to age, 187
 primary diagnosis, 165
 psychological assessment, 179
 risk factors for pediatric PPNES, 163
 study of stressor types and responses, 180–3
 timing of diagnosis, 167
 treatment goals, 174–6
See also diagnostic approach for children; paroxysmal events in children.
- chorea, 69, 101, 115
- chronic fatigue syndrome, 27–8, 39
- chronic pain, 39
- chronic pelvic pain, 216
- Chvostek's sign, 101
- circadian rhythm sleep disorders, 77
- Clarke, Pierce, 22
- classical conditioning model for treatment, 269–70
- classification of nonepileptic seizures
 catatonia, 203
 conversion disorders, 203
 dissociative states, 202–3
 DSM, 199, 202
 episodic dyscontrol, 204
 etiologic approach, 201–2
 issues concerning consciousness, 204–5
- malinger, 203–4
- nosological approach, 202–4
- panic attacks, 203
- PNES, 204
- purpose, 201
- semiological approach, 202
- semi-structured clinical interview for diagnosis (SCID), 209
- tool to classify PNES, 209
- classifications of PNES
 as symptom or disease, 12
 based on etiology, 8, 11
 based on personality testing, 7
 based on semiology, 5–7
 based on semiology and personality testing, 8
 based on suspected psychological mechanism, 8
 clinical relevance of subtypes of PNES, 5
 comorbidities of PNES, 11–12
 descriptive vs. etiologial approach, 11
 differential diagnosis, 8–9
 DSM, 11, 12–13
 ICD, 11
 proposed dissociative subtype, 12
 somatoform vs. dissociative nature, 10–11
 sources of confusion, 10–13
 suggested changes to DSM, 12–13
 within existing psychiatric taxonomies, 9–13
- clinical features of PNES. *See* diagnosis of PNES
- clinical psychologist
 role in treatment of PNES, 263–4
- clinical types of PNES, 79
- cognitive behavioral therapy (CBT) for PNES, 281–2
 Brown Medical School, Rhode Island Hospital, 282–3
 Maudsley Hospital, London, 283–5
 questions not yet answered by research, 285
 therapeutic challenges posed by this patient group, 285–6
- cognitive complaints of PNES patients, 144
 and level of self-perceived anxiety, 145–6
 implications for clinical practice and research, 146–7
 memory dysfunction, 145–6
- cognitive functioning in PNES patients
 objective neuropsychological findings, 144–5
 subjective appraisal, 144–5
- colloid cysts, 67
- comorbid ES and PNES, 5, 43
 and developmental delay, 58
 case examples, 51–2
 characteristics of NES versus ES, 55–6
 definition of ES, 51
 definition of PNES, 51
 delay in diagnosis, 52–3
 diagnosis, 53–4
 EEG, 57
 epilepsy surgery and PNES, 58
 healthcare costs, 53
 historical reports, 51
 ictal semiology, 55
 incidence and prevalence, 52–3
 indications for suspicion, 51
 medical treatment, 53
 negative VEEG using scalp recordings, 56
 neuropsychological evaluations, 56–7
 prolactin measurement, 58
 pseudostatus and status epilepticus, 56
 quality of life (QOL) effects, 53
 risk factors, 53–4
 social impacts, 53
 temporal relationship of seizures, 54–5
 VEEG, 57–8
See also epilepsy with PNES.
- comorbidities with PNES, 11–12
 anxiety disorders, 226–7
 associations with trauma, 215–17
 mood disorders, 226–7
 personality disorders, 227–31
- complaisant overadjustment, 122
- confidentiality
 legal implications of PNES, 158–9
- confusional arousals, 45, 72, 78
- confusional states (prolonged), 72–3
- congenital heart disease, 64
- Conversation Analysis, 85–6
- conversion, 22
 symptoms in PNES patients, 29
- conversion disorder, 203
 DSM criteria, 11
 in children and adolescents, 105
 in patients with PNES, 27

Cambridge University Press

978-0-521-51763-8 - Gates and Rowan's Nonepileptic Seizures, Third Edition

Edited by Steven C. Schachter and W. Curt LaFrance

Index

[More information](#)

Index

- convulsionnaires*, 17
- convulsive movement episodes, 68–70
- costs of PNES
- antiepileptic drug use, 31
 - changes in employment status, 32
 - comorbid medical and psychiatric conditions, 31–2
 - comparison with intractable epilepsy, 29–30
 - comparison with well-defined disorders, 28–9
 - estimating costs, 29–32
 - extent of MUS in neurology practice, 28–9
 - financial assistance, 32
 - pre-diagnosis costs, 30
 - prognosis, 32
 - tertiary care, 30–1
- cough syncope, 65
- creatine kinase
- postictal testing, 44
- culture and PNES
- culturally embodied metaphors, 121
 - development of culturally appropriate treatments, 128
 - India, 126–8
 - Puerto Rico, 124–6
 - socio-cultural factors in psychopathology, 121–2
 - theoretical background, 121–2
 - Turkey, 122–4
- culture-specific startle syndromes, 70
- DAPP-BQ (Dimensional Assessment of Personality Pathology-Basic Questionnaire), 7
- daydreaming in children, 101
- decision tree to diagnose seizure-like events, 205–9
- dementia, 111, 115, 116
- denial in PNES patients
- brain structures involved, 145–6
- depression
- in the elderly, 111
- DES (Dissociative Experiences Scale), 11
- descriptive approach to classification of PNES, 11
- developmental delay
- and comorbid ES and PNES, 58
- diabetes
- in the elderly, 115
- diagnosis of comorbid ES and PNES, 53–4
- diagnosis of PNES, 3–4
- abnormal movements in the ICU, 46
 - ambulatory EEG, 39
 - analysis of ictal semiology, 40–2
 - circumstances in which attacks occur, 38
 - coexisting epilepsy, 43
 - coexisting neurological disease, 43
 - differential diagnosis, 8–9, 45–6
 - differentiation from epilepsy, 8–9, 83–4
 - differentiation from parasomnias, 45–6
 - differentiation from paroxysmal movement disorders, 46
 - differentiation from syncope, 45
 - difficult and special issues, 43
 - difficulties in accepting the diagnosis, 261–2
 - errors in EEG interpretation, 43
 - ES and PNES, 77
 - events which occur during sleep, 77
 - examination, 39
 - frequency of events, 38
 - home video recordings, 39
 - in the elderly, 43
 - induction of seizures, 42
 - lack of ictal EEG changes, 43–4
 - late-onset PNES, 43
 - limitations of VEEG monitoring, 43–4
 - linguistic analysis, 85–8
 - misdiagnosis as epilepsy, 38
 - multiple seizure types, 43
 - neuropsychological evaluation, 45
 - nocturnal seizures, 79–80
 - physiological nonepileptic events, 45–6
 - PNES after epilepsy surgery, 43
 - postictal laboratory tests, 44–5
 - presenting the diagnosis to the patient, 254–6
 - previous abnormal EEG, 43
 - provocative techniques, 42
 - psychological profiling, 45
 - resistance to AEDs, 38
 - role of VEEG, 8–9, 38
 - routine EEG, 39
 - short-term outpatient VEEG with activation, 42
 - sources of confusion, 10–13
 - specific triggers, 38
 - suspicion by patient history, 38–9
 - transient loss of awareness, 62–3
 - use of hypnosis, 83–4
 - use of hypnosis to induce PNES, 83–4
 - VEEG monitoring, 39–42, 43–4
- diagnosis of seizure-like events
- decision tree, 205–9
- Diagnostic and Statistical Manual of Mental Disorders. *See* DSM
- diagnostic approach for children
- clinical clues from the history, 91–2
 - clinical event description, 91
 - confirmatory tests for nonepileptic events, 92–3
 - differential diagnosis. *See* paroxysmal events in children
 - ES differential diagnosis, 92
 - nonepileptic differential diagnosis, 92
 - particular challenges in children, 105
 - patient history, 91–2
 - risk factors from the history, 91–2
 - routine EEG, 92
 - simultaneous VEEG and polysomnography, 92–3
- diagnostic disclosure protocol
- patients with PNES, 256
- diagnostic issues in the elderly. *See* elderly people
- Digit Memory Test, 137
- digoxin, 65
- disability
- legal implications of PNES, 159
- discrimination against patients with PNES, 159
- dissociation
- and trauma, 82–3
- dissociation in PNES, 10–11
- proposed dissociative subtype, 12
- dissociative disorder
- comorbidity with PNES, 11
- dissociative identity disorder (DID), 83
- dissociative states, 202–3
- driving
- legal implications of PNES, 157–8
- drop attacks, 67–8
- DSM (Diagnostic and Statistical Manual of Mental Disorders)
- approach to psychiatric classification, 11
 - classification of nonepileptic seizures, 199, 202
 - classification of PNES, 11

Index

- personality disorder classifications, 7
 suggested changes to PNES classification, 12–13
 dysautonomia, 9
 dyskinesias
 in children, 101–2
 dystonia, 69, 102, 115

 echolalia, 70
 echopraxia, 70
 elderly people
 age-related diagnostic issues, 111
 diabetes, 115
 diagnostic issues, 110
 diagnostic steps and problems, 111–12
 diagnostic VEEG monitoring, 110, 112, 116
 encephalopathy, 111, 115–16
 epidemiology of NES, 110–11
 hyperkinetic symptoms, 115
 hypoglycemia, 115
 ischemic events, 114
 late-onset PNES, 43
 movement disorders, 115
 NES treatment and outcome, 116
 physiological NES, 114
 PNES treatment and outcome, 116
 psychogenic NES (PNES), 114
 REM sleep behavior disorder, 115
 routine EEG monitoring, 111–12
 sleep disorders, 115
 syncope, 114
 TIAs (transient ischemic attacks), 114
 electroencephalogram (EEG)
 markers for the hypnotic state, 83
 emotional abuse
 association with PNES, 213–14
 emotional adjustment evaluation and PNES, 138–40
 encephalopathy
 in the elderly, 111, 115–16
 epidemiology of NES in the elderly, 110–11
 epidemiology of PNES, 3–5
 diagnosis of PNES, 3–4
 ES comorbidity, 5
 incidence, 4
 prevalence, 4–5
 epilepsy
 association with hysteria, 22–3
 association with sleep, 71–2
 historical association with hysteria, 19
 misdiagnosis of PNES, 38
 PNES after epilepsy surgery, 43
 epilepsy diagnosis
 analysis of ictal semiology, 40–2
 differentiation from migraine, 70
 ES and PNES, 77
 nocturnal seizures, 79–80
 rates of misdiagnosis, 62
 transient loss of awareness, 62–3
 use of hypnosis, 83–4
 See also diagnosis of PNES.
 epilepsy surgery and PNES, 58
 epilepsy with PNES, 43
 diagnosis of epilepsy, 248–9
 diagnosis of PNES, 248
 incidence, 247
 management challenges, 247
 management of epilepsy, 250–1
 management of PNES, 249–50
 managing the diagnostic process, 248
 overall management strategy for PNES, 247–8
 patient characteristics, 248
 Quarriers inpatient assessment process, 251
 therapeutic value of AED reduction, 250
 See also comorbid ES and PNES.
 epileptic myoclonus, 68
 epileptic personality concept, 23
 epileptic seizures (ES)
 comorbidity with PNES, 5
 differentiation from PNES, 3, 8–9
 episodic ataxia
 in children, 102
 episodic ataxia (EA1 and EA2), 69
 episodic dyscontrol, 204
 in children, 102
 episodic dyscontrol syndrome, 71
 episodic phenomena in sleep, 71–2
 essential tremor, 98
 etiological classification of nonepileptic seizures, 201–2
 etiological approach to classification of PNES, 8, 11, 266–74
 etiological models for treatment
 classical conditioning model, 269–70
 family systems model, 269
 individualized treatment plans, 277
 learning theory models, 269–70
 operant conditioning model, 270
 “organic” psychosyndrome model, 273–4
 psychodynamic approach, 266–9
 psychosomatic/psychophysiological models, 273
 stress model, 270–3
 subgroups in PNES, 275–6
 towards a unified model for PNES, 274–5
 etiology of PNES
 attachment trauma theories, 218
 complexity and variability, 219
 dissociation theories, 217–18
 dissociation vs. somatization, 10–11
 family dysfunction theories, 218
 historical theories, 213
 information from comorbidities, 12
 PNES as brain trauma, 219
 PNES as panic attacks, 218–19
 PTSD theories, 218
 somatization vs. dissociation, 10–11
 theories linking trauma or PTSD, 217–19
 use in classification schemes, 8
 excessive fragmentary hypnic myoclonus, 77, 79
 faciomandibular myoclonus, 79
 factitious disorder, 28
 See also Munchausen syndrome.
 familial dilated cardiomyopathy, 65
 Family Assessment Device (FAD), 318
 family conflict and psychopathology
 children with PNES, 179–80
 family dysfunction
 association with PNES, 214–15
 family members
 perceptions about children with PNES, 187–9
 family system dysfunction in PNES, 317
 family systems model of treatment, 269
 family therapy
 assessment instruments, 318–19
 case study (McMaster Assessment), 320–6
 McMaster Model of Family Functioning (MMFF), 317–18
 principles and focus, 317

Cambridge University Press

978-0-521-51763-8 - Gates and Rowan's Nonepileptic Seizures, Third Edition

Edited by Steven C. Schachter and W. Curt LaFrance

Index

[More information](#)

Index

- family therapy (*cont.*)
 Problem Centered Systems Therapy of the Family (PCSTF), 319–20
 role of family dysfunction in PNES, 317
- fibromyalgia, 27–8, 39, 217
- “forced obedience” response, 70
- frequency of PNES, 82
- Freud, Sigmund, 21–3, 82, 85, 131, 132, 297
- fugue states (prolonged), 72–3
- functional somatic syndromes, 27–8
- furor uterinus*, 18
- generalized epilepsy with febrile seizures (GEFS+), 69
- geste antagoniste, 69, 102
- glaucoma, 71
- globus hystericus, 17
- grand chorea epidemics, 17
- group psychotherapy
 history of development, 289
 theoretical orientations, 289
- group therapy for PNES
 active relaxation/behavioral activation teaching, 294
 adjunctive treatment, 294–5
 as adjunctive treatment, 292
 awareness of secondary gain, 294
 cognitive restructuring techniques, 294
 contribution to threshold dose of care, 292
 cost-effectiveness, 292
 exposure techniques, 294
 format at Stanford University outpatients Behavior Medicine Clinic, 293–5
 intake interview, 293–4
 interpersonal skills training, 293–4
 motivational techniques, 294
 potential benefits for patients, 289
 psycho-educational presentation, 294
 radical acceptance of symptoms, 294
 rationale, 291–3
 relapse prevention training, 294
 ripple effect within the group, 292
 social support, 292–3
 studies, 289–91
 treatment of comorbid conditions, 292
- unique change-inducing factors, 293
- Gulf War syndrome, 27
- hallucinations, 9, 71, 77, 105
 in children, 104
- haloperidol, 312
- head banging, 46, 71, 100
- head injury
 and PNES, 43
- headrolling in children, 100
- Health Related Quality of Life, 139
 concept, 149
 limitations of measures for PNES patients, 154–5
 measures, 149–50
 PNES, 150–1
 PNES compared with anxiety and depression, 153
 PNES compared with ES, 151
 self-report questionnaires, 149–50
- hereditary hypererekplexia, 97
- historical approaches to PNES
 treatment, 237–43
- history of hysteria
 ancient Egyptians, 17
 ancient Greeks, 17
 association with epilepsy, 18–19, 22–3
 association with trauma, 22
 association with witchcraft, 17
 beginnings of neurology, 18
 Briquet's hysteria, 19–20, 24
 eighteenth and nineteenth centuries, 18–19
 epileptic personality concept, 23
 implication of sexual causes, 18, 19
 link between body and mind, 18–19
 link with emotions, 18
 Middle Ages, 17
 new hysteria studies, 24
 outbreaks of mass hysteria, 17
 posttraumatic hysteria, 19
 role of subconscious ideas, 21
 role of unconscious conflicts, 22
 socio-historical studies, 24
 stress as trigger for seizures, 23–4
 supernatural explanations, 17
 the French school, 19–21
 twentieth century, 23–4
 wandering womb concept, 17
 war-related neuroses, 23–4
 work of Briquet, 19–20, 238
 work of Charcot, 20–1, 238–9
 work of Freud, 21–3
- work of Janet, 21, 239
 work of Laycock, 18–19
 work of Sydenham, 18
 work of Whytt, 18
 work of Willis, 18
- hypererekplexia, 69–70
 in neonates and infants, 97
- hyperkalemic periodic paralyses, 68
- hyperkinetic movement disorders
 in children, 101–2
- hyperkinetic symptoms
 elderly people, 115
- hypersomnias of central origin, 77
- hypertrophic cardiomyopathy, 64, 65
- hypertrophic obstructive cardiomyopathy, 65
- hyperventilation in children, 101
- hypnic jerks (sleep starts), 71, 77
- hypnosis
 and hysteria, 22
 clinical applications, 298–304
 comparison with other induction procedures, 84–5
 differentiation between ES and PNES, 83–4
 exploratory and expressive approaches, 302–4
 history of uses, 82–3
 induction procedure in PNES
 diagnosis, 83–4
 parallels with PNES phenomena, 297–8
 pathophysiology of the hypnotic state, 83
 physiological basis, 83
 preparing the patient, 298–300
 susceptibility for hypnosis, 297
 therapeutic aspects in PNES, 85
 use in PNES diagnosis, 42
 use in posttraumatic hysteria, 20
 use of self-control procedures, 300–2
- Hypnotic Induction Profile (HIP), 83
- hypnotizability
 and psychopathology, 83
 trait hypothesis, 83
- hypocalcemia, 72
- hypochondriasis, 72
- hypoglycemia, 72
 in elderly people, 115
- hypokalemic periodic paralyses, 68

Cambridge University Press

978-0-521-51763-8 - Gates and Rowan's Nonepileptic Seizures, Third Edition

Edited by Steven C. Schachter and W. Curt LaFrance

Index

[More information](#)

Index

- hysteria. *See* history of hysteria
hysteria libidinosa, 18
hysteria major, 20
hysterical neurosis, 11
hysterical pseudoseizures, 3
hystero-epilepsy, 3, 19
- ICD (International Classification of Diseases)
classification of PNES, 11
- illusions or hallucinations, 71
- incidence of PNES, 4
- India
perceptions about PNES in children, 189
- Indian culture and PNES, 126–8
clinical phenomenology, 126
comorbidity, 127–8
epidemiology, 126
precipitating factors, 127
psychopathogenesis, 126–7
variability of clinical course, 127–8
- induction of PNES
comparison of techniques, 84–5
use of hypnosis, 83–4
- induction of seizures
diagnosis of PNES, 42
- infantile masturbation, 100
- inpatient treatment for PNES, 309–10
- insomnias, 77
- intermittent explosive disorder, 71, 204
in children, 102
- intracranial monitoring, 44
- ion channel disorders, 69
- irritable bowel syndrome, 27, 28, 217
- ischemic cardiomyopathy, 64
- ischemic events
in elderly people, 114
- ischemic heart disease, 65
- Jackson, Hughlings, 18, 19
- jactatio capitis, 46
- jactatio capitis nocturna, 71, 100
- Janet, Pierre, 21, 82, 83, 297
- Jorden, Edward, 17
- Jumping Frenchmen of Maine, 70
- juvenile myoclonic epilepsy, 102
- Lange-Neilson syndrome, 65
- Latah from Indonesia, 70
- Laycock, Thomas, 18–19
- learning difficulties
children with PNES, 179–80
- learning theory models for PNES
treatment, 269–70
- left atrial myxoma, 64
- legal implications of PNES
causation of PNES, 159–60
comparison with epilepsy, 157, 160
confidentiality, 158–9
disability, 159
discrimination, 159
driving, 157–8
privacy, 158–9
- Letter Memory Test, 137
- linguistic analysis
Conversation Analysis, 85–6
metaphoric conceptualizations of seizures, 87
seizure labels, 87–8
therapeutic potential, 88
use in diagnosis of PNES, 85–8
- long QT syndromes, 64, 65
- Lyme disease, 39
- malinger, 28, 203–4
definition, 190
- mass hysteria outbreaks, 17
- McMaster Clinical Rating Scale (MCRS), 318
- McMaster Model of Family Functioning (MMFF), 317–18
- McMaster Structured Interview of Family Functioning (McSiff), 318–19
- medically unexplained symptoms (MUS)
burden of healthcare costs, 28
connection with PNES, 27–8
conversion symptoms in PNES patients, 29
costs associated with, 28
in patients with PNES, 29
level of occurrence in neurology practice, 28–9
pain disorders in PNES patients, 29
prevalence, 27–8
research implications for PNES, 32–4
- memory dysfunction in PNES patients
brain structures involved, 145–6
- Ménière's disease, 70
- Mesmer, Franz Anton, 82
- metaphoric conceptualizations of seizures, 87
- migraine, 3, 46
differentiation from epilepsy, 70
in children and adolescents, 103–4
in the elderly, 111
- migrainous phenomena
differentiation from PNES, 9
- mitral stenosis, 65
- MMPI (Minnesota Multiphasic Personality Inventory), 7, 57
- MMPI/MMPI-2 (Minnesota Multiphasic Personality Inventory-2), 138–9
- models for treatment. *See* etiological models for treatment
- mood disorders
comorbidity in PNES, 226–7
- motor neuron disorders, 69
- movement disorders
in elderly people, 115
- multidisciplinary approach to PNES
patient care, 253–4
- multidisciplinary approach to treatment of PNES, 264
- multidisciplinary model of PNS care, 254–8
- multiple chemical sensitivities, 27
- multiple sclerosis, 43, 69
- multisomatoform disorder, 27
- Munchausen by proxy syndrome, 102–3
- Munchausen syndrome
consequences and costs, 191
definition of factitious disorder, 28, 190
impacts on the patient–doctor relationship, 190–1
issues of special concern, 192–3
literature review, 191
neurological history and examination, 191–2
origin of the term, 190
professional vignette, 193–4
prognosis, 190–1
psychiatric consultation, 192
psychiatric treatment, 193

Cambridge University Press

978-0-521-51763-8 - Gates and Rowan's Nonepileptic Seizures, Third Edition

Edited by Steven C. Schachter and W. Curt LaFrance

Index

[More information](#)

Index

- Munchausen syndrome (*cont.*)
 suicide risk, 192
 suspicion of deceit, 191–2
 variant of factitious disorder, 190
- myalgic encephalomyelitis, 27
- Myers, Frederick, 82
- myoclonic jerks
 during a syncopal episode, 66
- myoclonus, 68
- Myriachit from Siberia, 70
- narcolepsy, 46, 67–8, 77
 in children and adolescents, 105
- NEO-PI-R personality measure, 7
- neurally mediated hypotension, 64
- neurocardiogenic syncope, 64
- neurological disease
 comorbidity with PNES, 43
- neurologist
 role in treatment of PNES, 260, 261–3
- neuropsychological testing, 136
 cognitive and affective aspects in PNES, 144–5
 effort testing, 137–8
 inability to differentiate ES and PNES, 138
 similarity of results in ES and PNES patients, 136–8
 test-taking motivation in PNES, 137–8
- neurosis
 early use of the term, 20
- night terrors, 45, 72, 103
- nightmares, 72
 in children, 103
- nocturnal epileptic seizures
 differential diagnosis, 79–80
- nocturnal hypnogenic paroxysmal dyskinesia, 69
- nocturnal panic attacks, 78
- nocturnal paroxysmal dystonia, 46
- nocturnal sleep-related eating disorder, 78
- nonepileptic attack disorder, 3
- nonepileptic myoclonus, 9, 46
- nonepileptic nonpsychogenic episodes.
 See physiological nonepileptic events
- nonepileptic physiologic events, 45–6
- non-REM parasomnias, 72, 77–8
- nonstate dependent parasomnias, 78
- nurse
 role in care of patients with PNES, 255–6
- obsessive compulsive disorder, 102
- obstructive sleep apnea, 72
 in the elderly, 111
- Oedipus complex, 22, 23
- operant conditioning model for treatment, 270
- opsoelonus in children, 100
- “organic” psychosyndrome model, 273–4
- orthostatic syncope, 64–5
- pain disorders, 27
 in PNES patients, 29
- panic attacks, 46, 71, 203
 in children, 104
 nocturnal, 78
- parasomnias, 9, 38, 44, 45–6, 71, 77–8
 non-REM parasomnias, 72, 77–8
 REM parasomnias, 72, 78
- parents
 perceptions about PNES in children, 187–9
- Parkinson's disease, 111, 114, 115
- paroxysmal dyskinesias, 69
 in children, 98–9
- paroxysmal dystonias, 46
- paroxysmal dystonic choreoathetosis, 69
- paroxysmal events in children, 93–105
 acute life-threatening event (ALTE), 94–7
 adolescents, 103–5
 alternating hemiplegia of childhood, 101
 apnea (neonatal and infantile), 94–7
 approaches to classification, 93–4
 benign myoclonus of infancy, 99–100
 benign neonatal sleep myoclonus, 97
 benign nonepileptic infantile spasms, 99–100
 benign paroxysmal torticollis of infancy, 99
- benign paroxysmal vertigo, 98
- breath-holding spells, 98
- cataplexy, 105
- conversion disorder, 105
- daydreaming, 101
- dyskinesias, 101–2
- episodic ataxia, 102
- episodic dyscontrol, 102
- hereditary hyperekplexia, 97
- hyperekplexia, 97
- hyperkinetic movement disorders, 101–2
- hyperventilation, 101
- hypnagogic hallucinations, 105
- infancy (2 months to 2 years), 98–101
- infantile masturbation, 100
- intermittent explosive disorder, 102
- jitteriness (infants), 97
- migraine, 103–4
- Munchausen by proxy syndrome, 102–3
- narcolepsy, 105
- neonatal period (birth to 8 weeks), 94–7
- nightmares, 103
- opsoelonus, 100
- paroxysmal dyskinesia, 98–9
- paroxysmal tonic upward gaze, 97
- pavor nocturnus (night terrors), 103
- PNES in children and adolescents, 104
- psychiatric disorders, 104–5
- rage attacks, 102
- rhythmic movement disorder of sleep, 100–1
- rumination, 99
- Sandifer syndrome, 99
- shuddering attacks in infants, 98
- sleep attacks, 105
- sleep paralysis, 105
- somnambulism (sleepwalking), 103
- spasmus nutans, 100
- staring spells, 101
- startle response (neonates), 97
- stereotypies, 100
- stool withholding activity, 101
- syncope in children and adolescents, 104
- tics, 102
- paroxysmal hypnogenic dyskinesias in children, 102
- paroxysmal kinesigenic dyskinesia, 69
- paroxysmal kinesigenic dyskinesia in children, 102
- paroxysmal limb movements of sleep, 46

Cambridge University Press

978-0-521-51763-8 - Gates and Rowan's Nonepileptic Seizures, Third Edition

Edited by Steven C. Schachter and W. Curt LaFrance

Index

[More information](#)

Index

- paroxysmal movement disorders
differential diagnosis, 46
- paroxysmal nonkinesiogetic
dyskinesia
in children, 102
- paroxysmal tonic upward gaze
(infants), 97
- pavor nocturnus, 103
- pediatric PNES (PPNES). *See* children
with PNES
- peer relationship problems
children with PNES, 180
- perceptions about PNES in children
and adolescents, 187–9
- periodic limb movement disorder,
78
- periodic limb movements in sleep,
72
- Personality Assessment Inventory
(PAI), 139
- personality disorders
comorbidity with PNES, 12,
227–31
- personality profiles of PNES patients,
7
- personality testing and PNES,
138–40
- phantom limb pain, 71
- pharmacological treatments for PNES
AED use in patients with mixed
ES/PNES, 309
AED use in PNES, 308–9
analgesics, 307, 312
antidepressants, 307
anxiolytics, 307
assessment and treatment
recommendations, 312–13
barbiturates, 310
benzodiazepines, 310
bromides, 310
dopamine hypothesis, 312
historical approaches, 310
NMDA antagonists, 312
propranolol, 307, 312
role in combination with other
therapies, 307–8
serotonin hypothesis, 311
sodium amytal, 310
SSRIs, 311–12
treatment strategies, 308
University of Memphis approach,
312
- pheochromocytoma, 72
- physical abuse
association with PNES, 213–14
- physiological nonepileptic seizures
definition, 3
- physiological nonepileptic events, 45–6
- PNES. *See* psychogenic nonepileptic
seizures
- Portland Digit Recognition Test, 137
- positron emission tomography (PET)
physiology of hypnosis and hysteria,
83
- posttraumatic hysteria, 19
use of hypnotism, 20
- posttraumatic stress disorder (PTSD),
82, 111, 134
association with PNES, 215
comorbidity with PNES, 11
indirect association with PNES,
215–17
link with PNES, 12
role in PNES etiology, 217–19
- postural orthostatic tachycardia
syndrome (POTS), 64–5
- postural syncope, 64
- presyncope, 64
- prevalence of PNES, 4–5
- privacy
legal implications of PNES, 158–9
- Problem Centered Systems Therapy of
the Family (PCSTF), 319–20
- progressive encephalomyelitis with
rigidity and tetanus, 70
- prolactin levels
patients with comorbid ES and
PNES, 58
postictal testing, 44–5
- prolonged confusional or fugue states,
72–3
- propranolol, 307, 312
- proprio-spinal myoclonus, 77
- provocative techniques
diagnosis of PNES, 42
- pseudoepileptic seizures, 3
- pseudoparasomnias, 79
- pseudoseizures, 3
- “pseudosleep”
clinical features of PNES during, 79
- pseudostatus and status epilepticus,
56
- psychiatric assessment of PNES
patients, 310
- psychiatric disorders
in children and adolescents, 104–5
- psychiatric disorders in PNES
borderline personality disorder,
228–31
comorbid anxiety disorders, 226–7
comorbid mood disorders, 226–7
comorbid personality disorders,
227–31
heterogeneity and complexity, 232
impact on outcome after PNES
diagnosis, 231–2
primary psychiatric disorders, 225
- psychiatric features of pediatric PNES
clinical vignettes, 171–4
comorbid psychiatric diagnoses,
165–6
diagnosis, 166–9
diagnostic feedback to parents and
child, 169–71
models of pediatric PNES, 163–5
primary diagnosis of pediatric
PNES, 165
risk factors, 163
treatment goals, 174–6
- psychiatric taxonomies
classification of PNES, 9–13
- psychiatrist
role in treatment of PNES, 260,
263
- psychic experiences
causes, 71
- psychoanalysis, 21, 22
- psychodynamic approach to PNES
treatment, 266–9
- psychogenic movement disorders, 44
- psychogenic nonepileptic seizures
(PNES)
alternative terminology, 3
definitions, 3
differentiation from ES, 3
- psychogenic seizures, 3
- psychological mechanism of PNES, 8
- psychological support. *See* care of
patients with PNES
- psychoneurosis, 22
- psychosomatic/psychophysiological
models for PNES treatment, 273
- PTSD. *See* posttraumatic stress
disorder

Cambridge University Press

978-0-521-51763-8 - Gates and Rowan's Nonepileptic Seizures, Third Edition

Edited by Steven C. Schachter and W. Curt LaFrance

Index

[More information](#)

Index

- Puerto Rican culture and PNES, 124–6
- childhood trauma, 124–5
- clinical phenomenology of *ataque de nervios*, 124
- comorbidity, 125–6
- cultural predisposition to dissociation, 125
- epidemiology of *ataque de nervios*, 124
- gender roles, 125
- precipitating factors for *ataque de nervios*, 125
- psychopathogenesis, 124–5
- relationship between *ataque* and dissociation, 125
- variability of clinical course, 125–6
- quality of life. *See* Health Related Quality of Life
- Quality of Life in Epilepsy Inventory-89 (QOLIE-89), 143, 150
- rage attacks, 204
- in children, 102
- reflex epilepsies, 71
- reflex hypotension, 64
- reflex startle epilepsy, 70
- reflex syncope, 64
- rehabilitation therapist
- role in treatment of PNES, 264
- REM parasomnias, 72, 78
- REM sleep behavior disorder, 45, 46, 72, 78, 115
- REM sleep-associated parasomnias in the elderly, 111
- repression, 267
- repression in PNES patients
- brain structures involved, 145–6
- research on PNES
- funding support, 32–4
- restless legs syndrome, 46, 71
- in the elderly, 115
- Rett's syndrome, 100
- Rey Auditory Verbal Learning Test, 145
- rhythmic movement disorder of sleep in children, 100–1
- rhythmic movement disorders, 46, 71, 79
- rhythmic du sommeil, 100
- right ventricular dysplasia, 64, 65
- Riley Day syndrome, 98
- Romano-Ward syndrome, 65
- rumination in children, 99
- saline injection (IV)
- use in PNES diagnosis, 42
- Sandifer syndrome, 99
- scalp EEG, 44
- seizure labels, 87–8
- semiological classification of nonepileptic seizures, 202
- semiology of PNES
- clinical types, 79
- sensory starts, 77
- sertraline, 311
- sexual abuse
- association with PNES, 213–14
- children with PNES, 179
- shell shock, 23
- Shorter, Edward, 24
- Showalter, Elaine, 24
- shuddering attacks
- in infants, 98
- in young children, 46
- situational syncope, 64
- sleep
- occurrence of PNES events, 77
- sleep apnea, 72
- in the elderly, 115
- sleep arousal disorders, 72
- sleep attacks, 105
- sleep disorders, 3, 45–6
- episodic phenomena in sleep, 71–2
- in elderly people, 115
- major categories, 77
- See also* narcolepsy; parasomnias.
- sleep events
- differential diagnosis, 80
- nocturnal epileptic seizures, 79–80
- sleep paralysis, 72, 77, 105
- sleep-related breathing disorders, 77
- sleep-related movement disorders, 77, 78–9
- sleep terrors, 78
- sleep transition parasomnias, 77
- sleepwalking, 45, 72, 78
- in children, 103
- social worker
- role in care of patients with PNES, 256–7
- role in treatment of PNES, 264
- socio-historical studies of hysteria, 24
- somatization
- role in PNES, 10–11
- somatization disorder, 24, 27
- somatoform disorders
- comorbidity with PNES, 11
- presence of medically unexplained symptoms, 27
- somatoform pain disorder, 216
- somnambulism, 45, 72, 78
- in children, 103
- somniloquy, 45
- spasmus nutans in children, 100
- St Vitus' dance, 17
- Stanford Hypnotic Susceptibility Scale Form C, 83
- staring spells in children, 101
- startle epilepsy, 69, 70
- startle syndromes, 69–70
- stereotypies in children, 100
- stiff-person syndrome, 70
- stool withholding activity in children, 101
- stress
- as trigger for seizures, 23–4
- stress model for PNES treatment, 270–3
- stress seizures, 3
- stressors
- link with PNES in children, 179–80
- stroke, 43, 111
- in children, 105
- subconscious ideas
- role in hysteria, 21
- subgroups in PNES, 275–6

Cambridge University Press

978-0-521-51763-8 - Gates and Rowan's Nonepileptic Seizures, Third Edition

Edited by Steven C. Schachter and W. Curt LaFrance

Index

[More information](#)

Index

- sudden unexpected death in epilepsy (SUDEP), 66
- suggestibility and hysteria, 21
- sulpiride, 312
- supraventricular tachycardia, 64, 65
- swallowing syncope, 65
- Sydenham, Thomas, 18
- syncope, 38, 44, 45, 62–7
cardiogenic, 64, 65–6
causes, 64–6
definition, 63–4
diagnosis, 66–7
differential diagnosis, 45
differentiation from PNES, 9
in children and adolescents, 104
in the elderly, 111, 114
incidence, 64
presence of myoclonic jerks, 66
prevalence, 64
prognosis and treatment, 67
recurrence, 64
structural heart disease, 65–6
transient loss of awareness, 62–3
vascular causes, 64–5
vasovagal syncope, 64
- tachyarrhythmias, 65
- Tarantism, 17
- terminology relating to nonepileptic seizures, 199–200
- Test of Memory Malinger, 137
- tetralogy of Fallot, 104
- TIA's. *See* transient ischemic attacks
- tics, 69
in children, 102
- “torsade de pointes”, 65
- torticollis in children, 99
- Tourette, Gilles de la, 82
- Tourette's syndrome, 102
- transient epileptic amnesia, 73
- transient focal hypermotor episodes, 68–70
- transient focal sensory attacks, 70–1
- transient global amnesia, 46, 72–3
in adolescents, 105
- transient global cerebral hypoperfusion. *See* syncope
- transient ischemic attacks (TIAs), 46, 70
differentiation from PNES, 9
in children, 105
in the elderly, 111, 114
- transient ischemic events, 73
differentiation from PNES, 9
- transient loss of awareness, 62–3
See also syncope.
- transient retrograde amnesia, 62
- trans-theoretical model of intentional human behavior change, 193
- trauma
and dissociation, 82–3
causal role in hysteria, 22
effects on the central nervous system, 82
indirect association with PNES, 215–17
role in PNES etiology, 217–19
- trauma/abuse
association with PNES, 213–15
- treatment of PNES
clinical psychologist's role, 263–4
first goal of treatment, 260–1
historical approaches, 237–43
issues relating to who should treat, 260
need for a multidisciplinary approach, 264
neurologist's role, 260, 261–3
neuropsychologist's role, 263–4
psychiatrist's role, 260
psychiatrist's role, 263
rehabilitation therapist's role, 264
role of mental health professionals, 260, 263–4
social worker's role, 264
See also specific therapies
- treatment plans
classical conditioning model, 269–70
family systems model, 269
individually adapted strategies, 277
learning theory models, 269–70
operant conditioning model, 270
“organic” psychosyndrome model, 273–4
psychodynamic approach, 266–9
psychosomatic/psychophysiological models, 273
stress model, 270–3
subgroups in PNES, 275–6
towards a unified model for PNES, 274–5
- tremor, 68
See also shuddering attacks in young children.
- tremors
in children, 102
- Trousseau's sign, 101
- Turkish culture and PNES, 122–4
alexithymia, 123
childhood trauma and dissociation, 122–3
clinical phenomenology, 122
comorbidity, 123–4
complaisant overadjustment, 122
difficulty in self-perception and self-expression, 123
disadvantageous effects of exaggerated gender roles, 123
epidemiology, 122
family dynamics, 122
insecure attachment, 122–3
precipitating factors, 123
psychopathogenesis, 122–3
psychosocial stress factors, 123
special role in the family, 122
variability in clinical course, 123–4
- unconscious conflicts
role in hysteria, 22
- undifferentiated somatoform disorder, 27
- vascular causes of syncope, 64–5
- vasodepressor hypotension, 64
- vasovagal hypotension, 64
- ventricular fibrillation, 64
- ventricular tachycardia, 64, 65
- vertebrobasilar ischemia, 68
- vertigo, 70–1
- video-EEG (VEEG) monitoring
analysis of ictal semiology, 40–2
comorbid ES and PNES, 57–8
diagnosis of epilepsy, 23
diagnosis of PNES, 3–4
diagnostic use in the elderly, 110, 112, 116
limitations and pitfalls, 43–4
role in diagnosis of PNES, 38, 39–42
role in PNES diagnosis, 8–9
short-term outpatient VEEG with activation, 42
use of hypnosis to induce PNES, 83–4
use of provocative techniques, 42
- vocal outbursts, 71

Cambridge University Press
978-0-521-51763-8 - Gates and Rowan’s Nonepileptic Seizures, Third Edition
Edited by Steven C. Schachter and W. Curt LaFrance
Index
[More information](#)

Index

wandering womb concept of hysteria, 17, 190	women and PNES epidemiology, 132–3 gender difference in medical disorders, 131 gender differences in PNES, 131 gender-related difference in symptomatology, 134 gender-related differences in prognosis, 134	historical views of women and hysteria, 131–2 nature of the relationship, 134 role of age, 132–3 sexual trauma and PNES, 133–4 subtypes of PNES and gender, 133 Word Memory Test (WMT), 137
---	---	--