

Index

accidents and major exposures

- arsenic, “largest mass poisoning”, 451
- Bhopal explosion, 18
- Chernobyl explosion, 393
- Danube cyanide spill, 14
- Exxon Valdez oil spill, 246
- Minamata, mercury poisoning, 444
- Rhine chemical spill, 14
- TVA ash pond, failure, 430

acetic acid, 557

acetone, 504

acetylcholine, 466

acid deposition

- acid-forming pollutants, 155
- aerosols, 155
- buffers, 157
- carbonic acid, 156
- dry and wet, 156
- formed of, 155
- high stack emissions, 156
- history, 156
- ill effects, 159–162
 - aluminum, 431
 - erosion, haze, 162
 - forests, 160
 - mercury, 431
 - metals, 431
 - water and aquatic life, 159
- international
 - Asia, 167
 - China, 167–168
 - Europe, 166
- NAPAP, 158, 159, 160, 164
- pH, 158
- recovery from, 164
- reducing
 - nitrogen oxides, 163
 - sulfur dioxide, 162
- soil
 - base cations, 157
 - ill effects, 431
- sources, 162
- transboundary, 165

acid from mining, 428

adipic acid, 526

Afghanistan, 343

Africa, 28, 74, 83, 88, 143, 144, 147, 181, 302, 343, 414, 475, 477, 478, 479

agencies

- US Centers for Disease Control, 25, 70, 85, 91, 289, 290, 422
 - US Consumer Product Safety Commission (CPSC), 487
 - US Department of Agriculture, 472
 - US Department of Energy, 47, 331, 352, 359, 361, 384, 532
 - US DOE, *see* US Department of Energy
 - US EPA, 12, 24, 39, 42, 47, 71, 98, 102, 104, 110, 111, 112, 113, 118, 121, 125, 126, 131, 134, 135, 138, 144, 198, 199, 232, 248, 249, 251, 253, 254, 255, 256, 261, 263, 266, 271, 272, 276, 277, 282, 287, 288, 289, 290, 291, 292, 296, 297, 299, 300, 308, 318, 319, 324, 333, 339, 352, 353, 356, 359, 360, 366, 368, 379, 389, 391, 410, 414, 417, 418, 422, 425, 430, 433, 434, 436, 437, 444, 445, 447, 450, 451, 460, 464, 465, 469, 470, 471, 472, 483, 489, 492, 494, 497, 498, 500, 503, 505, 507, 519, 524
 - US EPA’s Science Advisory Panel, 165
 - US Fish & Wildlife Service, 471
 - US Food and Drug Administration, 84, 102, 299, 418, 444, 447, 465
 - US Geological Survey, 320
 - US National Academy of Sciences, 498
 - US National Aeronautics and Space Administration, 8, 219
 - closed-loop system, 515
 - US National Oceanic and Atmospheric Administration, 178, 213, 221, 255
 - US National Research Council, 102, 114, 269, 279, 289, 443, 447
- Agenda 21**, 21, 305, 334
- AIDS**, 27, 28, 72, 298, 302
- ### air pollutants
- HAPs
 - examples, 139
 - summary, 119
 - sulfur and nitrogen oxides, 129

- air pollutants, criteria**
 ambient air standards, 118
 as principal air pollutants, 118
 carbon monoxide, 119–121
 fate, 120
 ill effects, 120
 produced of, 119
 reducing, 120
 sources, 120
lead, 135
 sources, 135
 nitrogen oxides, 128–130
 aerosols, 128
 fate, 128
 ill effects, 128
 produced of, 129
 reducing, 130, 279, 386
 low-NOx burners, 391
 sources, 128
ozone, 190–191
 fate, 124
 ill effects, 122–123
 ill effects, continuum, 124
 intractable, 125
 motor vehicles, 124
 peroxyacyl nitrate, 122
 photochemical smog, 122
 produced of, 123
 reducing levels, 379
 sources, 123
 tropospheric, 122
 particulates, 130–134
 description, 130
 epidemiology, 132
 fate, 134
 ill effects, 132
 PAHs, 133
 exposure, 133
 ill effects, 133
 reducing, 133
 sources, 133
 PM10 PM2.5, 131, 132
 reducing, 134
 reduced levels, 512
 sources, 132
 sulfur dioxide, 125–127
 aerosols, 125
 China haze, 127
 fate, 127
 ill effects, 126
 reducing, 127
 fluidized bed, 391
 scrubbers, 391
 sources, 126
air pollutants, HAPs
 ill effects, 138
 maximum available technology (MACT), 140
 reducing, 140
air pollutants, hazardous air pollutants (HAPs), 138–140
air pollutants, principal, *see* **air pollutants, criteria**
air pollutants, summary, 119
air pollutants, toxics, *see* **air pollutants, HAPs**
air pollutants, VOCs, 136–137
 fate, 137
 ill effects, 136
 reducing, 137
 sources, 136
 VOCs and ozone, 136
air pollution
 brown Asian haze (ABC), 149
 Calcutta, 149
 Eastern Europe
 reducing, 151
 from desertification, 148
 from space, 142–144
 carbon monoxide, 142
 dust storms, 144
 NASA, 142
 smoke, 143
 less-developed countries, 148
 children, 148
 reducing, 150
 seen from space, 142–144
 Shenzhen
 cause, 150
air pollution and desertification
 reducing, 148
air toxics, *see* **air pollutants, HAPs**
Alaska, 232, 402
Algeria, 397
allergies, 72, 73, 77, 126, 139, 447, 486, 490, 492, 493, 494
alveoli, 74
ambient air pollutants, *see* **air pollutants, criteria**
ammonia, 558
Anopheles mosquito, 471
Antarctic, 144, 174, 175, 177, 181, 211, 219, 221, 222, 224, 226, 233, 234, 257, 348, 420, 422 *see also* **stratospheric ozone**
antibiotic drugs
 resistance to, 471
antifreeze, 102
Apollo Project
 “energy, jobs”, 406
Aral Sea, 147
Arctic, 257, 420, 435, 449
 PCB levels, 15
 POP accumulation, 15
Argentina, 302, 469
Aroclor
 see PCBs

- Arrhenius, Svante**, 170
arsenic, 12, 288, 293, 294, 295, 308, 309, 451, 452,
 453 *see also* **water contaminants**
- as syphilis treatment, 432
 - inorganic compounds, 452
 - uses, 452
- asbestos**, 64, 94, 139, 370, 484, 505
 exposure, 12
- Asia**, 21, 109, 143, 144, 146, 147, 148, 149, 150, 153,
 167, 169, 189, 190, 269, 302, 343, 426, 435,
 440, 451, 453, 477, 480, 512
 arsenic exposure, 432
- aspirin**, 59, 61, 69, 501
- Atlantic Ocean**, 21, 143, 144, 152, 178, 207, 272,
 278, 370
- atmospheric deposition**, *see also* **acidic deposition**
 (“acid rain”)
- atrazine**, 464
- atropine**, 59
- Australia**, 265, 450, 475, 533
- Bacillus thuringiensis (Bt)**, 461
- baculoviruses**, 461
- Bangkok**, 150
- Bangladesh**, 12, 302, 344, 371, 453
 arsenic, 293
 steel recycling, 370
- banks**
 Asia Development Bank, 21, 512
 Inter-American Development Bank, 480
 World Bank, 23, 148, 280, 302, 405, 444
- base deposition**, 157
- batteries**
 energy to manufacture, 341
 EU regulations, 342
 lead acid, 336
 metal reclamation, 342
 Ni-cad, 342
 rechargeable, 342
 reclaiming metals from, 342
 waste management hierarchy, 341
- Beijing**, 81, 145, 146, 151, 345, 387, 500
- Belgium**, 536
- benzene**, 78, 94, 527
 exposure, 140
 ill effects, 139
 VOCs, 136
- benzopyrene**, 76
 as PBT, 415
- Bhopal**, 1, 18, 19, 32, 39, 42,
 444, 525
- bioaccumulation**, 411
 land-based, 16
- biodiesel**, 383
- biofuels**
 LCA, 55
- biomass fuels**
 algae, 383
- biomonitoring**, *see* **chemicals in the body**
- biosolids**, *see* **wastewater treatment**
- Biosphere 2**, 7, 515
- bio-treatment**, *see* **solid waste, municipal:**
composting
- bisphenol A (BPA)**, 83–85
- Black Sea**, 278, 279
- black-lung disease**, 386
- “blue baby” syndrome**, 293
- Bolivia**, 499
- Bombay**, 27
- botulinum toxin**, 59, 60
- Brazil**, 21, 109, 149, 209, 302, 311, 337, 345, 346, 383,
 448, 536
 Curitiba, 25
- brownfield**, *see* **hazardous waste sites**
- Bt**, 473
- Buenos Aires**, 302
- cadmium**, 70, 139 *see also* **metals**
- CAFOs**, *see* **confined animal**
feeding operation
- calcium carbonate shells**, 559
- Calcutta**, 149, 150
- California**, 12, 148, 256, 264, 319, 366, 369, 399, 401,
 404, 468, 475, 531
 motor vehicles, 380
- Cambodia**, 364, 478
- Cameroon**, 144, 205
- Canada**, 15, 76, 257, 299, 300, 441,
 464, 494
 Arctic animals, 416
- Canberra**, 533
- cancer**
 causes, 80, 83, 94
 infection, 80
 pollutants, 80
 development, 79–80
 dose–response, 79
 initiation and promotion, 79
 organ affected
 bladder, 98, 294
 liver, 74, 94, 294
 lung, 12, 78, 94, 294, 450, 498
 scrotum, 94
 skin, 225, 293
 vagina, 83
- carbofuran**, 469
- carbon monoxide**, 60, 119, 120, 135, 142, 143, 376,
 379, 392, 487, 509 *see also* **air pollutants,**
criteria
- carbon tetrachloride**, 220
- carbonic acid**, 557
- Caribbean**, 144, 147, 432
- cars**, *see* **motor vehicles**

- cataracts**, 225
- caustic**, 502
- CCA alternatives**, 452
- CFL light bulbs**, 387
- chemical**
 - bioavailability, 66
 - persistence, 35
 - PCBs, dioxins, 65
 - reference, 44
- chemical effects**
 - body organs, 71–74
 - irritant, 63
 - local, 73
 - multiple chemicals, 62
 - additive, 19, 63
 - antagonists, antidotes, 19, 63
 - synergism, 19, 63, 74
 - synergism, 74
 - target organs, 65
- chemical exposure**, 89
 - children, 76
 - multiple chemicals, 62
 - one chemical, 63
- chemical risk**
 - impoverished countries, 109
 - occupational, 109
- chemical risk assessment**, 34–35, 98–108
 - animal tests, 105
 - cancer, 104–108
 - dose–response, 105
 - excess tumors, 105
 - exposure assessment, 105
 - hazard identification, 104
 - maximum tolerated dose, 105
 - no safe dose, 105
 - potency factor, 106
 - risk
 - assumptions, 107
 - risk characterization, 106
 - upper-bound risk, 108
 - cancer dose–response assessment, 105
 - definition, 34
 - dose response
 - reference dose, 101
 - safety factor, 101
 - dose–response
 - NOAEL, 101
 - dose–response assessment, 100, 101, 105
 - ecosystem assessment, 108
 - exposure assessment, 100
 - most highly exposed, 103
 - route of, 103
 - source, 103
 - worse-case, 103
 - future of, 113
 - hazard, 98
 - hazard assessment, 100
 - hazard identification, 100
 - hazardous waste sites
 - indicator chemicals, 99
 - human subjects, 102
 - non-cancer, 100–104
 - pesticides
 - cumulative risk, 104
 - risk characterization, 100
 - hazard quotient, 104
 - safety factor
 - children, 465
 - factors of 10, 102–103
 - what it compensates for, 99
 - when warranted, 99
 - why do, 99
- chemical risk management**, 110–113
 - factors considered, 110
 - laws and regulations, 110
 - legislative tools, 110
 - negligible risk, 110
- chemical toxicity**, 62
 - aflatoxins, action level, 74
 - ammonia, 218
 - arsenic**, 64, 453
 - drinking water, 293
 - epidemiologic studies, 295
 - exposure
 - chronic, 293
 - drinking water, 451
 - sources of, 453
 - exposure levels, 295
 - gangrene, 294
 - in utero, 295
 - key environmental health
 - problem, 451
 - local and systemic effects, 73
 - mass poisoning, 293
 - murders, 452
 - reducing risk, 294–295
 - asbestos, 12, 73
 - atrazine, 114
 - benzene, 65
 - cadmium, 70
 - caffeine, 62
 - carbofuran, 469
 - carbon monoxide, 72, 388
 - carbon tetrachloride, 62
 - DDT, 413, 415
 - DES, 83
 - dibromochloropropane, 76
 - diethylene glycol, 102
 - dioxins, 413
 - endosulfan, 469
 - ethyl alcohol, 62, 72
 - formaldehyde, 63, 64, 73

- chemical toxicity, (cont.)**
 insecticides, 466–468
 carbamates, 467
 DDT, 466
 organochlorines, 466
 organophosphates, 466
 iron, 427
 lead
 IQ and memory, 435
 mercury
 inhalation, 66
 metals, 72, 427, 432
methylmercury, 66, 447
 wildlife, 444
 neomycin, 73
 nitrite
 methemoglobin, 293
 nutrition and toxicity, 432
 oxalic acid, 62
 parathion, 65
 particles, 73
 PCBs, 413, 417
 fetal brain, 417
 pesticides, 73, 466–469
 pesticides and children, 77
 radon, 12
 reactive gases, 73
 solanine, 62
 teratogens, 75
 thalidomide, 76
 tin, organo-, 433
 tobacco products, 76
 toxic element, 427
 trichloroethylene, 107
 vitamin A, 76
- chemicals in the body**
 absorption, 64–65
 ingestion, 64
 portal blood, 64
 inhalation, 64
 lung alveoli, 64
 skin, 65
 ADME, 64–68
 bioaccumulation, 35, 67
 biomagnification, 67
 methylmercury, 67
 biomonitoring, 91
 body burden, 91–93
 chemicals found, 91
 CDC studies, 91
 usefulness, 93
 distribution and target organs, 65
 excretion
 how occurs, 67
 metabolism, 65
 biotransformation, 65
 storage, 66
- chemistry**
 acids, 556
 analytical, 19
 vanishing zero, 42
 atomic mass, 540
 atomic nucleus
 neutrons, 539
 protons, 539
 atomic number, 540
 atoms, 539
 Avogadro's constant, 552
 balancing reactions, 552, 554
 chemical bonds, 547
 covalent, 545
 ionic, 546
 electron, 540
 configuration, 543
 electrostatic forces, 547
 elements, 539
 electronegative, 543, 546
 electropositive, 543
 hydrogen, 540, 545
 deuterium, 542
 tritium, 542
 lithium, 545
 noble, 543
 free radicals, 550
 hydroxyl radical
 atmospheric roles, 550
 incomplete products of combustion, 555
 isotopes
 environmental chemistry, 542
 lithium, 542
 mercury, 441
 oxygen, 175
 radioisotopes, 175, 393, 543
 stable, 543
 what they are, 542
 metal primer, 426
 molecular mass
 calculating, 547
 neutralization, 557
 oxidation
 hydrocarbons, 554
 oxidation reactions, 552–555
 periodic table, 540
 pH, 556
 reduction reactions, 553
 stable octet, 544
 stoichiometry, 552
 subatomic particles, 539
 valence, 544
- chemistry, chemicals**
 acids, 556–558
 ocean, 556–558
 acids, strong, 557
 acids, weak, 557

- bases, 557
- benzo(a)pyrene, 556
- biochemicals, 549
- corrosive examples, 349
- flammable examples, 349
- formula, 540
- inorganic, 17, 549
- organic, 548–549
 - definition, 548
- polyhalogenated examples, 411
- reactive examples, 349
- water
 - hydrogen bonding, 556
- Chernobyl**, 393
- Chesapeake Bay**, 243, 258
- Chicago**, 270, 299
- children**
 - drinking-water pollution, 302
 - hazardous products, 501, 503
 - indoor air pollution, 77, 499
 - less-developed countries
 - air pollution, 148
 - nontoxic products, 504
 - pesticide exposure, 77
 - tolerances, 465
 - pesticides
 - wood preservative exposure, 451
 - smoke exposure, 499
- children and in utero**, 75–78, 469
- Chile**, 225
- China**, 22–24, 40–41, 81, 127, 144, 145, 147, 149, 150, 151, 167, 168, 229, 280, 281, 282, 304, 344, 347, 366, 369, 387, 396, 403, 478, 499, 500, 525
 - acid deposition, 168
 - air pollution, 145–146
 - banning plastic bags, 345
 - cancer villages, 23, 81, 87
 - carbon dioxide emissions, 202
 - coal burning, 81, 167, 194, 202, 375, 387, 499
 - coal reserves, 386
 - consumption, 28
 - desertification, 145
 - dust and sand storms, 145–146
 - dust storms, 145
 - economic growth, 24, 41, 387
 - energy use
 - coal, 387
 - economic activity, 535
 - inefficiency, 387
 - renewables, 387
 - energy use per capita, 375
 - environmental health, 81
 - environmental laws, 40
 - environmental organizations, 40
 - Environmental Performance Index, 536
 - exported products, 28
 - export-related pollution, 150
 - food production, 127
 - green chemistry, 524
 - green technology, 319
 - human dominance culture, 22
 - laws, 40–41
 - lead in children's blood, 436
 - mercury
 - workplace exposure, 445
 - multinational operations, 41
 - name and shame, 41
 - pesticide use, 478
 - pollution
 - air, 23
 - coastal, 281
 - drinking water, 23, 281, 282, 302
 - energy use, 387
 - indoor air, 499
 - metals, 430
 - reducing pollution, 281, 500
 - rivers, 280
 - waste, 312
 - waste electronics, 367
 - waste, silicon tetrachloride, 398
 - water, 81
 - unregulated emissions, 281
 - pollution and population, 281
 - polysilicon production, 396
 - power plants
 - emission controls, 392
 - reducing pollution, 40–41
 - greenhouse emissions, 209
 - right-to-know, 44
 - sand and dust storms, 145–146
 - solid waste, 312, 344, 345
 - State Environmental Protection Administration, 23, 145, 280
 - chloracne**, 68, 417
 - chlordane**, 416
 - chlorine**, 502
 - chloroform**
 - exposure, 140
 - ill effects, 139
 - cholera**, 308
 - chromated copper arsenate (CCA)**, 451–452
 - Clean Air Act**, *see* laws
 - Clean Water Act**, *see* laws
 - climate change**
 - IPCC, 172
 - closed-loop systems**, 514–515
 - Biosphere, not successful, 515
 - closed-loop recycling, 515
 - cradle to cradle, 356, 514
 - See* dematerialization
 - LCA
 - cars, 331

- closed-loop systems, (cont.)**
 - DfE, 516
 - factor 4, factor 10, 515
 - how nature does it, 514
 - industrial ecology, 513–516
 - Kalundborg
 - first model, 515
 - NASA
 - Advanced Life Support System, 515
 - need to dematerialize, 513
 - recycling
 - not enough, 515
 - wastes and emissions
 - as resources, 511
 - zero waste, zero emissions, 511
- closed-loop systems, dematerialization**
 - computer design, 516
 - designing for, 516
 - durability, 520, 530
 - environmentally benign manufacturing, 532
 - environmentally preferable products, 519
 - extended producer responsibility (EPR), 521
 - product stewardship, 521–523
 - barriers, 522
 - drivers, 522
 - servicizing
 - chemicals, 522
 - definition, 522
 - durability, 522
 - EPR, 522
 - take-back laws, 521
 - tools
 - design for the environment (DfE), 519
 - LCA, 517
 - comparing products, 518
 - complexity, 517
 - P², 516
 - zero waste
 - progress toward, 529
- closed-loop systems, detoxification, 523–526**
 - green chemistry, 365, 523
 - biodegradable, 525
 - carpets, 529
 - change chemical used, 524
 - change production process, 525
 - goals, 524–526
 - major future changes, 526–528
 - reduce chemical waste, 525
 - using enzymes, 527
 - using microbes, 526
 - using wastes, 527
- coal**
 - amounts burned, 430
 - ash from burning, 386
 - externalities, 385
 - increase in usage, 385
 - life-cycle assessment, 386
 - reserves of, 386
 - sulfur
 - reducing, 386
- coal burning**
 - ash ponds, 430
 - metal emissions, 453
 - pollution from
 - reducing, 391
 - power plants, 429
 - ash amounts, 430
 - power plants, retrofitting, 392
 - radioactive metal emissions, 453
- Coeur d’Alene**
 - Superfund mining site, 351
- coliform, fecal, 289**
- colony collapse disorder, 468**
- Colorado, 71, 83, 144, 200, 276, 399**
- combustion, 12, 76, 335, 429, 483, 546, 555**
 - gasoline, 11
 - incomplete products of, 11
- command-and-control, 39**
 - limitations, 41
- comparative risk assessment, 35–38**
- copper**
 - mining, ancient practices, 431
- coral reefs, 6, 188, 208**
- corporations**
 - 3M, 46, 421
 - AMOCO, 42
 - Androscooggin Energy, 390
 - Bayer, 525
 - BMW, 331
 - BP-Amoco, 390
 - Bruce Mansfield, 392
 - Castrol Chemical, 523
 - Caterpillar, 320
 - Chevron, 388
 - Chisso, 444
 - Donlar, 525
 - Dow Chemical, 19, 415, 525
 - Duke Energy, 388
 - DuPont, 415, 529
 - Epson, 531
 - Fetzer Vineyards, 531
 - Fiat, 331
 - General Electric, 418
 - Hewlett-Packard, 369
 - Honda, 380
 - Hooker Chemical, 350
 - Interface, 522, 531
 - International Paper, 390, 531
 - LL Bean, 333
 - Maine Oxy, 402
 - Motorola, 523
 - Navistar, 523
 - Nokia, 320

- Occidental Chemical, 350
 Panasonic, 369
 Pillsbury, 531
 Proctor & Gamble, 415, 518
 Raytheon, 523
 Renault, 331
 Rohm and Hass, 391
 Sony, 369
 Sunoco, 380
 Toyota, 380, 532
 Unilever, 50
 Union Carbide, 18, 42
 Volvo, 331, 518
 Wal-Mart, 325
 Xerox, 520, 522, 531
- cotinine**, 91
- crabs**, 242, 274, 277
- cradle to cradle**, 356
- criteria air pollutants**, *see* **air pollutants**,
criteria
- Cryptosporidium parvum**, 289, 300
- curare**, 59
- Curitiba**, 25, 311, 337, 345, 346, 536
- Czech Republic**, 151
 right-to-know, 44
- Davis**, 475
- DDT**, 15, 17, 35, 66, 67, 75, 77, 82, 83, 86, 92, 106, 107,
 108, 156, 248, 258, 410, 412, 415, 416, 420,
 421, 423, 457, 458, 459, 466, 467, 471, 478,
 481 *see also* **persistent organic pollutants**
(POPs); *see also* **pesticidal chemicals**
 biomagnification, 466
 malaria, 415
 metabolite, 92
 one of “dirty dozen”, 415
- dead zones**, 273, 276–279
 Black Sea, 278
 recovery, 278
 description, 277
 Gulf of Mexico, 276–278
 nitrate fertilizer, 277
 reducing
 CAFOs, 279
 fertilizer, 279
 water pollution, nitrogen glut, 273
- dematerialization**, 516
- Denmark**, 51, 107, 399, 447
 industrial symbiosis, 51
- DES**, 83, 84, 93, 94
- desert**
 Gobi, 144, 146
 Sahara and Sahel, 144
- desertification**, 6, 145, 146, 147, 148,
 153, 202
 and pollution, 145
- design for disassembly (DfD)**, 320
- design for the environment**, *see also* **DfE**, **closed-loop**
systems
 design for disassembly, 320, 369
 cars, 331
 remanufacturing examples, 320
- design for the environment (DfE)**
- Detroit**, 361
- DfE**, 48, 316, 365, 370, 516, 517, *see also* **green**
chemistry
 and design for disassembly, 320, 331
 design changes, 324
 design for durability, 520
 design for waste minimization, 334, 369, 534
 electronic equipment, 324
 examples of, 519
 green chemistry, 523
 redesigning electronics, 369
 reducing excess material, 333
 reducing hazardous waste, 365
 take-back programs, 333
- Dhaka**, 344
- dibromochloropropane**, 76
- dichlorodiphenyltrichloroethane**, *see* **DDT**
- diethylene glycol**, 102
- diethylstilbestrol**, *see* **DES**
- dimethyl sulfoxide (DMSO)**, 65
- dioxins**, 14, 17, 35, 37, 44, 65, 67, 68, 90, 92, 93, 114,
 134, 338, 350, 351, 363, 412, 415, 416, 417,
 418, 420, 444, 448, 488
 air emissions, 14
 as PBTs, 414
 bioaccumulation, 67
 bioavailability, 66
 biomagnification, 90
 cannot totally ban, 416
 chloracne, 417
 chlorine-using processes, 90
 combustion, 90
 processes that produce, 416
- dissolved oxygen**, 241, 242, 259, 276, 279
- Dobson units**
see stratospheric ozone depletion, 221
- Dominican Republic**, 146
- drinking water**
 background, 286
 bottled
 compared to tap, 299
 environmental impact, 299
 standards, 299
 contaminated, 300
 human waste, 300–303
 ill effects, 300
 issues
 most sensitive groups, 298
 population, 298
 less-developed countries, 300–302
 cholera, 308

- drinking water** (cont.)
 point-of-use treatment, 305–306
 reducing pathogens, 305
 safe
 greatest medical milestone, 300
 safety
 aging systems, 297
 small systems, 297
 water-borne illness, 290
 why treat, 289
- drinking-water contaminants**
 arsenic, 293
 Asia, 432
 mass poisoning, 293
 removing, 295
 source, 293
 well water, 293
 chloroform and trihalomethanes, 291
 DBPs, removing, 291
 DBPs, risk, 291
 disinfection byproducts, 290
 fluoride
 controversy, 288
 lead, 437
 microbes, 289
 fecal coliform, 289
 nitrate
 ill effects, 292
 immediate threat, 292
 sources, 292
 pathogens
 disinfection, 290–292
 ill effects, 289
 immediate threat, 289
 reducing, 290
 sources, 290
- drinking-water contaminants, emerging**
 antibiotics, 296
 hormones, 296
 treatments for, 297
- drinking-water disinfectants**
 chlorine, 290–291
 non-chemical methods, 292
 non-chlorine chemicals, 291
 reducing, 292
- drinking-water standards**
 maximum contaminant level, 287
 primary, 287–288
 examples, 288
 secondary, 296
 public welfare, 296
 taste, color, odor, 296
- drinking water, less-developed countries**
 boiling water, 302
 children, impact on, 302
 diarrhea, 302
 Household Water Treatment Network, 302
 one billion without access, 301
 pathogens
 ill effects, 301
 unsafe water and sanitation, 300
 untreated human waste, 302
 water scarcity and pollution, 302
- durability**, 535
 dematerialization, 530
- dust storms and desertification**, 147
- Earth Summit**, 21, 194, 305
- Eastern Europe**, 262
- ecosystem services**, 3, 4, 6, 8, 253, 511 *see nature's services*
- Egypt**
 right-to-know, 44
- electricity production**
 biomass, 399–400
 coal
 LCA, 386
 coal versus nuclear, 393
 coal, oil, gas, 385–388
 dams, 403
 geothermal, 401
 heat mining, 401
 hydrogen fuel cells
 stationary, 401
 micropower
 off central grid, 404
 natural gas
 nitrogen oxides, 387
 nuclear fusion, 394
 nuclear power, 392–394
 France, 393
 LCA, 394
 safety, 393
 waste disposal, 393
 ocean energy
 thermal energy conversion, 403
 tidal, 402
 wave, 402
 pollution
reducing, 388–392
 pollution burning coal, 386
 renewable sources, 395–404
 renewables
 dependence on sun, 395
 smart grid, 406
 solar, 395–398
 photovoltaic, 395–397
 large operations, 397
 LCA, 396
 medium operations, 396
 polysilicon pollution, 396
 small operations, 395
 storing energy, 397

- solar, concentrated, 397
- wind machines
 - storing energy, 398
- Emergency Planning and Community Right-to-Know Act (EPCRA), *see* laws, US**
- emissions trading, 110**
- endocrine disrupter, *see* hormones, environmental**
- end-of-pipe, 39, 45**
 - definition, 39
- endsulfan, 469**
- energy use, world, 374–377**
 - coal, 375
 - conservation
 - in industry, 390–392
 - in the home, 388–389
 - conservation and efficiency, 388–392
 - conservation, promoting, 403
 - energy intensity, 407
 - fossil fuels, 375
 - future possibilities, 407
 - increased demand, 374
 - associated pollution, 374
 - industry
 - cogeneration, recycled energy, 391
 - district heating, 390
 - electric motors, 390
 - energy audit, 391
 - manufacturing, 390
 - reducing
 - clean coal technology, 391
 - cleaner fuels, 391
 - reducing use, 392
 - steam generation, 390
 - waste energy, 391
 - Japan as a model, 407
 - rural poor, 405
 - wood and other biofuels, 375
- England, 107**
- environmental health, poverty, 21**
- environmental hormones**
 - potential human impact, 86
- environmental issues**
 - high-risk global issues, 36
 - US trends
 - US EPA, 512
- environmental justice, 110**
- Environmental Performance Index, 535**
 - good governance, 536
- environmentally benign manufacturing, 532**
- environmentally preferable products, 318**
- epidemics**
 - cancer, 83
 - water-borne, 290
- epidemiology, 93–97**
 - benzene, 94
 - biological plausibility, 96
 - birth defects, 96
 - chimney sweeps, 94
 - cluster, 95
 - community studies, 95
 - confounding factors, 94
 - definition, 93
 - electromagnetic fields, 96
 - exposure evaluation, 94
 - judging studies, 95–96
 - limits of, 96
 - occupational exposures, 94
 - PCBs, 418
 - radon, 94
 - risk factor, 96
 - scrotal cancer, 94
- EPR, 325, 331, 333, 368, 521, 522**
- ethanol, 400**
 - from cellulosic material, 383
 - from corn, 383
- ethanol and aflatoxins, 78**
- Ethiopia, 480**
- EU, 44, 403, 407, 420, 422 *see also* European Union**
- Europe, 23, 24, 27, 28, 76, 78, 101, 112, 121, 134, 141, 143, 147, 150, 151, 152, 156, 165, 166, 168, 174, 190, 202, 223, 263, 264, 269, 270, 272, 278, 279, 297, 298, 299, 365, 369, 370, 385, 390, 397, 399, 408, 426, 431, 435, 446, 522, 532, 533, 536**
 - air pollutants, 141
 - energy production
 - coal, 385
- European Pollutant Emission Register, *see* laws, EU**
- European Union, 44, 85, 111, 134, 151, 152, 165, 194, 195, 324, 342, 365**
 - Producer Pays Program, 325
- exotic, 1, 278, 475**
 - control agents, danger, 475
- exposure to chemicals, *see* chemical exposure**
- extended producer responsibility (EPR), 325**
- Exxon Valdez oil spill, 246, 444**
- FDA, *see* agencies: US Food and Drug Administration**
- Federal Insecticide, Fungicide, and Rodenticide Act, *see* laws**
- fire retardants**
 - PBDEs, 414
- fishable and swimmable, 39, 236, 255**
- Florida, 7, 79, 82, 83, 86, 144, 441, 461, 463**
- fluorine, 543, 544**
- formaldehyde**
 - ill effects, 139
- France, 14, 74, 331, 371, 392, 459, 536**
- Freedom Car, 382**
- frogs, 82, 114, 158, 244, 274, 469**
- fuel cells, 381**
- furans, *see* dioxins**

- gasoline**
 combustion, 11
- general circulation models,**
see **global warming**
- genetically engineered organism (GEO)**
 why develop, 461
- Geneva,** 299
- GEOs,** 461, 476
- geothermal**
 electricity production, 401
 space heating, 401
- Germany,** 14, 24, 151, 158, 166, 201, 232,
 297, 331, 332, 333, 337, 396, 397, 399,
 452, 494, 536
 recycling, 322
- Ghana,** 265
- Giardia lamblia,** 289, 290
- global dimming,** 23, 143
- global distillation,** *see* **grasshopper effect**
- global warming**
 a warming earth, 176–178
 assessing, 182–185
 GCMs, 182–184
 IPCC report, 184, 206
 background, 170
 feedback loop, 186
 heat island, 176
 how seen, 64–68
 future, 206–208
 melting ice, 178
 permafrost, 180
 sea levels, 182
 warming earth, 176
 warming oceans, 178
 ice-core studies, 173–175
 ice-core bubbles, 542
 mitigation, 203–205
 natural?, 183
 external forcings, 183
 human signature, 183
 sun's radiation, 183
 reducing
 carbon dioxide, 196
 CFCs, 198
 economics of, 206
 fluorochemicals, 198
 how, 196–198
 International Energy
 Agency, 208
 Kyoto, 194–196
 Kyoto, beyond, 208
 less-developed countries, 209
 methane, 198
 Montreal Protocol, 198
 nitrous oxide, 199
 political entities, 199–203
 soot, 199
- global warming, greenhouse gases**
 carbon dioxide, 187–188
 sinks, 187
 sources, 187
 carbon dioxide equivalent, 185
CFCs and others, 192
 levels of, 173
 livestock emissions, 192
methane, 189–190
 fate, 190
 sources, 189
 nitrous oxide, 191
 ocean acidification, 188
 ozone
 fate, 191
soot, 192
 water vapor, 186
- Gobi desert,** 144
- grasshopper effect,** 15–16, 413
- Great Lakes,** 67, 255, 256, 284, 410, 417, 418, 419,
 420, 423, 433, 466
- green chemistry**
 designing chemicals, 415
 what it is, 523
- Green Revolution,** 480
- Greenland,** 449
- growth regulators,** 472
- Gulf of Mexico,** 250, 276, 277,
 278, 279
- Haber-Bosch,** 273, 275
 fertilizer, 273
 population growth, 273
- Hawaii,** 435
- hazard**
 definition, 35
 variety of meanings, 99
- Hazard and risk,** 34
- hazardous air pollutants, *see* air pollutants, HAPs,
 air pollutants, hazardous**
- hazardous products,** 500–502
 alternatives, 504
 characteristics
 corrosive
 examples, 501
 flammable
 examples, 502
 labels, 501
 more than one hazard, 502
 reactive, 502
 examples, 502
 toxic, 501
- HHW**
 antifreeze, 507
 collection programs, 507
 paint, oil-based, 507
 pesticides, 507

- reducing amounts, 508
- used oil, 507
- household hazardous waste (HHW), 506
- labels, 491, 502–504
 - caution, 503
 - nontoxic, 504
- reducing exposure, 504
- reducing HHW, 506
- required information, 503
- safe use, 504
- toxic
 - labels, 501
- TUR, 504
- ventilation, 504
- hazardous waste**
 - characteristics, 348
 - corrosive, 349
 - flammable, 349
 - reactive, 349
 - toxic, 348
 - generators, 352
 - hazard or risk, 349
 - reducing generation, 365
 - tracking cradle to grave, 356
 - why important, 348
 - WMH**, 353–355
 - disposal, 354
 - pollution prevention, 353
 - recycling and reuse, 353
 - sources, 352
 - treatment, 355, 363
 - bioremediation, 354
 - purposes of, 354
- hazardous waste generators**
 - industry categories, 349
- hazardous waste sites**, 350, 351
 - brownfields, 361
 - cleanup
 - bioremediation, 363
 - genetically modified organisms, 363
 - metal contamination, 362
 - phytoremediation, 363
 - site specific standards, 361
 - cleanup methods**, 361–363
 - definition, 356
 - evaluating, 356
 - old, 350
 - reducing risk**, 360–361
 - cleanup, 360–361
 - imminent hazard, 360
 - Superfund, 356
 - hazardous waste sites, Superfund**, 71
 - Coeur d'Alene megasite, 351
 - Love Canal, 350
 - cleanup, 350
 - dioxins, 351
 - mining megasites, 351
 - National Priority List, 356
 - Smuggler Mountain, 71
- hazardous waste, household**, 349
 - composition, 352
- hazardous waste, international transport**, 364–365
 - Basel Convention**
 - Control of Transboundary Movements of Hazardous Wastes, 364–365
 - electronic waste, 370
 - electronics
 - illegal movement, 366
 - ships**, old, 370–371
- hazards**
 - old buildings
 - asbestos, 505
- heat island**, *see* **global warming**
- heavy metal**, 304, 362, 370
 - definition, 427
- helium**, 545
- hemoglobin**, 60, 120, 293, 549
- hexachlorobenzene**, 415
 - as PBT, 415
- hexazinone**, 470
- Hong Kong**, 343
- hormones**, 80
 - cortisol, 295
 - estrogen, 62
 - hormone receptor, 62
 - pharmaceutical
 - androgens, 86
 - pharmaceutical estrogens, 83
- hormones, environmental**, 80–86
 - alligators, 82
 - BPA, 83
 - dioxins, DDT and PCBs, 413
 - estrogen mimic
 - DDT, 82
 - Lake Apopka, 82
 - mimics, 62
 - phthalates, 85
 - infant males, 101
 - phytoestrogens, 81, 86
 - pollutant, 62
- Houston**, 25, 123
 - air pollution, 118
- Hudson River**, 417
- Human Domination**, 1, 33, 512
- Hungary**, 14
- hydrocarbons**, 133, 489
- hydrochloric acid**, 556
- hydrogen**
 - fuel cell, 381
- Iceland**, 401, 402
- incomplete products of combustion**
 - examples, 555

- India**, 12, 22, 149, 265, 302, 371, 407, 536
 coal reserves, 386
 energy use, 387
 economic activity, 535
 energy use per capita, 375
 Kerala, 25
 power plants emission controls, 392
 steel, 370
- individuals**
 consequences of actions, 334
 personal actions, 319
 pollution prevention examples, 48
 recycling and reuse examples, 49
- Indonesia**, 452, 479
- indoor air pollutants**, 483–500
 auto exhaust, 488
 benzene
 description, 490
 ill effects, 490
 sources, 490
 biological
 description, 493
 carbon monoxide sources, 487–488
 formaldehyde
 description, 489
 ill effects, 490
 from carpets, 494
 from combustion appliances, 487
 from consumer products
 advice, 491
 reducing exposure, 486
 from stoves, fireplaces, 488
 moisture
 mold, 492
 reducing, 492
 mold, 486
 nitrogen oxides
 combustion appliances, 487
 other chemicals, 491
 PAHs
 benzo(a)pyrene, 489
 description, 489
 sources, 489
 paradichlorobenzene
 sources, 491
 particulates
 combustion appliances, 487
 description, 494
 sources, 494
 PERC
 sources, 490
- radon**
 action level, 494, 498
 how generated, 494
 ill effects, uncertainty, 498
 lung cancer, 498
 polonium-218 and -214, 497
 reducing levels, 497
 smoking, 497, 498
 sources, 494
 testing for, 497
 well water, 497
 tobacco smoke, 487
 ubiquitous chemicals, 488
 VOCs
 sources, 488
- indoor air pollution**, 77
 background, 483
 ill effects, 485–486
 chronic, 486
 examples, 485
 temporary, 486
 reducing, 493
 ventilation, 486
 sources, 483
- indoor air pollution, less-developed countries**, 499–500
 carbon monoxide, 499
 China, 500
 indoor air pollution
 ill effects, 499
 reducing
 alternative fuels, 500
 efficient stoves, 500
 reducing exposure, 500
 smoke, 499
 exposure, 499
 fuels used, 499
- industrial ecology**, 51–54, 513–515, 513–516
 phosphorus, 271
 ultimate goal, 514
 wastewater, 263
- industrial symbiosis**, 51–54
- integrated pest management**, 268, 474
See IPM
- Inuit**, 15, 413, 416, 442
- ionizing radiation**, *see also indoor air pollutants:*
radon
 alpha, beta, gamma particles, 497
 carbon-14, 495
 cosmic rays, 495
 exposure sources, 496
 isotopes
 nuclear fission, 394
 radioisotopes, 495
 potassium-40, 495
 radioisotopes, 175
 half-life, 497
 radon, 497
 tritium, 542
 uranium, thorium, 393

- radon, 497
 background, 495
 terrestrial sources, 495
 thorium-232, 495
 uranium-238, 495
 X-rays, 496
- Iowa**, 399
- IPCC**, *see* **global warming**
- iron**, *see* **metals**
- isopropyl alcohol**, 504
- Israel**, 264, 420
- Istanbul**
 air pollution, 118
- Italy**, 203, 331, 351, 382, 524
- Japan**, 15, 23, 24, 28, 36, 70, 145, 146, 147, 165, 167, 209, 326, 331, 333, 334, 336, 343, 368, 374, 375, 380, 382, 392, 394, 407, 418, 420, 431, 444, 466, 516, 521, 524, 532, 533, 534, 535, 536, 537
 DfE, 368
 minimizing energy use, 534
 Waste Electrical and Electronic Equipment Directive, 368
- Java**, 447
- jelly comb**, 278
- Kabul**, 343
- kaizen**, 533
- Kalundborg**, 51, 390, 515
- Kauai**, 435
- Kentucky**, 29, 300
- Kenya**, 344, 499, 500
- Korea**, 24, 145, 146, 165, 167, 370
- Kyoto Protocol**, *see* **global warming**
- lakes**
 Lake Chad, 147
 Lake Erie, 147
 Lake Ontario, 420
- Latin America**, 15, 147, 265, 308, 464, 475, 477, 480
- laws**
 EU
 take back, 325
 EU Registration, Evaluation and Authorization of Chemicals, 111
 EU Waste Electrical and Electronic Equipment Directive, 324
 one size fits all, 42
 unintended consequences, 42
 US Clean Air Act, 38, 39, 43, 118, 124, 137, 138, 154, 156, 162, 164, 168, 169, 413, 445
 air quality standards, 118
 grandfathering, 392
 US Clean Air Act Amendments, 138, 140, 158, 162, 164, 379, 433
 US Clean Water Act, 38, 39, 236–249, 261, 263
 US Comprehensive Environmental Response, Compensation and Liability Act, 38 *see also* US Superfund
 US Emergency Planning and Community Right-to-Know Act, 43
 US Energy Policy Act, 381
 US Federal Food Drug and Cosmetics Act, 102
 US Federal Insecticide, Fungicide, and Rodenticide Act, 38, 471, 504
 US Hazardous Substances Labeling Act, 502
 US Oil Pollution Act, 258
 US Poison Prevention Act, 503
 US Pollution Prevention Act, 46
 US Resource Conservation and Recovery Act, 38, 315, 354
 US Safe Drinking Water Act, 38, 236, 287–293
 US Superfund, 38, 71, 350, 351, 352, 354, 356, 357, 360, 361, 364, 372, 373, 417
 US Toxic Substances Control Act, 38, 111, 249
 US Toxics Release Inventory, 43–44, 352
- LCA**, 331, 517–519
 coal, 386
 computers, 370
 definition, 30
 environmentally preferable products, 519
 four stages of, 517
 metal products, 428
 refrigerators, autos, 370
- lead**, *see* **metals**, **lead and PBT metal**, **lead**, **metals**
- Legionella bacteria**, 289
- life-cycle assessment**, *See* **LCA**
- Lima**, 308
- lime**, *see* **metals**, **calcium oxide**
- livestock**
 CAFOs, 279
 greenhouse gas emissions, 51, 192
- Los Angeles**, 24, 25, 53, 109, 123, 132, 144, 148, 149, 256, 396
- Louisville**, 300
- lye**, 502
- Maine**, 369, 390, 402, 443, 470
- malaria**, 471
- Manila**, 344
- marine organisms**, 327
- Maritime Provinces**, 441
- Maryland**, 270, 369
- Massachusetts**, 319, 366, 457
- McDonough, William**, 10, 311, 515
- megacities**, 27, 149, 257
- mercury**, 140
- metal pollutants**
 agricultural soils, 431
 Arctic haze, 426
 characteristics, 425–427
 exposure

- metal pollutants** (cont.)
- food, drinking water, 427
 - how exposed, 431
 - fresh and marine waters, 431
 - hazardous waste sites, 431
 - mining
 - ancient practices, 431
 - sulfur and acid, 428
 - wastes, 428
 - particulates, 426
 - reducing levels, 432
 - pollution prevention, 433
 - soil and sediment, 426
 - sources, 428–431
 - fossil fuel burning, 429
 - mining, 428
 - mining, overburden, 312, 428
 - smaller sources, 430
 - transport in water, 426
 - transport with wind, 426
- metals**, 70, 363, 427 *see also* **hazardous waste sites and chemical toxicity**
- aluminum
 - bauxite mining, 322
 - recycling, 322
 - and coal burning, 453
 - arsenic, 430, 451–453
 - as pesticide, 457
 - sources, 453
 - sources, natural, 453
 - arsenic, cadmium, lead, 145
 - cadmium, 70, 427
 - Arctic, 449
 - mining, 448
 - natural sources, 449
 - NiCad batteries, 448, 450
 - takeup into plants, 449
 - uses, 448
 - zinc mining, 450
 - calcium oxide, 426
 - characteristics, 425–427
 - copper, 448
 - copper arsenate
 - as pesticide, 457
 - hazardous, 427
 - heavy, 262
 - definition, 427
 - in coal, 386
 - iron, 331, 336
 - iron (steel), 322, 324, 378
 - manufacture, 320, 322, 387, 407
 - mills, 361
 - recycling, 370, 452
 - usage, 452
 - iron oxide, 426
 - lead, 448
 - ancient mining, 431
 - clean up, 362
 - dispersive emissions, 412
 - old leaded paint, 71
 - properties and uses, 434
 - remaining uses, 437
 - smelting, 351
 - Superfund sites, 351
 - tetraethyl, 426
 - lead, *see also* PBT metal, lead
 - lead arsenate
 - as pesticide, 457
 - lithium, 432
 - mercury, *see also* PBT metal
 - artisanal mining, 439
 - as pesticide, 457
 - cinnabar, 439
 - cycling in environment, 440
 - hot spots, 443
 - isotopes, 441
 - mercuric oxide, 440
 - products containing, 439
 - properties, 140
 - sources, 439
 - vapor, 440
 - metal oxides, 426
 - mining, 71, 427
 - ancient practices, 431
 - natural, 427
 - nickel, 381
 - nutrient metals, 427
 - plant hyperaccumulation, 363
 - plutonium, 363
 - poisoning with, 432
 - problematic, 428
 - radioactive, 386
 - recoverable, 320
 - recovering metals from electronics, 369
 - selenium
 - wildlife poisoning, 432
 - shipbreaking, 370
 - strontium
 - bioaccumulation in bones, 67
 - thallium, 430
 - therapeutic uses, 432
 - bismuth, 432
 - folk remedies, 432
 - gold, 432
 - lithium, 432
 - tin, 433
 - antifouling paint, 433
 - organotin toxicity, 433
 - tin, tributyl- (TBT), 433
 - toxicity
 - nutrition, 432
 - uranium and thorium, 393
 - zinc
 - in cadmium mining, 448

- methane, 387, 545, 548
 methanol, 501
 methyl bromide, *see* stratospheric ozone depleting chemicals
 methyl chloride, *see* stratospheric ozone depleting chemicals
 methyl isocyanate (MIC), 18, 43, 525
 methylene chloride, 136, 504
 Mexico, 147, 149, 464
 reducing lead's risk, 438
 right-to-know, 44
 Mexico City, 27, 109, 150, 151
 air pollution, 118
 Michigan, 361
 Millennium Development Goals, 21, 302
 Millennium Ecosystem Assessment, 3, 7
 Milwaukee, 290, 300
 Minamata, 444
 mining, 14, 28, 29, 45, 48, 119, 189, 199, 240, 245, 303, 311, 312, 322, 339, 341, 347, 349, 351, 356, 360, 362, 372, 375, 385, 386, 401, 421, 426, 427, 428, 431, 433, 434, 435, 439, 440, 446, 448, 453, 454, 513, 534
 coal, 9, 386
 Minnesota, 318, 319, 399, 441, 445, 531
 Mississippi River, 464, 512
 mixtures, toxicity of, *see* toxicity: mixtures
 mole, 552
 Molina, Mario, *see* stratospheric ozone, depletion
 Mongolia, 144, 145, 146, 167
 monocrotophos, 469
 motor vehicle fuels
 biodiesel, 383
 biofuels, 383
 flexibly fueled vehicles, 381
 motor vehicles
 electric, 381
 fossil fuel use, 377–384
 gasoline use, 378
 history, 377
 pollution from, 377–378
 reducing, 378–381
 biomass fuels, 384
 energy efficiency, 384
 flexibly fueled vehicles, 381
 hybrids, 380
 hydrogen fuel cell, 381
 increasing fuel economy, 380–381
 maintenance, 380
 reducing, how to, 379
 Mt. Pinatubo, 127, 184, 193, 224
 Nairobi, 344
 nanotechnology, 516
 NAPAP, *see* acid deposition
 NASA (US National Aeronautics and Space Administration), 7, 142, 176, 190, 219, 230, 231, 233, 515
 natural gas, 387
 Natural Resources Defense Council, 256, 299
 nature's services, 2, 7, 38, *see also* ecosystem services, 3
 neon, 543
 Nepal, 400
 nerve gases, organophosphates, 467
 Netherlands, 74, 107, 203, 207, 276, 399, 536
 New Delhi, 22, 148, 150
 New Hampshire, 152
 New Jersey, 332, 345
 New York, 2, 6, 13, 32, 33, 53, 87, 109, 132, 149, 159, 164, 165, 345, 400, 417, 418
 New York City, 3, 7, 256, 291, 292, 300, 317, 322, 339, 377
 Niagara Falls, 350
 Love Canal, 350
 Nicaragua, 480
 nicotine
 cotinine metabolite, 91
 nicotine sulfate, 457
 NIMBY, 325
 nitric acid, 557
 nitric oxide, 59
 nitrogen fixation, 1 *see also* bioavailable nitrogen
 nitrogen glut, *see* water pollution, nitrogen glut
 nitrogen oxides, *see* air pollutants, criteria
 nitrogen, bioavailable, 272
 nitrogen, reactive, 272
 nitroglycerine, 59
 NOAA (US National Oceanic and Atmospheric Administration), 5, 176, 178, 179, 214, 222–223, 227, 255
 North Carolina, 131, 247, 276
 Northern Ireland, 402
 Norway, 420, 447
 nutrition, 294, 449
 Arctic ponds, 16
 arsenic poisoning, 294, 432
 cadmium, 450
 liver cancer, 74
 malnutrition, 74, 480
 metals, 432
 xenobiotics, 70
 nylon, 529
 ocean acidification, *see* Box 7.5
 OECD, 36, 281, 343, 375, 387, 404
 Ogallala aquifer, 5
 oil spill, 8, 246, 283, 362, 444
 Exxon Valdez, 246
 Gulf war, 246
 Ontario, 300, 421

- ore**
 bauxite, 322
 cinnabar, 439
 copper, 431
 gold, 29
 iron, 370
 lead, 29, 431
 metal, 245, 311, 429
- Oregon**, 399
- oxalic acid**, 501
- ozone hole**, *see* **stratospheric ozone depletion**
- ozone, ground level**, *see* **air pollutants, criteria**
- ozone, stratospheric**, *see* **stratospheric ozone**
- Pacific Garbage Patch**, 325–328
- Pacific Ocean**, 24, 144, 178, 326, 422
- packaging**
 functions of, 324
- PAHs (polycyclic aromatic hydrocarbons)**, *see*
**criteria air pollutants (criteria) and indoor
 air pollutants**
 bioavailability, 66
- Pakistan**, 370
- Paracelsus**, 57
- parathion**, 467
- Paris**, 109
- pathogens**, 300–302
 wells, where site, 297
- PBDEs**, 419–420
 blood of house cats, 420
 Canadian Arctic, 420
 fire retardants, 414, 419
 in breast milk, 420
 in foods, 420
 outgassing, 419
 reducing, 420
 toxicity, 420
- PBT metal, cadmium**, 448–451
 bioaccumulation, 67, 449, 453
 exposure
 limits, 453
 study of, 450
 vegetarians, smokers, 449
 why in food, 448–451
 exposure sources
 food, 449
 ill effects, 70, 449–450
 calcium metabolism, 450
 carcinogen, 450
 epidemiologic study, 450
 itai itai, 70
 occupational exposure, 449
 target organs, 449
 levels in environment, 448
 reducing levels
 Australia, 450
 batteries, 450
 regulations, 451
 sources, 448
 transport, 449
- PBT metal, lead**, 434–438
 bioaccumulation, 67
 blood levels, 436
 prehistoric, 438
 exposure sources
 children, 435
 home and workplace, 435
 ill effects, 435
 IQ and memory, 436
 Zambian children, 87
 lead from earlier emissions, 434
 reducing risk
 from gasoline, 436
 from paint, 436
 lead safe, 437
 old lead, 437
 from soil, 362
 sources, 434
 natural, 438
 storage in bones, teeth, 435
 transport, 435
- PBT metal, mercury**, 415, 438–448
 Arctic animals, 416
 biomagnification, 67, 442, 444, 448
 fish, 441
 blood levels, 447
 exposure
 dental amalgams, 446
 fish, 103, 442
 fish-eating animals, 442
 Inuit, 442
 prenatal, 442
 wildlife, 443
 workplace, 443
 fish advisories, 444
 commercial fish, 444
 ill effects, 444
 humans, 444
 mad hatter, 438
 poisoning, Minamata, 444
 mercury to methylmercury, 403, 431,
 439, 442
 reducing deposition, 445
 reducing risk, 446
 changing industrial processes, 446
 combustion, 445
 dental amalgams, 447
 eliminating products, 446
 international reductions, 446
 regulations, 445
 workplace, 445
 risk
 guidelines, 447
 prenatal, 447
 selling mercury, 448
 sediment, 426

- sources, 440
 - mining, 440
 - power plants, 440
- transport, 441
 - atmospheric lifetime, 440
 - identifying sources, 441
- transport and accumulation, 440
- PBTs, metals**, 434
 - multiple problems, 412
- PBTs, organic**
 - Arctic animals, 413
 - bodies of Inuit, 413
 - characteristics, 411–413
 - characteristics
 - bioaccumulation, 411
 - biomagnification, 412
 - persistence, 411
 - toxic, 413
 - transport, 413
 - volatility, 413
 - DDT, 466
 - decreases in Arctic animals, 416
 - “dirty dozen” polychlorinated, 415
 - emissions
 - dispersive, 412
 - fire retardants, 414
 - multiple problems, 412
 - names of “dirty dozen”, 415
 - number of, 410
 - PBT examples, 414
 - PCBs, 548–549
 - PFOSs, 421–422
 - polybrominated fire retardants (PBDEs), 414, 419–420
 - polyhalogenated, 411
 - POPs, 411
 - reducing, 413–416
 - screening for, 414
- PCBs**, 11, 15, 17, 38, 67, 68, 72, 73, 75, 90, 92, 103, 107, 156, 219, 243, 249, 262, 288, 357, 363, 369, 370, 410, 412, 415, 416, 417, 418, 420, 421, 422, 423, 424, 444, 448
 - bioaccumulation, 67, 412
 - bioavailability, 66
 - chloraene, 417
 - cooking oil contamination, 418
 - cycling in environment, 417
 - epidemiological studies, 418
 - exposure today, 417
 - family, 417–419
 - fish exposure, 418
 - Great Lakes fish, 419
 - Hudson River**
 - contamination and cleanup, 417–418
 - Superfund site
 - dredge sediment, 418
 - obvious toxicity, 418
 - sediment concentration, 417
 - subtle toxicity, 419
 - toxicity, 417, 418, 419
 - ubiquitous contaminant, 417
 - uses, 417
 - where still found, 416
- Pennsylvania**, 332, 495
- persistent organic pollutants (POPs)** *see also* **PBTs**
- persistent, bioaccumulative, and toxic**, *see* **PBTs**
- Peru**, 308, 477
- pest populations**
 - pest resurgence, 470
 - resistance
 - development of, 470
 - increasing problem, 471
 - secondary pest, 470
- pesticidal chemicals**, 65
 - atrazine, 464
 - DDT
 - broad spectrum insecticide, 459
 - history of, 457
 - fumigant examples, 459
 - hydrogen cyanide, 457, 459
 - methyl bromide, 459
 - neem tree extract, 460
 - nicotine sulfate, 457
 - pheromone, 461
 - pyrethrum, 457
 - rotenone, 467
- pesticide pollution**
 - crops and food, 465
 - exposure, 464–466
 - farming
 - conventional, 473
 - IPM, 474
 - organic, 473
 - ill effects, 466–469
 - amphibians, 469
 - birds, 468
 - fish, 469
 - humans, 469
 - insecticides
 - carbamates, 467
 - organophosphates, 466–467
 - polychlorinated, 466
 - nontarget species, 468–469
 - on pollinating insects, 468
 - soil organic material, 470
 - organophosphates
 - fate, 467
 - pest resistance, 470–471
 - POPs fate, 466
 - POPs, persistence and climate, 464
- reducing risk**, 471–476
 - biocontrol, 475
 - changing farming methods, 473–475

- pesticide pollution** (cont.)
- crop protectant, 472
 - ecologically appropriate regions, 477
 - educating farmers, 476
 - green chemistry, 472
 - organic farming, 473
 - pheromones and growth regulators, 472
 - reducing pesticide use, 474
 - regulations, 471
 - sustainable farming, 476
 - techniques, 474–475
 - residues
 - monitoring imported food, 466
 - monitoring produce, 465
 - sources of, 463–466
 - transport, 463
 - POPs, 464
 - where detected, 464
- pesticides**
- “dirty dozen”, 415
 - alternatives to, 460
 - arsenic
 - chickens, 452
 - biopesticides, 461
 - botanicals, 460
 - classes of, 460
 - genetically engineered, 461
 - microbials, 461
 - broad spectrum, 459
 - categories, 457
 - definition of, 456
 - desirable characteristics, 473
 - disinfectants, 459
 - exposing insects, 467
 - exposure
 - farmers’ children, 77
 - flower growing, 78
 - fumigants, 459
 - herbicides, 468
 - household hazardous waste, 457
 - ingredients
 - active and inert, 471
 - insecticides
 - organochlorine, 466
 - persistence, 466
 - polychlorinated examples, 466
 - introduction to**, 456–458
 - organophosphate metabolites, 91
 - organophosphate, parathion, 467
 - organophosphates, 60
 - pest resistance, 458
 - polychlorinated
 - POPs, 466
 - solubility, 466
 - POPs
 - quantities used, 463
 - registration process, 465
 - school use, 78
 - selective (narrow spectrum), 459
 - testing in humans, 115
 - tolerances, 465
 - what they are, 113
 - types of, 459–461
 - water solubility, 464
 - who uses
 - almost everyone, 463
 - why banned, 466
 - why use, 456, 463
 - aesthetic reasons, 462, 463
 - grow in more places, 462
 - long storage time, 462
 - longer season, 461
 - monocultures, 462
 - public health reasons, 462
 - wood preservative, 451
 - pesticides, less-developed countries**, 477–480
 - Cambodia, 478
 - China, 478
 - dangerous pesticides, 478
 - Ethiopia, 480
 - ill effects
 - poisoning, 477
 - Indonesia, 479
 - Nicaragua, 480
 - obsolete pesticides, 478
 - prior informed consent, 478
 - reducing pesticide use, 479
 - reducing risk
 - Farmer Field Schools, 479
 - petroleum distillates**, 504
 - PFOs**
 - Arctic wildlife, 422
 - bioaccumulative, 421
 - fluorine chemicals, 421
 - persistence, 421
 - reducing levels, 422
 - toxicity, 421
 - pH**, *see* **water pollutants, conventional**
 - pH, ocean**, 558
 - phenol**, 459
 - pheromone**, 472
 - Philadelphia**, 332, 380
 - Philippines**, 27, 184, 344
 - phthalates**, 85
 - metabolites, 92
 - plasticizers, 414
 - Plant-Incorporated-Protectants**, 461
 - plasticizers**, 414
 - Poland**, 151
 - pollutant**
 - concentrations
 - described, 9
 - definition, 8
 - oxidation, 17

- sources, 12
 transport
 air, 14
 chemical signature, 23
 grasshopper, 15
 transboundary, 23
 water, 14
- pollutants**
 anthropogenic, 10
 barely detectable, 19
 buried, 16
 fate, 16
 fate and transport, 13
 inorganic, 17
 mineralization, 17
 natural, 10
 organic
 degradation, 16
 fate, 16
- pollution**
 actions at a distance, 29
 drivers
 affluence, 28
 individuals, 29, 30, 31
 population growth, 26
 technology, 28
 electronic waste, 370
 less-developed countries, 21
 obvious, 8
 why it happens, 10
- pollution indoor air**, 77
- pollution prevention (P²)**, 46–48
 definition, 45
 examples, 46
 industry, 47
 housekeeping practices, 46
- polyacrylates**, 524
- polyethylene terephthalate**, 306, 323
- polysilicon**, 396
- polyvinyl chloride**, 532
- POPs**, *see also* **PBTs**, **organic**
 three families, 416
- population growth**, 8, 12, 26, 27, 36, 171, 197, 260, 264, 286, 305, 470
 poverty and efficient resource use, 515
- Portugal**, 402
- Potomac River**, 243
- precautionary principle**, 85, 89, 112, 114, 447
- product stewardship**, 521
- propane**, 381
- pyrethrins**, 460
- pyrethrum**, 457
- Quebec**, 413
- radon**, 11, 107, 484, 485, 494–499, 545
 in mines, 498
- radon-222**, 497
- recycling**
 problems, 49
- recycling and reuse**, 48–49
 examples, 49
- red tide**, 274
- Re-power America**
 carbon-free energy, 406
- reuse**, 48
- Reykjavík**, 402
- right-to-know**
 Europe, *see* **laws, EU**
- Rio de Janeiro**, 305
- risk**
 definition, 35, 98
- risk assessment**
 chemical, *see also* chemical risk assessment
 comparative, *see also* comparative risk assessment
 comparative, 37
 individual activities, 334
- risk management**, *see also* **chemical risk management**
 children, 113
 greater protection, 113
 pesticides, 113
 Europe, North America, 112
 non-regulatory tools, 111
 pesticide tolerance, 113
 precautionary principle, 111, 112
- river**
 Big Sandy, 29
 Coeur Alene, 351
 Cuyahoga, 8
 Danube, 14, 278
 Emory, 430
 Hai, 23
 Hudson, 351, 417, 418
 Mississippi, 158, 250, 276, 277, 464, 512
 New River, 276
 Potomac, 83, 243
 Rhine, 14, 240, 280, 403, 418
 Songhua, 24
 Tisza, 14
 Yangtze, 3, 146, 280
 Yellow, 146, 280
- Romania**, 14
- Rowland, F. Sherwood** *see* **stratospheric ozone, depletion**
- Russia**, 375, 394, 435
- rust**, 426
- Safe Drinking Water Act**, *see* **laws**
- San Diego**, 218
- San Francisco**, 144, 254, 299, 321, 322, 337, 345, 377, 446
- sand storms**, *see* **air pollution**

sanitation

greatest medical milestone, 301

Scotchgard™, 421

Scotland, 402

Seattle, 270, 533

selenium, 432

Seoul, 145

septic systems, *see wastewater treatment*

servicizing, 522–523

chemicals

how it works, 522

sewage, 300–308

shellfish, 139, 236, 247, 255, 258, 259, 274

shipbreaking, 370–371

silicon tetrachloride, 396

silicosis, 69

silver, *see metals, silver*

Singapore, 264, 337, 343

sludge, *see wastewater treatment*

smog, history of word, 122

smokers, 63, 133, 295, 431, 487, 488, 490, 497, 498

sodium hydroxide, 557

sodium hypochlorite, 459

solanine, 62

solar energy, 395–398

passive, 398

solid waste

China, 344

combustion of, 336

slums, 343

sources, 311

types, 311

solid waste, developed countries

management, 343

solid waste, less-developed countries

in slums, 343

problems, 343–345

recovering value

Bangladesh, 344

Curitiba, 345

scavengers, 344

solid waste, municipal, 317

components, 313

composting, 329

design for the environment (DfE) *see* design for the environment

disposal, irresponsible, 326

environmentally preferable products, questions, 519

ill effects, 313

impact on oceans, 325–328

junked cars, 331

landfills, 341

bioreactor, 340

leachate, 339

methane, 339

mining resources, 341

sanitary, 339

Pacific Garbage Patch, land origin of, 326

plastic bags, 345

banning, 345

pollution prevention, 316

design for recycling, 369

examples, 316

reducing food waste, 317

reducing toxicity, 317

reducing volume, 316

quantities generated, US, 314

recycling, 321–325

appliances, 324

common materials, 322

electronics, 324, 366, 368

packaging, 324

paper, 322

plastics, 323

challenges, 323

problems, 325

promoting, 322, 331, 333

used oil, 324

why do, 321

recycling examples, 337

reducing

environmentally preferable products, 317–318

preferable products, 317

guidelines, 318

take back, 334

source reduction

reuse, 48

treatment

incineration, 335–339

Japan, 334

pros and cons, 336

regulation of, 338

two purposes, 335

waste management hierarchy,

315, 335

solid waste, social issues

Europe

Green Dot, 325

landfills

NIMBY, 340

siting, 340

take back, 325

Europe, Japan, 333

source reduction, *see pollution prevention*

reuse, 48

Soviet Union, 208, 278

Spain, 396, 397, 420

Stabilization Wedges

stabilizing atmospheric carbon dioxide, 406

steel, 452

Stockholm Convention, 420, 422 *see Stockholm*

Convention on Persistent Organic

Pollutants

banning the “dirty dozen”, 415

- stoichiometry**, 552
- stratospheric ozone**
- CFCs
 - Freon, 218, 219, 220
 - properties, 218
 - generating ozone, 215–216
 - making and remaking, 215
 - protective effect, 215
 - questions and answers, 215
 - ultraviolet radiation, 215
 - measurements, 217
- stratospheric ozone depleting chemicals**
- chain reaction, 221
 - CFCs, properties, 219
 - depleting potential, 220
 - fate
 - CFCs and halons, 220
 - halons, properties, 219, 220
 - ill effects
 - greenhouse gases, 228
 - natural depleters, 220
 - reducing
 - alternatives, 230–232
 - smuggling, 230
 - water-soluble chemicals, 221
- stratospheric ozone depletion**
- future, 230
 - history, 218
 - ill effects**, 224–227
 - ocean life, 226
 - ozone hole, 218, 224, 230, 232
 - particle sources, 224
 - reducing**, 228–233
 - less-developed countries, 229
 - the future, 232
 - UV index, 225
 - volcanic eruptions, 224
 - where observed, 221–223
 - Antarctica, 221
 - Arctic, 222
 - other regions, 222
- stratospheric ozone depletion**
- reducing depleters, 228
- sub-Saharan Africa**, 27, 201, 265, 305, 536
- sulfonamides**, 102
- sulfur dioxide**, *see* **air pollutants, criteria**
- sulfuric acid**, 558
- Superfund**, *see* **laws**
- Surround**, 472
- Sweden**, 304, 331, 447, 452
- Switzerland**, 278, 299
- table salt**, 221, 249, 546
- Taiwan**, 345, 364, 370
- take back**, 111, 318, 368, 369, 370, 521 *see* **extended producer responsibility**
- electronics, 521
 - Japan, European Union, 534
 - stimulating DfE, 522
- Tanzania**
- Environmental Performance Index, 536
- TCDD**, 105
- Tennessee**, 430
- teratogens**, 75
- thalidomide**, 59, 76
- Tijuana**, 438
- toilets**, 303–305
- Tokyo**, 109, 149, 407, 444
- toluene**, 527
- Toronto**, 421
- toxaphene**, 416
- toxic effects**
- children and in utero, 75
- Toxic Equivalency Potential**, 44
- Toxic Substances Control Act**, *see* **laws**
- toxicant**, *see* **individual chemicals**
- toxicity, chemical toxicity and epidemiology**
- acute and chronic, 58
 - aspirin, 61
 - body organ
 - immune system, 72
 - kidney, 72
 - liver, 71, 74
 - lung, 73
 - nervous system, 72, 466
 - skin, 73
 - children's sensitivity, 76
 - DDT, 413
 - definitions, 58
 - dose per time, 61
 - dose–response, 60
 - factors affecting, 70–71
 - examples, 70
 - gender, age, nutrition, 70
 - individual and species variation, 69
 - poverty, 74, 77
 - hormones, environmental, 62
 - ill effect
 - nervous system, 466
 - immune system, 72, 226
 - irritant
 - skin, lungs, 73
 - LD50, 60
 - local, 63
 - mixtures**, 20, 63, 248, 469, 489, 491
 - nutrient toxicity, 60
 - obvious
 - PCBs, 418
 - PBDEs, 420
 - PCBs, 418, 419
 - solanine, 62
 - subtle
 - PCBs, 418
 - systemic, 63

- toxicity, chemical toxicity and epidemiology** (cont.)
 whole effluent, 63
- Toxics Release Inventory (TRI)**, *see* laws, US: right to know
- Toxics Use Reduction (TUR)**, 48, 504
- transboundary**
 intensifying dust storms, 146
 particulate matter, 144
 pathogens, 144
pollutant travel, 142–144
 reducing
 treaties, 152
 sand, 145
 tracing travel, 143, 152
- treaties**
 Basel Convention, 364, 368, 478
 Convention on Long-Range Transboundary Air Pollution, 152
 International Convention for the Prevention of Pollution from Ships (MARPOL), 328
 Montreal Protocol, 152, 198, 209, 213, 222, 228, 229, 230, 231, 233, 234
 Rotterdam Convention on Pesticides, 478
 Stockholm Convention on Persistent Organic Pollutants showing results, 416
- treatment**
reasons to treat waste, 50
- TRI**, *see* Toxics Release Inventory
- triclocarban**, 86
- Turkey**, 12
- Tyvek**, 323
- UK**, 177, 333, 397, 399, 402, 444
- ultraviolet radiation**, *see also* stratospheric ozone
 A, B, and C, 218
- UN Environment Program**, 480
- UN Food and Agriculture Organization**, 192, 280, 478, 479
- UN International Maritime Organization**, 433
- UN World Meteorological Organization**, 172
- UNEP**, 1, 8, 36, 152, 153, 233, 234, 257, 258, 284, 285, 302, 308, 309, 326, 327, 349, 352, 364, 370, 372, 415, 423, 428, 434, 438, 440, 446, 448, 479
- UNICEF**, 293
- United Arab Emirates**, 536
- United Kingdom**, 297, 397, 524 *see also* UK
- United Nations Environmental Program**, *see* UNEP
- urban sprawl**, 260
- US Emergency Planning and Community Right-to-Know Act (EPCRA)**, *see* laws
- US Environmental Protection Agency**, *see* agencies
 US EPA
- US Food Quality Protection Act**, 102, 104, 113, 465
- US Hazardous Substances Labeling Act**, *see* laws
- Utah**, 433
- Velpar**, 470
- Vibrio cholera**, 308
- Vietnam**, 265, 452, 536
 arsenic, 293
- vinyl chloride**, 80, 94, 119, 357, 439
- Virginia**, 42, 264
- virus, hepatitis B**, 74
- vitamin A**, 59, 76
- VOCs**, *see* air pollutants, VOCs
- volatile organic chemicals (VOCs)**, 136
- volcano**, 10, 127, 193, 224, 401
- warfarin**, 59
- Washington**, 327, 369, 533
- waste**, *see also* solid waste
 definition, 9
- waste and emissions**
 complexity, 512
 quantities produced, 513
 straining the environment, 512
- waste management hierarchy (WMH)**, 45, 46, 321
 disposal, 50, 335
 pollution prevention, 45
 recycling, 321
 recycling and reuse, 48
 treatment
 why treat, 50
- wastewater**
 gray water, 265
 municipal treatment, 108, 140, 242, 263, 277
 reclamation, 265
 reducing volume, 265
 reuse (recycling), 264
 reusing
 less-developed countries, 265
 treatment
 alternatives, 266–267
 on site, 266
 small facilities, 266
 wetlands, 267
- wastewater treatment**
 improved, 263
 industrial, 263
 land spreading sludge, 262
 nutrient removal, 263
 sludge, 262
 biosolids, 262
 metal content, 262
- water pollutants**
 banned, 249
 from storm drains, 256
 metals, 243
 PCBs, 243
 pollution prevention, 264
 reducing
 best management practices, 240
- sewage**, 255–257

- combined sewer overflow, 255
 - fecal bacteria, 256
 - sewer terminology**, 255
 - shellfish**, 255
 - stormwater**, 255
 - VOCs, 252
 - water pollutants, conventional**, 241–248
 - biochemical oxygen demand**, 241
 - how generated, 244
 - definition, 241
 - nutrients**, 242
 - algal blooms, 274
 - background, 272
 - Black Sea, 278
 - dissolved oxygen, 276
 - excess, 276, 279
 - Haber-Bosch, 273
 - harmful algal blooms, 274
 - hypoxia, 274
 - ill effects, 273–274
 - eutrophication, 273
 - nitrogen glut
 - reducing, 279
 - reducing**, 271, 277–278
 - sources, 275–276
 - CAFO, 275
 - oil and grease**, 246
 - oil spills, 245
 - pathogens**, 247–248
 - sources, 247
 - pH**, 244
 - suspended solids**, 245
 - viruses and bacteria, 247
 - water pollutants, dead zone**, 272–279
 - water pollutants, drinking water**
 - VOCs, 253
 - water pollutants, nonconventional and nontoxic**, 249
 - water pollutants, nonpoint sources**
 - reducing, 267–272
 - agricultural runoff, 268–269
 - atmospheric deposition, 272
 - best management practices, 268
 - urban runoff, 269
 - water use, 272
 - water pollutants, point sources**
 - nutrients
 - reducing, 271
 - reducing, 260–265
 - wastewater
 - sources, 260
 - wastewater treatment, 261
 - water pollutants, priority**, 248
 - overlap with HAPs, 248
 - pesticides, 248
 - water pollutants, toxic**, *see* **water pollutants, priority**
 - water pollution**
 - “nitrogen glut”, 272–279
 - atmospheric deposition, 242
 - complicated picture, 512
 - dead zone, 244
 - decreasing, *see also* wastewater eutrophication, 243
 - hypoxia, 242
 - mining, 245, 428
 - nonpoint sources, 239–241
 - scarcity, due to, 302
 - sewage, 303
 - water pollution, nonpoint sources**
 - runoff, seriousness, 240
 - water pollution, NPS**, *see also* **water pollution, nonpoint sources**
 - water pollution, point sources**, 239
 - water pollution, water body type**, 250–260
 - coastal, 254
 - land-based pollution of, 254
 - megacities, 257
 - non-plastic pollutants, 258
 - plastics, 257
 - population growth, 254
 - reducing BMPs, 258
 - sewage, 257
 - estuary, 254
 - groundwater, 250–252
 - river, 250
 - wetlands, 253
 - wetlands, services, 253
- watershed, definition**, 240
- West Bengal**
 - arsenic, 293
- WHO**, *see also* **World Health Organization**
- whole effluent toxicity**, 20, 63
- Wisconsin**, 266, 269, 290, 300, 507, 509
- World Health Organization**, 22, 36, 81, 110, 148, 293, 300, 302, 307, 310, 368, 417, 477
- World Summit**, 334
- World War II**, 394
- xenobiotics**, 64, 71
 - foreign chemicals, 63
- Yokohama**, 534
- Yorktown**, 42
- Yugoslavia**, 14
- zero emissions**, 529
- zero waste**, 369, 511, 531
 - cities committing to, 533
 - individual level, 535
 - New Zealand, 534
 - progress toward, 529
 - sustainability, 531