

Index

- 3- Π -operator, 112, 241
- λ -measure, **176**, 394
- $\oplus$ -difference, 230
- φ -conjugate, 235
- φ -duality, 47, 238
- φ -self-duality, 47
- φ -transform, 235
- Abelian group, 323
 - ordered, 323
- absolute continuity, 15, 359
 - function of two variables, 17
- additive generator, 78
- additivity, 51, 144
 - comonotonic, 54
- aggregation function, **3**, 2–9
 - φ -invariant, 236
 - augmented, 254
 - countably extendable, 401
 - decreased, 254
 - discrete, 313
 - disjunctive, 100–105
 - extended, 6
 - greatest, 8
 - identification of, 382
 - integral-based, 333–347
 - separable, 318, 332–334
 - smallest, 8, 56
 - transformed, 234–242
 - (v-) weighted, 248
 - weighted, 247–252
 - with Chebyshev norm 1, 99
- agreement, 24
- Ali–Mikhail–Haq copula, 96
- andness
 - mean local, 354
- andness function
 - local, 354
- andness value
 - global, 351
- annihilator element, 50, 324–325
- Archimax copula, 97
- Archimedean
 - axiom, 143
 - extended aggregation function, 50
 - t-norm, 72
- arithmetic mean, **3**, **6**, 20, 133, 138, 139, 144, 164, 361
 - weighted, **8**, 37, 143, 144, 172, 183, 201, 202, 350, 353, 364, 365, 370, 375, 378, 411
 - extended, 168
- arity, 3
- Arrow's theorem, 412
- associativity, **32**, 32–34, 161, 242, 243, 327
 - barycentric, 34
 - functional equation, 32
 - of a sequence, 330
 - of means, 34
 - weighted, 34
 - with repetitions, 34
- autodistributivity, 39, 143
- average, 131
- average value, 349
 - limiting, 350
- Banzhaf
 - interaction index, 370
 - power index, 364
 - value, 363–364
- Bernoulli number, 179
- bicapacity, **335**, 335–337
 - additive, 335
 - normalized, 335
 - of the CPT type, 335, 341
 - symmetric, 335
- binary order, 392
- bipolar scale, 317
 - ordinal, 325
- bisymmetry, 39, **39**, 137, 139, 141, 144, 149
 - strong, 40
- bounded sum, 13, 103
- bwt-norm, 57, 65–67
- cancellativity, 12
 - t-norm, 68
 - uninorm, 111

- canonical simplex, 184
- capacity, **173**, 173–176, 181
 - 2-additive, 190
 - additive, 174, 194
 - coding of, 391
 - greatest normalized, 174, 225
 - k -additive, 180, 391, 392
 - 0–1, 173, 192
 - 0–1, 194, 201, 225, 298
 - maxitive, 174, 219, 225
 - minitive, 174, 219, 225
 - normalized, 173
 - pseudo-additive, 176
 - self-conjugate, 197, 221
 - smallest normalized, 174, 225
 - symmetric, 174, 194, 219, 225
 - threshold, 225
 - uniform, 174
- Cauchy equation, 51, 274, 276, 282, 286
- chain, 311
- Chebyshev norm, 18, 279, 283, 284, 411
- Chisini equation, 130
- Choquet integral, 144, **181**, 181–206, 217, 230–232, 280, 287, 289, 356, 363, 364, 366, 369–371, 373, 376, 378, 380, 391–395, 411, 413
 - asymmetric, 182, 334, 341
 - multilevel, 206
 - symmetric, 182, 192–194, 197, 334, 341
 - w.r.t. a bicapacity, 337–346
- co-Möbius transform, **178**, 179, 188
- co-value, 179, 369
- commonality function, 178
- comonotonic, 191
 - additivity, 54, 192, 197
 - maxitivity, 54, 217, 221
 - minitivity, 54, 217
 - pseudo-additivity, 231
 - vectors, 54
- comparison meaningfulness
 - on a single ordinal scale, **46**, 293, 304–308, 314
 - on independent ordinal scales, **46**, 293, 308–310, 315
- compensation
 - downwards, 109, 120
 - upwards, 109, 120
- computation rule, **330**, 330–332
 - splitting, 331, 346
 - strong, 331
 - weak, 331
- conjunction, 28
 - degree, 351
- conjunctive, 57, 65–67
- construction method
 - augmenting, 254
 - constraining, 256
 - extension from a sequence, 267
 - extension from one point, 267
 - from diagonal, 269
 - idempotization, 253
 - minimal dissimilarity, 258
 - of flying parameter, 255
 - ordinal sum, 262
- continuity, **13**, 13–22
 - absolute, 15
 - uniform, 14
- convex T–S-operator
 - exponential, 387
 - linear, 386
- copula, 57, 88–98, 290, 410
 - Archimax, 97
 - Archimedean, 94, 390
 - Bertino, 270
 - cubic family, 96
 - extreme values, 290
 - Farlie–Gumbel–Morgenstern family, 96
 - general, 89
 - Max-attractor, 97
 - nonstrict Archimedean, 95
 - strict, 95
- cosigned vectors, 340
- criterion
 - complementary, 369
 - independent, 370
 - substitutive, 370
- cumulative prospect theory, 334, 336
 - ordinal, 334, 346
- D-ordinal sum, 266
- decision making, 383
 - multicriteria, 410
 - multiperson, 412
- decomposability, **35**, 34–39, 135, 156
 - dyadic, 137
 - strong, 36, 41, 136
- dependence function, 97
- diagonal restriction, 294
- diagonal section, 3, 10, 269
- difference scale invariance, **44**, 138, 280
- dimensional analysis, 43
- discretizability, **299**, 302
- disjunction, 28
 - degree, 352
- dissimilarity function, 257
- distorted probability, 176
- distribution function, 359–361
 - decumulative, **182**, 211, 232
 - marginal, 91
 - n -dimensional, 91
- distributivity, 324
 - restricted, **123**, 123–129, 228
- domain of definition, 10
- double aggregation, 243
- downwards attitude, 67, 401
- downwards compensation, 120
- drastic product, 22, 65, 67, 72
- duality, 239, 350
 - φ -, 47
- dyadic decomposability, 137
- dyadic extended function, 137
- Einstein sum, 114, 253
- endpoint preservation, 26

456

error criterion, 384
 least mean squares, 386, 388, 393–395
 expected value, 349
 exponential mean, 133, 138
 extended aggregation function, 6–9
 countable extension, 404
 downwards attitude, 401
 generated, 60
 upwards attitude, 401
 extended function, 6
 dyadic, 137
 extended generating family (EGS), 60
 extended mixture set, 416
 extension
 backward, 34
 forward, 34
 favor
 coordinate, **372**, 372–376
 index, 374
 probability-based, 373
 Frank family
 additive generator, 79
 triangular conorm, 103
 triangular norm, 69
 function
 conjunctive, 28, 357
 constant, 9
 disjunctive, 28, 357
 Lipschitzian, 18
 piecewise linear, 205
 pseudo-inverse, 61
 quasi-linear, 143
 function of two variables
 absolutely continuous, 17
 functional, 3
 fuzzy logic, 414
 game, 173
 bicooperative, 335, 336
 biunanimity, 336
 simple, 173
 unanimity, 174
 game theory, 173, 178, 369
 gamma operator, 120, 387
 generator
 additive, 78
 multiplicative, 81
 of a mean, 133
 of a t-conorm, 105
 of a t-norm, 78
 of a uninorm, 111
 genetic algorithm, 394
 geometric mean, **6**, 19, 20, 133, 134, 138, 164,
 355, 373
 weighted, 143, 248, **253**, 276, 350, 353, 364,
 365, 370, 387
 global adness value, 351
 global idempotency value, 357
 global orness value, 352

Index

Hamacher family
 additive generator, 80
 triangular conorm, 104
 triangular norm, 70
 harmonic mean, 133
 homogeneity
 $\vee$ -, 54
 $\wedge$ -, 53
 of degree one, 44
 positive, 44, 273
 hybrid mixture set, 417
 hybrid utility function
 optimistic, 417
 idempotency, **6**, **24**, 24–28
 equation, 25
 function
 local, 358
 mean local, 358
 range-, 25, 35
 strong, 26
 value
 global, 357
 idempotent element, 24
 asymptotic, 25
 trivial, 50
 idempotizability, 27, 131
 idempotization, 166, 253
 process, 28
 identity function, 10
 image analysis, 413
 importance index, **362**, 368
 normalized, 362
 of coordinates in K , 365
 independence
 of highest arguments, 30
 of lowest arguments, 31
 index
 importance, 362
 interaction, 368
 maximum improving, 371
 of arguments involvement, 380
 of uniformity of arguments contribution, 379
 indicator function, 9
 inference rule, 413
 infinitary aggregation function, 398
 additive, 398
 comonotonic additive, 398
 continuous, 398
 homogeneous, 398
 idempotent, 398
 symmetric, 398
 infinite product, 400
 integral
 Benvenuti, 230
 Choquet, 181
 Imaoka, 232
 Murofushi, 229
 opposite Sugeno, 233
 (S, U), 228
 Shilkret, 233

- Šipoš, 183, 334
- Sugeno, 210
- universal, 231
- interaction
 - index, 179, **368**, 369–370, 392
 - transform, 179, 180, 189
- intermediate value property, 13
- internality, 29
- interpolation, 184, 187, 337
- interval scale invariance, **45**, 139, 284
- invariance
 - difference scale, 44
 - interval scale, 45
 - log-ratio scale, 45
 - ordinal scale, 46
 - ratio scale, 43
 - shift-, 44
- J*-aggregation function, 405
- k*-Cartesian **A–B** product, 246
- k*-conjunctiveness, 30, 194, 376
- k*-conjunctiveness index, 376–378
 - probability-based, 377
- k*-disjunctiveness, 30, 194, 376
- k*-disjunctiveness index, 376–378
 - probability-based, 377
- lattice polynomial function, 162, 185–186, 201, **207**, 225, 296–300, 302, 303, 308
 - conjunctive and disjunctive normal form, 207, 208
 - weighted, **208**, 211–212
- laws of sciences, 43
- least mean squares
 - error criterion, 386, 388, 393–395
 - heuristic (HLMs), 394
- least square regression, 384–386
- left-continuity, 21
- Lipschitz condition, **18**, 18–20
 - c*-, 18
- Lipschitz constant
 - best, 18
- local andness function, 354
- local idempotency function, 358
- local orness function, 30, 354
- log-ratio scale invariance, 45, 144, 289
- logarithmic mean, 164
- lower Frechet–Hoeffding bound, 90
- lower ordinal sum, 262
- lower semi-continuity, 21
- Łukasiewicz *t*-norm, 62, 68
- Möbius
 - function, 177
 - inverse, 177
 - transform, **177**, 178–180, 187
 - bipolar, 337
 - of bicapacity, 336, 339
 - ordinal, 216
 - transformation, 177, 178
- maximum, **7**, 201, 225, 273
 - ordered weighted, 224, 225
- partial, 8, 144
- symmetric, 214, **327**, 325–332, 334
- weighted, 224, 225, 251
- maximum separation criterion, 395
- maxitivity, 53
 - comonotonic, 54
- mean, **29**, **130**
 - anti-Lagrangian, 165
 - arithmetic, **3**, **6**, 20, 133, 138, 139, 144, 164, 361
 - associative, 161
 - Cauchy, 29, 165
 - Chisini, 131
 - exponential, 133, 138
 - extended, 130
 - F-level, 131
 - geometric, **6**, 19, 20, 133, 134, 138, 164, 355, 373
 - harmonic, 133
 - Lagrangian, 164
 - level surface, 131
 - logarithmic, 164
 - pure, 404
 - quadratic, 133, 289
 - quasi-arithmetic, **132**, 137
 - extended, 132, 135
 - weighted, 139
 - with weight function, 145
 - quasi-linear, 139, 143
 - root-mean-power, 133
 - Stolarsky, 164
 - weighted arithmetic, **8**, 37, 143, 144, 350, 353, 364, 365, 370, 375, 378
 - extended, 168
 - weighted geometric, 143, 276, 350, 353, 364, 365, 370
 - weighted quadratic, 143
- mean local andness, 354
- mean local idempotency, 358
- mean local orness, 354
- mean value, 134
- meaningfulness, 42
 - on a single difference scale, 44, 281
 - on a single interval scale, 45, 285
 - on a single log-ratio scale, 45, 290
 - on a single ratio scale, 44, 273
 - on independent difference scales, 44, 281
 - on independent interval scales, 45, 285
 - on independent log-ratio scales, 46, 290
 - on independent ratio scales, 44, 273
- measure, 171
 - decomposable, 176
 - Dirac, 174, 201, 225
 - fuzzy, 173
 - monotone, 173
 - necessity, 175, 219
 - nonadditive, 173
 - possibility, 175, 219
 - guaranteed, 178
 - probability, 176
 - threshold, 174, 201

458

mediality, 39
 median, 7, 299, 300, 302, 304, 307, 308
 α -, 8, 163, 264
 minimization, 168
 minimum, 7, 201, 225
 nilpotent, 21, 72
 ordered weighted, 225
 partial, 8, 144
 symmetric, 214, 328–329
 weighted, 224, 225
 minitivity, 52
 comonotonic, 54
 Minkowski norm, 18
 mode, 299, 301, 302
 moderate growth, 57, 89
 moment, 360
 monotonicity, 12–13
 nondecreasing, 12
 strict increasing, 12
 unanimous increasing, 12
 multicriteria decision making, 24, 29, 49, 169,
 336, 369
 multilinear extension, 363, 364, 370
 multiobjective optimization, 411
 multiplicative generator, 81

n-copula, 89
n-increasing monotonicity, 89
 negation, 239
 Sugeno, 239
 neutral element, 324
 neutral element, 49, 319
 extended, 49
 nonassociativity, 330–332
 nondecreasing monotonicity, 12
 nonstrict quasi-arithmetic means, 147–161
 norm
 Chebyshev, 18, 411
 Minkowski, 18
 nullnorm, 115, 115–119, 325, 329, 390
 nilpotent, 118

 operator
 exponential convex T–S, 120
 gamma, 120
 linear convex T–S, 121
 optimistic hybrid utility function, 417
 orbit, 294
 order automorphism group, 292
 order invariant subset, 293–296
 minimal, 294
 order statistic, 6, 22, 201, 225, 298, 302, 304, 307,
 308, 350, 353, 375, 378, 413
 ordered weighted averaging, 8, 167, 201, 202,
 353, 365, 370, 375, 378, 387, 412, 413
 extended, 168
 ordinal scale invariance, 46, 292, 300–304, 313
 ordinal sum, 82, 147
 copula, 94
 D-, 266
 lower, 262
 triangular norm, 82

Index

upper, 262
 orness
 mean local, 354
 orness function
 local, 354
 orness value
 global, 352

 partial maximum, 8
 partial minimum, 8
 pattern recognition, 412
 pignistic transform, 363
 pre-measure, 173
 probabilistic sum, 103
 probability density function, 359
 product, 5, 8, 19, 24, 25, 273, 350, 357
 drastic, 22, 65, 67, 72
 infinite, 400
 projection, 6, 201, 225, 296, 299, 301, 308–310
 onto the first coordinate, 7, 137
 onto the last coordinate, 7, 137
 pseudo-addition, 227–231, 319–324
 pseudo-Boolean function, 173, 178, 180, 185
 Lovász extension, 185–186
 multilinear extension, 186, 187, 193, 196
 pseudo-difference, 318, 333–334
 pseudo-inverse, 61
 pseudo-multiplication, 227–231, 324–325

 quadratic mean, 133, 289
 weighted, 143
 quadratic programming, 386, 393, 396
 quasi-arithmetic mean, 132–139, 391
 quasi-copula, 57, 98–100
 general, 98
 quasi-ordered weighted averaging, 167

 range, 3, 10
 range-idempotency, 25
 ratio scale invariance, 43, 138, 144, 147, 273
 reducibility, 12
 reflexivity, 24
 right-continuity, 21
 root-mean-power, 133, 134, 138, 350, 353
 weighted, 143

 S-capacity, 175, 228
 S-difference, 229, 318
 scale
 bipolar, 317
 difference, 42, 43, 138, 272, 280
 interval, 42, 43, 139, 272, 284
 log-ratio, 43, 144, 272, 289
 nominal, 301
 of measurement, 311
 ordinal, 42, 46, 292
 ratio, 41, 43, 138, 144, 147, 272, 273
 type, 41
 unipolar, 317
 Schweizer–Sklar family
 additive generator, 80
 triangular conorm, 104

- triangular norm, 71
- self-duality, 48, 197, 221, 239–241
 - φ -, 47
 - weak, 47
- self-reciprocity, 49, 144
- semiring
 - restrictedly distributive, 124
- sensitivity, 12
- separable events, 415
- sequence
 - associativity, 330
 - cancelling, 332
 - of maximal opposite terms, 330
 - restricted, 330
- set function, 173
 - conjugate, 173, 178
 - dual, 173
 - monotone, 173
 - self-conjugate, 173
- Shannon entropy, 379
- shape function, 257
- Shapley
 - integral, 364
 - value, 179, 363, 371, 392
- Sierpiński carpet, 169
- signum function, 10
- Sklar theorem, 91
- smoothness, 314
- social choice, 412
- software, 396
- spline function, 388–390
- strongly order invariant subset, 295
 - minimal, 295
- Sugeno integral, 162, **210**, 207–226, 230–232, 361, 396
 - asymmetric, 215
 - multilevel, 226
 - symmetric, 214, 218, 220, 334
 - w.r.t. a bicapacity, 346, 347
- Sugeno negation, 239
- Sugeno–Weber family
 - additive generator, 79
 - triangular conorm, 104
 - triangular norm, 69
- sum, 8
 - bounded, 13
 - symmetric, 119, 122, **240**
- supermodularity, 170
- symmetric element, 320–324
- symmetrization, 23, 167
- symmetry, 22–24
- ternary vector, 318
- transform, 177
 - φ -, 235
 - co-Möbius, 178
 - interaction, 179
 - Möbius, 177
 - Zeta, 177
- transformation
 - admissible, 41
 - of set function, 177
- transformation function
 - e -weighting, 251
- triangular conorm, **102**, 102–105, 175, 228–231, 318–324, 414
 - continuous, 333
 - Frank family, 103
 - Hamacher family, 104
 - nilpotent, 105, 323
 - ordinal sum, 323
 - Schweizer–Sklar family, 104
 - strict, 105, 321, 323, 333
 - Sugeno–Weber family, 104, 176
 - Yager family, 103
- triangular norm, **57**, 67–86, 414
 - ε -close, 88
 - Łukasiewicz, 68, 350, 357, 359
 - Archimedean, 73
 - boundary weak, 57
 - cancellative, 68
 - continuous, 84
 - continuous Archimedean, 73, 388–390
 - drastic product, 65
 - extended, 67
 - Frank family, 69, 97, 232
 - Hamacher family, 70
 - n -th power, 72
 - n th root, 74
 - nilpotent, 78
 - nilpotent minimum, 72
 - noncontinuous, 72
 - ordinal sum, 82
 - product, 68
 - Schweizer–Sklar family, 71
 - strict, 78
 - strictly monotone, 68
 - Sugeno–Weber family, 69
 - with zero divisor, 68
 - Yager family, 69
- triangular subnorm, 87–88
- unanimity, 24
- unanimous increasing monotonicity, 12
- uniform continuity, 14
- uninorm, **106**, 106–115, 228, 331
 - additive generator, 111
 - cancellative, 111
 - conjunctive, 107
 - disjunctive, 107
 - generated, 111, 322, 390
 - greatest, 110
 - idempotent, 110
 - smallest, 110
- upper Frechet–Hoeffding bound, 90
- upper ordinal sum, 262
- upper semi-continuity, 21
- upward compensation, 120
- upwards attitude, 401
- (**v**-)weighted aggregation function, 248
- variation

460

- lowest relative, w.r.t. a rank, 365
- of a function, 15
- total, second order, 367
- total, w.r.t. a coordinate, 362
- total, w.r.t. a rank, 365
- total, w.r.t. a set, 368
- vector
 - binary, 335
 - ternary, 335
- veto
 - coordinate, **372**, 372–376
 - index, 374
 - probability-based, 373
- weak self-duality, 47
- weight triangle, 168
 - generated, 169

Index

- weighted arithmetic mean, **8**, 37, 143, 144, 350, 353, 364, 365, 370, 375, 378
 - extended, 168
- weighted geometric mean, 143, 276, 350, 353, 364, 365, 370
- weighted median, 260
- weighted quadratic mean, 143
- weighted root-mean-power, 143
- weighting transformation function, 251
- Yager family
 - additive generator, 79
 - triangular conorm, 103
 - triangular norm, 69
- zero divisor, 68