

Index

- absolute value, 73
- Africa, Out of, 171, 179, 209
- agouti fur, 231
- AIDS, 209, 279, 336, 338
- albinism, 239
- Allee effect, 37
- allele, 217
 - codominant, 227, 262, 264
 - dominant, 216, 217
 - fixation of, 267
 - frequencies, 261
 - multiple, 227, 276
 - mutation, 265
 - partially dominant, 227
 - recessive, 216, 217
 - semidominant, 227
 - wildtype, 244
- autocatalytic model, 19
- autosome, *see* chromosome
- base substitution, 115, 138
- bases, 114
- basic reproduction number, 287, 299
- Bateson, William, 244
- bifurcation diagram, 25
- bin size, 349
- binomial coefficients, 241
- blood type
 - ABO system, 227, 272
 - MN system, 262
- bootstrapping, 207
- brachydactyly, 226
- cannibalism, 108
- carrying capacity, 12
- Centers for Disease Control (CDC), 212, 279, 336
- centromere, 248
- chaos, 26–28, 39
- characteristic equation, 79
- chickenpox, 27, 282, 288, 299
- χ^2 -statistic, 235
- chromatid, 248
- chromosome, 218, 244
 - autosome, 247
 - homologous, 248
 - sex, 245, 247
- cobweb diagram, 15–16, 88
- codominance, *see* allele
- codon, 114, 142
- color blindness, 246, 256, 271
- combinations, 230, 240
- competition
 - contest, 36
 - model, 85, 105–106, 109–110
 - scramble, 36
- competitive exclusion, 110
- complex numbers, 73–74
 - absolute value of, 73
- contact number, 299
 - maximal male and female, 311
- contact rate, 298, 299
- crossing over, 218, 248, 251, 252
- interference, 260
- curve fitting, 315
 - least squares, 316, 325
 - line, 325, 331
 - polynomial, 335
- cystic fibrosis, 264
- deletion, 115
- Demography, Fundamental Theorem of, 71
- density dependence, 11
- determinant, 61, 79, 167
 - and inverse of matrix, 61
- deviation
 - mean, 357
 - mean square, 357
 - standard, 356–359
 - total (TD), 322
- difference equation(s), 3, 5, 39
 - coupled, 42, 86
 - vs. differential equations, 9, 39, 283
- differential equation(s), 9, 38, 39, 283
 - logistic, 40
- diffusion, 30
- diploid, 218, 247
- disjoint, 120

- distance
 - additive and symmetric, 160–162, 168, 176
 - genetic, 249, 250, 255
 - Jukes-Cantor, 157–159, 176, 180
 - Kimura, 159–160, 166, 180
 - linkage, *see* distance, genetic
 - log-det, 160–162, 167–180
 - methods of tree construction, 180
 - phylogenetic, 114, 155–170
 - physical, 250
- distribution, *see also* random variable, 349
 - bimodal, 350, 352
 - binomial, 229–233
 - expected value, 233, 241
 - central tendency, 352
 - χ^2 , 234–237, 243
 - continuous, 351
 - discrete, 351
 - normal, 349, 351, 358
 - probability, 229
 - skewed, 350
 - uniform, 350
- DNA, 113–116
 - aligned sequences, 116
 - coding, 115, 138
 - junk, 115
 - mutation, 115–116, 138
- dominance, *see* allele
- Drosophila melanogaster*, 244
- edge, 172
- eigenvalue and eigenvector, 65–83, 142, 145, 167
 - complex, 73, 102
 - computation of, 78–83
 - dominant, 70
 - power method, 81
 - strictly dominant, 70
- emigration, 8
- equilibrium, 7, 20–21, 44, 65, 88, 94
 - saddle, 102
 - stable, 21, 90, 102
 - unstable, 21, 102
- Euler's method, 39
- event(s), 118
 - complementary, 122, 126
 - independent, 123
 - definition of, 132
 - mutually exclusive, 120, 129
- expected value, *see* random variable
- exponential model, 5
- extrapolation, 317
- fecundity, 2, 55
 - F_i , 216
- Fick's law, 30
- Fitch-Margoliash
 - algorithm, 183–186, 191, 192
 - method, 189–190
- fitness, 265
 - mean, 274
 - relative, 265
- fixed point, *see* equilibrium
- Florida dentist AIDS cluster, 209, 212
- 4-point condition, 193
- fragile X syndrome, 246
- gametes, 218
 - random union of, 221
- GenBank, 209
- gene, 114, 215, 217
 - linkage, 246–255
 - cis* and *trans* configurations, 258
 - polymorphic, 276
 - sex-linked, 244–246
- gene transfer, lateral, 173, 209
- genetic code, 114
- genetic drift, 268–271
- genotype, 217
 - parental type, 248
 - recombinant, 248, 249
- geometric model, 5
- gonorrhea, 297, 308
- growth rate
 - finite, 3, 11
 - finite intrinsic, 13
 - intrinsic, 11, 70
 - per capita, 11
 - relative, 37
- haploid, 247
- Hardy-Weinberg equilibrium, 263
- hemizygote, 246
- hemophilia, 246, 255
- herd immunity, 300
- heterozygosity, 275
- heterozygote, 218
 - advantage, 268, 272, 276
- histogram, 348
- HIV, 209, 307
- hominoid, 171, 208, 210
- homozygote, 217
 - advantage, 268, 272
- Huntington disease, 240
- hypothesis test, 234
- immigration, 8
- immune system model, 106–107
- immunization, 279, 285, 299
- independent assortment
 - of chromosomes, 248
 - of genes, 219, 221, 222, 225, 246, 249
- infectious disease
 - endemic, 295, 297, 310
 - epidemic, 279, 281, 286
 - model
 - differentiated infectivity, 307
 - MSEIR, 305
 - SI, 296, 343
 - SIR, 281, 343
 - sir, 298
 - SIRS, 307
 - SIS, 297, 343
 - sexually transmitted (STD), 307
 - infective class, 281

- influenza, 282
- informative site, 202
- inheritance
 - chromosomal theory, 247
 - Mendelian model, 217–218
- initial condition, 3
- insertion, 115
- interpolation, 317
- interquartile range, 356
- intersection, 123
- inversion, 115

- Jacobian matrix, 104
- Jukes-Cantor model, 176, 180

- leaf, 173
- least squares, *see* curve fitting
- leprosy, 297
- lice, head, 282, 296
- likelihood, 206
- linear algebra, 44, 61
- linearization, 21–24, 99–101
- logistic model, 12, 24–27, 33, 86

- malaria, 284
- Malthus, Thomas, 5
- map
 - genetic, 249, 250, 254
 - linkage, *see* map, genetic
- Markov
 - matrix, 142
 - model, 57, 141
- mass action, 87, 106, 282
- mating
 - assortative, 265
 - random, 262
- matrix
 - addition, 50
 - characteristic equation of, 79
 - definition, 45
 - identity, 59
 - inverse, 59
 - and determinant, 61
 - formula, 61
 - multiplication, 46, 48–49
 - projection, 46
 - scalar multiple, 50
 - singular, 62
 - transition, 46, 140, 141
 - transpose, 167, 330
- Maximum Likelihood method, 206, 207
- Maximum Parsimony method, 198–202, 207
 - assumptions of, 202
- mean, 354, 358, 359
- mean infectious period, 288
 - death adjusted, 306
- measles, 27, 282, 301, 305, 306
- median, 353
- meiosis, 218
- meiotic drive, 277
- Mendel, Gregor, 215
- mitochondria, 171, 179, 208

- mixing, homogeneous, 87, 280, 282, 339
- mode, 353
- model
 - linear, 5, 43
 - nonlinear, 11, 87
- molecular clock, 144, 158, 176, 183
- molecular evolution, 113
 - model, 138–155, 176, 206
 - equilibrium base distribution, 145
 - general Markov, 148, 160–162
 - Jukes-Cantor, 143–147, 155–159
 - Kimura, 147–148, 159–160
 - protein, 151
- mononucleosis, 297
- Morgan, Thomas Hunt, 244
- multinomial coefficients, 271
- mumps, 27, 305, 306
- mutation, 113, 115
 - back, 116, 143
 - hidden, 116
- mutation-selection balance, 276
- mutualism model, 85, 107–108, 110–111

- Neighbor Joining algorithm, 191–195, 207
- normal equations, 329, 332, 338
- nucleotides, 114
- nullclines, 95, 97

- operational taxonomic unit (OTU), 172
- orbit, 89
- orthologous sequences, 171
- outgroup, 187, 198, 200
- overdominance, 268

- parallel evolution, 208
- parasites, 208
- parsimony score, 198
- partial derivative, 101
- pattern, 204
- pedigree, 226
- permutations, 241
- perturbation, 21, 100
- pertussis, 300
- phase plane, 89
- phenotype, 218
- physiology models, 39
- plot
 - log–log, 321
 - semilog, 319
- population genetics, 261–277
- population model
 - density dependent, 11, 33–38
 - discrete vs. continuous, 39–40
 - discrete logistic, 12
 - harvesting, 30–31
 - interacting, 85–111
 - Leslie, 53–55, 72, 149
 - linear, 5, 41–78, 315
 - intrinsic growth rate, 70
 - stable age/stage distribution, 71
 - Malthusian, 2–12
 - Markov, 57

- population model (*cont.*)
 - nonlinear, 11–38, 85–111
 - Ricker, 34, 37
 - structured, 41
 - Usher, 55–56, 109
- power method, 81
- predator–prey model, 85–105
- primate, 171, 210
- probability, 116–138
 - addition rule, 119, 121, 125–127, 129
 - conditional, 130–133
 - definition of, 132
 - frequency interpretation, 117
 - multiplication rule, 124–127
- Punnett square, 219–220, 223
- purine, 114, 115, 126
- pyrimidine, 114, 115, 126
- quarantine, 285, 296, 299, 304
- quartiles, 355
- rabies, 304
- random variable, 228
 - expected value, 233
 - additive property of, 234, 242, 250
- recessive, *see* allele
- recombination frequency, 255
- regression, 332
- removal rate, 283, 288, 299, 308
 - relative, 287, 290, 310
- removed class, 281
- RNA, 114
- root, 173
- Rosco, 144
- rubella, 301, 305
- sample, 359
- scalar, 50
- segregation
 - of chromosomes, 218, 245, 247
 - of genes, 217, 219
- selection, 265, 268, 272
 - coefficient, 266
 - frequency-dependent, 276
- sensitivity, 134–135
- sensitivity analysis, 77
- sickle-cell anemia, 226
- significance level, 236
- smallpox, 280, 300
- specificity, 134–135
- spruce budworm, 38
- stability, 21, 88
 - analysis, 21–24, 99–103
 - by calculus, 22, 104
 - local vs. global, 24, 103
- stable age/stage distribution, 71
- statistics, 345
- steady state, *see* equilibrium
- Stirling's formula, 179
- Strong Ergodic Theorem, 71, 81–83, 148
- structurally unstable model, 91
- Sturtevant, Alfred, 249
- sum of squares for error (SSE), 322
- susceptible class, 281
- symbiosis, 107, 209
- syphilis, 297
- T cells, 106
- taxon, 172
- Tay-Sachs disease, 223, 224, 228
- testcross, 225
 - 3-point, 252
 - 2-point, 250
- tetanus, 304
- tetrad, 248
- 3-point formulas, 183
- threshold value, 287, 300
- transient, 20, 94
- transition, 115, 126, 130, 147, 164
- transmission coefficient, 282, 298, 308
- transversion, 115, 126, 130, 147, 164
- tree, 172
 - bifurcating, 173
 - construction
 - algorithms vs. optimality criteria, 207
 - methods, 180–208
 - metric, 175
 - neighbors, 192
 - parsimony score, 198
 - phylogenetic, 171, 172
 - applications of, 208
 - rooted, 173–175
 - rooting, 186
 - topological, 173
 - number of, 175, 177–179
 - unrooted, 173, 174, 200
- tribolium*, 28, 108
- tuberculosis, 283, 297
- turbidity, 8
- union, 120
- UPGMA, 181–183, 186, 192
- vaccination, *see* immunization
- variability in data, 208, 347, 355
- variance, 357
- vector
 - addition, 50
 - definition, 45
 - multiplication by matrix, 46
 - scalar multiple, 50
- vertex
 - interior, 173
 - terminal, 173
- whale hunting, 209
- yellow-lethal allele, 226, 240, 273
- zygote, 247