

INDEX

- (2,4)-complex, 7
 (2,4)-Poincaré complex, 8
 $[X', X]_{\xi, \eta}$, 20
 $\tilde{\otimes}^3(G, \theta)$, 131
 $\tilde{\otimes}^4(A)$, 90
 2-type of $J(G)$, 122
 3-type, 166
 –of $J(G)$, 122
- ab**, 46
 abelianization, 56
 algebraic track category, 66
 $Aut(X)$, 43
 $Aut^+(X)$, 44
 $Aut_{\mathbf{C}}(A)$, 16
- Barcus–Barrat-formula, 6, 104
 bimodule, 14
- $C(q)$, 142
 canonical track, 57
 cohomology, 16
cross chain, 111
 crossed chain complex, 110
 crossed James construction, 110, 111
 crossed square group, 140, 141
 cup product, 7
CW(2, 4), 8
 cylinder, 55
- $D(\xi, \eta)$, 13, 20
 $D^P(\xi, \eta)$, 24
- Δ_η , 95
- E**(2, 4), 58
E(\mathcal{E}), 70
 E_A , 45, 56
 $End(g)$, 50
 $Ext_{\mathbf{C}}^n(F, G)$, 69
 extension class $\langle \mathcal{L} \rangle$, 72
 extension groups, 69
 exterior square, 45
- faithful, 10
 free group, 56
 free nil(2)-group, 45, 56
 full, 10
 $Fun(\mathbf{C}, \mathbf{Ab})$, 69
 fundamental class, 8
- (G, θ) -pair, 93, 133
 (G, θ) -strongly quadratic, 157
 G_A , 56
 G_n , 92
 $\Gamma(A)$, 3
 $\Gamma_2^2 A$, 6
 $\Gamma_2^2(g)$, 11
 $\Gamma_2^2(G^{ab})$, 139
 $\Gamma_{\mathbb{Z}}(A)$, 85
 $\Gamma_{\mathbb{Z}/3}(A)$, 85
 $\Gamma_R(G)$, 76
 $\Gamma_{\mathbf{T}}$, 98
 $\Gamma_{\mathbf{T}}/\simeq$, 100
 $\hat{\Gamma}(G)$, 116
 $\hat{\Gamma}(G, \theta)$, 157

- $\tilde{\Gamma}$, 63
 $\tilde{\Gamma}(G)$, 105
 $\tilde{\Gamma}(G, \theta)$, 94, 96
 $\tilde{\Gamma} \cong \tilde{\Gamma}(G, \theta)$, 134, 159
 $\tilde{\Gamma} \cong \tilde{\Gamma}(G, q\theta_0)$, 165
 generalized induced map
 –for $\tilde{\Gamma}$, 95
 –for $\tilde{\Gamma}$, 135
 G -module, 111
 G -quadratic pair, 63, 105
 group structure, 56
- $\mathbf{H}(2, 4)$, 9
 $H(g, \varphi)$, 143
 homotopy system, 111
 Hopf map, 1
 h -square map, 141
 Hurewicz homomorphism, 4
- I , 91, 98
 intersection form, 8
 $Iso(g)$, 44
- $J(G)$, 110, 111
 $\hat{J}(G)$, 114
 $\tilde{J}(G)$, 114
 $\tilde{J}G$, 155
 $J_Q(G)$, 148
 $\hat{J}_Q(G)$, 150
 $\tilde{J}_Q(G)$, 150
 $J_Q(\sigma)$, 148
 James construction, 112
 JX , 112
- $K(w)$, 26
 $K(\xi, \eta)$, 26
 $K^{st}(\xi, \eta)$, 31
 $K^u(\xi, \eta)$, 31
 K_{odd}^u , 35
- $\mathbf{L}(2, 4)$, 47
 $L(A, 1)_3$, 5
 $L(\xi, \eta)$, 24
 $\lambda\Gamma_R(G)$, 75
 Lie algebra, 5
 linear extension, 13, 70
 \mathbf{LT} , 66
- M_A , 56
 \mathbf{Mod}_G^{Δ} , 111
 Moore space, 3
- $\nabla(x, y)$, 132
 $\nabla(x, y, z)$, 132
 $\nabla_1(x, y, z)$, 132
 $\nabla_2(x, y, z)$, 132
 $\nabla'(x, y, z)$, 132
 $\nabla_{\eta}(x)$, 134
 natural system of abelian groups, 13
 natural transformation, 145
 \mathbf{nil} , 46
 non trivial degree, 22
- $\Omega\Sigma X$, 112
- $\mathbf{P}(2, 4)$, 8
 $\mathbf{P}(2, 4)_0$, 22
 $\mathbf{P}^{st}(2, 4)_0$, 33
 $\mathbf{P}(odd)$, 35
 $P(w_2^f, \eta)$, 19
 $\mathbf{P}^L(2, 4)$, 45
 $\Phi(A)$, 131
 $\pi_n(\sigma)$, 154
 Poincaré dual basis, 8
 Poincaré duality isomorphism, 8
 pseudo functor, 145
- \mathbf{Q} , 146
 q -crossed homomorphism, 140
 quadratic chain complex, 144
 quadratic form, 8
 quadratic James construction, 148
 quadratic map, 2
 –of J_QG , 150
- $R(x, y, z)$, 152
 refinement of Whitehead's functor, 63
 reflects isomorphism, 10
 representative, 10
 Rochlin's result, 104
- $\mathbf{S}(2, 4)_0$, 33
 $\mathbf{S}(odd)$, 37
 \mathbf{SG} , 93
 \mathbf{SG}_0 , 93
 \mathbf{SGr} , 130
 \mathbf{SGr}_0 , 130

- signature, 36
 signature derivation, 40
 signature obstruction, 41
 SP_4A , 92
 square class, 144
 square derivation θ , 143, 144
 stable part, 31
 Stiefel–Whitney class, 19
 strongly quadratic, 115
 symmetric power, 89
 symmetric square map, 97
 symmetric θ -group, 92, 97
- T , 90
 \mathbf{T} , 101
 \mathbf{T}/\simeq , 102
 $\mathbf{T}(2, 4)$, 58
 $T(f, g)$, 55
 $\mathbf{T}(n, m)$, 61
 $T_0\mathbf{Q}$, 146
 $T_2(\xi, \eta)$, 57
 $T_n(\xi, \eta)$, 57
 $\mathbf{T}\Gamma = \mathbf{T}(2, 4)/E_L$, 61
- tensor algebra, 5
 tensor product of quadratic chain complexes, 146
 $\Theta(\eta, \eta')$, 97
 $\Theta(F, G)$, 146
 $\theta(g, \varphi)$, 143
 θ -square group, 129
 $\mathbf{TL} = \mathbf{T}(2, 4)/E_\Gamma$, 61
 totally free, 111
 track, 55
 track category, 55, 145
- \mathbf{UF} , 9
 \mathbf{UF}_0 , 22
 $\mathbf{UF}(\text{odd})$, 35
 unimodular, 3
 unstable part, 31
- Whitehead’s certain exact sequence, 4
 Whitehead product, 4
- Yoneda equivalent, 72