

Index

Page numbers in *italics* refer to figures, **bold** to tables, and in ordinary type to text and boxes.

- A73 motorway 145
 AADT (Annual Average Daily Traffic Volumes) 183–4
 Aapa mires habitat **158**
 abiotic basis 141
 processes 96, 110, 281
 Abruzzo National Park 108, 119
 academics consulted 224
 access 4, 34–5, 46–7, 146
 public 24–6, 211, 296
 rural 175, 177–85, 185–7, 255
 accident rates, rural roads 175
 ACIs (Areas of Conservation Interest) **226, 242**
Acrocephalus schoenobaenus (sedge warbler) **140**
 Action Plan, Guadamar 277–80, 286–7
 Action Theme (AT) 4, 151–3
 acquisition 293–4, 296
 contaminated Guadamar 275
 Florida 76, 92–3, **227**, 234, 237–50
 Netherlands 148
 North America 202, 211–13, 217
 adaptive management 43, 54–5, 279, 296–301
 Adda River 191
 administrative problems 264–5, 268, 295, 297–8
 Gelderland 148–9
 Italy 111–15, 123–7, 297
 North America 206–10
 administratively protected areas **163–5**
 Adriatic coast 119–20
 Adirondack Mountains 51
 aesthetic purposes 35
 aesthetics 30
 Africa: wintering storks 17
 agencies' roles 243–4
 agriculture 14–16, 25–6, 29–30, 76, 152, **162**,
 249–50
 development of 8–12, 251–65
 with econet **36, 87**, 188, 191–2, 195–9,
 285–6
 farmers and conservation agencies 147–9
 intensive 10, 15–16, 32, 130, 167, **233**, 295
 Italy 116, 118–19, 122, 129, 191–8
 and isolation 4–5, 188–9, 255–6
 losses 108–10, 115–19, 275
 and population 260–4, 297–8
 rural roads 177–8, 179–80
 soils 254–6
 terraces 109, 258
 Yungas 251–9, 260–4
 Agrio River 271, 273–5
 Alcarayón River 271
Alcedo atthis (kingfisher) 60
 Alligator Alley 79–80
Alopochen aegyptiacus (Egyptian goose) 129
 alpine grassland habitat 157–8
 alpine scrub habitat 158
 alpine species 101–6, 197–9
 Alps 111, 123
 amelioration, rural road network 73–93, 171–87,
 299
 amenity corridors 105
 American Greenways Program 52
 American Revolutionary War 40
 American Wildlands Project 292
 Americans Outdoors in the USA (1987) 34, 45, 51
 amphibians 3, 12, 19, 86–93, **140–1**, 172–3
 Amsterdam conference 1924 9
 Amsterdam Vondelpark 9
 analyses 43, 132–45, 154–6, 191, 252–4, 292
 species-specific 94–6, 104–6, 292
Anas clypeata (shoveler) 130
 Anatolic species 101–6
 Andalusia, Western 270–89, 298

Cambridge University Press

0521535026 - Ecological Networks and Greenways: Concept, Design, Implementation - Edited by Rob H. G.

Jongman and Gloria Pungetti

Index

[More information](#)

324 INDEX

- Andalusian Environmental Information System 280–4
- Andalusian Regional Government 275–6, 282
- Andean grassland 251–2, 266
- Andean taruca (*Hippocamelus antisensis*) 251
- Andes 10, 251–69
- Annual Average Daily Traffic Volumes (AADT) 183–4
- ANPA (National Agency for Environmental Protection, Italy) 113, 128, 131
- Anser anser* (greylag goose) 129
- anthropic matrix 189–90, 198–9
- Anthus campestris* (tawny pipit) 135
- Apalachicola National Forest 76, 85, 90, 230, 232, 234
- Apennine wolf 111
- Apennines 108, 111–13, 116, 122, 129
- APN (Argentina National Parks Administration) 265–8, 293
- Rangers School 268
- aquatic ecosystems 225, **228–9**, 283
- see also* water
- aquifer 92, **229**, 275, 281–2
- Aquila chrysaetos* (golden eagle and royal eagle) 19, 111
- Aracena Natural Park 271–2
- ArcInfo software 224
- Arctic species 101–6
- ArcView 159, 253
- spatial modelling 88–90
- Ardanchón River 271
- Andea cinerea* (grey heron) 129
- Andeola ralloides* (squacco heron) 129
- Area Metropolitana de Lisboa 38–40
- Areas of Conservation Interest (ACI) **226**, **227**, **242**
- Argentina 251–69, 290, 293, 295, 297–8
- Argentina National Parks Administration (APN) 265–8, 293
- Arnhem 9
- arsenic 282
- Asio otus* (long-eared owl) 130
- assessment 213
- continuity 115–22
- Estonia habitat 152–3
- Florida 224–30
- LARCH and sustainability 133–7
- need 94–5, 100–4, 292
- Northern Italian Lowlands 191–8
- PVA (Population Viability Analysis) model 57, 58, 71
- species 56–72
- AT (Action Theme) 4, 151–3
- Atlantic Ocean 31
- Atlantic salmon (*Salmo salar*) 7, 33
- Atlantic species 101–6, 157
- Aucilla River Wildlife Management Area 85, 90
- Audubon reserves **227**
- Australia 8, 292
- Austria 294
- avocado (*Persea americana*) 257
- Avon Park Bombing Range 232
- Aythya ferina* (pochard) 130
- Aznalcóllar mine spill 271–5, 280–9
- badger (*Meles meles*) 7, 97–8, **140**, 143–4, 146
- ‘badger’ landscape model 142
- balancing problem 268, 297–301
- Baltic Sea 160
- Baltic States 17–18
- see also* Estonia; Latvia; Lithuania
- bananas (*Musa spp.*) 258, 262–3
- banded demoiselle (*Calopteryx splendens*) **133**
- Banff National Park 91
- Baritu National Park 252–3, 266, 268
- barnacle goose (*Branta leucopsis*) 98
- barren lands 192
- barriers 2–3, 12, 28–9, 31–2, 73
- cultural 295
- fencing 8, 12, 79, 116
- fields 141
- Italy 108–15, 119–27, 129
- rivers 21, 116, 130–1
- roads 8, 12, 32, 73–93, 122, 129, 135
- rural roads 171–87, 295–6
- and target species 132–7, 141–6
- to species 19, 104–6, 129–32
- see also* disturbance
- basin cluster analysis 194–5
- bats (*Chiroptera*) 97–8, 141
- beaches, recreational 179–80
- beaver (*Castor canadensis*) 132
- beetles, *see* carabid beetles
- Beetsterzwaag 180–2
- Belgium 27, 101–4
- belt-type corridors 30
- Bentivoglio 146–9
- Bern Convention and Appendix 1 101–4, 152
- bicycle 35, 44–5, 214–16
- Big Bend 85, 232
- Big Cypress National Preserve 76–7, 80, 89, 232
- biocorridors 27, 31–2
- biodiversity 7, 118, 267, 275–8, 291–2
- data 132–52, 160–3
- and greenways **36–40**, 130, 237–9
- loss 10–11, 107, 188–9, 199, 222
- biogeographical data 153–7, 189
- biophysics 276, 282–4
- Biosphere Reserve 152, 288
- biotic processes 96–7, 110
- biotopes 23–5, 157, 159–65, 298
- birds 64–9, **87**, 90, 157, 251
- breeding 98, 172–3
- focal species 59, **152**, **163**, 191–9
- increase 129–30

Cambridge University Press

0521535026 - Ecological Networks and Greenways: Concept, Design, Implementation - Edited by Rob H. G.

Jongman and Gloria Pungetti

Index

[More information](#)

- migration 4, 17, 19
 mosaic dispersal 41, 96, 98–104, 198
see also individual species
 Birds Directive, Annex 1 101–4
 bittern (*Botaurus stellaris*) 130, **133**, 135–7
 black bear (*Ursus americanus floridanus*) 76–83, 85, **87**, 91, 243
 roadkill reduction 238, 247–8
 ‘black spots’ 171–87
 black woodpecker (*Dryocopus martius*) 197
 black-tailed godwit (*Limosa limosa*) 130
 black-winged stilt (*Himantopus himantopus*) 130
 Blackwater Creek State Forest 85, 90, 230, 232–6
 blanket bogs 157
 blue tit (*Parus caeruleus*) 196–8
 bog habitats **158**, **162**
 Bolivian migrants 262
 Bologna and Modena 128–31, 133–4, 136–7, 293
 Bonelli’s warbler (*Phylloscopus bonelli*) 196
 Bonn Convention 101
 boreal, Baltic coast meadows priority habitat **158**, **160**, **162**
 species 101–6, 156
 Boston 8–9, 49–50
 Boston Park System 49–50
Botaurus stellaris (bittern) 130, **133**, 135–7
 bottlenecks 135, 137, 148–9, 185, 213
 bottom-up approach 54, 146–50, 207, 241
 bottomland hardwoods **235**
 boulevards 8, 49
Branta leucopsis (barnacle goose) 98 (*Branta bernicla*)
Branta bernicla (dark-bellied brent goose) 98
 breeding 12, 17–18, 46, 98, 264
 Breskens 179–80
 Brevard County 244–5
 bridges 80, 89–90, 120–2
 brook lamprey (*Lampetra planeri*) 135
 Brooklyn 8–9
 Brooksville Ridge 232
 brown bear (*Ursus arctos*) 111, 132
Bubulcus ibis (cattle egret) 129
 Buenos Aires 260
 Buffalo 49
 buffer zones 5, 23–8, 42, 167–8, 258, 298
 data **87**–91, 152–6
 Florida 73, 246–7
 Northern Italy 123, 188–99
 and rural roads 171–4
 building 124, 130, 168
 building blocks 225–9
 bullfinch (*Pyrrhula pyrrhula*) 197
Buteo buteo (buzzard) 196
 butterflies (*Lepidoptera*) 60, 104–5, **140**
 buzzard (*Buteo buteo*) 196
 Cadzand 179–80
 calcareous grassland habitat **158**, 160
 Calgary 212
 Calilegua National Park 252–3, 257–8, 265
Calopteryx splendens (banded demoiselle) **133**
 Camp Blanding Military Training Site 85, 89
 Canada 10, 202
 see also cities; Lake Ontario; Oak Ridges Moraine;
 towns; states
 canals 2, 12, 28–29, 31, 35, 51, 94, 116
 corridors 28–29, 35, 51, **87**, 94
 Italy 129, 137–9
 North America 200, 294
Canis lupus (wolf) 19, 132
see also Apennine wolf
 cantons 294
 canyons 117
Capreolus capreolus (roe deer) 19, 181, 185
 captive breeding 105
 carabid beetles 104–5
 CARA (Conservation and Reinvestment Act) 244
 carbon sink 251
 carbonate for contamination 282
Caricion davallianae **158**
 CARL proposals 84
 carnivores 14, 73, 101–4, 111, 152
 carrying capacity 4, 23, 61–72, 116–17
Castor canadensis (beaver) 132
 cattle egret 129
 CBD (Convention on Biological Diversity) 8
 Central and Eastern Europe 9, 15–16, 101–6
 Central Europe 29
 see also cities; states
Certhia brachydactyla (short-toed tree creeper) 196
Certhia familiaris (tree creeper) 197
Cervus elaphus (red deer) 19, 132, 142
 Champs Elysées 8
 channels 44, 198
 see also stream
 Chassahowitza National Wildlife Refuge 85, 89
 Chattanooga Greenways Task Force 204, 218
 Chattanooga, Tennessee 200–1, 203–6, 214–18, 220–1
 Chattanooga – Hamilton County greenways
 network 204–6, 216
 Chicago, Illinois 200–1, **205**, 208–10, **215**–21
 Chicago River **205**, 209–10
Chiroptera (bats) 97–8, 141
Ciconia ciconia (stork) 17–18
 Cigueña River 271
 Cilento-Vallo di Diano Park 113
Cladium mariscus (common sedge) **158**
 Clands **98** **87**
 clearance roadside 91
 Cleveland 49
 cluster analyses 194–5, 197
 CNIG (Portuguese National GIS agency) data
 39–40
 Coastal Barrier Resources Act 227

Cambridge University Press

0521535026 - Ecological Networks and Greenways: Concept, Design, Implementation - Edited by Rob H. G.

Jongman and Gloria Pungetti

Index

[More information](#)

326 INDEX

- coastal **163**, **227–36**
- barriers 119–20
- ecosystems **227**, **235**
- lagoons habitat **162**
- priorities **227**
- coastal dunes
 - decalcified fixed priority habitat **158**
 - habitat **158**, **160**, **162**
 - road access to 179–80
 - with herbaceous vegetation priority habitat **158**
 - with *Juniperus* priority habitat **158**
- coastlines 3, 19, 154, 162–3, 168–9, 298
- corridors 28, 38–40, 49–50, 169
 - and roads 179–80
- coherence 1, 16, 23, 26, 28–32, 37–40
- networks 133–7, 146, 151–70
- patches 99–100
- Coleoptera* (beetles) 104–5
- collectivisation 11
- collisions 172–3, 180
- colonisation 18, 56–8, 100–1, 129–30
- Columba palumbus* (woodpigeon) **198**
- Columbia River **205**, 210–11
- common sedge (*Cladium mariscus*) **158**
- common spadefoot (*Pelobates fuscus*) 141
- community 210–11, 296–301
 - trails 52
- commuting corridor 97–8, 105
- compatibility 45–6
- compensation 299
- compensative areas 15–16, 167–8
- complex cultivation habitat 157, **162**
- complementary policies 299
- comprehensive approach 241, 246, 290
- conflict 14, 202, 265
 - avoidance 90, 293
 - rural roads 171–87, 295–6
- conjunction corridors 30, 123–4
- connectivity 1–6, 14, 16–20, 23–4, 26–31
 - analysis 101–6, 243, 264–5
 - assessment 61–2, 133–7, 140–50, 258
 - Europe 94–106, 271–3, 278–89
 - Florida 73–6, 79–91, 222–50
 - highways 82–5
 - Italy 107–27, 146–9, 190–9
 - string of beads 140–1
 - and sustainability 40–4, 54–5, 290–300
 - of USA greenways 34–55, 201, 220–1
 - Yungas 255–9, 264–5
- consensus building 244, 277
- conservation 13–14, 25–30, 246–7, 291–301
 - corridors 82–5, 94–106, 214–16, 230–6
 - easements 92–3, **227**, 238–9, 246–9, 296
 - Florida 82–90, 222–50
 - Guadamar 276, 278–89
 - Italy 109–10, 132–50, 188–99
 - laws 287–9
 - size 2, 14, 24–6, 111
 - mosaic 132–8, 141–6, 198, 201–3
 - strategies 188–99, 224, 237–50
- Conservation Fund 52, 223
- Conservation and Reinvestment Act (CARA) 244
- construction industry 240
- constructions 191, 225
 - habitat 157, 160–2, 225
 - see also* urban; urbanisation
- contamination 23, 273–5, 277–82, 286–9
- contiguous areas 76–9, 113, 123, **233**
- Continental region 102
- Continental species 101–4
- continuity 112–15
- Continuum Natural 38
- contour densities *see* slope steepness
- contrast biocorridors 26
- control, land use 24–8, 115, 132, 296, 298
 - US 54, 92–3
- Convention on Biological Diversity (CBD) 8
- co-occurrence 290–1
 - hypothesis of 37–40, 54
- co-operation 54–5, 149–50, 201, 291–5
 - Guadamar 276
 - in implementation 201, 210–11, 291–5
- co-ordination 53–4, 147–8, 209–12, 244, 276–8, 286–7
 - centre, Aznalcóllar 273
 - lack of 206–8, 217, 243–4
- Co-ordination Trust for Public Land 204, 218–19
- Co-ordination of Information on the Environment (CORINE) 101–6, 115, 153, 193–9
- copper (*Lycena phleas*) **140**
- Corbett Wildlife Management Area 232
- core areas 3–5, 18, 23–8, 291
 - data 152–6
 - Estonia 169
 - Florida 84–93, 230–6
 - forest 100, 188–99
 - Italy 138–9, 144, 147, 190–9
 - Netherlands 132–7, 180–2, 182–5
 - rural roads 171–3
 - see also* hub
- CORINE (Co-ordination of Information on the Environment) 101–6, 115, 153, 193–9
 - hydrographic basins 103–9, 193–4
 - Landcover database 115, 153, 156–60
- cormorant (*Phalacrocorax carbo*) 130
- corridors 2–5, 15–16, **36–40**, 49–55
 - aesthetics of 29, 35
 - belt-shaped 30
 - coastlines 28, 38–40
 - commuting 97–8, 105
 - conjunction 30
 - conservation 83–91, 94–106, 214–16, 230–6, 242–3
 - continuous 26, 30

Cambridge University Press

0521535026 - Ecological Networks and Greenways: Concept, Design, Implementation - Edited by Rob H. G.

Jongman and Gloria Pungetti

Index

[More information](#)

- data 152–3
- design 128, 191–3
- dispersal 16–20, 95–106
- ecology 26–31, 35–7, 168–9
- education 29, 38, 126, 214–16, 246
 - support 286, 294
- European 94–106, 182–5, 190
- Florida 73–93
- forest 28, 94, 100, 130, 137–46
- functions 29–31, 94–106
- Green, Guadamar 275–83
- interrupted 26, 41, 73–93, 255–9
- management 28–30, 38, 51, 104–6, 132, 152
 - Bologna 137–8, 145–9
- matrix 195–9, 255–9
- migration 42, 73, 84–6, 96–8, 101–4, 288
- modal 26
- parallel 173–4
- physical structures 28–31, 35, 129–50
 - see also* canals; culverts; earth dikes; hedgerow; power lines; stone walls
- planning 38–40, 42–8, 247–8
- potential 192–9, 243
- rivers 20–5, 28–29, 38–40, 43–4, 270–89
 - Guadamar 278–86
 - priorities 86–93
- and rural roads 171–2, 182–5
- stream valleys 30, 38–40, 43–4, 87, 137–9, 278–96
- topography 30, 86–93, 94, 111, 114–17, 283–4
- transverse 30, 138, 145, 173–4
- typology 30, 95–106
- upland Italy 112, 115–24
- water flow 30, 43–4
- watercourses 28, 41, 105, 144–6, 160
- width 84, 137–8, 141, 145–6, 230
- see also* contrast biocorridors; ecological networks; greenways
- cost-effective 105, 110–13
- costs 18, 122–3, 175, 199, 239–42, 246–7
- Coturnix coturnix* (quail) 133
- county 168, 244–5
- ‘crested newt’ landscape model 140–2
- crested tit (*Parus cristatus*) 196–7
- croplands 225, 233, 255–9, 260–4, 267–9
- crops 272–3, 275, 279
 - subsistence 255, 265
- crossbill (*Loxia curvirostra*) 197
- crossings 32, 149, 184–5
 - collisions 172–4, 180–6
 - structures 73–93, 129–30
- crowberry (*Empetrum nigrum*) 158
- CSIC (Higher Council for Scientific Research, Spain) 277, 282
- culture 287–9, 291–8
 - and ecology 5–6, 13–14, 107–27, 168–70, 292
 - and history 168–70, 270–89, 292–5
 - Kolla 265–8
 - and landscape 1–6, 13, 29–33, 35–40, 44
 - and nature 107–27
 - resources 39–40, 54, 107–27
- culverts 81, 89–90, 93
- Cygnus olor* (mute swan) 130
- cypress swamp 230, 235
- Czech Republic 2, 11, 17–18, 26, 31, 292
- dams 3, 19, 44, 130
- Danube River 8
- data 43, 87–91, 156–65, 191–3, 252–4
 - LARCH 63–4
 - PEEN (Pan-European Ecological Network) 152–6
- DDRs (Donated Development Rights) 92, 296
- decalcified fixed priority habitat 158
- decentralisation 293–5
 - see also* local
- decision tools, networks 154–6
- deer 7
 - see also* Florida key deer; red deer; roe deer
- degradation 76, 111, 116–19, 238, 288
 - and Guadamar River 270, 272
 - possible 201, 301
 - sub-tropical forest 251–9
- delta 116
- demarcation systems 288
- Dendrocopos major* (greater spotted woodpecker) 196
- Dendrocopos medius* (middle spotted woodpecker) 99
- Denmark 24, 290, 292, 294–6, 298–9
 - biotypes 101–4
 - conservation in planning 14
 - farmers 10, 295
- DEP (Department of Environmental Protection, Florida) 223, 237, 243, 246–7
- desert 48
- design 222–50, 236, 267–8, 296–301
 - defragmentation 110, 123–7
 - Estonia 165–70
 - Guadamar corridor 277–81, 286–7
 - and implementation 128–50, 151–70, 204–13, 291–5
 - national differences 26
 - of roads 54, 78–9, 84, 91–3, 171–87
 - of trails 211
- destabilisation of landscapes 14–17
- detritivores 20, 43
- development 113, 217, 237–9, 248–9
 - buffers 73
 - economic 126–7, 260–4, 276, 293–6
 - regional 152, 168
 - social 109–11, 276, 284–6, 294
- diffusion 27–8, 30

Cambridge University Press

0521535026 - Ecological Networks and Greenways: Concept, Design, Implementation - Edited by Rob H. G.

Jongman and Gloria Pungetti

Index

[More information](#)

328 INDEX

- Digitised Map of Ecological Regions in Europe (DMEER) 156
- Directive 92/43 288
- discharge 44, 272
- discontinuous urban habitat 160
- discriminate analysis 194–7
- disease 30–1, 41, 189
- dispersal 2–5, 16–20, 104–6, 270
- and corridors 30–1, 41–2, 73, 95, 98–106
 - one-step 99–100
 - range expansion 100
 - reproduction 100
- costs 18
- distance 60, 69, 100–2, 105–6
- indicator species 59–60, 64–71, 137
- mechanism 104–6
- model 138–46
- rural roads 84–5, 174
- dissection 12, 171–87, 255
- disseminating results 149–50
- distribution 100, 105–6, 192–9, 288
- pattern 50–1
- distribution-data-based approach 57–8, 155
- disturbance 30, 41, 44–7, 73, 174
- abiotic 30, 43, 110
 - Florida 226
 - human 28, 91, 118–22, 129, 201
 - light 12, 116, 119, 131, 172
 - noise 12, 131, 172–4, 182
 - Italy 116, 119–20, 122
 - trails 47, 132
 - Yungas 258
- diversity 146, 160–3, 291, 300
- dividing concept 9
- DMEER (Digitised Map of Ecological Regions in Europe) 156
- dogs 47
- Doñana National Park 270–2, 276–9, 288–9
- Donated Development Rights (DDRs) 92, 296
- Donkerbroek 182–5
- DOT (Department of Transportation, Florida) 73–4, 80, 82–6, 223, 237–9
- Drachten 180–2
- dragonflies 141
- drainage 8, 32, 37, 141
- driver visibility 91
- Dryocopus martius* (black woodpecker) 197–9
- dykes 129
- dynamic systems 23, 223, 289
- landscape 4, 15, 24–5
 - rivers 4, 20–3, 223, 280–1
- earth dikes 272, 273, 292, 298
- Eastern and Central Europe 9, 101–6, 157
- Eastern Europe 14–16, 165, 297
- see also cities; states*
- ecoducts 32–3, 79, 122, 130–1
- ecological, corridors definition 27–8
- illiteracy 213–14, 295–8
 - impact models 71
 - planning landscape 2, 13–24, 200–21, 223–36
- Ecological Network Action Plan, Italy 113
- ecological networks 3–33, 35–6, 42, 296–301
- assessment 56, 59–60, 64, 115–24, 137–46, 242
 - comprehensive 290
 - design 132–49, 151–70, 190–9, 223, 236
 - Europe 123–4, 151–70, 287–9, 291
 - functions 56–71, 200–3
 - Guadamar River 270–89
 - implementation 124–6, 146–50, 200–21, 223
 - rural roads 171–87
 - selective 290
 - Yungas 251–68
 - see also planning*
- Ecologically Scaled Landscape Indices (ESLIs) 56, 58–72
- econet *see* ecological networks
- economic benefit 42, 46–7, 171, 199, 214–16, 276–8
- Economic Benefits of Parks and Open Space 46
- economics 293–4
- Yungas 251, 259–60, 262–5
- ecostabilisation 14–16
- ecosystems 1, 2, 20–3, 132–3, 246–7
- ecotones 16, 23–4, 28–9, 87
- Italy 123, 137–9
- ecotourism 190
- see also tourism*
- Ecuador, bananas imported to Argentina 263
- edge effects 76, 88, 133, 201, 225, 233
- edges 298
- education 29, 38, 126, 214–16, 246
- and support 286–8, 294, 297
- efficiency, spatial 46–7, 290–1
- Efficient Units of Environmental Continuity (EUEC) 111
- Eglin Air Force Base 85, 90, 230, 232, 234
- Egretta alba* (great white egret) 130
- Egretta garzetta* (little egret) 130
- Egyptian goose (*Alopochen aegyptiacus*) 129
- Eifel Forest 99
- El Nogalar Provincial Park 268
- Elbe River 8
- elevation data 156
- Emerald Necklace 9, 49
- Emerald Network 8, 101–4, 152
- Emilia-Romagna, Mountains 129
- river corridors 145
- empirical assessment 57–8
- employment, Yungas public sector 262–4
- Empetrum nigrum* (crowberry) 158
- endangered species 101, 110, 161, 169–70
- Florida, 87–8, 222, 234–6, 246

Cambridge University Press

0521535026 - Ecological Networks and Greenways: Concept, Design, Implementation - Edited by Rob H. G.

Jongman and Gloria Pungetti

Index

[More information](#)

- endurance 149
- energetics, rivers 20, 280–4
- England 9
- enhancement money 247–8
- Entremuros 272–5
- ENVI2.7 software 191
- environmental, community 108, 301
 - conservation 13–14
 - continuity 108–27, 290–1
 - education 214–16, 286–8, 294
 - gradients 28
- Environmental Cultural Study 1976, Georgia 38
- Environmental Education and Communication Programme 286
- Environmental Information System, Guadamar subsystem 278–80, 282
- Environmentally Endangered Lands Program 245
- Environmentally Sensitive Areas (ESAs) 299
- Erdas Image 253
- erosion 14–15, 272
- ESAs (Environmentally Sensitive Areas) 299
- ESLIs (Ecologically Scaled Landscape Indices) 56, 58–72
- ESRIs 88, 224–30
- Estate San Andres 266–8
- Estate Santiago 266–8
- Estonia 26–7, 101–4, 292, 299
 - econet 155, 159–65, 165–70, 290
- Estonia Environmental Action Plan 168
- Estonia Environmental Strategy 168
- Estonia-Vision 2010 168–70
- estuaries 49–50, 158
- Etonia Creek State Forest 85, 89
- eucalyptus 258
- EUEC (Efficient Units of Environmental Continuity) 111
- EUNIS (European Nature Information System) 153–4
- Europe 9–10, 12–14
 - corridors 7–33, 94–106, 295
 - National Parks 24–5
 - planning 146–50, 151–3, 292–5
- European Commission Agricultural and Environmental Policy funding 129
- European Environment Agency 156
- European importance 151–3
- European Nature Information System (EUNIS) 153–4
- European polecat (*Putorius putorius*) 133
- European Spatial Development Perspective 14
- European stork (*Ciconia ciconia*) 17–18
- European Topic Centre on Nature Conservation 156
- European Union agri-environmental funding 286
- European Union Forestry funding 286
- European Union Habitats and Species Directive 4, 27, 42, 101–4, 152, 288
- Everglades – Big Cypress region 76–7, 80, 89, 232, 234, 244
- evolution potential 223
- exotic species 30–1, 41, 76, 78, 201
- expert 293
- expert decisions 153–6, 159, 161, 163, 168–70
- extinction 20, 64–70, 132, 280
 - islands 189–90
 - local 56–7, 189
 - risk 12, 18, 62–3
- 1000 Friends of Florida 223, 241, 244
- 2040 Framework 214
- Falco vespertinus* (red-footed falcon) 129
- FAO (Food and Agriculture Organization of the United Nations) 156
- farms 10–11, 292, 298–9
- FDEP (Florida Department of Environmental Protection) 223, 237, 243, 246–7
- FDOT (Florida Department of Transportation) 73–4, 80, 82–6, 223, 237–9
- features in prioritisation 86–90
- federal authorities 213, 224, 234–6, 244
- feeding optimisation 20–1
- Felis concolor coryi* (Florida panther) 76–9, 87, 91, 222, 242–3
 - road density 228, 238, 247–8
- fencing 8, 12, 116, 186–7
 - directional 31–2, 79–90, 92, 143, 247–8
 - use 8
- FEN (Florida Ecological Network) 224, 232, 234–50, 292–3
- fens, calcareous 158
- habitat 158, 162
- FGP 1999 (Florida Greenways Plan 1999) 84, 92–3, 242–4, 248–50
- FGPT (University of Florida Greenways Planning Team) 84, 223–30
- fields 88–90, 147, 155, 157, 162
- Fifth Amendment to the Constitution, USA 239–40
- filter-feeders 20
- finance 119, 259–64, 298–9
- Finland 101–4
- fire 30, 73, 84–5, 266
- firecrest (*Regulus ignicapillus*) 197
- fish 3, 31–3, 44, 90, 141–6
 - migration 19–22, 32–3, 98, 101–4
- Fisheating Creek 232
- fishing 152, 190
- Flanders 26, 296–8
- Flemish Ecological Network 26
- flood control 45–7, 49–50, 84–5
- flood pulse concept 21
- floodplain 11, 21, 44, 99–100, 144–9
 - Bologna and Modena 129–39, 144–8
 - Florida 90, 92, 229, 233
 - Guadamar 270, 272–4, 278, 280–1, 284

Cambridge University Press

0521535026 - Ecological Networks and Greenways: Concept, Design, Implementation - Edited by Rob H. G.

Jongman and Gloria Pungetti

Index

[More information](#)

330 INDEX

- Florida 73–93, 222–50, 290
 Audubon Society (Florida Forever) 239, 241, 244–6, 248
 black bear (*Ursus americanus floridanus*) 76–83, 85, 87, 91, 222, 242–3
 road density 228, 238–9, 247–8
 Department of Environmental Protection (DEP or FDEP) 80, 223, 237, 243, 246–7
 Department of Transportation (DOT or FDOT) 73–4, 82–6, 223, 237–9
 Ecological Network (FEN) 224, 232, 234–50, 292–3
 Fish and Wildlife Conservation Commission (FWC) 80–3, 225–9, 236, 242, 248–50
 hotspots 226, 242
 Fish and Wildlife Conservation Committee – Strategic Habitats Conservation Areas (FWCC-SHCAs) 87–91, 225–7, 242, 245
 Forever (Florida Audubon Society) 85–6, 239, 241, 244–8
 Advisory Committee 246
 Game and Fresh Water Fish Conservation Commission *see* Florida Fish and Wildlife Conservation Commission (FWC)
 GAP analysis 85–91, 248
 Greenways Commission 30, 45–6, 224
 Greenways Coordinating Council 224
 Greenways Network Plan (FGP 1999) 84, 92–3, 242–4, 248–50
 Greenways Program 223
 Growth Management Study Commission 240–1, 248–9
 key deer 87, 91
 Natural Areas Inventory (FNAI) 87, 226–7, 229, 236, 242
 Potential Natural Areas (PNAs) 226–7, 229, 233, 242
 panther (*Felis concolor coryi*) 76–9, 87, 91, 222, 242–3
 road density 228, 238–9, 247–8
 Statewide Greenways Network Planning Project 82–93, 236, 242–4
 Transportation Plan 1995 *see* FDOT
 Florida's Legacy 246
 fluctuation, population 2, 19, 28
 flying, migration 3, 19, 102, 130
 species 3, 19, 140
 FNAI (Florida Natural Areas Inventory) 87, 226–7, 229, 236
 PNA (Potential Natural Area) 226–7, 229, 233, 242
 focal species 132–48, 188–99
 Florida 86–7, 225–6, 229, 232, 242–3
 Food and Agriculture Organization of the United Nations (FAO) 156
 food chain 43–4
 foothill ecotone 137–9
 foraging 7, 17, 30, 91, 140
 forest 49–50, 97, 152–4, 169, 190, 287–8
 ancient oak 99
 assessment 59, 64–72, 101–6, 132–7, 140, 253
 British upland 11
 broad-leaved 147
 habitat 87, 156–7, 162, 188, 191–7, 235
 on peat habitat 157, 162
 changes 10, 223
 coniferous habitat 158, 162, 235, 279
 coniferous on peat habitat 158, 162
 corridors 23, 28, 94, 100, 137–46
 deciduous 61
 Denmark 295
 Florida 76, 78–9, 87, 92, 222, 226–30
 Italy 108–9, 115–19, 137
 Northern Lowland Project 188–99
 loss 5, 11–15, 23, 251–9, 266–7, 272–3
 matrix 255–6
 Mediterranean 272–3, 279, 285
 Mediterranean pine with endemic black pine
 priority habitat 158
 mineral soil habitat 16
 mixed and coniferous 191–7, 227–35
 mixed habitat 157, 230
 montane 252
 mountain coniferous habitat 158
 mountain endemic with *Juniperus* priority habitat 158
 mountain mixed habitat 157
 National Parks 25–7
 native 253, 255
 natural 24, 251–9
 Netherlands 11, 130–1, 134–7, 179–85
 old-growth 5, 23, 71
 panthers 78, 251
 peat soil habitat 16
 piedmont 252, 258, 266
 plantation 5, 23–4, 31, 230, 255, 257–8
 habitat 157, 162, 195, 197, 225
 reserves 219
 species 97, 101–6, 191–5, 251
 subtropical 251–9, 265–6
 tropical 230, 235
 upland, Britain 11
 Forest Conservation Act, Tennessee 216
 Forest Districts, Illinois 208
 Forest Parks, USA 48
 fractal dimension 58
 fragmentation 4–5, 12–13, 41, 57–60, 301
 assessment 63, 71, 110, 120, 251–69
 Florida 76–9, 222, 240–1, 247, 249
 Gelderland 130–7
 Italy 109–27, 129, 133–7, 188–90, 195–7
 linear 119–22

Cambridge University Press

0521535026 - Ecological Networks and Greenways: Concept, Design, Implementation - Edited by Rob H. G.

Jongman and Gloria Pungetti

Index

[More information](#)

- Mediterranean forest 272–3, 279, 285
- and mosaics 94, 99–100, 270, 280–1
- rural roads 171–87
- frameworks 3–6, 16, 214, 291
- France 25–6, 298
- Friends of the Chicago River 209–10
- Friesland 180–5
- fruit trees 109, 157, 255, 257–8
 - see also species*
- functional 4–5, 9, 13–14
 - corridors 29–31, 36, 43–50, 82–5, 96–7
 - habitat patches 13, 60–2
 - network analysis 59–72
 - zoning 13–16, 165, 167
- funding 243, 247–8, 290, 298–9
 - European 106, 129, 138, 147–50, 285–6
 - public and private 201, 204–13, 217–19, 276
 - of trails 211
 - transportation infrastructure 247–8
- FWC (Florida Fish and Wildlife Conservation Commission) 80–3, 225–9, 236, 242, 248–50
 - hotspots 226, 229, 233
- FWC–SHCA (Florida Fish and Wildlife Conservation Committee Strategic Habitats Conservation Areas) 87–9, 225–7, 242, 245
- Galápagos 4
- garden centres 12
- garden warbler (*Sylvia borin*) 195–9
- Gargano Park 112–13
- Garrulus glandarius* (jay) 196
- Gelderland 128, 130–7, 146–51, 293
 - species-related model 138–46
- Generation 3 greenway 216
- genetics 18, 19, 29–30, 42, 83–4
 - exchange 96, 173, 188, 288
- geology 43
- geomorphology 25–6, 111, 114–18, 283–4
- Georgia 204–6, 216
 - Department of Natural Resources 38
- Gerdyksterwei 180–2
- Germany 14–15, 99, 176, 286, 294, 296
 - biotypes 101–4
 - flora 130
 - migrants 17–18, 99
 - National Parks 25–7, 296
- GFC habitat 87
- GIS applications 111, 191, 253–4
 - Florida Greenways model 223–30
 - techniques 58–9, 71, 155, 168
- glacier habitat 158
- goldcrest (*Regulus regulus*) 196–7
- golden eagle (*Aquila chrysaetos*) 19
- golden oriole (*Oriolus oriolus*) 198
- Gorredijk 180–2
- Gran Sasso – Monti della Laga Park 113
- Grand Canyon National Park 51
- grass dykes 129, 138
- grass snake (*Natrix natrix*) 141
- grass-roots 204–6, 224, 277
 - support 4, 148–9, 217–21, 292–301
- grassland 116, 118–19, 129, 140, 169
 - alpine 157–8
 - Andean 251–2
 - calcareous 158
 - habitats 97, 135, 140
 - PEEN values 157–8, 160, 162, 168
 - moist habitat 157, 160, 162
 - oligotrophic 140–6
 - and rat-run traffic 182–5
 - species 11, 59, 64–72, 97
 - target 101–6, 132–7
- Great Britain 11, 25–6, 299
- great crested newt (*Triturus cristatus*) 135–6, 140
- Great Lakes 204–5
- greater spotted woodpecker (*Dendrocopos major*) 196
- great spotted woodpecker (*Picoides major*) 192, 198
- great white egret (*Egretta alba*) 130
- Greater Toronto Bioregion 203–5, 211–15
- Greece 10, 25–6, 101–4
- green belt 9, 29, 35, 48
- Green Connections Forum 131, 147–9
- Green Corridor 271–89
- Green Swamp 85, 89, 232
- green urban habitat 160
- green woodpecker (*Picus viridis*) 192, 196
- Greenline reserves 51
- greenways 3–6, 34–55, 291, 294–5
 - co-occurrence 37–40, 290–1
 - corridors 29, 32, 84–91
 - definition 3–4, 34–7, 84
 - Florida 73–93, 222–50
 - history 8–9, 45, 48–51, 202
 - inventory 52
 - metropolitan 8–9, 124, 200–21, 294
 - typology 35–7
- Greenways Advisory Committees, Toronto 213
- Greenways and Natural Areas Collaborative (1997) 207
- Greenways for the Southeast Tennessee River Valley (1995) 204–6
- grey heron (*Ardea cinerea*) 129
- greylag goose (*Anser anser*) 129
- grey wagtail (*Motacilla cinerea*) 196
- Groede 179–80
- groves 11, 130, 255, 287–9, 288
- growth management 214–15, 240–1, 247–50
- Growth Management Study Commission 240–1, 248
- Guadalquivir River junction 271–2
- Guadamar River ecological network 23, 270–89
- guidelines 54, 91–2, 152, 188
- Gulf Coast 232, 234

Cambridge University Press

0521535026 - Ecological Networks and Greenways: Concept, Design, Implementation - Edited by Rob H. G.

Jongman and Gloria Pungetti

Index

[More information](#)

332 INDEX

- habitat 54, 79, 97, 195, 246–7
 - in assessment 60–2, 65–7, 90, 101–4, 141–6
 - birds 191–9
 - classification systems **64–71**, 154–70, **226–35**
 - destruction 58, 172, 255–9
 - dissection 12, 73–6, 180, 255
 - disturbance 12, 73, 76
 - large organisms 102, 156
 - loss 4–13, 23–4, 73, 76–9, 222–3, 248–50
 - roads 172, 238, 240
 - mapping 152–70, 191–9, 225–36
 - native 223–5, **230**, **233**, **235**, **242**
 - network 60–3, 96–106, 140–9, 232–6
 - quality 4, 20–1, 23, 40, 172–4, 246–7
 - retention 29, 163, **235**, **242**, 299–301
 - specialists 73, 83–4
 - variation 130, 146, 155, 161–3, 192–9
- Habitats and Species Directive 4, 27, 42, 101–4, 152, 288
- harbour islands 49–50
- Haule 182–5
- Haulerwijk 182–5
- health 44–5, 275, 290, 301
- heat island 46–7
- heath habitat 158, **162**
- heath and shrub habitat **158**
- heathland 64–70, 134–7, **140**
- heavy metals 273–5, 280–4, 287
- hedgerow 12, 19, 31, 129, 298–9
 - corridors 28, 42, 94, 100
 - Italy 129, 137–8, 142, 147, 196–9
 - Netherlands 11, 137
 - riparian zones 12, 19
- Hennepin Community Works 208
- herbivores 101–4
- herons (*Ardea* spp., *Ardeola* spp.) 129, 137
- herpetofauna 90, **101–4**
- heterogeneity of landscape 13
- heterosis **18**
- Higher Council for Scientific Research, Spain (CSIC) 277, 282
- highway–greenway interfaces 84–93
- Highway–Greenway Interfaces, Identification and Prioritisation of 82, 85–93
- highways 61, 110, 120–2, 131
 - elevated 247–8
 - mortality 73, 77–93, 185, 247–8
 - rural 172–7, 177–85, 185–7
- Hiiuamaa 167
- Himantopus himantopus* (black-winged stilt) 130
- Hippocamelus antisensis* (Andean taruca) 251
- Hippolais polyglotta* (melodious warbler) 196–8
- historic preservation 109–13, 198–9
- history, nature conservation 8–9, 292
- holm oak (*Quercus ilex*) 272–3
- home range 12, 16–17, 71, 124–6, 195
 - and size 111, 132–7
- homing fish 21–2
- homogenisation 12
- honesty 297
- honey buzzard (*Pernis apivorus*) 196
- horses 12, 47
- hotspots 86, 90, **226**, **233**, 267–8
- housing 147
- hub 84–91, 224–5
 - linkage 85–91, 114–15, 229–30, **233–6**
- human 30–1, 91, 122–7, 297–301
 - dominance 1–6, 43–4, 243, 300
 - migration 240, 260–3
 - movement 40, 47, 290–2
 - rural roads 171–87
 - needs 45–8, 108–9, 290, 293–5
 - population density 14, 24–5, 28–9, 52, 130
 - population growth 207–8, 210, 260–3
 - Florida 73–6, 222–3, 238, 240–3, 249–50
- Hungary 17–18, 28, 299
- hunting 190, 258
- hydrographic basin 193–9
- hydrology 43–4, 49, 73, 115–17, 291
- hydromorphology 108, 115–17
- Hyla arborea* (tree frog) 141
- hypothesis of co-occurrence 37–40, 54
- IBA (Important Bird Areas) 152, **163**
- ide (*Leuciscus idus*) **140**
- ‘ide’ landscape model 143
- Identification and Prioritisation of
 - Highway–Greenway Interfaces 82, 85–93
- IGBP-DIS (International Geosphere–Biosphere Programme Data and Information System) 157
- immigration, rate 29–30, 63, 249–50, 262
- implementation 106, 199, 292–8
 - Bologna, Modena and Gelderland 128–50
 - Estonia 168–70
 - Florida greenways 222–50
 - Green Corridor 275–87
 - North American greenways 200–21
- Important Bird Area (IBA) 152, **163**
- Important Plant Area (IPA) 152
- improved land 225
- inbreeding **18**, 29–30, 78, 189, 270
- Inca communities’ tradition 266–8
- indicators 155, 163
 - fragmentation 115, 118–20
 - species 59–61, 155–6, 199
- Indigenous Protected Lands 265
- industrial areas 110–13, 167, 225
- infrared sensors 79
- infrastructure 24, 46, 88, 110–13, 123–4, 247
 - networks 5, 104–6, 116, 147, 291, 295–6, 299
- inland dunes habitat **158**, 160, **162**, **227**
- inland waters 158, 160, **162–3**
- insects 31, 59–69, 104–5, 172–3

- institutional structures 214, 216–19
- insufficient data 42–3, 46, 55, **228**, 236, 292
- INTA (National Institute for Agricultural Technology, Argentina) 253, 269
- integration 27, 50–1, 237–50, 293–6, 298–9
 - approach 9, 13–14, 46, 130, 222, 241
 - conservation and transport planning 73–93
 - ecology and physical planning 113–15, 119, 146–9, 209
 - Guadamar systems 276–86
 - land acquisition 222, **227**, 241–2
 - nature and culture 107–27, 270–2
 - PEEN policy 152
 - rural roads 176–87, 299
 - state reserve system 236–50
- intensive land use 7, 10, 15–16, 130, 167, **233**, 295
 - Italy 116, 122, 129, 198
- intensivisation 12, 15–16, 31–2
 - see also* agriculture
- interagency co-operation 243–6, 298–300
- Intermodal Transportation Efficiency Act (ISTEA) 223
- International Geosphere–Biosphere Programme Data and Information System (IGBP–DIS) 157
- international level 8, 291–2, 299–301
- International Seminar on Ecological Corridors and Restoration of Rivers and Riparian Zone 277, 287
- International Union for the Conservation of Nature and Natural Resources *see* IUCN
- interpretation, cultural resources 39–40
- intersections 90–3
- Interstate 75, 77, 79–80, 247
- inventory of greenways 52
- invertebrates 43, 95, 104–6
- involvement 47
- IPA (Important Plant Area) 152–3
- Ireland 293, 295
- irrigation 251, 267–8, 272–3
- Iruya departments 252–3, 257–64
- island theory 94
- isolation 1–5, 10–13, 24–5, 188–90
 - breakdown 30–1, 135–7
 - Dofiana 270, 276
 - Florida 243, 248–50
 - road barriers 78, 83–4
 - Yungas 255
- ISTEA (Intermodal Transportation Efficiency Act) 223
- Italian crested newt (*Triturus carnifex*) **133**, 134
 - ‘crested newt’ landscape model 140–2
- Italian Northern Lowland forest project 191–9
- Italy 107–27, 188–99, 292–4, 297
 - National Parks 25–6, 108
 - see also* Bologna and Modena
- IUCN (World Conservation Union) 25–7, 29, 288, 296
- jaguar (*Panthera onca*) 251, 268, 295
- jay (*Garrulus glandarius*) 196
- Jujuy 253, 256, 259–64, 268, 295
- Jungle, montane 252
- juniper tree (*Juniperus*) **158**
- Juniperus* (juniper tree) **158**
- Kansas City 49
- Kernel procedure 195–7
- key deer *see* Florida key deer
- key patch 58–9, 62–72
- key population 62
- key species 58, 60–4, 65–70
- key systems in planning 22–3
- kingfisher (*Alcedo atthis*) 60
- Kissimmee River 231–2
- knowledge, incremental 43
- Kolla people 266–8
- Lacerta agilis* (sand lizard) 65–70
- Laidevahe Bay 165
- Lake
 - Michigan **205**
 - Okeechobee 232, 234
 - Ontario 201, 203–5, 211–13
 - Greenways Strategy (LOGS) **205**, 212–13
 - Peipsi 160
 - Simcoe 212
 - Wales Ridge 85, 89, 232, 237
- lakes 42, **87**, 163, 169, **230**, 298
- Lampetra planeri* (brook lamprey) 135
- land cover borders 159, 162–3
- Land Trust Alliance 1999 246
- land use 14–16, 249–50, 291–301
 - change 1–4, 54–5, 75–6, 114–18, 223, 290
 - Yungas 251–9
 - focal species 191–9
 - mosaic 94
 - multiple 146
 - planning 152, 240–1, 294–8
 - restrictions 24–8, 115, 132, 296, 298
 - US 54, 92–3
 - survey 191–3, 252–4
 - traditional 24–6, 29, 108–9
- Land and Water Conservation Fund 244
- Länder 294
- Landsat TM survey 191–3, 252–4
- landscape, cultural 1–6, 57, 107–27, 292
 - destabilisation 14–17
 - ecological planning 2, 13–23, 107–27, 291–5
 - functioning 14, 128–50
 - heterogeneous 13, 94–7
 - indices assessment 57–72
 - linkage 29, 54, 94–106, 128–50, 223–30

334 INDEX

- landscape, cultural (*cont.*)
 model 138–46
 resources 286
 types, Florida 229–30
 values 87–91, 155–6
- Landscape Cohesion Assessment (LCA) 56, 57, 58–9
- Landscape ecological Analysis and Rules for the Configuration of Habitat *see* LARCH
- Lanius collurio* (red-backed shrike) **132, 198**
- lapwing (*Vanellus vanellus*) 130
- L'Aquila 114, 119
- LARCH (Landscape ecological Analysis and Rules for the Configuration of Habitat) 64–72, 132–7
- Large Carnivore Initiative 152
- large copper butterfly (*Lycaena dispar*) 135
- Latvia 101–4
- leadership 206, 211, 217–21, 244
- LCA (Landscape Cohesion Approach) 56, 57, 58–9
- least cost path 230
- Ledesma, central 252–3, 255–8, 260–4
- leisure activities 160, 285–6
- length, ecological networks **205**
- Lepidoptera* (butterflies) 60, 104–5, 135, **140**
- Leuciscus idus* (ide) **140**
 'ide' landscape model 143
- levels, of government 123–7, 130–1, 146, 201–2, 216–20, 291–2
 national 151–70
see also county; local; municipalities; province; regional
- Limenites camilla* (white admiral) **140**
- limited management zone 152, **163**
- Limosa limosa* (black-tailed godwit) 130
- linear elements 20–4, 42, 54–5, 288, 298–301
 density 24–7, 35, 163
 Italy 129–37, 137, 137–46
 metropolitan open space 34–55, 73, 294
- linkage 2–6, 7–8, 19–21, 34–5, 293–5
 compensative zones 16
 Florida 84–91, 223–5, 229–36, 242–7
 frameworks 3–6, 16, 214, 291
 function 15, 28–32, 295–301
 greenways 34–55, 83–93, 171, 214–16
 Guadiamar 270–89
 Italy 112–15, 118–24, 132–50
 landscape 30, 54, 94–106, 128–50, 223–30
 lateral 21, 23–4
 longitudinal 21, 22–3, 26–32, 34–7, 43–51
 birds 96
 organisational 54
- Lisbon, Metropolitan Region 38–40
 North Bank 39–40
- Lithuania 101–4, 290, 298
- little egret (*Egretta garzetta*) 130
- little owl (*Athene noctua*) 141
- littoral habitat 158, 160
- lizard **140**
- local 46–8, 146–50, 201, 289, 291–301
 concerns 146–9, 170, 209–11, 218–21
 Italy 123, 126–7, 128, 131
 Florida 224, 241–50
 Minnesota 207, 218
 support 4, 37–40, 51–5, 249, 276–8, 291–301
 Toronto 212–13, 218
 Yungas 265–8
- locust tree (*Robina pseudoacacia*) 191–2
- logging 258
- LOGS (Lake Ontario Greenways Strategy) **205**, 212–13
- Lombardy 188–99
- London 9
- long-eared owl (*Asio otus*) 130
- longitudinal systems, rivers 20–4
- longleaf pine (*Pinus palustris*) 222, 234–6
- Low Guadalquivir System 271
- low land use 295
- Loxia curvirostra* (crossbill) 197
- Lutra canadensis* (river otter) 41, 76
- Lutra lutra* (otter) 65–70, 132, 181–2
- Luxemburg, biotypes 101–4
- Lycaena dispar* (large copper butterfly) 135
- Lycaena phleas* (copper) **140**
- Lycopersicon* spp. (tomato) 258
- Lyndhurst Foundation 206
- lynx (*Lynx lynx*) 19
- Lynx lynx* (lynx) 19
- Lynx pardina* (Spanish lynx) 19
- Macaronesian heaths 158
 species **103**
- maceration pools 129
- mainly natural habitat class 157–8, 161
- mainly semi-natural habitat class 157, 161
- maintenance 78–9, 146–9, 211, 247
 of continuity 123, 146–9
- Mallory Swamp Restoration Project 246
- mammals 3, 41, 59, 90, 101–4, 138, 172–3
 migration 19–20
- management 45–7, 54–5, 212, 246–7, 297–301
 bears and panthers 78–9
 best practice 201, 246–7, 285–9
 buffer zones 28–9
 categories 264
 corridors 28–30, 38, 51, 104–6, 132, 152
 Bologna 137–8, 145–9
 data 152–3, 264–5
 Guadiamar 270–89
 Italy 110–11, 123–7, 188–99
 long-lasting linkage 145
 network values **163, 227**
 rights-of-way 91
 zones **163**
see also process management
- Mangifera indica* (mango) 257

- mango (*Mangifera indica*) 257
- mangrove **230**, **235**
- manipulative research 28
- mapping 19, 101–6, 236
- Aznalcóllar sludge 275
- ecological network 153–65, 193–9
- Estonia network 153–6, 159–65, 166–70
- March for Parks 296
- marginalisation 10–12, 109–11, 118–19, 295
- marine conservation 244
- matorral 158
- marsh 97, 138, **230**, **235**, 272, 288
- assessment 59, 64–72, 155
- littoral habitat 158, 160, **162**
- salt habitat **158**, **162**
- species 97, 101–6, 132–7, **140**
- marsh tit (*Parus palustris*) 192, 195–6
- Martes martes* (pine marten) 135, 181
- Maryland 216
- Massachusetts 40
- matorral 158
- matrix quality 195–7
- maximum dispersal area 12
- meadow **147**
- birds 10–11, 197–8
- mediators 297
- Mediterranean 101–4, 157, 272–3, 279, 285
- Meles meles* (badger) **140**
- melodious warbler (*Hippolais polyglotta*) 196–8
- metal ion mobility 282
- metapopulations 7, 19–20, 23, 29–30, 243
- definition 62
- dynamics 57, 65–72
- functionality 7–8, 56–72, 94, 99–100
- Metro Greenprint **205**
- Metro, Portland 210–11, 214–15, 217–18
- Metropolitan Boston Park System 49–50
- Metropolitan Council of Minneapolis and St Paul 206–7
- Metropolitan Greenspaces Master Plan, Portland **205**, 210–11, 214
- metropolitan greenways 200–21
- Metropolitan Greenways Program, Minneapolis 207, 219
- Metropolitan Region of Lisbon 38–40
- Meuse River 8
- microclimate 116–17
- Microsoft Visual Basic for Applications (VBA) 159
- Middle St Johns River basin 85, 89
- middle spotted woodpecker (*Dendrocopos medius*) 99
- migration 2–3, 16–21, 130, 169–70
- amphibians 146
- corridor 42, 73, 84–6, 96–9, 101–6, 288
- designated corridors 26–7, 30–1, 95–100
- routes 2–5, 86–93
- see also human
- Milan region 188–99
- Millennium Trails Program 52
- mine spill, Aznalcóllar 272
- Minimum Viable Metapopulation (MVMP) 62–5, 69–70
- Minimum Viable Population (MVP) 62–9, 135, 243
- Ministry of Agriculture, Nature Management and Fisheries, the Netherlands 128
- Minneapolis/St Paul (the Twin Cities) 49, 200–1, **205–8**, **215**, 218–21
- Minnesota 207, 218
- Minute Man National Historic Park 40
- Mississippi river **205**
- mitigation 73–4, 79–85, 129–31, 296, 299
- banks 238
- design 84–5, 90–3, 141–6, 238–9, 247–8
- Italy 111, 199
- rural roads 171–87
- model
- ‘badger’ landscape 142–4
- ‘crested newt’ landscape 140–1
- criteria see value weighting
- ecological networks 153–70, 217–19
- assessment and analysis 57–71
- continuity and development 128–50
- Florida politics and greenways 224–36, **242**
- highway–greenway interface 84–93
- ‘ide’ landscape 143
- PVA (Population Viability Analysis) assessment 57, 58, 71
- species-related 56–70, 138–46, 188
- traffic calming 176–8
- vegetation Guadiamar 284–5
- Modena 293
- see also Bologna and Modena
- monitoring 119–20, 132, 146–9, 213
- Aznalcóllar 275, 278–87
- easements 246–7
- Guadiamar Programme 282–7
- Natura 2000 106
- PEEN programme 152–3, 163
- protocol 43, 47, 54–5
- montane jungle 252
- Monti Sibillini Park 113
- monuments 109
- moor frog (*Rana arvalis*) 141
- moors 132
- Moravia 32
- mosaic 28–29, 94–8, 104–6, 142, 195–9, 243
- landholding 51, 201, 246
- Motacilla cinerea* (grey wagtail) 196
- Motacilla flava* (yellow wagtail) **133**, **198**
- motivation 201–2, 211, 213–14
- motorways 31, 129–30, 142, 180–2
- high 296
- and rural roads 171–5, 177–85, 185–7

Cambridge University Press

0521535026 - Ecological Networks and Greenways: Concept, Design, Implementation - Edited by Rob H. G.

Jongman and Gloria Pungetti

Index

[More information](#)

336 INDEX

- mountain 31, 37, 48, 129, 158
 - species 97, 101–6
 - Valle Grande 255, 260
- Mountain Map 111
- mountain tundra habitat 158
- movement 40, 84–5, 116, 295–6
 - rural roads 90–1, 171–87
 - see also* dispersal, migration
- multi-objective plans 51, 214–16, 299–300
- multidisciplinary 40, 51, 149–50, 277–8, 286–7, 296–301
- multifunctional 6, 45–8, 132, 137–8, 146
 - corridors 13–14, 29–32, 94, 104–6, 276–86
 - greenways 36–7, 46–55, 203–21, 223–36
 - landscapes 137, 188–99, 291
- municipalities 128, 244, 291–5
 - co-ordination 131, 138, 147–9, 208–13, 243–4
 - lack of 123, 126, 206–8
- Musa* spp. (bananas) 258, 262–3
- Muscicapa striata* (spotted flycatcher) 196–8
- mute swan (*Cygnus olor*) 130
- MVMP (Minimum Viable Metapopulations) 62–5, 69–70
- MVP (Minimum Viable Population) 62–9, 135, 243
- Myakka River 232
- Myakka/Peace River Basins 85

- National Agency for Environmental Protection, Italy (ANPA) 113, 128, 131
- National Biopermeability Map, Italy 115
- National Ecological Network, the Netherlands (NEN) 28, 60, 128, 130–1, 182–5
- National Estuarine Research Reserves, Florida 228
- National Geomining Institute, Spain 273
- National Historic Corridors (NHC), USA 51
- National Institute for Agricultural Technology, Argentina (INTA) 253, 269
- national level 8, 26, 199, 290–8
 - Estonia 168–70, 290
 - Italy 123–8, 130–1, 238
 - PEEN 151–70
 - Russia 290
 - Spain 276, 288
- National Millennium Trails, USA 52
- national natural heritage, Argentina 251, 268
- National Nature Policy, the Netherlands 60
- National Park Service, Illinois 209–10
- National Parks 1–2, 222, 296
 - England and Wales 51
 - Europe 24–6
 - Italy 108, 111–13, 119
 - Spain 270–89
 - USA 35, 37–40, 48, 51
 - see also* Florida, APN; *Zadovednik*; *names of individual countries*
- National Wetlands Inventory classification, Florida 229

- NATLAN (Nature Land Cover) 156
- Natrix natrix* (grass snake) 141
- Natura 2000 4, 8, 42, 101–6, 152, 287–9
- natural communities 130, 223–4, 246–9, 300
 - priority 85–91, 100–6, 158, 161, 226–7, 234–6
 - under-represented 245
- natural habitat classes 131, 133, 158, 161, 167, 233
- natural resources 222, 237–9, 251, 276, 278–86, 293
- Natural Resources Planning Scheme, Guadiamar 289
- Natural Resources and Transport Departments, USA 216
- natural restoration 16, 24–5, 44, 105, 283–4
 - Italy 109, 118–19, 122, 137–9, 145–9
 - polarised landuse 167
 - river 283–4, 286
- natural zone 167
- nature conservation 1–6, 8–9, 23–4, 133–50
 - maintenance 31–2, 179–80
 - and recreation 25–8, 291
 - and rural roads 171–2
- Nature Conservation Acts 9–10
- nature and culture 26, 107–27, 270–89, 292, 296
 - see also* culture
- nature reserves 23–6, 35, 188–9
 - Argentina 264–5
 - Florida 75–6, 84, 223–30, 248–50
 - strict 24–6, 163, 168
- Nature/Land Cover (NATLAN) 156
- NCC (Network Carrying Capacity) 63
- nearby nature 29, 45, 290–1
- necklace 9, 49
- need 100–6, 176–8
 - socio-economic 45, 292–5, 297–8
- neighbourhood enhancement 214–16, 294
- NEN (National Ecological Network, the Netherlands) 28, 60, 128, 130–1, 183
- nesting period 46
- Netherlands, the 9, 64–72, 290, 292, 299
 - biotypes 101–4
 - corridors 27, 99
 - farmers 10–11, 291
 - forest 11, 99
 - funding 148–9
 - hedgerows 11, 137
 - indicator species 60–1
 - National Ecological Network (NEN) 28, 60, 128, 130–1, 183
 - National Parks definition 24–6
 - planning 16, 292
 - rural roads 175, 178–85
 - see also* Gelderland
- network analysis 58–72
- Network Carrying Capacity (NCC) 63
- network merging distance 63

- networks, ecological, definition 3–4, 296
 - see also* ecological networks
- New England 290
- New England Greenway Vision Plan 53
- New Jersey Pinelands 51
- NGO (Non-governmental Organisations) 294, 296–9
- NHC (National Historic Corridors) 51
- Niagara Escarpment 203–5
- Nieuwvliet 179–80
- Nieuwvliet-Bad 179–80
- Nijmegen 144
- NIPC (Northeast Illinois Planning Commission)
 - 208, 218–19
- nitrogen levels 10–11
- nodes 5
- Non-governmental Organisations (NGO) 294, 296–9
- Nordic alvar priority habitat **158**
- North America 200–21, 292–5, 297
- North Chickamauga Creek Greenway Plan 204
- North-East Estonia 167
- North-West Estonia 167
- Northeast Illinois Planning Commission (NIPC)
 - 208, 218–20
- Northeast Illinois Regional Greenways Plan **205**,
 - 208–10
- Northern California 290
- Northern Lowland Forest project, Italy 191–9
- nuthatch (*Sitta europaea*) 61, 65–70, 137, 191, 195–6
- nutrient flux 21–3, 40, 43–4, 291
- nutrient spiralling 21–4, 44
- Oak Ridges Moraine 203–5
- oak scrub 222
- objectives 105, 152–3, 245–8, 276–8, 288, 294–300
 - case studies 203–16
 - objections to 295, 297
- Ocala National Forest 80–2, 85, 89, 232, 234
- ocean fronts 49–50
- OECD (Organisation for Economic Cooperation and Development) 176
- oil 258, 267
- Okaloocoochee Slough 232
- Okefenokee Swamp National Wildlife Refuge 80–2,
 - 232
- Olea* sp. (olive) 272–3, 279
- olive (*Olea* sp.) 272–3, 279
- omnivores 73
- one-step dispersal 99–100
- Oostellingwerf 182–5
- Oosterwolde 182
- Openlands Project 208–9, 218–19
- optima 10–11, 132, 225
- Oran 252–3, 255–64
- orchard habitat 157
- Oregon 210–11
- Organisation for Economic Cooperation and Development (OECD) 176
- organisms
 - large 102, 152, 156
 - small 156
- Oriolus oriolus* (golden oriole) **198**
- Osceola National Forest 85, 89, 232, 234
- Ottawa 48, 212
- otter (*Lutra lutra*) 64–70, 132, 181–2
 - see also* river otter
- Outstanding Florida Waters **228**
- Overlap Criteria **229**
- overpasses 31–2, 142
- ownership 51, 92–3, 145, 147–8, 213
- Pan-European Biological and Landscape Diversity
 - Strategy (PEBLDS) 4, 8, 42, 151–3
- Pan-European Ecological Network (PEEN) 289
 - design and analysis 95, 101–6, 151–70
 - habitat classifications 157–8
 - suitability 155–6
 - values (PV) 156, 159–65, 170
- Pan-European Land Cover Monitoring (PELCOM)
 - 156–7
- Panhandle 230, 232–6
- Pannonic inland dunes priority habitat **158**
 - salt marshes priority habitat **158**
 - salt steppes priority habitat **158**
 - sand steppes 158
 - species 101–6, 158
- Panthera onca* (jaguar) 251, 268, 295
- Panthera tigris altaica* (Siberian tiger) 295
- Paramó 10
- Paranaense forest 251
- Parco Agricolo Sud Milano 195–8
- Park Districts, Illinois 208
- parks 9, 45, 48, 188–9, **215**, 219, 291
 - historic 109–10, 129
 - protected, values 75–6, **87**, **163**, 169
 - see also* national parks; urban parks
- Parks and Public Works Commission, Hennepin
 - County 208
- parkways 8–9, 35, 49
- partnerships 54, 129–31, 138
 - active 85–91, 146–50, 296–301
 - Argentina 265–8
 - North America 204–14, 216–19
- Parus caeruleus* (blue tit) 196–8
- Parus cristatus* (crested tit) 196–7
- Parus montanus* (willow tit) 197
- Parus palustris* (marsh tit) 191, 195–6
- PAS (Potential Agricultural Area) 254–9
- pastoralism 190
- pasture 118–19, **233**, 279, 291
 - removed from model 225
- patch 5, 37, 41–3, 56–72, 201, 280
 - assessment 58–61
 - bears and panthers 78–9
 - habitat per square 161

Cambridge University Press

0521535026 - Ecological Networks and Greenways: Concept, Design, Implementation - Edited by Rob H. G.

Jongman and Gloria Pungetti

Index

[More information](#)

338 INDEX

- patch (*cont.*)
 - key 58–72
 - merging distance 61, 71
 - in mosaic 94, 96, 99–100, 129–30, 242, 255–6
- Patch Carrying Capacity (PCC) 20, 62, 65–9
- pathogens 189
- PCC (Patch Carrying Capacity) 20, 62, 65–9
- PDR (Purchased Development Rights) 92–3
- PEA (Priority Ecological Areas) 225–36
- Peace River 232
- peat extraction habitat 157, 160, **162**
- PEBLDS (Pan-European Biological and Landscape Diversity Strategy) 4, 8, 42, 151–3
- PEEN (Pan-European Ecological Network) 289
 - design and analysis 95, 101–6, 151–70
 - habitat classifications 157–8
 - suitability 155
 - values 156, 159–65, 170
 - see also* PV
- PELCOM (Pan-European Land Cover Monitoring) 156–7
- Pelobates fuscus* (common spadefoot) 141
- peninsular wedging 30
- perception 56–7, 59–63, 202
- permeability 77–93, 94, 108–27
- Pernis apivorus* (honey buzzard) 196
- Persea americana* (avocado) 257
- Persicetano 146–9
- pests 157
- Phalacrocorax carbo* (cormorant) 130
- phenotypes, and dispersal **18**
- Phoenicurus phoenicurus* (redstart) 196
- Phylloscopus bonelli* (Bonelli's warbler) 196
- physical structures 28–31, 34–6, 129–50
 - see also* barriers, corridors
- phyto-remedies 282
- Pianura Padana 129
- Picoides major* (great spotted woodpecker) 192, **198**
- Picos de Aroche 272
- PICOVER 277–8, 286–7
 - Co-ordination Committee 287
- Picus viridis* (green woodpecker) 192, 196
- pine marten (*Martes martes*) 135, 181
- pine rocklands 237, 243
- pinus (*Pinus* spp.) 225, 272–3
- Pinhook Swamp 232
- Pintascaya Lagoon Provincial Park 268
- Pinus clausa* (sand pine) **227**
- Pinus palustris* (longleaf pine) 222, 234–6
- Pinus pinea* (stone pine) **158**
- Pinus* spp. (pinus) 252, 272–3
- place names data 154
- PLANECO (Planning in Ecological Networks Project, Italy) 114–15
- planned economy 11, 14–15
- planning 5, 9, 39–40, 45–6, 296–301
 - adaptive 43
 - corridors 38–40, 42–8, 247–8
 - de-anthropisation 109–10, 126–7
 - Estonia 165–70
 - greenways 35–6, 45–55, 201–21, 222–50, 292–5
 - Guadamar 23–4, 270–89
 - highway connectivity 82–93
 - Italy 107–27, 128, 131–7
 - land use 13–14, 50–1, 152, 192–9
 - landscape and conservation 128–50
 - nature and culture 107–27, 292
 - provinces 113, 130–1, 146–7, 213, 287–8, 293
 - recreational 138, 291
 - rural transport 176–87
 - strategic 23–4, 124–7, 237–50, 275–8, 300
 - trade-offs 47–8
 - transportation 73–93, 295–6
 - Yungas 251–69
- Planning in Ecological Networks, Italy *see* PLANECO
- Plano Verde de Lisboa 38–40
- plant species, rare **226**
- Planta Europa 153
- plantation 5, 24, 32, **230**
 - fruit 255, 257–8
 - habitat 157, **162**, 195–9
- Platalea leucorodia* (spoonbill) 130
- pleasing everybody 213–16
- PNAs (Potential Natural Areas) **226–7, 229, 233, 242**
- Po River 8, 137, 146–8, 188
- pochard (*Aythya ferina*) 130
- Poland 17–18, 290
- polarised landscape 12, 15–16, 165, 167
- political 216–21, 222–50, 259–65, 296–301
 - climate 200–2, 210–11, 239–50, 295
 - concerns 200–1
 - Italy 107–27, 131, 149–50, 198–9
 - decentralisation 208, 293–5
 - pressure 238–9
 - support 4–6, 37, 47–8, 51–5, 290–1, 293–301
- Pollino Park 112–13
- pollution 12, 46–7, 76, 237
 - Guadamar 272–8, 281–4, 287
 - quarries 116
 - soils 14–15
 - water 13–15, 22–3, 46–7, 51
- ponds 42, 130, 133, 140–8, 288, 298–9
- Pontic species 101–6
- poplar (*Populus* sp.) 195, 197
- population 17, 56–72, 94, 144
 - crashes **18**
 - density 24, 62
 - human 16, 25–9, 52, 130, 163, 182; age 262; Florida 73–6, 222–3, 240–3, 249–50; Northern Italy 130, 191; Yungas 259–63
- extinction 12, 18, 120
- fluctuation 2, 19, 28
- human growth 14, 175, 207–8, 210, 260–3

- Florida 73–4, 222–3, 238, 240–3, 249–50
- viable 62, 132–7, 224, 226
- Population Viability Analysis (PVA) 58–9, 72
- Populus* sp. (poplar) 195, 197
- Portland, Oregon 200–1, 205, 210–11, 214–15, 217–18, 220–1
- Portugal 17–18, 25–6, 38–40, 293
- Portuguese National GIS agency (CNIG) 39–40
- potential agricultural area (PAS) 254–9
- Potential Natural Areas (PNAs) 226–7, 229, 233, 242
- power lines 29, 122
- practical solutions 29–33, 294–301
- prairie 191–9, 227, 230, 232, 235
- Precambrian calcareous flat-rocks priority habitat 158
- precautionary principle 41–2
- predation 18–20, 30, 91, 97
- preservation 1–2, 4–7, 20, 132–50, 189, 300
- Preservation 2000 and Florida Forever 239
- Preservation 2000 Program 239, 245–6
- President's Commission Report on Americans Outdoors in the USA (1987) 34, 45, 51
- priorities 72, 82, 85–93, 168, 287, 296
 - artificial habitat classes 157, 160–1
 - Florida 82–91, 225–30, 236–7, 242–3, 245–50
 - greenway plans 38, 204, 208–9, 213, 219
 - guidelines 152
 - natural habitat classes 158, 161
 - PEEN 152, 158
 - transport needs 176, 180
- Priority Ecological Areas (PEAs) 225–36
- private property rights 25–6, 92, 239–42, 248–9
- private and public 51–5, 146, 207–21, 296–8
 - Andalusia 276
 - Florida 92–3, 223, 243–6
- private sector 130, 204–13, 217–19, 260–3
 - Florida 223, 227, 232–4, 237–41, 244, 246–50
- process management 149
- Program MaB, UNESCO 288
- protected, administrative areas 163–4, 170
 - Estonia 165, 169
- Protected Landscape 288–9
- Protected Natural Areas Network of Andalusia (RENPA) 280–1, 289
- protection 12, 53, 111, 138, 214–15, 296–301
 - in buffer zones 27–8
 - economic activity 46–7
 - Florida 75–6, 223–5, 232–6, 236–50
 - national 123–4, 245, 264–5, 292–6
 - systems 23–7, 48, 157–70, 201–2, 296
 - water quality 215
 - zones 115
- Protection of Coastal Waters (1994) Act, Estonia 168
- Protection of Surface Waters (1994) Act, Estonia 168
- Provence 11
- provinces 113, 130–1, 146–7, 213, 293
 - road 179–80
- psychological benefit 29, 45, 290
- public
 - lands 76, 84, 88, 90, 296
 - acquisition programme 76, 86–93, 213, 227
 - conservation 234–50
 - ownership 288, 296
 - support 4–6, 138, 146–9, 152, 204–21, 249, 294–301
 - see also* local
- public and private 51, 146, 207–11
 - Andalusia 276
 - economic development 294–8
 - Florida 92–3, 223, 227, 233, 243–7
- Public Use and Citizen Participation Programme 286
- Puna 251–2, 267
- Purchased Development Rights (PDRs) 92–3, 296
- Putorius putorius* (European polecat) 133
- PVA (Population Viability Analysis) model
 - assessments 58–9, 71
- PV (Pan-European Ecological Network values) 156, 159–65, 170
- pyrite tailings spillage 273–5
- Pyrrhula pyrrhula* (bullfinch) 197
- Quercus ilex* (holm oak) 272–3
- quail (*Coturnix coturnix*) 133
- quality of life 46–7, 263–4, 292–3
 - rural roads 175, 187, 299
- quarries 116
- rail/road 120, 129, 130, 294
- railroads 12, 35, 51–2, 92
 - barriers 120–1, 141–6
 - corridors 44–5, 129–30, 200
- Rails-to-Trails Conservancy (RTC) 52
- Ramsar area 163
- Rana arvalis* (moor frog) 141
- ranching 254–5, 258, 260, 262
- range expansion 100
- Rangers School (APN) 268
- rankings *see* values, weighting
- rat run traffic 182–5
- re-establishment 108
- recharge 44
- recolonisation 20, 84–5, 129–30, 189
- reconnection 79–82
- recreation 75–6, 138–49, 214–16, 301
 - Boston 8–9, 49
 - facilities 12, 22, 35–6, 51, 160
 - function 9, 28–29, 37–40, 167, 237
 - greenways 45–55, 84, 291–8
 - Italy 119, 138
 - in National Parks 24–6, 29, 296
 - resources 200
 - roads 177–8

Cambridge University Press

0521535026 - Ecological Networks and Greenways: Concept, Design, Implementation - Edited by Rob H. G.

Jongman and Gloria Pungetti

Index

[More information](#)

340 INDEX

- recreation (*cont.*)
 - the Netherlands 179–80
 - and traffic calming 176–7
 - zones 167
- recuperation, Guadiamar 276–8, 281–9
- Red Data Book of Estonia 161
- red deer (*Cervus elaphus*) 19, 132, 142
- Red Hills Conservation Program 246
- red-backed shrike (*Lanius collurio*) **133, 198**
- red-footed falcon (*Falco vespertinus*) 129
- redstart (*Phoenicurus phoenicurus*) 196
- reed marsh **140**
- reed warbler *see* sedge warbler
- referenda 245
- reflectors 79
- reforestation 109, 267, 282
- regional 10–11, 128, 131, 209, 216–17
 - agency, model 217–21
 - governments 8, 123, 126, 273–8, 288, 291–5, 299
 - opposition to 201, 206, 217, 241, 296
 - landscape 84–91, 194–9, 234–6
 - planning 140–1, 146, 152, 168–70, 223–36, 268
 - traffic and rural roads 172, 176–87
- Regional Ministry for Environment working party,
 - Andalucia 277
- regulatory regime 27–8, 54, 92, 296–8
 - greenways 208, 212–13, 238
- Regulus ignicapillus* (firecrest) 197
- Regulus regulus* (goldcrest) 196
- rehabilitation areas 136
- remediation 277–82
- remote sensing 191
- RENPA (Protected Natural Areas Network of
 - Andalusia) 280–1, 289
- representation analysis 233–6
- reproduction corridor 30–2, 99–100, 105, 140
- reproductive success 20–1
- reptiles 65–70, 90, **101–4, 140, 141, 172–3**
- research 149–50, 201, 213
- Research Programme 278
- resource analysis 34
- resource co-occurrence **36–40**
- restoration 131, 154–6, 188, 199, 295–6, 299
 - connectivity 84–5, 122–7
 - Florida 244–50
 - Guadiamar 275–89
 - habitat 105, 109, 129, 137–8, 147
 - see also* natural restoration
- restrictions 297
 - land use 24–8, 115, 132, 296, 298
 - USA 54, 92–3
 - speed 79, 89, 176, 184
- retention basins 138
- Retrenchement 179–80
- Rhine River 8, 11, 99, 130–2
- Rhone River 8
 - ridges 2, 30, 35, 37–9, 50
 - in assessment 86–93, 117, 200
- rights-of-way 35, 91
- Rio Declaration on Environment and Development
 - 42
- riparian 19–24, 37, 43–4, 51, 86–93
- risk 12, 17–**18**, 174
- River
 - Adda 191
 - Agrio 271, 273–5
 - Alcarayón 271
 - Ardanchón 271
 - Aucilla 85, 90
 - Blackwater 85, 90, 232–6
 - Chicago **205**, 209–10
 - Cigüeña 171, 271
 - Columbia **205**, 210–11
 - Danube 8
 - Elbe 8
 - Guadalquivir 271–2
 - Guadiamar 23, 270–89, 272
 - Kissimmee 231–2
 - Meuse 8
 - Mississippi **205**
 - Myakka 85, 232
 - Peace 85, 232
 - Po 8, 137, 146–8, 188
 - Rhine 8, 11, 99, 130–2
 - Rhone 8
 - St Johns 85, 89, 232, 249
 - San Francisco 256–7
 - Seine 8
 - Suwannee 90, 232, 234, 249
 - Tennessee 204–6, 214–16
 - Ticino 191
 - Tisza 8, 23
 - Tweed 32
 - Wekiva 83, 85, 89
 - Willamette **205**, 210–11
 - Withlacoochee 232
- River City Company (River Valley Partners) 204–6,
 - 217
- river otter (*Lutra canadensis*) 41, 76
- River Valley Partners (River City Company) 204–6,
 - 217
- rivers 3, 5, 8, 24, 288
 - as barriers 31, 116, 130–1
 - corridors 19–25, 29–30, 37–45, 90, 94, 270–89
 - North America 35, 200, 294
 - estuaries 49–50, 158
 - Florida 86–91, 229–31, 247–8
 - Guadiamar 270–2, 275, 279–81, 284–9
 - Italy 116–17, 119, 128–48
 - and migration 8, 19–24, 42–3, 97
 - natural 41–3, 283–4
 - in planning 23–4
 - and upland basins 229–30

Cambridge University Press

0521535026 - Ecological Networks and Greenways: Concept, Design, Implementation - Edited by Rob H. G.

Jongman and Gloria Pungetti

Index

[More information](#)

- Rivers, Trails and Conservation Assistance (RTCA) 304
- River Continuum Concept 20, 43–4
- road/rail 120, 129, 130–1, 141, 294
- roadblocks 213–14
- roadless 75–7, 225, **228–9**
- roads 73, 124, 137, 154, 299
- barrier 8, 12, 31, 76–7, 84, 90–3, 122, 135
 - curves 91, 122
 - density 12, 74–5, 77, 155, **163**, 225, **233**
 - the Netherlands 74, 130, 135
 - distributor 176–8
 - ecological networks 154
 - Florida 73–93, 225, 238, 247–8
 - network density 74–5, 77, **228–9**
 - hard surface 31, 74, 89
 - improvement 86–7, 90–3, 185
 - links 173
 - local access 172–87
 - national 180–2
 - network density 74–5, 120, 124
 - Florida 74–5, 77, **228–9**
 - rural 31, 75, 122, 171–87, 255, 295–6
 - slagen system 179–80
 - width 89, 174–5, 185
 - reduction 181–2, 185
 - see also* highways, wildlife
- roadsides 10, 91, 130, 167–8, 175, 298
- Robina pseudoacacia* (locust tree) 192
- rock habitat 97, **104**, 158, 194
- roe deer (*Capreolus capreolus*) 19, 181, 185
- roles defined 243–4
- Rotterdam 9
- Royal Commission on the Future of the Toronto Waterfront (1992) 211
- royal eagle (*Aquila chrysaetos*) 111
- RTCA (Rivers, Trails and Conservation Assistance) 304
- RTC (Rails-to-Trails Conservancy) 52
- Rural and Family Lands Protection Act 248–9
- rural renewal 130
- rural stewardship 47, 248–9, 293
- Russia 2, 14, 157, 290, 293, 296
- Saaremaa Island 165, 167
- SAC (Special Areas for Conservation) 42
- Sagittario Valley 108
- St Joe Company 240
- St Johns River 85, 89, 232, 249
- St Johns River Water Management District 249
- St Marks National Wildlife Refuge 85, 90
- St Oedenrode 11
- salination 14–15
- Salmo salar* (salmon) 7, 31–2
- salmon (*Salmo salar*) 7, 31–2
- Salt Creek Greenway 298
- salt marshes habitat **158**, **230**, **235**
- Salta 253, 259–64, 268
- San Francisco Valley 256–7
- sand lizard (*Lacerta agilis*) 65–70
- sand pine (*Pinus clausa*) **227**
- sandhills **227**, **230**, 232, 234–6, **235**
- Sandoz incident 23
- Santa Victoria, western 252–3, 255–64
- Saskatoon 212
- Save Our Rivers 249
- Saxicola torquata* (stonechat) **133**, 137, **198–9**
- scale 123, 248, 290–2, 299
 - in assessment 36, 60–2, 69, 146, 236
 - cultural landscapes 124–6, 292
 - in data 110–12, 123–4, 195–9
 - spatial and temporal 20–4, 100–6, 201–2, 281, 298–301
- scenic, amenity 35–6, 45, 49–50, 92–3, **215**
 - resources 5–6, 200, 214–16
 - values 24–9, 35–6, 109
- scrub **222**, **227**, 232, 234–7, 243
 - habitat 157, **162**
- sea species 101–6
- SEA (Significant Ecological Area) **233**
- sediment 43–4
- sedge warbler (*Acrocephalus schoenobaenus*) **140**
- segregation, functions 4–5, 9–10, 13–17
- Seine River footpaths 8
- selection 199, 246–50, 293
 - of corridors 38, 151–3, 238–9
 - Estonia 165–70
 - PEEN status 152–3
- self-purification 4, 16, 23
- semi-natural habitats 157–8, 161
- Seminole State Forest 83
- sensitivities, local 149
- sensitivity analysis 71
- settlement 24, 26–7, 168, 249, 258, 263
 - Italy 110–11, 115, 119–21, 129
 - reduction 24
- Seville province 270–89
- Shannon diversity 58
- SHCAs (Strategic Habitat Conservation Areas)
 - Florida 87–91, 225–9, **242**, 245
- Shellfish Harvesting Waters **228**
- shorelines 155, 213
- short-toed treecreeper (*Certhia brachydactyla*) 197
- shoveler (*Anas clypeata*) 130
- shrews (*Sorex* spp.) 141
- shrubs 97, 101–4, 141–7, 157
 - Italy 109, 191–9
- Siberia 295
- Siberian tiger (*Panthera tigris altaica*) 295
- Sierra Morena 270–2, 276–9, 289
- signature analysis 252–4
- significance, contextual 237
 - ecological 89–90, 224, 232–6, 245–6
- Significant Ecological Area (SEA) **233**

Cambridge University Press

0521535026 - Ecological Networks and Greenways: Concept, Design, Implementation - Edited by Rob H. G.

Jongman and Gloria Pungetti

Index

[More information](#)

342 INDEX

- single species 10, 108, 123–6, 243
- Sintra 39
- Sitta europaea* (nuthatch) 61, 65–70, 137, 191, 195–6
- size of
 - accumulated sites 235, 246
 - agricultural holding 8, 257–8, 260, 262–4
 - clearing areas 252, 255–8
 - conservation sites 2, 14, 24–6, 111, 144, 222
 - corridors 84, 137–8, 141, 145, 148, 295
 - ecological networks 141, 146, 201–13, 230–9
 - land cover units 155, 159, 162–3
 - patches 13, 67, 78–9, 94, 198, 248
 - priority areas 225, 228–30, 233, 245–6
 - roadless areas 228
 - see also* scale
- slope 91, 116–17, 122
 - gentle 255–6, 258
 - steep 162, 255, 257
 - values 155, 163
- slough 232
- Slovakia 17–18, 30, 292, 298–9
- Smart Growth 46
- social 137–8, 258, 300
 - benefit 30, 36–7, 44–5, 290, 294
 - development 109–11, 276, 284–6, 294
 - structure 108
 - Kolla 267
 - support 4–6, 51–5, 295–301
- socio-economic,
 - complex 110, 126–7
 - Aznalcóllar mine spill 275–6, 278, 284–6
 - sectors 149, 152, 163, 293–6
 - Yungas 251–2, 259–65
- soils 116, 123, 130, 156–7, 159–60
 - agricultural quality 40, 254–8
 - heavy metals Guadimar 274–5, 280–4
- song thrush (*Turdus philomelos*) 197
- SOR proposals 84
- Sorex* spp. (shrews) 141
- sound devices 79
- source–sink relationships 13
- South Florida ecosystem 85, 232, 234
- South Florida Water Management District 238
- Spain 17–18, 278–89, 292–4, 297
 - see also* Andalusia
- Spanish lynx (*Lynx pardina*) 19
- spatial discontinuity 12
- spatial planning 13–16, 45–8, 298–9
- spatial relations 13–14, 153
 - species 108, 124–6
- spatial-standard-based assessment 57–72
 - see also* LARCH
- spawning 21–2, 32, 140
- Special Areas for Conservation (SAC) 42
- Special Management Zone 152, 163
- species 60–72, 86, 152, 194–8, 300
 - abundance 2, 4, 8, 10–11, 78, 192–8
 - Continental 101–6
 - dependent, connectivity 41–6
 - dominant, human 1–6, 300
 - endangered 101, 111, 161, 169–70
 - Florida 87–8, 222, 234–6, 246
 - extinction 2, 19–20, 62–3, 189–90
 - flagship 169–70
 - focal 132–7, 190–9
 - Florida 86–7, 225–6, 229, 242–3, 248–9
 - grassland 11, 64–71
 - indicator 59–61, 155–6, 199
 - Mediterranean 101–6
 - movement 23–4, 29, 40, 86–93, 116
 - performance ratio 91–3
 - perspective 56–7, 59–63, 71
 - rare 40, 223–4, 227, 236–7, 246
 - single 10, 108, 123–6, 243
 - special concern 87–8
 - specialists 73, 83–4, 110
 - specific 12, 61–2, 65, 243
 - corridors 95–106, 129–32, 132–50
 - ratings 56, 86–93
 - target 95, 101–4, 132–7, 146, 223, 292
 - threatened 87–8, 110, 130, 133, 222, 234–6, 245–6
 - umbrella 132, 190–1, 226
- species-related model 138–46
- spiralling 20–4, 44
- spoonbill (*Platalea leucorodia*) 130
- sport and leisure facilities habitat 160
- SPOT imagery 225
- spotted flycatcher (*Muscicapa striata*) 196–8
- squacco heron (*Ardeola ralloides*) 129
- State Aquatic Preserves, Florida 228
- State of the Greenways Report, Illinois (1994) 209
- state level 52–3, 299
 - Florida 222, 229, 234, 237, 239–50
- statistical assessment 57, 58
- Steppic species 101–6
- stepping stones 41–2, 96–7, 138, 140–6, 148, 243
 - in migration 3, 19, 30
- stewardship 47, 213, 248–9, 293
- stone pine (*Pinus pinea*) 158
- stone walls 29, 94, 122, 292, 298
- stonechat (*Saxicola torquata*) 133, 137, 198
- stork (*Ciconia ciconia*) 17–18
- storm management plans 214, 216
- Stowe resident 290, 300–1
- Strategic Habitat Conservation Areas (SHCAs),
 - Florida 87–91, 225–7, 242, 245
- Strategy for the Green Corridor 277
- stream 131, 140–6, 283
- stream valleys 31–3, 35
- stream corridors 38–40, 43–4, 87, 137–9
 - case studies 212–14
 - see also* corridors; rivers
- Streptopelia turtur* (turtle dove) 133, 197–8

Cambridge University Press

0521535026 - Ecological Networks and Greenways: Concept, Design, Implementation - Edited by Rob H. G.

Jongman and Gloria Pungetti

Index

[More information](#)

- string of beads 140–1
- subsurface hydrology 44
- suburban habitat 157, 160, **162**, 169, 240
- sugarcane 256–8, 260, 262, 266
- suitability, ecological networks 154–6, 192–4
 - Estonia 157–70
 - Florida 229–36
 - values 155–6, 155–65, 170, 230–6
- Sulmona 119
- sulphides 273–4
- Surface Transportation Project 248
- survival 19–20, 300–1
- sustainability 27–8, 46, 48, 240–1
 - assessment 56–64, 69–72, 132–7
 - bottlenecks 135, 137, 148–9
 - and connectivity 40–4, 54–5, 290–300
 - development 1–2, 5–6, 126–7, 135, 275–6, 284–6
 - ecological networks 28–9, 61–2, 132, 137–46
 - land use 3–5, 35–7, 258–69
- Suwannee River 90, 232, 234, 249
- Suwannee River basin 85, 232, 234, 249
- Suwannee River Water Management District 249
- swamp **230**, **235**, 246
 - cypress **230**, **235**
- Swiss flora 130
- Sylvia borin* (garden warbler) 196
- synergy **36**–7, 152

- Tall Timbers Research Station 246
- Tallahassee 246
- Tallinn Region 167
- targeting 94–6, 105, 132–7, 141–6, 292
- taruca (*Hippocamelus antisensis*) 251
- Tarvisio Forest 111
- tawny pipit (*Anthus campestris*) 135
- tax support 298
- TCRA (Traffic-Calmed Rural Area) 73–93, 176–8
 - case studies 178–87
- TEA (Transportation Equity Act for the 21st century) 248
- Tennessee 201, 204–6
- Tennessee River 204–6, 214–16
- Tennessee River Park 204–6, 214–16
- terrace, agriculture 109, 258
 - Guadamar 272, 280–1
- terrestrial system for ecological stability (TSES) 292
- territorial suitability 154–6
- The Nature Conservancy (TNC) 234, 236, 248–50
 - Interest **87**
 - Priority **87**, **227**
- Thomasville, Georgia 246
- threatened species **87**–8, 130, 133, 234–6, 246
- Three Lakes Wildlife Management Area 232, 234
- Ticino River 191
- time 4, 46–7, 56–8, 122, 132, 290, 293
- timescale 43, 100, 130–2
- Tinkunaku community 265–8

- Tisza River 8, 23
- TNC (The Nature Conservancy) 234, 236, 248–50
 - Interest **87**
 - Priority **87**, **227**
- Toldos 253, 268
- tomato (*Lycopersicon* spp.) 258
- top-down approach 54, 217, 241, 292–3
- topography, corridors 30, 86–93, 94, 111, 114–17, 283–4
- Toronto 200–1, 203–5, **215**, 217–21
- Toronto and Region Conservation Authority 212
- tourism 46, 54, 74, 152, 285–6
 - Italy 108–9, 190
- towns 169
- toxic metals 273–5, 280–4, 287
- TPL (Trust for Public Land) 46, 204, 218
- tracks, Italy 109
- tract allocation 255, 263–4
- trade-offs 47–8, 251–2
- traditional land use 25–7, 29, 108–9, 196, 255
- traffic 90–3, 122
 - calming 33, 131–2, 176–87, 299
 - density 12, 31
 - Florida 74–5
 - the Netherlands 74–5, 179–85
 - flows 172–4, 176–87, 295–6
 - reduction 132
 - safety 175, 182–7
 - speed 79, 89, 172–4, 177–85
 - reduction 182, 184
 - times 182, 185
 - and transport planning 171–2, 176–87
 - volume 74, 172–5, 178–87, 238
- Traffic-Calmed Rural Area (TCRA) 176, 181–2, 184–7
- trails 7, 29, 35, 44–5, 51–2, 210–11
 - disturbance 47, 131–2
 - historic 114
 - Minneapolis 206–8, 219
 - multiple use 47, 146, 209
 - see also* tracks
- transdisciplinary research 149–50
 - see also* multidisciplinary research
- transhumance 262, 266
- transitional woodland/scrub in mire habitat 160
- translocation 105
- transport, integrated 82–91, 152, 214–16, 294–6
- transportation 44–5, 73–93, 105, 152, 258
 - infrastructure 12, 208, 214
 - funding 247–8
 - see also* canals; rail; roads, rural
- Transportation Equity Act for the 21st Century (TEA-21) 248
- Transportation Related Wildlife Mortality Seminar 86–9
- transversability 184–7
- transverse corridors 30, 118, 137–50, 173–4

Cambridge University Press

0521535026 - Ecological Networks and Greenways: Concept, Design, Implementation - Edited by Rob H. G.

Jongman and Gloria Pungetti

Index

[More information](#)

344 INDEX

- tree frog (*Hyla arborea*) 141
- treecreeper (*Certhia familiaris*) 197
- trees 129, 132
- Triturus carnifex* (Italian crested newt) 134
- Triturus cristatus* (great crested newt) 135
- Troglodytes troglodytes* (wren) 197–8
- trust 300
- Trust for Public Land (TPL) 46, 204, 218
- TSES (Terrestrial System for Ecological Stability) 292
- Tug Hill region 202
- tundra 158
- tunnels 32–3, 79–82, 120–2, 185–7, 296
 - models 141–6
- Turdus philomelos* (song thrush) 197
- turtle dove (*Streptopelia turtur*) 133, 197–8
- Tweed River 33
- Twin Cities (Minneapolis/St Paul) 49, 201, 205–8, 215–17, 220–1
- typology, corridors 31, 95–106
 - greenways 35–7
 - re-naturalisation 118
- umbrella species 132, 190–1, 226
- uncertainty 60, 71–2
- underpasses 77, 79–80, 86, 90–3, 247–8, 296
- UNECE (United Nations Economic Commission for Europe) 151
- UNESCO World Heritage Landscape (Sintra) 39
- ungulates 120, 122, 251
 - see also individual species
- United Nations Economic Commission for Europe (UNECE) 151
- United States of America (USA) see individual cities; North America, states; United States; US entries
- United States Forest System 48
- United States Geological Survey (USGS) 156, 224
- University of
 - Camerino 114
 - Chieti 114
 - Florida see FGPT
 - Jujuy 269
 - L'Aquila 114
 - Leicester 269
 - Massachusetts 52
 - Molise 114
 - Roma 3 114
 - Salta 269
 - Tartu 167
 - Wageningen 269
- unmanaged zone 163
- unsuitable conditions PV 161, 164
- upland 229–30
 - forest, Great Britain 11
- Upper St Johns River basin 85, 249
- urban 34–5, 34–55, 87, 225, 233
 - expansion 8, 12, 14, 41, 50, 255
 - fringe 12, 46
 - parks 9, 45–50, 73, 124, 206–8
 - planning laws 48, 113, 115, 124–7
 - pull 260
 - revitalisation 211–12, 214–16, 239, 299
 - squares 49–50
- urbanisation 9, 106
 - Florida 74–6, 82, 222, 240–1, 248–50
 - Italy 110–11, 116, 118–24, 141–6
 - Bologna 129, 137–8
 - Milan 188, 191
 - North America 206–8
 - Yungas 255, 258, 260–3
- Urgent Measures Plan 287
- Ursus americanus floridanus* (black bear, Florida black bear) 76–83, 85, 87, 91, 222, 243
 - road density 228, 238–9, 247–8
- Ursus arctos* (brown bear) 111, 132
- US Army Corps of Engineers 238
- US Department of Transportation 52
- US Environmental Protection Agency, Region IV 248–50
- US Geological Survey GTOPO30 Digital Elevation Model 156
- US Trust for Public Land see TPL
- US National Parks 35, 37–40, 48, 51
- USA see United States of America
- USGS (United States Geological Survey) 156, 224
- Utrecht 9
- Vallo di Diano 113
- Valle Grande department 252–3, 255–6, 260–4
- values 168, 230–6
 - weighting 87–91, 110, 155–6, 163, 195, 231–3
 - see also PV
- Vancouver, British Columbia 202, 213–14
- Vanellus vanellus* (lapwing) 130
- VBA (Microsoft Visual Basic for Applications) 159
- vegetables 258, 262
- vegetation 20, 40, 43, 65–9, 96
 - communities 132, 284–5
 - degraded 118–19, 274
 - and mitigation 91
 - native 79, 91–3, 137–8, 141–8
 - sparse habitat 158, 162
- Veluwe 130
- Veluwe Forest 99
- verges 91, 130, 133, 167–8, 175, 298
- Verkehrsberuhigung 176
- vertebrates 61–4, 95–106, 191–9, 226
 - see also species
- Via Emilia 129
- viability 68–9
- viaducts 120, 122, 296
- vineyards 279
- volunteers 47
 - see also grass-roots
- Volusia County 244–5

Cambridge University Press

0521535026 - Ecological Networks and Greenways: Concept, Design, Implementation - Edited by Rob H. G.

Jongman and Gloria Pungetti

Index

[More information](#)

- wading birds 98, **226**
see also species
- walking trails 35, 44–5, 105, 205
- warning signs 79, 90
- Washington DC 49, 223
- Washington State 210–11, 290
- Waskemeer 182–5
- waste 22–3, 46–7
- water 60, 154, 160–1, 167–8, 192, 194
 acid 273–5, 282
 boards 128, 131, 145, 147–9
 flow corridors 30, 40–3, 96, 284, 291
 habitat, class 97, 135, 158, 160–1, 167–8
 Florida 84, 89, 225, **228–36, 242**
 Italy 191, 194
 pollution 14–15, 272–8, 281–4, 287
 quality 3, 19, 46–7, 49–51, 116
 and greenways 37–40, 204, 214–16, 237
 resources 54, 239, 240, 249, 251–68
 transport 105
- Water Management Districts (WMD) 76, 225, 249
- water-trail 209
- watercourses 12, 22, 31, 97, 298
 corridors 28, 41, 105, 144–6, 160
see also rivers; streams
 density 155, 162
 species 97, 101–6
 values **163**
- waterfowl 98
- Waterfront Regeneration Trust (WRT) 211–13,
 217–19
- watersheds 20, 30, 37, 43–5, 211–14
 Guadamar 272, 276
- Wekiva River basin 85
- Wekiva River State Park 83, 89
- West-Estonian Archipelago Biosphere Reserve 165–7
- Western Andalusia 270–89, 298
- Western USA 295
- wet woodlands 129
- wetlands 51, 97, 132–9, 141–9, 272
 Florida 75–6, 86–91, 220–30, 222, **226, 231–3**
 hotspots **226, 229**
 roads 75–6, 86–93
 network map 167, 169
- white admiral (*Limenites camilla*) **140**
- White House 52
- widening roads 185
- Wild and Scenic Rivers Act, USA (1968) 51, **228**
- Wildlands Project 292
- wildlife 122, 128–32, 161, 191, **215, 299**
 agencies 238
 crossings 79–85, 171–2, 182, 247–8, 295–6
 mortality 73, 172–4, 185–7
 Florida 76–93, **228, 238–9, 247–8**
 Italy 122, 180–2
 refuges 76, 91, 118, 129
 transversability 184–7
 vehicle collisions 76–7
- Willamette River **205**, 210–11
- willow tit (*Parus montanus*) 197
- wind dispersal 18, 104–5
- Wisconsin Heritage Trail Proposal 38, 39, 50–1
- Wisconsin Outdoor Recreation Plan 38
- Withlacoochee State Forest 85, 89, 232
- WMD (Water Management Districts) 225
- wolf (*Canis lupus*) 19, 132
see also Apennine wolf
- wooded agricultural habitat 157, **162**
- wooded banks 3, 19, **140–8**
- wooded dunes, with *Pinus pinea* priority habitat
158
- wooded fens and bogs habitat **158, 160, 162**
- woodlands 45, 75–6, 129, 133–7
 deciduous 141–9, 191–7
 designs 155, 194–9
- woonerf 176
- World Bank, buffer zone definition 28
- World Conservation Union (IUCN) 25–7, 29, 285,
 296
- wren (*Troglodytes troglodytes*) 197–8
- WRT (Waterfront Regeneration Trust) 211–13,
 217–19
- xeric habitat **87, 230**
- xeric oak scrub 222, **227, 234–7**
- yellow wagtail (*Motacilla flava*) **133, 198**
- Yosemite National Park 51
- Yungas, ecological network 251–69
- Yuto 253
- Zapovednik* (National Park) 296
- Zeeuwsch Vlandern 179–80
- zinc contamination 273–4, 281–4, 287
- zonation 148, 167
- zoning 14, 26, 92–3, 115, 165, 296